

Resonant transmission line method for unconventional fibers

A. C. Boucouvalas^{1*}, C.D. Papageorgiou⁴, E. Georgantzos¹, T. E. Raptis^{1,2,3}

¹ University of Peloponnese, Department of Telecommunications and Informatics

² National Center for Science and Research "Demokritos", Division of Applied Technologies

³ National Kapodistrian University of Athens, Physical Chemistry Lab., Chemistry Department

⁴ National Technical University of Athens, Department of Electrical Engineering

* Correspondence: acb@uop.gr

Abstract: We provide a very general review of the resonant transmission line method for optical fiber problems. The method has been found to work seamlessly for a variety of difficult problems including elliptical and eccentric core fibers as well as "holey", photonic crystal fibers. A latest version has been shown to offer great versatility with respect to cases of unconventional, inhomogeneous index profiles.

Keywords: transverse resonance; optical fibers; mode propagation constant; electromagnetic waves; elliptical core fibers; eccentric core fibers; photonic crystal fibers; refractive index

1. Introduction

The method of Resonant Transmission Lines (RTL) has evolved from some original observations around the generic theme of transverse resonance in direct association with the standard theory of the solutions of the general telegrapher's equation in transmission lines. It was originally applied in simple cases of standard step index and radial index profiles [1]-[6]. Later on, the idea behind the method was expanded to include a very general class of so called, Sturm-Liouville problems including the canonical form of the standard Schrödinger problem [7],[8],[9]. Lately, it was also applied successfully in the case of superlattices with periodic potentials [10] which are similar to the general class of photonic crystal fibers (PCF) or Bragg fibers in general [14]. Several other cases of unusual refractive index profiles have been successfully treated with the same method [11],[12],[13]. In the present work, we expose more recent developments in an effort to expand the validity of the RTL method in all unconventional fiber models.

We shall heretofore refer to all the cylindrical optical fibers as the class of conventional optical fibers (COF) for as long as they can be separated in a set of n very thin successive cylindrical layers of average radius r of uniform refractive index values η_i . Indices of successive layers will be allowed in general to be different for each step as say, $\eta(r_i)$. The resulting, total index profile $\eta(r)$ variation from the centre of the fiber up to the limit outer air medium, completely defines the propagation properties inside the fiber.

We shall also separate another class of unconventional optical fibers (UOF) as the ones in which at least in some of its successive thin cylindrical layers present an additional variation of the total index profile along its radial coordinate φ in the form $\eta(r,\varphi)$. Such cases include elliptic core, non symmetric or eccentric core fibers and in general, all cases of not strictly circular core fibers. In these cases any discretization into thin cylindrical layers that "cuts" through the core and cladding, results in a variation of the refractive index along φ . In figure (1) we show such a case of a thin circular cylindrical layer cutting an elliptic core fiber. As is evident in the schematic, the variation is analogous to the arc length of the circular sector cut by the ellipse for each discretization step.




Fig. 1. Example of the alternating character of the local index value from a thin shell radial discretization.

Additionally, photonic fibers made of silica with a set of small air holes around their centers will have many cylindrical layers of varying refractive indexes along θ . In figure 2, we show an example of a PCF with a hexagonal lattice of seven rows of air holes.




Fig. 2 Schematic depiction of the alternating step index resulting from radial discretization in PCF.

Again, radial discretization with thin circular cylindrical layers results in alternatively cutting through air holes and silica of a PCF as depicted in the schematic. The main aim in the present work, is to develop the original RTL method so as to be able to include all such UOF cases via an appropriate transformation to mathematically equivalent COF cases.

2. Mathematical equivalence of homogeneous circular cylindrical layers to electric transmission lines

The basis for the application of the previously introduced RTL is the radial discretization of all cylindrical fibers via a separation into a succession of thin cylindrical layers each one with its own constant refractive index η . These layers can be extended outside of the cladding in order to take into consideration the effect of the surrounding air ($\eta=1$). Each thin cylindrical layer could have thickness δr proportional to each average radius r which means that given discrete steps as $\delta r = r_2 - r_1$ with $r = \frac{r_1+r_2}{2}$ one has

$$\frac{r_2-r_1}{r_2+r_1} = \frac{c}{2} \Rightarrow \begin{cases} \frac{1+c/2}{1-c/2} r_1 = r_2 \text{ (out)} \\ \frac{1-c/2}{1+c/2} r_2 = r_1 \text{ (in)} \end{cases} \quad (1)$$

For any such circular cylindrical layer Maxwell equations (for a constant wavelength i.e. constant frequency ' ω ') can be written in their standard form as

$$\begin{cases} \nabla X \vec{E} = -j\omega\mu_0 \vec{H} \\ \nabla X \vec{H} = j\omega\varepsilon_0 n^2(r) \vec{E} \end{cases} \quad (2)$$

Taking into consideration the relations $\omega\mu_0 = k_0 z_0$ and $\omega\varepsilon_0 = \frac{k_0}{z_0}$ where $k_0 = \frac{\omega}{c}$, $z_0 = 120\pi$

and replacing $z_0 \vec{H}$ with \vec{H} in order \vec{E} and \vec{H} to have the same units (V/m), Maxwell equations become then

$$\begin{cases} \nabla X \vec{E} = -jk_0 \vec{H} \\ \nabla X \vec{H} = jk_0 n^2(r) \vec{E} \end{cases} \quad (3)$$

In circular cylindrical geometry of coordinates (r, φ, z) the following set of three partial differential equations can be derived by the first vector Maxwell equation as

$$\begin{cases} \frac{1}{r} \frac{\partial E_z}{\partial \varphi} - \frac{\partial E_\varphi}{\partial z} = -jk_0 H_r \\ \frac{\partial E_r}{\partial z} - \frac{\partial E_z}{\partial r} = -jk_0 H_\varphi \\ \frac{1}{r} \frac{\partial(rE_\varphi)}{\partial r} - \frac{1}{r} \frac{\partial E_r}{\partial \varphi} = -jk_0 H_z \end{cases} \quad (4)$$

Applying a Fourier Transform along ' z ' and ' φ ' with wave numbers ' β ' and ' l ', where l is integer (because along ' φ ' we have Fourier series of period 2π), the set (4) becomes:

$$\begin{cases} \frac{j l}{r} \overline{E_z} - j\beta \overline{E_\varphi} = -jk_0 \overline{H_r} \\ j\beta \overline{E_r} - \frac{\partial \overline{E_z}}{\partial r} = -jk_0 \overline{H_\varphi} \\ \frac{1}{r} \frac{\partial(r\overline{E_\varphi})}{\partial r} - \frac{j l}{r} \overline{E_r} = -jk_0 \overline{H_z} \end{cases} \quad (5)$$

In (5) we use new variables $\overline{E_r}, \overline{E_\varphi}, \overline{E_z}, \overline{H_r}, \overline{H_\varphi}, \overline{H_z}$ to denote the Fourier Transforms of the respective Electromagnetic field components. Furthermore replacing β and r by their reduced variables according to the following relations :

$$\begin{cases} \frac{\beta}{k_0} \Rightarrow \beta \\ rk_0 \Rightarrow r \end{cases}$$

Then (5) takes the form

$$\begin{cases} \frac{j\beta}{r} \overline{E_z} - j\beta \overline{E_\varphi} = -j\overline{H_r} \\ j\beta \overline{E_r} - \frac{\partial \overline{E_z}}{\partial r} = -j\overline{H_\varphi} \\ \frac{1}{r} \frac{\partial (r\overline{E_\varphi})}{\partial r} - \frac{j\beta}{r} \overline{E_r} = -j\overline{H_z} \end{cases} \quad (6)$$

Following a similar approach the second Maxwell vector equation (3) can be written in the form

$$\begin{cases} \frac{j\beta}{r} \overline{H_z} - j\beta \overline{H_\varphi} = jn^2(r) \overline{E_r} \\ j\beta \overline{H_r} - \frac{\partial \overline{H_z}}{\partial r} = jn^2(r) \overline{E_\varphi} \\ \frac{1}{r} \frac{\partial (r\overline{H_\varphi})}{\partial r} - \frac{j\beta}{r} \overline{H_r} = jn^2(r) \overline{E_z} \end{cases} \quad (7)$$

Furthermore following a cumbersome analysis, it is possible to prove that the system of equations (6) and (7) can be transformed in a set of four differential equations (8), relating the equivalent “voltage” and “current” functions V_M, I_M, V_E, I_E defined as follows:

$$V_M = \frac{l\overline{H_\varphi} + \beta r \overline{H_z}}{jF}$$

$$I_M = \frac{r\overline{H_r}}{j} = \frac{\beta r \overline{E_\varphi} - l\overline{E_z}}{j}$$

$$V_E = \frac{l\overline{E_\varphi} + \beta r \overline{E_z}}{F}$$

$$I_E = n^2 r \overline{E_r} = l\overline{H_z} - \beta r \overline{H_\varphi}$$

where we use the notation $F = \frac{(\beta r)^2 + l^2}{r}$

$$\begin{cases} \frac{\partial V_M}{\partial r} = -\frac{\gamma^2}{jF} I_M - jM I_E \\ \frac{\partial I_M}{\partial r} = -jF V_M \\ \frac{\partial V_E}{\partial r} = -\frac{\gamma^2}{jn^2 F} I_E - jM I_M \\ \frac{\partial I_E}{\partial r} = -jn^2 F V_E \end{cases} \quad (8)$$

In (8) we introduced the total propagation factor $\gamma^2 = \frac{l^2}{r^2} + \beta^2 - n^2$ and the auxiliary function $M =$

$$\frac{2l\beta}{[(\beta r)^2 + l^2]F}$$

At this point it is noticed that V_M, I_M, V_E, I_E are continuous functions at the boundaries because the tangential components of electric and magnetic fields $\overline{H_\varphi}, \overline{H_z}$ and $\overline{E_\varphi}, \overline{E_z}$ on the cylindrical surface are continuous functions passing the boundaries’ of the cylindrical layer. Using the previous relations, the Fourier Transforms of the Electro-Magnetic field components along (r, l, β) can be

expressed as functions of their equivalent “voltages” and “currents” functions with the auxiliary relations

$$\overline{H}_r = jI_M/r, \quad \overline{E}_r = \frac{I_E}{n^2r}$$

$$\overline{H}_\varphi = jV_M/r - \frac{\beta}{F}I_E$$

$$\overline{E}_\varphi = lV_E/r + j\frac{\beta}{F}I_M$$

$$\overline{H}_z = \frac{l}{Fr}I_E + j\beta V_M$$

$$\overline{E}_z = -j\frac{l}{Fr}I_M + \beta V_E$$

It becomes evident by inspection that the final equations (8) represent two coupled electric transmission lines.

2.1 Decoupling the transmission line equations

The prescribed set of equations (8) constitutes a homogeneous set of ordinary differential equations of r and considering that the all vectors $[V_M, I_M, V_E, I_E]$ can be turned into exponential functions of r given by $V_M = V_M e^{\xi r}, I_M = I_M e^{\xi r}, V_E = V_E e^{\xi r}, I_E = I_E e^{\xi r}$, where V_M, I_M, V_E, I_E are constants i.e. not functions of r . Thus the system (8) can be transformed in an algebraic set of the following four equations

$$\begin{cases} \xi V_M = -\frac{\gamma^2}{jF}I_M - jMI_E \\ \xi I_M = -jFV_M \\ \xi V_E = -\frac{\gamma^2}{jn^2F}I_E - jMI_M \\ \xi I_E = -jn^2FV_E \end{cases} \quad (9)$$

Replacing $I_M = -\frac{jF}{\xi}V_M, I_E = -\frac{jn^2F}{\xi}V_E$, we obtain a set of two homogeneous equations

$$\begin{cases} \xi V_M = \frac{\gamma^2}{\xi}V_M - M\frac{n^2F}{\xi}V_E \\ \xi V_E = \frac{\gamma^2}{n^2\xi}V_E - M\frac{F}{\xi}V_M \end{cases} \quad \text{or} \quad \begin{cases} \xi^2 V_M = \gamma^2 V_M - n^2 M F V_E \\ \xi^2 V_E = \gamma^2 V_E - M F V_M \end{cases}$$

This then leads to the eigenvalue equations

$$\begin{cases} (\xi^2 - \gamma^2)V_M + n^2 M F V_E = 0 \\ M F V_M + (\xi^2 - \gamma^2)V_E = 0 \end{cases}$$

From the standard form of the eigenvalue problem we obtain through the determinant differential equations as follows

$$(\xi^2 - \gamma^2)^2 - n^2 M^2 F^2 = 0, \quad \text{or} \quad \xi^2 = \gamma^2 \pm nMF \quad (10)$$

Hence the system has two eigenvalues and two mutually excluded or “normal” eigenvectors. The eigenvectors will be found by replacing ξ^2 by its value. Thus for $\xi^2 = \gamma^2 - nMF$, $n^2 M F V_E - n M F V_M = 0 \Rightarrow V_M = nV_E$ and the eigenvector is $V_s = V_M + nV_E$ While for $\xi^2 = \gamma^2 + nMF$, $V_M = -nV_E$ and the eigenvector becomes $V_d = V_M - nV_E$. Their respective “current” eigenvectors are related as $\frac{I_M}{I_E} = \frac{V_M}{n^2 V_E} = \frac{1}{n}$, thus $I_M = \frac{I_E}{n}$ and $I_s = I_M + \frac{I_E}{n}, I_d = I_M - \frac{I_E}{n}$. Since the auxiliary M

function has the sign of l , the set (V_s, I_s) , for $l = -l$ becomes equal to the set (V_d, I_d) . Thus we can consider as a unique solution for the set (V_s, I_s) and the integer ' l ' varies $-\infty$ to $+\infty$, and of course $\xi^2 = \gamma^2 - nMF$:

$$\begin{cases} \frac{\partial V_s}{\partial r} = -\frac{\xi^2}{jF} I_s \\ \frac{\partial I_s}{\partial r} = -jF I_s \end{cases} \quad (11)$$

Furthermore V_s, I_s should be continuous functions at their boundaries although $n(r)$ varies from layer to layer. This is achieved via the adjustment $V_s = V_M + nV_E = 2V_M$ and $I_s = I_M + \frac{I_E}{n} = 2I_M$, which are continuous functions of r by definition.

$$\begin{cases} \frac{\partial V_M}{\partial r} = -\frac{\xi^2}{jF} I_M \\ \frac{\partial I_M}{\partial r} = -jF I_M \end{cases} \quad (12)$$

Another option for achieving continuity is to consider the functions $V_{ss} = \frac{V_M}{n} + V_E$ and $I_{ss} = nI_M + I_E$. In this case $V_{ss} = 2V_E$ and $I_{ss} = 2I_E$ that are also continuous. Thus

$$\begin{cases} \frac{\partial V_E}{\partial r} = -\frac{\xi^2}{jn^2F} I_E \\ \frac{\partial I_E}{\partial r} = -jFn^2 I_E \end{cases} \quad (13)$$

Thus the set of two coupled transmission lines (9) is equivalent to two independent transmission lines (12) and (13).

The two waves represented by the equations of transmission lines (12) and (13), are geometrically normal because the first is related to Magnetic field and the second to Electric field that are geometrically normal for transmitted EM waves. This property is an inherent property of EM modes in optical fibers related to birefringence phenomena. However the β respective values, for any mode, are always found to be very close and can be considered as practically equal.

2.2 Equivalent circuits for cylindrical layers, boundary conditions and birefringence

Taking into consideration the transmission line theory, it can be proved that each layer of infinitesimal thickness δr is equivalent to a T-circuit as the one shown in figure 3




Fig. 3. The equivalent quadrupole for each cylindrical sector.

$$\begin{cases} Z_B = \frac{\xi}{jF} \tanh\left[\frac{(\xi\delta r)}{2}\right] \\ Z_p = \frac{\xi}{jF \sinh(\xi\delta r)} \end{cases}$$

For $\xi\delta r \ll 1$ the impedances can be approximated by the equivalent relations

$$\begin{cases} Z_B = \frac{\xi^2(\delta r/2)}{jF} \\ Z_p = \frac{1}{jF\delta r} \end{cases} \quad (14)$$

If $\xi^2 > 0$, both Z_B, Z_p are “capacitive” reactances, for $\xi^2 < 0$ however Z_B becomes “inductive” reactance. For (V_E, I_E) the approximate respective impedances of the T-circuit are given as

$$\begin{cases} Z'_B = \frac{\xi^2(\delta r/2)}{jn^2F} \\ Z'_p = \frac{1}{jn^2F\delta r} \end{cases} \quad (15)$$

As previously stated the functions (V_M, I_M) of each layer are continuous at the cylindrical boundaries of the layer, thus if we divide the fiber (including a sufficient number of air layers) in successive thin layers and replace them by their equivalent T-circuits, an overall lossless transmission line is formed with only reactive elements. For given ‘ l ’, the ‘ β ’ values that lead to the resonance of the overall transmission line are the eigenvalues of the whole optical fiber.

When a transmission line is in resonance, at any arbitrary point r_0 of the line, the sum of reactive impedances arising from the successive T-circuits on the left and right sides of r_0 should be equal to zero, thus the equation giving the eigenvalues of the transmission line is the following :

$$\{\dot{Z}_{L,r_0} + \dot{Z}_{R,r_0} = 0 \quad (16)$$

Equation (16) provides the eigen-values ‘ β ’ for a given ‘ l ’, where $\dot{Z}_{L,r_0}, \dot{Z}_{R,r_0}$ are the overall reactive impedances of successive T-circuits on the left and right of r_0 , using (14) or (15). The value of r_0 is usually given by the core radius. For the same ‘ l ’ the equations (14) and (15) give usually slightly different values of ‘ β ’, this phenomenon is called “Birefringence”. For circular step index fibers the birefringence is negligible, however for elliptic fibers and fibers of any other non circular cores the birefringence phenomenon could be not negligible.

In order to calculate the overall reactive impedances on the left and right of r_0 we should find the impedances for $r \rightarrow 0$ and for $r \rightarrow \infty$. As we proceed to 0 or to ∞ the remaining piece of transmission line becomes “homogeneous” i.e. its overall reactive impedance is equal to its characteristic impedance given by $Z = \frac{\xi}{jF}$ (or $\frac{\xi}{jn^2F}$). Then we must have

$$r \rightarrow \infty: F \rightarrow \beta^2 r, MF \rightarrow 0, \xi \rightarrow \sqrt{\beta^2 - n^2} \rightarrow Z_{r \rightarrow \infty} = 0$$

$$r \rightarrow 0: F \rightarrow \frac{l^2}{r}, \xi \rightarrow \frac{l}{r} \rightarrow Z_{r \rightarrow 0} = \frac{1}{j|l|} \left(\text{or } \frac{1}{jn^2|l|} \right)$$

For $l=0$ $Z_{r \rightarrow 0} = \infty$ (open circuit at the center of the equivalent transmission line) It is useful to notice that there is an equivalence between our formulation and the classic formulation modes of optical fibers. In particular, for $l=0$, the modes (V_M, I_M) are the TM modes, while the modes (V_E, I_E) are the TE modes. For $l > 0$, the modes (V_M, I_M) are the HE modes, while the modes (V_E, I_E) are their HE birefringence modes. For $l < 0$ the modes (V_M, I_M) are the EH modes, while the modes (V_E, I_E) are their EH birefringence modes.

For any given l , using the resonance technique the β values of the two birefringence modes can be calculated. The equation (16) is given as MATLAB function in Appendix A

Let us consider for example a step-index fiber of $n_1=1.54, n_2=1.47$ the V_M, V_E , fundamental modes for $V=3.3$, can be calculated and their β values are respectively 1.518934962534846 and 1.518340184686295, hence their birefringence is equal to 0.0004947 or 0.0391%.

The β value for the equivalent mode V_{eq} was also calculated and was equal to 1.518638548412019 (that is approximately equal to the mean value of the previous β values), while the β value calculated classically by Bessel functions is equal to 1.518642063686336. These β values are very close differing only 0.0002315 %.

In the following fig 4 the birefringences of the step-index fibers of $n_1=1.54, n_2=1.47$ and of $n_1=1.475, n_2=1.47$ as functions of V are shown




Fig 4. Birefringence of two step index fibers with different refractive indexes as functions of their parameters V

We notice that for any V , the birefringence is almost proportional to $\Delta\eta^2=(\eta_1-\eta_2)^2$, thus the birefringence of step index fibers of very small $\Delta\eta$ is negligible.

For example for $V=2.4$, and $\Delta\eta=1.54-1.47=0.07$, the birefringence is $0.168 \times 0.0049=0.0008232$ or $\sim 0.055\%$ on the average β , while for $\Delta\eta=1.475-1.47=0.005$, the birefringence is $0.168 \times 0.000025=0.000042$ or $\sim 0.0028\%$ on the average β .

2.3 Calculating "Voltages" V_M, V_E and "Currents" I_M, I_E and resulting fields

For any given l , using the resonance technique the β values of the two birefringence modes can be calculated. These β values are practically the same, thus we can consider them as equal or we can consider as the proper value of β the mean value of the two modes.

Taking $V_M = 1$ at the center point of the fiber ($r=0$), the respective value of I_M at the same point can be calculated by the respective terminal impedance. Using the matrix relations between input-output for the equivalent successive T-circuits, the values of V_M and I_M at the rest thin cylindrical layers can be calculated. In fact from the general theory of the telegrapher's equation we know that the inputs and outputs are associated via a transfer matrix as follows

$$\begin{aligned} \begin{bmatrix} V_{out} & I_{out} \end{bmatrix} &= \begin{pmatrix} \cosh(\xi(r) \cdot \delta r) & Z(r) \cdot \sinh(\xi(r) \cdot \delta r) \\ \sinh(\xi(r) \cdot \delta r) / Z(r) & \cosh(\xi(r) \cdot \delta r) \end{pmatrix} \begin{bmatrix} V_{in} \\ I_{in} \end{bmatrix} \approx \\ &\approx \begin{pmatrix} 1 & Z(r) \cdot (\xi(r) \cdot \delta r) \\ (\xi(r) \cdot \delta r) / Z(r) & 1 \end{pmatrix} \begin{bmatrix} V_{in} \\ I_{in} \end{bmatrix} = \\ &= \begin{pmatrix} 1 & \xi^2(r) \cdot \delta r / jF(r) \\ jF(r) \cdot \delta r & 1 \end{pmatrix} \begin{bmatrix} V_{in} \\ I_{in} \end{bmatrix} \end{aligned} \quad (17)$$

In (17), the characteristic impedance should be taken as $Z(r) = \xi(r)/jF(r)$ to fit with the previous analysis. Using the relations $nV_E = V_M$ and $nI_M = I_E$ the respective values of their birefringence partners can also be calculated for every thin cylindrical layer r_i . Finally we obtain the actual fields via the relations

$$\overline{H}_r = jI_M/r, \quad \overline{E}_r = \frac{I_E}{n^2 r}$$

$$\overline{H}_\phi = jV_M/r - \frac{\beta}{F} I_E$$

$$\overline{E}_\phi = lV_E/r + j\frac{\beta}{F} I_M$$

$$\overline{H}_z = \frac{l}{Fr} I_E + j\beta V_M$$

$$\overline{E}_z = -j\frac{l}{Fr} I_M + \beta V_E$$

A very useful field component for optical fibers is the value of the overall electric field at any thin cylindrical layer of average radius r , that can be calculated by the formula:

$$\left| \vec{E}(r) \right|^2 = |\overline{E}_r|^2 + |\overline{E}_\phi|^2 + |\overline{E}_z|^2$$

After some algebra this leads to the formula

$$\left| \vec{E}(r) \right|^2 = \left[((\beta r)^2 + l^2) / \eta^2 r^2 \right] |V_M|^2 + \left[\frac{1}{(\beta r)^2 + l^2} + \frac{1}{\eta^2 r^2} \right] |I_M|^2$$

In the next section we extend our analysis in certain UOF cases.

3. Unconventional fibers

The refractive index $n(r,\varphi)$ of the fiber with a UOF profile in general can be described as a function of both r and φ . Each cylindrical layer of an average radius r is considered to have a local value $\eta(\varphi)$ for $r = \frac{r_1+r_2}{2}$. Again, we make use of the generic form of Maxwell equations as in (2) of the previous

section. Fourier Transforming the first vector equation gives the same set of equations as in (6), since there is no difference with the UOF case, however the second Maxwell vector equation due to presence of the general n function should now be written as

$$\begin{cases} \frac{j\ell}{r}\overline{H_z} - j\beta\overline{H_\varphi} = jn(l)^2 \otimes \overline{E_r} \\ j\beta\overline{H_r} - \frac{\partial\overline{H_z}}{\partial r} = jn(l)^2 \otimes \overline{E_\varphi} \\ \frac{1}{r}\frac{\partial(r\overline{H_\varphi})}{\partial r} - \frac{j\ell}{r}\overline{H_r} = jn(l)^2 \otimes \overline{E_z} \end{cases} \quad (18)$$

The symbol \otimes means convolution arising by the product of two functions of the variable φ . In the following paragraphs it will be shown how to escape this mathematical difficulty for the usual unconventional optical fibers.

3.1 UOF with non circular, non symmetric or eccentric cores

For unconventional fibers of non circular cores there are a set of circular layers where the refractive index varies between the inner and outer core and cladding values respectively. In any such case, the function $n(\varphi)^2$ is a sum of a steady component n^2 and a periodic function of φ of period 2π thus can be written as a Fourier series $n(\varphi)^2 = n^2 + \sum_{k=-\infty}^{+\infty} N_k \exp(jk\varphi)$. Taking into consideration that the convolution of the product of an exponential function $\exp(jk\varphi)$ with any function $A(\varphi)$ of a Fourier Transform $A(l)$ is equal to $A(l+k)$, i.e. the convolution generates "harmonics". The function $n(\varphi)^2$ is in a set of cylindrical thin layers, a sum of step functions alternating between the values n_1^2 and n_2^2 , where n_1 and n_2 are refractive indexes of core and cladding. Consideration that in optical fibers the refractive indices of core and cladding are very close, one effectively has that $(n_1 - n_2)/n_1 \ll 1$. As a result, any harmonic factors N_k of the function $n(\varphi)^2$ are negligible in comparison to its steady component n^2 and can be omitted.

As an example, the harmonics become maximal for equal alternation steps. In this case the first harmonic, that has the maximum value of all harmonics, is equal to $A_1 = \frac{2(n_1^2 - n_2^2)}{\pi}$, while the steady component n^2 equals $(n_1^2 + n_2^2)/2$ and we may make an approximation as $A_1/n^2 \simeq (4/\pi)(n_1 - n_2)/n_1 \ll 1$.

Thus for optical fibers we can always assume that $n(l)^2 \simeq n^2$. Then the system (18) will become equivalent to the following

$$\begin{cases} \frac{j\ell}{r}\overline{H_z} - j\beta\overline{H_\varphi} = jn^2\overline{E_r} \\ j\beta\overline{H_r} - \frac{\partial\overline{H_z}}{\partial r} = jn^2\overline{E_\varphi} \\ \frac{1}{r}\frac{\partial(r\overline{H_\varphi})}{\partial r} - \frac{j\ell}{r}\overline{H_r} = jn^2\overline{E_z} \end{cases} \quad (19)$$

We can then follow the analysis that we did with the conventional fibers, where η^2 is the average value of the $\eta^2(\varphi)$ of each layer along φ in the $[0, 2\pi]$ interval.

3.2 Application to elliptic core fibers

The method was applied in the calculation of fundamental modes of a fiber of elliptic core of a and b major and minor semi-axis respectively with refractive index $n_1=1.54$, and a cladding value of $n_2=1.47$ (figure 5) for various wavelengths (defined by various V factor values $V = b * 2 * \pi * \sqrt{n_1^2 - n_2^2}$) and

four ratios $a/b=1.1,1.3,1.5,2.0$. Results are compared with previous results calculated with Mathieu functions with the results differing only by $0.01 \div 0.123\%$.

The steady component of the refractive index for the calculations for each radius r is defined as n_1 for $r < b$, n_2 for $r > a$ and as $(n_1 * \varphi_1 + n_2 * \varphi_2) / \pi$ when $b < r < a$, where φ_1, φ_2 are the arcs of the circle of radius r , inside and outside the ellipse in the upper semi ellipse.




Fig 5. Elliptic fiber with three indicative elliptic thin layers. Inside the ellipse $r < b (n=n_1)$, outside the ellipse $r > a (n=n_2)$ and partly outside $b < r < a (n_1 > n > n_2)$

COMPARISON OF ELLIPSE FOR THE FUNDAMENTAL MODES				
a/b=1.1	Mathieu	TR		
V	$b_{11, No}$	$b_{11, No}$	DIFF	relDIFF(0/00)
1.5	1,487454917000000	1,487538376725580	-0,000083459725580	0,056109079
1.7	1,493245000000000	1,493450986151880	-0,000205986151880	0,137945315
1.9	1,498457700000000	1,498722795582640	-0,000265095582640	0,17691229
2.1	1,503029750000000	1,503312465850780	-0,000282715850780	0,188097309
2.3	1,506994250000000	1,507270533663140	-0,000276283663140	0,183334252
2.5	1,510418500000000	1,510675880979590	-0,000257380979590	0,170403752
2.7	1,513376830000000	1,513609496242670	-0,000232666242670	0,153739794
2.9	1,515936970000000	1,516144774928280	-0,000207804928280	0,13708019
3.1	1,518160870000000	1,518344840727660	-0,000183970727660	0,121179996
3.3	1,520101500000000	1,520262686679180	-0,000161186679180	0,106036787

COMPARISON OF ELLIPSE FOR THE FUNDAMENTAL MODES	
---	--

a/b=1.3	Mathieu	TR		
V	b₁₁, No	b₁₁, No	DIFF	relDIFF(0/00)
1.5	1,491188512000000	1,491027765079550	0,000160746920450	0,107797853
1.7	1,497028990000000	1,496897637511800	0,000131352488200	0,087742114
1.9	1,502119714000000	1,501986592174880	0,000133121825120	0,088622647
2.1	1,506471523000000	1,506335918376860	0,000135604623140	0,090014727
2.3	1,510205927000000	1,510039049600890	0,000166877399110	0,110499764
2.5	1,513423500000000	1,513196002523000	0,000227497477000	0,150319773
2.7	1,516170122000000	1,515897403413190	0,000272718586810	0,179873342
2.9	1,518513480000000	1,518220317018870	0,000293162981130	0,193059189
3.1	1,520539300000000	1,520228501721160	0,000310798278840	0,204400030
3.3	1,522298190000000	1,521974104375010	0,000324085624990	0,212892341

COMPARISON OF ELLIPSE FOR THE FUNDAMENTAL MODES				
a/b=1.5	Mathieu	TR		
V	b₁₁, No	b₁₁, No	DIFF	relDIFF(0/00)
1.5	1,494250610000000	1,493636836360350	0,000613773639650	0,410756827
1.7	1,499922346000000	1,499340905733040	0,000581440266960	0,387646913
1.9	1,504818670000000	1,504203108321470	0,000615561678530	0,409060368
2.1	1,509039170000000	1,508315227121150	0,000723942878850	0,479737633
2.3	1,512533150000000	1,511793195339390	0,000739954660610	0,489215500
2.5	1,515493100000000	1,514745797603970	0,000747302396030	0,493108412
2.7	1,518011570000000	1,517265908951310	0,000745661048690	0,491209068
2.9	1,520166130000000	1,519429880525980	0,000736249474020	0,48432172
3.1	1,522019120000000	1,521299532774000	0,000719587226000	0,472784617
3.3	1,523620800000000	1,522924688766490	0,000696111233510	0,456879582

COMPARISON OF ELLIPSE FOR THE FUNDAMENTAL MODES				
a/b=2	Mathieu	TR		
V	b₁₁, No	b₁₁, No	DIFF	relDIFF(0/00)
1.5	1,499390500000000	1,497675992184210	0,001714507815790	1,143469840
1.7	1,504727250000000	1,502885066432660	0,001842183567340	1,224264110
1.9	1,509110880000000	1,507251064452310	0,001859815547690	1,232391584
2.1	1,512712190000000	1,510915134944720	0,001797055055280	1,187968913
2.3	1,515667864000000	1,514006539095880	0,001661324904120	1,096100896
2.5	1,518085750000000	1,516632675098700	0,001453074901300	0,957175773
2.7	1,520047200000000	1,518879733445780	0,001167466554220	0,768046252
2.9	1,521631209000000	1,520816115931370	0,000815093068630	0,535670578
3.1	1,522869900000000	1,522496060692140	0,000373839307860	0,245483418
3.3	1,523799100000000	1,523962746538420	-0,000163646538420	0,107393775

In the following figure 6 the β diagram of the fundamental even mode of an elliptic fiber with semi axis ratio $aa/bb=2$, $n_1=1.54$ and $n_2=1.47$ and variable factor defined by : $V = bb \cdot k_0 \cdot \sqrt{n_1^2 - n_2^2}$ is shown




Fig 6. β -V diagram of the even fundamental mode an elliptic fiber of semi axis ratio $aa/bb=2$ and core refractive index 1.54 and cladding index 1.47

3.3 Application to rectangular core fiber

The method was applied also in the calculation of fundamental modes of a fiber with an rectangular core (see figure 7) of aa and bb semi sides, with refractive index $n_1=1.54$, and a cladding of refractive index $n_2=1.47$, for various wavelengths, defined by various V factor values $V = bb \cdot k_0 \cdot \sqrt{n_1^2 - n_2^2}$ and four ratios $a/b=1.1, 1.3, 1.5, 2.0$.




Fig 7. Rectangular core fiber of semi sides aa and bb , for $r < bb$, $n = n_1$, for $r > aa$, $n = n_2$, for $bb < r < aa$, $n_2 < n < n_1$

The birefringence results are compared with the birefringence results of the elliptic core fiber with equal semi axis. The steady component of the refractive index for the calculations for each radius r is defined as n_1 for $r < b$, n_2 for $r > a$ and as $(n_1 * \varphi_1 + n_2 * \varphi_2) / \pi$ when $b < r < a$, where φ_1, φ_2 are the arcs of the circle of radius r , inside the orthogonal and outside the orthogonal in the upper semi orthogonal.

COMPARISON OF BIREFRINGENCE FOR ELLIPTICAL AND RECTANGULAR CORE FIBERS

	Rectangular core		Elliptic core
	Fundamental Mode Values	Birefringence (TR)	Birefringence (TR)
$a/b=1.1$			
V			
1.5	1,492539945916010	0,000346704531850	0,000303585935370
1.7	1,498357447022790	0,000513384576600	0,000575417316090
1.9	1,503350570368440	0,000576764589930	0,000712035787010
2.1	1,507590076049970	0,000580793732230	0,000757892695190

2.3	1,511183551577450	0,000554099561380	0,000750121835720
2.5	1,514237341469060	0,000513428535340	0,000713597265680
2.7	1,516844499544290	0,000468033918970	0,000663528284040
2.9	1,519082616576080	0,000422786387590	0,000608733773240
3.1	1,521015087494710	0,000380083447450	0,000554096605350
3.3	1,522693317372840	0,000340959781570	0,000502161305990

COMPARISON OF BIREFRINGENCE FOR ELLIPTICAL AND ORTHOGONAL CORE FIBERS

	Rectangular core		Elliptic core
	Fundamental	Mode	
a/b=1.3	Values	Birefringence (TR)	Birefringence (TR)
V			
1.5	1,495847758922450	0,000344065006270	0,000325722889410
1.7	1,501459058153440	0,000451639480470	0,000520210503450
1.9	1,506179273220210	0,000480411129310	0,000601842058430
2.1	1,510134432440230	0,000468166987430	0,000615857816190
2.3	1,513456882268610	0,000436878544030	0,000593498171210
2.5	1,516262818410440	0,000398422704380	0,000553682765940
2.7	1,518648025192190	0,000358904227450	0,000507155757960
2.9	1,520689537973830	0,000321272665480	0,000459732120240
3.1	1,522448794667530	0,000286796641510	0,000414381305640
3.3	1,523974761485380	0,000255871394240	0,000372472456950

COMPARISON OF BIREFRINGENCE FOR ELLIPTICAL AND ORTHOGONAL CORE FIBERS

	Rectangular core		Elliptic core
	Fundamental	Mode	
a/b=1.5	Values	Birefringence	Birefringence (TR)
V			
1.5	1,498120450723510	0,000278361237480	0,000295449461120
1.7	1,503463400911670	0,000357573590440	0,000442306154260
1.9	1,507908503417930	0,000376605061620	0,000497613358440
2.1	1,511610102671980	0,000365648210230	0,000501375052490
2.3	1,514709614765410	0,000341283334480	0,000478771792790
2.5	1,517324041962060	0,000312143747180	0,000444266137270
2.7	1,519546684126380	0,000282536889750	0,000405759261530

2.9	1,521451022056960	0,000254483058070	0,000367378187930
3.1	1,523094834995030	0,000228815613970	0,000331142666700
3.3	1,524523718254910	0,000205765806060	0,000297919827130

COMPARISON OF BIREFRINGENCE FOR ELLIPTICAL AND ORTHOGONAL CORE FIBERS

a/b=2 V	Rectangular core		Elliptic core
	Fundamental Values	Mode Birefringence (TR)	Birefringence (TR)
1.5	1,501154370588750	0,000115100455570	0.00017851280204
1.7	1,505905455821760	0,000185956233950	0.00028097261437
1.9	1,509839664490200	0,000217496051150	0.00032331073887
2.1	1,513123501262850	0,000227441962700	0.00033221109868
2.3	1,515890438928040	0,000225620967080	0.00033221109868
2.5	1,518243818452060	0,000217498908240	0.00030589412246
2.7	1,520263082984900	0,000206163759050	0.00028459934024
2.9	1,522009559228890	0,000193389032200	0.00026227629912
3.1	1,523531014266760	0,000180203858540	0.00024038749997
3.3	1,524865056067340	0,000167204354840	0.00021967555642

For comparison reasons the average refractive indexes as functions of r , for an elliptic core fiber and for a rectangular core fiber of the same aa and bb and $aa/bb=2$, are shown in figure 8.

In appendix B the MATLAB codes for the average refractive indexes of an elliptic and a rectangular core fiber are given




Fig 8. Average refractive indexes of circular thin layers of elliptic and rectangular core fibers

3.4 The PCF case

In case of a holey fiber, we separate the whole fiber circular cross-section into a set of thin cylindrical layers variable η along φ extending beyond the cladding to take into account the surrounding air with $\eta=1$. Each layer's thickness is $\delta r = r_1 - r_2$. We can then approximate $n(r, \varphi)$ as $n(\varphi)$ for the average $r < r' > = r + \delta r/2$. The refractive index can be written as a Fourier series i.e. as $n(\varphi)^2 = \langle n \rangle^2 + \sum_{-\infty}^{+\infty} N_k \exp(jl\varphi)$. Taking into account the properties of the Fourier transform we see that $FT(\exp(jl\varphi) \cdot f(\varphi)) = f(l + l')$ so that the expressions in the second terms of equation (18)

spread around a spectrum of harmonics. This is also to be understood as a result of successive scatterings from the bored air holes. We can now use the natural geometry of the usual hexagonal lattice to see that for each set of holes we can have either $6k$ harmonics. For the fundamental harmonic of $l' = 1$ the derived harmonics passing through a layer of $6k$ holes should be $6k+1$. Thus the fundamental wave crossing the successive layers it "sees" a different set of periodic rectangle functions that will be shown rigorously to contribute a different number of harmonics (7,13,19, ...).

For a common harmonic to pass through one must then take an integer product which leads to higher and higher harmonics thus cutting out the entire spectrum apart from the last highest frequency. We conclude that for holey optical fibers the approximation for any of its cylindrical thin layers,

$\eta(r, l)^2 \approx \eta^2(r) = \eta^2$ suffices for further analysis of the resulting equations. Thus the original system

(18) becomes

$$\begin{cases} \frac{j\ell}{r}\overline{H_z} - j\beta\overline{H_\varphi} = jn^2\overline{E_r} \\ j\beta\overline{H_r} - \frac{\partial\overline{H_z}}{\partial r} = jn^2\overline{E_\varphi} \\ \frac{1}{r}\frac{\partial(r\overline{H_\varphi})}{\partial r} - \frac{j\ell}{r}\overline{H_r} = jn^2\overline{E_z} \end{cases} \quad (20)$$

For the usual hexagonal pattern of holes we may utilize elementary analytical geometry to derive the two separate regions where the refractive index alternates between the air refractive index $\eta=1$ value and the higher value of the crystal material. We assume that along each separate layer a large circle corresponding to each cylindrical shell of radius r from the center of the fiber to the center of a smaller hole of radius $r \ll r_0$ is cut while moving clockwise along the large circle.

Prescribing a set of circles of successive radii r for each of which we can find the air holes (in $1/6$ angle of the PCF) which are cut by the particular radius each time. Each arc is computed inside its respective air hole and the total sum of them divided by $\pi/3$ expresses the average squared refractive index. As a matter of fact, the square of the refractive index in this sum is equal to one, while the refractive index in the rest arc is the square of the silica refractive index. Hence the average refractive index can be easily calculated along r . In figures 7, 8 and 9, we show the average refractive index and the Electric field of a hexagonal PCF, of $\eta=1.46$ with a twelve layers lattice, as functions of the reduced distance from the center of the fiber for the fundamental mode. The figures were generated by a MATLAB code for air-hole diameter equal to 0.8 of the air-hole distance and the air hole diameter was 3.87 times the transmitted wave length. We also notice the parametrization used as $\beta = (\Lambda - d/2) * 2 * \pi \sqrt{n_1^2 - n_2^2}$, n_1 for the silica refractive index, $n_2 \simeq$ minimum refractive index=1.123, Λ for the reduced air hole distance, d for the reduced air hole diameter and, $\Lambda - d/2$ =reduced inner core of PCF.

In Appendix B the MATLAB code for the average refractive index of a hexagonal photonic crystal fiber is also given.




Fig. 7 Fundamental mode $\beta= 1.343357214454637$




Fig. 8




Fig. 9

4. Conclusion

The presented resonance technique can be used for the study of unconventional fibers i.e. fibers with cores of any shape, as long as the difference between core and cladding refractive indices is sufficiently small which holds true for almost all the monomode and holey fibers. The unconventional case is proven reducible to the same technique of conventional fibers, where for each l we can approximate by a set of two, independent and non homogeneous, Resonant Transmission Lines (RTLs), each one representing one mode of the birefringence.

The simulation of unconventional fibers with RTLs, gives a new, simple and effective method for computing the eigenvalues of the RTLs representing the various modes of the holey fibers. Furthermore for each eigenvalue, the average values of E.M. fields for every thin cylindrical layer of radius r of the unconventional fiber is directly computable from the relevant eigenfunctions of the RTLs.

Appendix A

```
function f=stepindexfun(b)
```

```
% function f=Zleft(b)+Zright(b)for step index fiber
```

```
% n1 n2 the refractive indexes of core and cladding
```

```
% tm=0 for even modes (TM), tm=2 for odd modes (TE), tm=1 for average equivalent modes
```

```
% l wave number
```

```
% V factor of the fiber
```

```
% r0=core radius X wave number
```

```
global n1 n2 tm l V
```

```
r0=V/sqrt(n1^2-n2^2);
```

```
N=200;
```

```
qq=20;% ratio of outer radius to core radius
```

```
qq0=200;%ratio of core radius to minimum core radius
```

```
wq=qq^(1/N);
```

```
wq0=qq0^(1/N);
```

```
w(1)=2*(wq0-1)/(wq0+1);
```

```
w(2)=2*(wq-1)/(wq+1);
```

```
rn0=n1;
```

```
zs(1)=-j/(rn0^tm*(abs(l)+10^-10));
```

```
zs(2)=0;
```

```
for n=1:N
```

```
    jj=N+1-n;
```

```
    r1(n,1)=r0*(1/wq0^jj+1/wq0^(jj-1))/2;
```

```
    r1(n,2)=r0*(wq^jj+wq^(jj-1))/2;
```

```
end
```

```
    j1=1;
```

```
    for n=1:N
```

```
        r=r1(n,j1);
```

```
        rn=n1;
```

```
        dr=w(j1)*r;
```

```
        aa1=b^2+(l/r)^2;
```

```

F=aa1*r;
cs=aa1-rn^2-2*rn*b*1/(aa1*r^2);
zp=1/dr/j/F/rn^tm;
zb=cs*dr/2/j/F/rn^tm;
zs(j1)=(zs(j1)+zb)*zp/(zs(j1)+zb+zp)+zb;
end

j1=2;
for n=1:N
r=r1(n,j1);
rn=n2;
dr=w(j1)*r;
aa1=b^2+(l/r)^2;
F=aa1*r;
cs=aa1-rn^2-2*rn*b*1/(aa1*r^2);
zp=1/dr/j/F/rn^tm;
zb=cs*dr/2/j/F/rn^tm;
zs(j1)=(zs(j1)+zb)*zp/(zs(j1)+zb+zp)+zb;
end

f=imag(zs(1)+zs(2));

```

Appendix B

Average refractive index of an elliptic core optical fiber

```

function fn=elliptic(r)
% n1 n2 refractive indexes for core and gladding
% bb minor semi axis, aa=major semi axis
global n1 n2 bb aa
if r<=bb;
    fn=n1;
elseif r>bb && r<aa;
    c1=(1/r^2-1/aa^2)/(1/bb^2-1/r^2);
    cc=2*atan(sqrt(c1));
    fn=sqrt((n2^2*(pi-cc)+cc*n1^2)/pi);
else fn=n2;
end

```

Average refractive index of a rectangular core optical fiber

```

function fn=rectangular(r)
% n1 n2 refractive indexes for core and gladding
% bb minor semi axis, aa=major semi axis
global n1 n2 bb aa
cc=sqrt(aa^2+bb^2);
if r<=bb;
    fn=n1;
elseif r>bb && r<aa;
    c=2*asin(bb/r);
    fn=sqrt((n2^2*(pi-c)+c*n1^2)/pi);
else fn=n2;
end
if r>=aa & r<cc;c=2*(asin(bb/r)-acos(aa/r));
    fn=sqrt((n2^2*(pi-c)+c*n1^2)/pi);
end

```

Average refractive index of a photonic crystal holey core optical fiber

```

function ref=holey(r)

%PCF hexagonal
% n1=silica refractive index
% m=number of lattice rows of air holes
% d=reduced value of the distance of air hole centers
% ro=reduced radius of air holes r0<0.5*d
% R=external radius of the fiber gladding R> m*d
% If not given R=d*(m+2), after R there is considered air

global n1 m d r0 R

if r<=d-r0;
    ref=n1;
elseif r>d-r0 && r<m*d+r0;
    for nn=1:m ;
        for n=1:nn;rr(nn,n)=nn*d*exp(j*2*pi/3)+(n-1)*d;
            rt(nn,n)=abs(rr(nn,n));
        end
    end
    f=0;
    for nn=1:m;
        for n=1:nn;rrr=rt(nn,n);drt=abs(rrr-r);
            if drt<r0; ff=2*acos((r^2+rrr^2-r0^2)/2/r/rrr);f=ff+f;end
        end
    end
    ref=sqrt((f+(pi/3-f)*n1^2)/(pi/3));
else ref=n1;
end
if r>=R;ref=1;
end

```

References

- [1] C. D. Papageorgiou, A. C. Boucouvalas, "Propagation constants of cylindrical dielectric waveguides with arbitrary refractive index profile using the 'Resonance' technique.", *Electronics Letters*, 18(18), 1982, pp. 768-788.
- [2] A. C. Boucouvalas, C. D. Papageorgiou, "Cutoff frequencies in optical fibres of arbitrary refractive index profile using the 'resonance' technique.", *IEEE Journal of Quantum Electronics*, QE-18(12), (1982) pp. 2027-2031.
- [3] C. D. Papageorgiou, J. D. Kanellopoulos, "Equivalent circuits in Fourier space for the study of electromagnetic fields", *J. Phys. A: Math. Gen.* 15 (1982) 2569-2580.
- [4] C. D. Papageorgiou, J. D. Kanellopoulos, A. C. Boucouvalas, "Cutoff frequencies of optical planar/cylindrical structures using the 'resonance' technique.", *International Symposium on Optical Waveguide Sciences*, 20-23 June 1983, Kwelin, China.
- [5] C. D. Papageorgiou, J. D. Kanellopoulos, A. C. Boucouvalas, "A study of the operational characteristics of optical structures using the 'resonance' technique.", *IEEE Melecon*, 1983, Athens, Greece.
- [6] C. D. Papageorgiou, A. C. Boucouvalas, "Computation of mode propagation constants and cutoff frequencies of optical planar layers using the 'resonance' technique.", *Optica Acta*, Vol. 31, No 5, 1984, pp. 555-562.
- [7] C. D. Papageorgiou, A. D. Raptis, "A method for the solution of the Schrödinger equation.", *Comp. Phys. Comm.* 43 (1987) 325-328.
- [8] C. D. Papageorgiou, A. D. Raptis, T. E. Simos, "An algorithm for the solution of the eigenvalue Schrödinger equation." *J. Comp. Phys.* 88 (1990) 477-483.
- [9] C. D. Papageorgiou, A. D. Raptis, T. E. Simos, "A method for computing phase shifts for scattering.", *J. Comp. App. Math.* 29 (1990) 61-67.
- [10] C. D. Papageorgiou, T. E. Raptis, A. C. Boucouvalas, "Wannier-Stark ladders and the resonance technique.", *INASE Conf. Athens, Greece*, 2016.
- [11] E. Georgantzios, C. D. Papageorgiou, A. C. Boucouvalas, "A transmission line model for propagation in elliptical core optical fibers.", *Int. Conf. Comp. Meth. Sci. Eng. ICCMSE 2015*.
- [12] E. Georgantzios, A. C. Boucouvalas, C. D. Papageorgiou, "Transmission Line resonance technique for Eccentric Core Optical Fibers.", *ICCMSE 2016, Athens, Greece*.
- [13] E. Georgantzios, A. C. Boucouvalas, C. D. Papageorgiou, "Transmission line and resonance technique in cylindrical fibers of circular asymmetry.", *TEMU 2016, Athens, Greece*.
- [14] C. D. Papageorgiou, E. Georgantzios, T. E. Raptis, A. C. Boucouvalas, "Resonant transmission line modeling of holey photonic crystal fibers.", *INASE 2017, Athens, Greece*.