Heterogeneous Catalysis Under Flow for the 21st Century Fine Chemical Industry

This article is dedicated to Professor Cristina Della Pina, University of Milan, on the occasion of her recent habilitation to full professor, for many years of joyful collaboration

Rosaria Ciriminna, [a] Mario Pagliaro, *[a] Rafael Luque*[b,c]

Abstract: Due to metal leaching and poor catalyst stability, the chemical industry's fine chemical and pharmaceutical sectors have been historically reluctant to use supported transition metal catalysts to manufacture fine chemicals and active pharmaceutical ingredients. With the advent of new generation supported metal catalysts and flow chemistry, we argue in this study, this situation is poised to quickly change. Alongside heterogenized metal nanoparticles, both single-site molecular and single-atom catalyst will become ubiquitous. This study offers a critical outlook taking into account both technical and economic aspects.

Keywords: heterogeneous catalysis • flow chemistry • green chemistry • fine chemicals

1. Introduction

At the end of 2015 a seminal study was published aiming to explain why the pharmaceutical industry does not use immobilized transition metal complexes as catalysts to manufacture active pharmaceutical ingredients (APIs). Most if not all immobilized transition metal catalysts suffer from poor stability which generally translates into metal leaching, metal contamination of the product, as well as into reaction rate and selectivity generally lower than under homogeneous conditions. Under these circumstances, the authors concluded, there is "no reason to incur the extra added cost in immobilizing the homogeneous catalysts". [1]

This picture was somehow in contrast to what reported in Kirschining's book devoted to the topic in 2004, when industry's researchers at a leading specialty chemical company presented a number of commercially available immobilized catalysts including FibreCat, LigandNet, and EnCat catalysts. [2]

Dr. M. Pagliaro Istituto per lo Studio dei Materiali Nanostrutturati, CNR via U. La Malfa 153 90146 Palermo (Italy) E-mail: mario.pagliaro@cnr.it Web: www.qualitas1998.net

[b] Prof. R. Luque Departamento de Química Orgánica Universidad de Cordoba Campus de Rabanales, Ctra. Nnal. IV-A, Km. 396 E-14014 Cordoba (Spain) E-mail: rafael.luque@uco.es

[c] Prof. R. Luque
Peoples Friendship University of Russia (RUDN University)
6 Miklukho-Maklaya Str., 117198, Moscow, Russia

In the subsequent fifteen years several new immobilized solid catalysts were made available on the marketplace. Examples include polystyrene-supported equivalent of tetrakis(triphenylphosphine) palladium(0) PS-PPh₃-Pd, affording high yields of cross-coupling reaction products;^[3] the silicasupported FixCat for cross and ring closing olefin metathesis allowing to reduce residual Ru levels below 10 ppm, recyclable for up to 23 runs and efficiently used in continuous flow processes; ^[4] the Silia*Cat* catalyst series of multipurpose sol-gel entrapped catalysts; ^[5] and Phos-Cat4 acid catalyst replacing traditional homogeneous acids used in esterification, elimination, rearrangement, cyclisation and hydrolysis reactions. ^[6]

The fine chemical industry is usually identified as en ensemble of contract manufacturing organizations (CMOs) producing APIs for large pharmaceutical firms. This outlook is reductive, as fine and specialty chemical companies supply valued products to a number of large industrial sectors. [7] One is the flavor and fragrance industry with the global demand for flavors, perfumes, and fragrances forecasted to grow 4.9% per year, reaching \$36 billion in 2022. [8] Another is the food and beverage industry. All these large industrial sectors are being reshaped by a global societal megatrend driving the demand of "naturals", [9] which inevitably leads to enhanced demand of green production processes, and thus of catalysis.

To access the valued functional compounds of this strategically important industry in the next few years of the 21st century, we argue in this study, all catalysis methodologies will be involved, well beyond conventional homogeneous catalysis via transition metal complexes and heterogeneous catalysis via supported metals: photocatalysis, biocatalysis, organocatalysis and electrocatalysis.

Catalysts will be successfully immobilized and used under intensified, continuous-flow conditions to afford the multiple functional products increasingly required by advanced and developing economies.

Whatever the catalytic species immobilized -- metal nanoparticles, molecular metal complexes, organic molecules, enzymes or single-atoms -- if the catalytic material affords stable catalytic activity then the technical, economic, and environmental advantages are so numerous that industrial application under continuous flow can be expected to take place rapidly.

We provide a critical outlook taking into account technology, economic and industrial aspects that are rarely taken into account together in the chemistry literature. The outcomes will be useful to practitioners of innovation in catalysis and in chemistry in industry and in academia.

2. Immobilized Catalysts Under Flow

According to the vice-president of chemical development at a pharmaceutical company talking in 2017:

«Two areas of technology have emerged in recent years as particularly important for API manufacturing: flow chemistry and catalysis as both can be applied to a broad scope of APIs. Catalysis provides shorter/more atom-economical, more cost-effective, and greener processes, while also providing novel reactivities that were not accessible before. Flow chemistry is another green technology that expands the horizon of the types of chemistry that can be used for making bulk APIs».^[10]

Indeed industrial applications of flow chemistry – enabling processes that are more efficient, faster, safer, cleaner and much cheaper than productions in batch -- are already numerous.^[11]

Heterogeneously catalyzed processes under flow in small reactors are particularly convenient, since liquid and gas reagents flowing across the solid catalyst sense high local concentration of the catalytic species which, combined with short diffusion paths and superior mixing, affords quicker reaction without downstream work-up and purification steps. [12]

Originally confined to the manufacture of bulk chemicals where it has been used since the early days of the chemical industry, the use of heterogeneous catalysis started to expand to the manufactured of fine chemicals since the early 2000s. For example, as reported by Bonrath in 2014, in the manufacture of vitamins, carotenoids, flavoring and fragrance compounds, wherein industry is finally replacing former stoichiometric processes with heterogeneously catalyzed syntheses.^[13]

This trend it is now gaining further relevance with the commercialization of the first catalytic production processes under flow with large catalyst manufacturers advertising new heterogeneous catalysts capable "to meet the increased interest in continuous processing in pharmaceutical and fine chemical applications".[14]

3. Profit-Driven Process Innovation

Referring to the rapidly declining return on investment in pharmaceutical research and development (R&D) activities, a manager at a large pharmaceutical company recently suggested^[15] that the main reasons for this quick decline include slower development of new drugs due to rising clinical trial costs in a more stringent regulatory environment, and increasing competition from generic manufacturers producing much cheaper versions of existing drugs after the original patents have expired.

Usually referred to as "generics" to identify formerly patented molecules with pharmaceutical activity such cheaper drugs are ultimately produced thanks to API manufacturing at fine chemical companies according to current good manufacturing practice (cGMP) mostly in China and in India. To enhance profit margins,

therefore, these companies need to lower production costs via enhanced production processes.

This reverses the approach to innovation in fine chemical companies working as CMOs producing APIs from product to process innovation.

In 2013, Ciriminna and Pagliaro extended to chemistry Crosby's approach to quality in manufacturing based on the "price of nonconformity" (PONC) as a simple, yet highly effective financial measure of quality.^[16]




Figure 1. Any waste in a chemical reaction used by industry to afford the desired product (C) adds to the overall price of nonconformity (PONC) paid by the company.

According to this approach, quality is achieved through prevention, rather than by control, because removing errors, omissions, and superfluous work from manufacturing processes does not add cost. but rather reduces cost.

Seen from this perspective, the large amount of waste testified by the 25-200 *E* factor (mass of waste/mass of product for assessing the environmental impact of manufacturing processes)^[17] typical of the fine chemical and pharmaceutical industry processes, stands as an hallmark of poor process quality, adding unwanted cost (Figure 1) that a company should rather eliminate from its overall PONC.

To reduce cost, industry's managers will therefore undertake action to eliminate the PONC cost of producing unwanted byproducts from the overall cost of the process (C) in eq. 1, and also to lower the intrinsic cost (C_i) of the current manufacturing process:

$$C = C_i + PONC$$
 (1)

Now, when a new catalyst suitable for an existing industrial synthetic process is introduced, industry will generally opt for one of two options (Figure 2).^[18]




Figure 2. Any waste in a chemical reaction used by industry to afford the desired product (C) adds to the overall price of nonconformity (PONC) paid by the company.

In brief, if the return on investment (ROI, the ratio between the net profit and cost of investment resulting from the investment) offered by the new catalyst and catalytic process is large and prolonged in time, a completely new plant will be built whose economics outperform the older process/plant by such an extent to make the investment economically sound.

If, instead, the economic advantages offered by the new catalyst do not lead to a ROI value large enough to justify a switch to a new chemical plant or process, industry will only use the new catalyst if it can directly replace the catalyst currently employed in the existing process/plant (drop-in solution).

This was the case, to exemplify the concept, of a new ring closing metathesis (RCM) catalyst affording an antiviral molecule with the use of 0.05 mol% homogeneous Ru catalyst load, affording the RCM product (a macrocycle intermediate) via a new process reducing the *E*-factor from 370 to 52 kg/kg.^[19] "The new RCM process" the authors from a pharmaceutical company concluded "could be readily accommodated in the existing standard multipurpose reactors in chemical production, and the need for a multimillion dollar capital investment was averted".^[19]

For decades heterogeneous catalysis in the fine chemical industry has remained confined to hydrogenation processes which, in the absence of a metal catalyst to mediate the reaction between hydrogen and organic compounds, require high (>400°C) and technically unfeasible reaction temperatures.

The shift from batch-wise to manufacturing under flow in industry has started from heterogeneously catalyzed hydrogenation reactions.

The reactants, namely the substrate dissolved in liquid phase and H_2 gas, are continuously passed through the small reactor containing the packed solid catalyst. Mass and heat transfer capability under flow in such flow reactor are significantly higher and it is instructive to notice the interest for such intensified production processes at India's largest pharmaceutical company. $^{[20]}$

Amid the three major impacts of intensification on manufacturing operations, production process and production facility, the manager responsible for Operations at the aforementioned Indiabased firm, emphasizes how the new production under flow under tightly controlled conditions in small reactors results "in much smaller, safer and cheaper production units".[20]

This reduces the barrier to entry the fine chemical industry market.

Now, fine chemical manufacturers may flexibly and quickly produce only the amount of functional products required by the customer when it is required, truly becoming demand-driven companies in which manufacturing takes place similarly to what happens at plants of world's class good manufacturers using intensified, "lean" production methods.^[21]

This innovation trend may explain the spur in demand of practical innovation in catalysis and flow chemistry mentioned in 2017 by another pharmaceutical industry's innovation manager, [10] with professional development courses "featuring top speakers from academia and industry" currently being routinely organized to "provide industrial chemists with an unparalleled opportunity to explore how catalysis can change the landscape of process chemistry" [22].

Under these circumstances, the basic reason for the "high reproducibility because of GMP" argument typically objected to catalysis and flow chemistry innovation in API and fine chemical manufacturing loses its value. Most innovation in catalysis, indeed, ends up finding no practical application to insufficient ROI.

This is the commonly found case of pharmaceutical and fine chemical production processes which, no matter if catalytic or stoichiometric, usually take place in batch under homogeneous conditions with all the reaction components combined and held under controlled conditions until reaction is complete with reaction typically taking hours, and the product isolated at the end of the process cycle carrying out purification and crystallization on the entire batch with fine control of unit operations as required by cGMP protocols. [23]

It is also useful to remind that the catalysis industry has another source of revenues in the regeneration of spent catalysts obtained from its customer chemical companies. Supported noble metal catalysts used for hydrogenation, for example, are typically sent back to the manufacturer after use for refining and remanufacturing with typical losses at refining for Platinum Group Metals (PGMs) used varying between 2-5% for Pd and Pt, 5-10% for Rh and 10-15% for Ru during refining.^[24]

4. An Industry in Transition

Han, a renown green chemistry scholar based in China, is often approached by companies "wondering whether we could provide or recommend some green technologies to them":[25]

«Many company operators come to me to talk about their factories... They are eager to make their production

processes green and to meet the government's requirements. But once we came to the stage of industrialization, there exists the problem of cost and profit. No matter how green the process of a technology is, it could not be considered as a real 'green technology' as long as it is too expensive and cannot be industrialized. So, we have to create more highly effective and economically viable technologies to authentically promote the development of green industries».^[25]

The development and commercialization of the "economically viable" catalysis technologies mentioned by Han will no longer be restricted to conventional catalyst companies, but is likely to involve soon several new players, often academic spin-offs.

Selected examples may include the company established to commercialize immobilized ruthenium complexes using Grela's ammonium-tagged NHC ligands as an anchor for immobilization; [26] and the company relying on Perez-Ramirez's single-atom catalysts comprised of noble metal single-atoms anchored to graphitic carbon nitride exfoliated sheets, [27] already able to offer platinum group metal-based single-atom heterogeneous catalysts on the kilogram scale. [28]

Supported by the Foundation for Polish Science, Professor Grela's team is working towards the commercialization of his catalysts for fine chemical manufacturing.^[29] Asked to comment, he remarked: "Our catalyst makes chemical production via versatile olefin metathesis more environmentally-friendly, more selective, and easily scalable under flow. So, I think that it is just matter of time to see some first applications in pharma too".^[30]

Along with the world's largest fine chemical industry, China and India host also advanced school of chemistry with numerous Indian and Chinese scholars contributing key advances in catalysis, including single-atom catalysis in which China clearly excels.^[31] It is therefore likely that China- and India-based innovative catalysis companies will shortly emerge supplying new generation solid catalysts to fine chemical manufacturers.

The same can be expected to take place shortly in Russia, Iran and Brazil. Russia's fine chemical industry is currently undergoing modernization with new production facilities, as well as modernization of existing ones by both Russia-based companies as well as foreign companies investing in new production sites within the world's largest country. [32]

Plentiful offer of practical innovation in catalysis is available at Russia's academic institutions. For example, in the last five years Ananikov's team in Moscow have developed a number of advanced new solid catalysts suitable for immediate commercialization. Enough is to cite here the new Pd/C catalyst made *in situ* in less than 5 minute via direct deposition of Pd⁰ nanoparticles onto the highly accessible surface area and the avoidance of ill-defined Pd^{II}/Pd⁰ states.^[33]

Today, catalysis companies supply the fine chemical and pharmaceutical industries mainly with catalysts used to accomplish conventional hydrogenation, asymmetric hydrogenation, cross coupling and ring closing metathesis reactions. Underlining the societal relevance of catalysis, all the

aforementioned processes were recognized with the Nobel prize: Sabatier (along with Grignard) in 1912 for his studies on the direct hydrogenation of organic molecules on powdered nickel; [34] Knowles (alongside Noyori and Sharpless) in 2001 for the discovery that rhodium coordinated by chiral phosphine ligands performs asymmetric catalytic hydrogenation; [35] Schrock for catalytic metathesis reactions in 2005; [36] Suzuki, Heck, and Negishi in 2010 for palladium-mediated cross-coupling reactions. [37]

In almost each case of the aforementioned reactions, fine chemical companies, including the CMO suppliers of pharmaceutical firms, are supplied with homogeneous catalysts or chiral ligands; whereas catalysis via stable nitroxyl radicals coupled to inorganic oxidant (NaClO, Cu(I)/O2, etc.) is increasingly replacing toxic inorganic oxidants such as Mn(VI) and Cr(VI) previously used in overstoichiometric amount for the selective oxidation of alcohols to aldehydes and ketones. $^{[38]}$

All above processes can be carried out under flow with significant advantages, and industry has already started to replace conventional batch processes with reactions under flow. For instance, a large pharmaceutical company in 2015 switched from batch to flow-chemistry the Anelli-Montanari oxidation to convert an alcohol to an aldehyde in the course of manufacturing an API.^[39]

Now, the yield to the desired aldehyde product has increased from 75% in the batch reaction to 90% due to limited over-oxidation to carboxylic acid whereas the reaction is now performed using a 15 l/hr meso-reactor at 15 °C rather than at -70 °C as in previous batch process. We remind that the process uses 2,2,6,6-tetramethylpiperidine-1-oxyl (TEMPO) as catalyst and aqueous NaOCl as primary oxidant in a two phase system. Further oxidation to the corresponding carboxylic acid is an undesirable by-product.

Recognizing that several "catalyst systems in which the immobilized system exhibits equal or superior reactivity and/or offers enhanced stability to the homogeneous equivalent" has been reported since the early 2000s, recently a team of research chemists at different pharmaceutical companies revisiting key research areas in green chemistry from the industry's viewpoint, concluded that "the immobilization of catalysts remains an exciting area particularly with the growth of interest in continuous manufacturing". [40]

For example, regardless of common misconception that enzymes are unstable and expensive and unsuited for scalable chemical processing, the number of enzyme-mediated reactions performed by industry in a continuous manner over immobilized enzymes is significant and rapidly on the rise. [41]

The same will occur in electrocatalysis now that ultrastable solgel single-site catalytic electrodes or nanostructured photocatalysts are available to selectively oxidise alcohols using an electric current only, [42] or make fine chemicals using visible light generated by new LED-based energy efficient light sources in flow photoreactors. [43]

5. Outlook and Conclusions

Ever since its inception in 1875 with the first heterogeneously catalyzed industrial process (the Pt-catalyzed conversion of SO_2 to SO_3 to make sulfuric acid) to today's biopharmaceuticals, heterogeneous catalysis has been the key enabling technology of the chemical industry.

Catalysis, in general, is used in the production of 80% of industrially important chemicals, namely in more than \$10 trillion in goods and services of the global gross domestic product annually, with a global demand on catalysts exceeding \$30 billion in 2016.^[44]

Heterogeneous catalyst is, by far, the largest type segment of the industrial catalyst market, as solid catalysts enable batch or continuous processes in which reaction products are readily separated from the catalyst, with the catalyst remaining available for subsequent manufacturing steps until losing its activity and becoming "spent" to be replaced with fresh catalyst.

Innovation in catalysis for fine chemicals is coming in the form of new generation solid catalysts replacing both conventional homogeneous and heterogeneous catalysts, and new organic process technology with conversions under continuous flow replacing chemical processes in batch.

This wave of innovation is due to reshape both manufacturing at fine chemical and pharmaceutical companies and catalyst development and production at catalysis companies, enabling also the industrial uptake of electrocatalysis and photocatalysis which for more than a century has remained confined to a few industrial processes.

Uptake of newly developed heterogeneously catalyzed processes under flow by the existing and new fine chemical companies because the amount of capital expense is relatively low, and operation costs are dramatically reduced, whereas fine chemical ingredients are higly valued and in increasing demand not only from the pharmaceutical industry but rather from food and beverage, flavor and fragrance, cosmetic and personal care, electronic and advanced materials industries.

Eventually, in the digital era, [45] today's production plants embedding stirred tank reactors for batch production processes will be replaced by a network of decentralized smaller and modularized production units in which manufacturing of fine chemicals and APIs flexibly takes place via catalytic processed carried out under flow under mild reaction conditions in which no "out-of-spec" (beyond specification) reaction product is collected, thanks to unprecedented high stability of new generation solid catalysts coupled to finely controlled reaction conditions while mass and heat transfer is favorably enhanced compared to old batch reactors.

Acknowledgements

We thank Professor Karol Grela, University of Warsaw, Professor Javier Pérez-Ramírez, ETH Zürich, and Dr Jesús Alcázar, Janssen Pharmaceutical Companies, for helpful correspondence.

Author ORCID information

Rosaria Ciriminna, 0000-0001-6596-1572 Mario Pagliaro, 0000-0002-5096-329X Rafael Luque, 0000-0003-4190-1916

References

- [1] S. Hübner, J. G. de Vries, V. Farina, Why Does Industry Not Use Immobilized Transition Metal Complexes as Catalysts?, Adv. Synth. Catal. 2015, 358, 634-641.
- [2] N. End, K.-U. Schöning, Immobilized Catalysts in Industrial Research and Application, In *Immobilized Catalysts: Solid Phases*, *Immobilization and Applications*, Volume 242, A. Kirschning (Ed.), Springer, Berlin: 2004; pp. 241-271.
- [3] Biotage, Biotage® PS-PPh3-Pd, www.biotage.com/product-page/biotage-ps-pph3-pd
- [4] K. Skowerski, J. Pastva, S. J. Czarnocki, J. Janoscova, Exceptionally Stable and Efficient Solid Supported Hoveyda-Type Catalyst, Org. Process Res. Dev. 2015, 19, 872-877.
- [5] R. Ciriminna, V. Pandarus, A. Fidalgo, L. M. Ilharco, F. Béland, M. Pagliaro, SiliaCat: A Versatile Catalyst Series for Synthetic Organic Chemistry, Org. Process Res. Devel. 2015, 19, 755-768.
- [6] PhosphonicS Introduces Phos-Cat4 Catalyst, chemicalprocessing.com, 2015. See at the URL: www.chemicalprocessing.com/vendors/products/2015/phosphonic s-introduce-phos-cat4-catalyst/
- [7] P. Pollak, Fine Chemicals: The Industry and the Business, 2nd Edition, Wiley, New York: 2011.
- [8] IAL Consultants, Global Overview of the Flavours and Fragrances Market 2018, London: 2018.
- [9] J. Hilton, Growth patterns and emerging opportunities in nutraceutical and functional food categories: market overview, In Developing New Functional Food and Nutraceutical Products, Academic Press, New York: 2017; pp. 1-28.
- [10] C. Senanayake, cited in: C. A. Challener, Catalysis, Flow Chemistry Impact API Manufacturing, pharmtech.com, 2 May 2017.
- [11] C. Wiles, 10 Years of Flow Chemistry: From an R&D Concept to Implementation at an Industrial Scale, 10th Symposium on Continuous Flow for Industrial Applications, Milano, 13-14 November 2018
- [12] K. Masuda, T. Ichitsuka, N. Koumura, K. Sato, S. Kobayashi, Flow fine synthesis with heterogeneous catalysts, *Tetrahedron* 2018, 74, 1705-1730.
- [13] W. Bonrath, New Trends in (Heterogeneous) Catalysis for the Fine Chemicals Industry, *Chimia* 2014, 68, 485-491.
- [14] Evonik, Evonik catalysts for flow chemistry, Essen (Germany): 2018. See at the URL: https://catalysts.evonik.com/product/catalysts/downloads/evonik_fl yer_flow_chemistry_e_web.pdf
- [15] K. Stott, Pharma's broken business model: An industry on the brink of terminal decline, Endpoint News, 28 November 2017. See at the URL: https://endpts.com/pharmas-broken-business-model-anindustry-on-the-brink-of-terminal-decline/
- [16] R. Ciriminna, M. Pagliaro, Green Chemistry in the Fine Chemicals and Pharmaceutical Industries, *Org. Process Res. Devel.* 2013, 17, 1479-1484.
- [17] R. A. Sheldon, The Efactor 25 years on: the rise of green chemistry and sustainability, Green Chem. 2017, 19, 18-43.

- [18] R. Ciriminna, E. Falletta, C. Della Pina, J. H. Teles, M. Pagliaro, Industrial Applications of Gold Catalysis, *Angew. Chem. Int. Ed.* 2016, 55, 14210-14217.
- [19] C. A. Busacca, D. R. Fandrick, J. J. Song, C. H. Senanayake, "Transition Metal Catalysis in the Pharmaceutical Industry" In Applications of Transition Metal Catalysis in Drug Discovery and Development: An Industrial Perspective, M. L. Crawley, B. M. Trost (Ed.), John Wiley & Sons, New York: 2012; pp.1-24.
- [20] S. Bose (Sun Pharma), Lean Perspective of Process Intensification, IGCW 2017, Mumbai, 5-6 October 2017.
- [21] F. Sieckmann, H. Nguyen Ngo, R. Helm, H. Kohl, Implementation of lean production systems in small and medium-sized pharmaceutical enterprises, *Procedia Manuf.* 2018, 21, 814-821.
- [22] For instance: a) Scientific Update, Catalysis in the Fine Chemicals Industry - Cutting Edge Development and Industrial Applications, Lucerne, 14-15 May 2019: b) Royal Society of Chemistry, Challenges in Catalysis for Pharmaceuticals and Fine Chemicals VI, London, 14 November 2018.
- [23] N. G. Anderson, Practical Use of Continuous Processing in Developing and Scaling Up Laboratory Processes, Org. Process Res. Devel., 2001, 5, 613-621.
- [24] F. Nerozzi, Heterogeneous Catalytic Hydrogenation, *Platinum Met. Rev.* 2012, 56, 236-241.
- [25] W. Zhao, Make the chemical industry clean with green chemistry: an interview with Buxing Han, Natl. Sci. Rev. 2018, 5, 953-956.
- [26] A. Jana, K. Grela, Forged and fashioned for faithfulness-ruthenium olefin metathesis catalysts bearing ammonium tags, *Chem. Commun.* 2018, 54, 122-139.
- [27] Z. Chen, E. Vorobyeva, S. Mitchell, E. Fako, M. A. Ortuño, N. López, S. M. Collins, P. A. Midgley, S. Richard, G. Vilé, J. Pérez-Ramírez, A heterogeneous single-atom palladium catalyst surpassing homogeneous systems for Suzuki coupling, *Nat. Nanotechnol.* 2018, 13, 702-707.
- [28] Prof. J. Pérez-Ramírez (ETH Zürich), personal correspondence with M.P., 15 September 2018.
- [29] See at the URL: http://karolgrela.eu/teamtech
- [30] Prof. K. Grela (University of Warsaw), personal correspondence with M.P., 15 December 2018.
- [31] R. Ciriminna, M. Ghahremani, B. Karimi, R. Luque, M. Pagliaro, Single-Atom Catalysis: A Practically Viable Technology?, *Preprints* 2018, 2018090069.
- [32] Deloitte CIS Research Centre, Russian Pharmaceutical Market Trends in 2018, Moscow: 2018. See at the URL: https://www2.deloitte.com/content/dam/Deloitte/ru/Documents/lifesciences-health-care/russian-pharmaceutical-market-trends-2018en.pdf
- [33] S. A. Yakukhnov, E. O. Pentsak, K. I. Galkin, R. M. Mironenko, V. A. Drozdov, V. A. Likholobov, V. P. Ananikov, Rapid "Mix and Stir" Preparation of Well Defined Palladium on Carbon Catalysts for Efficient Practical Use, ChemCatChem 2018, 10, 1869-1873.
- [34] P. Sabatier, The Method of Direct Hydrogenation by Catalysis, Nobel Lecture, December 11, 1912
- [35] W. S. Knowles, M. J. Sabacky, Catalytic asymmetric hydrogenation employing a soluble, optically active, rhodium complex, *Chem. Commun.* 1968, 1445-1446.
- [36] R. R. Schrock, Multiple Metal-Carbon Bonds for Catalytic Metathesis Reactions, Nobel Lecture, 8 December 2005.
- [37] The Nobel Foundation, The Nobel Prize in Chemistry 2010, www.nobelprize.org/prizes/chemistry/2010/summary.
- [38] R. Ciriminna, M. Pagliaro, Industrial Oxidations with Organocatalyst TEMPO and its Derivatives, *Org. Process Res. Devel.* 2010, 14, 245-251.
- [39] G. Samburski, Anelli's (TEMPO) Oxidation of alcohol by flow chemistry, industrial scale, The 80th Annual Meeting of the Israel Chemical Society, Tel Aviv, 17-18 February 2015.
- [40] M. C. Bryan, P. J. Dunn, D. Entwistle, F. Gallou, S. G. Koenig, J. D. Hayler, M. R. Hickey, S. Hughes, M. E. Kopach, G. Moine, P.I

- Richardson, F. Roschangar, A. Steven, F. J. Weiberth, Key Green Chemistry research areas from a pharmaceutical manufacturers' perspective revisited, *Green Chem.* **2018**, *20*, 5082-5103.
- [41] J. Britton, S. Majumdar, G. A. Weiss, Continuous flow biocatalysis, Chem. Soc. Rev. 2018, 47, 5891-5918.
- [42] B. Karimi, M. Ghahremani, R. Ciriminna, M. Pagliaro, New Stable Catalytic Electrodes Functionalized with TEMPO for the Waste-Free Oxidation of Alcohols, *Org. Process Res. Devel.* 2018, 22, 1298-1305.
- [43] R. Ciriminna, R. Delisi, Y.-J. Xu, M. Pagliaro, Towards the Waste-Free Synthesis of Fine Chemicals with Visible Light, *Org. Process Res. Devel.* 2016, 20, 403-408.
- [44] V. V. Ranade, S. S. Joshi, Catalysis and Catalytic Processes, In Industrial Catalytic Processes for Fine and Specialty Chemicals, V. V. Ranade and S. S. Joshi (Ed.s), Elsevier, Amsterdam: 2016; pp. 1-14.
- [45] K. F. Jensen, Flow chemistry microreaction technology comes of age, AIChE J. 2017, 63, 858–869.