

# T2 Men Physical Health

Sensitivity analysis for physical SPH, for men; SA1 shows results for Length of Stay (LOS) below and above 3 months; SA2 show results for LOS below 3 months, below 10 years and above 3 months, above 10 years; SA3 shows results for LOS below 3 months, below 5 years and above 3 months, above 5 years; Finally, SA4 shows results for LOS below 3 months, below 5 years and above 3 months, above 5 years and below 10 years, above 10 years.

Physical Health				
Men				
	SA 1	SA 2	SA 3	SA 4
Age group				
1st quartile [18;28[	Ref 0.90 [0.59; 1.37]	Ref 0.91 [0.60; 1.38]	Ref 0.92 [0.60; 1.40]	Ref 0.92 [0.60; 1.40]
2nd quartile [28;34[	0.62 [0.40; 0.96]*	0.63 [0.41; 0.98]*	0.64 [0.41; 1.00]*	0.64 [0.41; 1.00]
3rd quartile [34;44[	0.63 [0.37; 1.08]	0.66 [0.38; 1.13]	0.65 [0.38; 1.13]	0.66 [0.38; 1.15]
4th quartile [44;85]				
Surveyed Countries				
Germany	Ref 1.17 [0.28; 4.90]	Ref 1.11 [0.26; 4.68]	Ref 1.12 [0.27; 4.71]	Ref 1.09 [0.26; 4.62]
Switzerland	2.10 [0.74; 6.62]	2.07 [0.73; 6.54]	2.14 [0.75; 6.76]	2.10 [0.73; 6.65]
Spain	1.63 [0.43; 6.52]	1.53 [0.40; 6.18]	1.54 [0.40; 6.24]	1.50 [0.39; 6.10]
Turkey	0.61 [0.16; 2.44]	0.60 [0.16; 2.38]	0.61 [0.16; 2.43]	0.60 [0.16; 2.39]
United Kingdom				
Region of Origin				
Middle East	Ref 1.21 [0.54; 2.95]	Ref 1.22 [0.54; 2.96]	Ref 1.20 [0.53; 2.92]	Ref 1.21 [0.53; 2.94]
Africa	0.77 [0.24; 2.49]	0.74 [0.23; 2.43]	0.75 [0.23; 2.44]	0.74 [0.23; 2.41]
America	2.22 [0.92; 5.84]	2.19 [0.91; 5.78]	2.16 [0.89; 5.73]	2.17 [0.89; 5.73]
Asia	1.80 [0.51; 6.46]	1.78 [0.50; 6.36]	1.77 [0.50; 6.33]	1.76 [0.49; 6.31]
Europe	1.91 [0.67; 5.65]	1.91 [0.67; 5.65]	1.92 [0.68; 5.68]	1.91 [0.67; 5.67]
Maghreb				
Housing conditions				
Instable	Ref 1.30 [0.92; 1.83]	Ref 1.29 [0.91; 1.82]	Ref 1.29 [0.91; 1.82]	Ref 1.29 [0.91; 1.82]
Stable				
Income satisfaction				

Physical Health				
Men				
	SA 1	SA 2	SA 3	SA 4
Not Enough	Ref 0.95 [0.45; 1.96]	Ref 0.97 [0.45; 2.00]	Ref 0.98 [0.46; 2.04]	Ref 0.98 [0.46; 2.04]
Enough				
Job				
No	Ref 1.81 [1.26; 2.61]*	Ref 1.82 [1.27; 2.63]*	Ref 1.82 [1.26; 2.62]*	Ref 1.82 [1.27; 2.63]*
Yes				
Insurance coverage				
Yes	Ref 0.64 [0.29; 1.51]	Ref 0.65 [0.29; 1.52]	Ref 0.65 [0.29; 1.53]	Ref 0.65 [0.29; 1.53]
No				
Immigration Status				
Residence permit	Ref 1.11 [0.69; 1.82]	Ref 1.09 [0.67; 1.78]	Ref 1.09 [0.67; 1.78]	Ref 1.08 [0.66; 1.77]
Undocumented	0.60 [0.35; 1.02]	0.59 [0.35; 1.01]	0.59 [0.35; 1.01]	0.59 [0.34; 1.00]
Asylum Seeker				
Length of Stay				
Sensitivity Analysis 1				
Length of Stay below 3 months	Ref			
Length of Stay above 3 months	0.72 [0.46; 1.14]			
Sensitivity Analysis 2				
Length of Stay below 3 months		Ref		
Length of Stay between 3months and 10 years		0.74 [0.47; 1.16]		
Length of Stay above 10 years		0.57 [0.25; 1.23]		
Sensitivity Analysis 3				
Length of Stay below 3 months			Ref	
Length of Stay between 3 months and 5 years			0.75 [0.47; 1.19]	
Length of Stay above 5 years			0.63 [0.35; 1.16]	
Sensitivity Analysis 4				
Length of Stay below 3 months				1.47 [0.77; 2.86]
Length of Stay above three months and Below five years				1.10 [0.63; 1.95]
Length of Stay above 5 years and less than 10 years				Ref
Length of Stay Above 10 years				0.82 [0.36; 1.77]

Physical Health				
Men				
	SA 1	SA 2	SA 3	SA 4
AIC	938.23	939.68	939.83	941.57
BIC	1031.26	1037.36	1037.51	1043.90
Log Likelihood	-449.11	-448.84	-448.91	-448.78
Deviance	898.23	897.68	897.83	897.57
Num. obs.	774	774	774	774