

Article

Not peer-reviewed version

Similarity Based Framework for Unsupervised Domain Adaptation: Peer Reviewing Policy for Pseudo-Labeling

[Joel Arweiler](#)*, [Cihan Ates](#)*, Jesus Cerquides, Rainer Koch, [Hans-Jörg Bauer](#)

Posted Date: 27 July 2023

doi: 10.20944/preprints202307.1874.v1

Keywords: unsupervised domain adaptation; pseudo-labeling; transfer learning





Preprints.org is a free multidiscipline platform providing preprint service that is dedicated to making early versions of research outputs permanently available and citable. Preprints posted at Preprints.org appear in Web of Science, Crossref, Google Scholar, Scilit, Europe PMC.

Copyright: This is an open access article distributed under the Creative Commons Attribution License which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Article

Similarity Based Framework for Unsupervised Domain Adaptation: Peer Reviewing Policy for Pseudo-Labeling

Joel Arweiler ^{1,*} , Cihan Ates ^{1,*} , Jesus Cerquides ², Rainer Koch ¹ and Hans-Jörg Bauer ¹

¹ Institute of Thermal Turbomachinery, Karlsruhe Institute of Technology (KIT), 76137 Karlsruhe, Germany

² Artificial Intelligence Research Institute (IIIA), CSIC, Cerdanyola del Vallès, Spain

* Correspondence: joel.arweiler@kit.edu, cihan.ates@kit.edu

Abstract: The inherent dependency of deep learning models to labeled data is a well-known problem and one of the barriers that slows down the integration of such methods into different fields of applied sciences and engineering, in which experimental and numerical methods can easily generate a colossal amount of unlabeled data. This paper proposes an unsupervised domain adaptation methodology that mimics the peer review process to label new observations in a different domain from the training set. The approach evaluates the validity of a hypothesis using domain knowledge acquired from the training set through a similarity analysis, exploring the projected feature space to examine the class centroid shifts. The methodology is tested on a binary classification problem, where synthetic images of cubes and cylinders in different orientations are generated. The methodology improves the accuracy of the object classifier from 60% to around 90% in the case of a domain shift in physical feature space without human labeling.

Keywords: unsupervised domain adaptation; pseudo-labeling; transfer learning

1. Introduction

Labeling huge amounts of unlabeled data becomes more and more challenging for models with an increasing complexity. Different forms of labeling strategies such as semi-supervised, self-supervised and active learning including generative and adversarial methods have been a vibrant research field to solve this common problem with many successful demonstrations [1–3].

In the case of semi-supervised learning, generative models aim to learn and sample from the explicit or implicit probability distributions, while consistency regularization utilize the unlabeled data with perturbations for model robustness [4]. In such data-centric methods, including image augmentation techniques, it is assumed that the boundaries of the original, or the extracted feature space engulfs the whole possibility space and the synthetic data generation provides a mean to increase the data density. In active learning, the objective shifts to select unlabeled data instances to be labeled in an optimal way so that the expensive human annotator/oracle is consulted at a minimum rate, while updating the prior on the data distribution. Herein, the objective function for adding new examples can vary such as maximizing diversity or the accuracy of the model [2]. Nonetheless, the standard approach for active learning relies heavily on human interaction for labeling uncertain samples. This limitation increases the time and cost of the process, especially when working with large datasets. n-Shot learning is an alternative, model-centric approach that aims to increase the predictive capability of machine learning methods with few training instances by either looking for similarities in embedded feature spaces or relying on meta-learner that can adapt to different tasks [2]. There are also work reported that merges the strengths of unsupervised, self-supervised and semi-supervised methods [5–7]. We refer the reader to recent review literature for a more detailed overview [2,3,8–13].

The main objective of this work is to propose an alternative, similarity based framework to label unknown instances, particularly in the presence of a domain shift (i.e., feature statistics of the unlabeled instances is different than the labeled ones). The essence of the underlying learning mechanism mimics

the peer reviewing process in the scientific community. Pseudo labels created by the hypothesis generator (e.g., a classifier model) are examined by the reviewer via metric learning. Herein, the shifts in class centroids in a projected feature space due to the proposed hypothesis (pseudo labels) is taken into consideration in terms of direction and magnitude. Representing the current knowledge (labeled instances) as centroids and tracking its relative change with the added pseudo-labels has eliminated the need for human labeling for the case study and improved the accuracy of the object classifier in the presence of a drastic domain shift. In the following, we will give a brief overview of the relevant recent work, explain our methodology and discuss the further steps.

2. Related Work

The field of semi-/self-supervised and transfer learning has raised a great interest in the community. Herein we will highlight some of the recent work that have some similarities with the different aspects of the proposed idea. One big issue with semi-supervised strategies is the assumption, that the data of both, the training and test data is drawn from the same distribution. This domain shift between training (source domain) and test data (target domain) can lead to a poor model performance for target instances. Domain adaptation, as a subfield of transfer-learning, focuses on generalizing models trained on a source domain, to be applied to different target domains. The case where no target labels are available is referred to as unsupervised domain adaptation [14]. Various methods have been developed in the last decade to overcome the problem of domain shift. Those methods can be categorized according to [15] into instance-based, feature-based and parameter-based methods. Since parameter-based methods focus on adjusting the model's parameters, which is not in the scope of our work, we refer to [14] for related methods.

1) *Instance-based methods* adjust the weights of the instances in a way, that the distributions of both domains are similar [15]. [16] automatically select instances from the source domain ("landmarks"), which are distributed similarly to the target domain, in order to bridge the domain shift gap. As in our work, [17] follow a pseudo labeling strategy for domain adaptation in Support Vector Machines, where pseudo labeled target instances are moved to the training dataset based on their distance to the upper and lower bound of the decision margin. Both studies include only different parts (similarity analysis, pseudo labeling) of our proposed method.

2) *Feature-based methods* achieve domain adaptation by adjusting the features of two domains [15]. Many approaches try to alleviate the domain discrepancy by projecting both domains in a common embedding space [18–20]. In a recent work, [21] use a Deep Ladder-Suppression Network, to extract expressive cross-domain shared representations by suppressing domain-specific variations, which can be integrated with metric discrepancy-based methods like D-CORAL [22], DAN [23] and JAN [24].

Several studies utilize a pseudo labeling approach, known from semi-supervised learning, to enhance the model's performance on the target data. Similar to our work, [25] accept or reject pseudo labels of target instances based on their distance to the corresponding class center in a spherical feature space. Their approach can be implemented based on adversarial domain adaptation models like DANN [26] and MSTN [27]. The idea of iteratively improving the pseudo label predictions of a base classifier is part of the visual domain adaptation (VDA) model by [28]. Their approach employs domain invariant clustering by minimizing the joint marginal and conditional distribution distances across domains in the latent space iteratively.

3. Our Contribution

Semi-/self-supervised methods assume that the labeled fraction of the data is informative enough to learn/sample from the underlying probability distributions, despite being sparsely distributed. n-shot learning methods are exploring the unseen classes by accessing information through matching semantic labels with the extracted features. Herein, it is still assumed a priori, that the physical feature space is represented by the semantic content, through which the embedded clustering of unique combinations are assigned to new classes. Active learning relies on dissimilarities and queries the most

informative instances to oracles. In the case of domain shift, however, such a methodology would demand a large number of samples to be labeled with human supervision.

In this work, we target scenarios during which drastic domain shifts in the physical feature space are expected, which is in turn reflected into the observed state features or their projected representations. The proposed methodology mimics the peer reviewing process in the scientific community. The current knowledge (labeled data) is treated as centroids acting like attractors. The new hypothesis (pseudo labels coming from the classifier) is checked by the reviewer model based on metric learning. One unique aspect of our work is to use the concept shift in each class that may happen with the new proposal as a decision criteria to accept, revise or reject the proposed hypothesis. As in scientific peer reviewing, the decision is made based on the consistency of the new proposal with the current knowledge and the self-consistency of the new proposal. The consistency here is defined as vectors constituted by the current and proposed cluster centroids in the latent space. Herein, peer-reviewing policy acts like an autonomous learning mechanism with no reliance on any oracles. In other words, the unlabeled data space (suspected to be different than the training feature space) is explored via relative information and similarity-based learning, rather than accessing absolute information as needed. The details of the methodology is described in the following section.

4. Materials and Methods

4.1. Case Study: Synthetic Basic Shapes Dataset

In this study, we present a case coming from the multiphase flow community related to the particle segregation and distribution analysis of a wood recycling unit operating in the dilute flow regime. The domain shift aspect of the problem comes from the fact that while designing the equipment, particle characterization experiments (as in the work of [29]) is conducted within a certain flow settings (physical features of the gas and solid phases). In gas-solid flows, the particle segregation and entrainment strongly depend on the balance between the drag, gravitational and the buoyancy forces [30]. As the velocity of the gas phase increases (i.e., Reynolds number for particles (Re) increases), particles that are well-oriented with respect to the flow direction (when $Re < 100$) start to exhibit complex secondary motions due to difference in the center of gravity and the center of pressure, which is typically the case in the real operation ($Re > 1000$). Herein, the orientation of the particle further affects the instantaneous drag force acting on the particle, which in turn change the force distribution on the particle, further changing its orientation and the distribution along the chamber. Depending on the material batch and pre-processing steps (e.g. milling), particle properties such as size distribution and shape features (base shape, aspect ratio) can also introduce further shifts in the physical feature space, leading to a multi-layered, hierarchical relation network. On the other hand, such orientation/flow alignment statistics (e.g., [31]) are needed to be able to design the recycling unit targeting a certain material or mixing patterns within the chamber (e.g., separating viable wood from waste).

The dataset is created by considering a typical flow characterization experiment, where particles are fed to the setup and their distribution is monitored typically via high speed imaging, followed by masking, object detection, shape classification and building orientation statistics for many events at the same operating conditions [30]. In order to test the proposed idea, we reduced the problem complexity and first look at the classification problem (we will return the whole framework in the discussion part). Synthetic images of cubes and cylinders in different orientations are generated using the open-source 3D creation software "Blender", which also provides us with the corresponding labels (shape, orientation). Both the cubes and cylinders have an aspect ratio (AR) of 1 to add more overlapping shape projections at different orientations. All objects are centered in the images, which are 224×224 px in size. Herein, it is assumed that object detection is handled via a simple tool such as background subtraction, which is a rather easy task with high speed imaging in dilute flows (i.e., particle volume fractions are low by design). The generated images differ only in the shape and

rotation around the x - and y -axis. The training, validation and initial test dataset for the base classifier includes images of cubes and cylinders with rotations around both axes limited to 15° . Herein, it is analogous to conduct an experiment with real particles (e.g., more complex shape classes) at low Re and create an initial labeled dataset. The test data (second set to analyze the proposed idea), on the other hand, includes random rotations of the objects that are exhibited at high Re flows. We created two different test datasets: one for pseudo-labeling called the pool dataset, and the other (test dataset) for evaluating the classifier performance as it explores the unknown feature space during the learning process, which is used only for model performance assessment. Table 1 summarizes the number of samples and the range of possible rotation angles for each. Figures 1 and 2 show example images for the train, pool and test dataset, respectively.



Figure 1. Train dataset samples for cube and cylinder.



Figure 2. Test/Pool dataset samples for cube and cylinder.

Table 1. Overview of the different datasets used.

DATASET	TRAINING	VALIDATION	POOL	TEST
SAMPLES	3200	800	10000	10000
ROTATION	$0^\circ - 15^\circ$	$0^\circ - 15^\circ$	$0^\circ - 360^\circ$	$0^\circ - 360^\circ$

4.2. Algorithm Details

The proposed method relies on an autonomous peer reviewing process to eliminate the need for human labeling even in the presence of a domain shift. As illustrated in the algorithm flowchart (Appendix A), we begin by creating four datasets (training, validation, pool, test) as described in Section 4.1. In the first step, we use the initial training and validation datasets to train a basic classifier, in this case a ResNet18 model. Before training the model, we check the training data for class imbalance and apply undersampling if necessary. At this stage, the goal is to create an accurate model given the observations. In the second stage, the classifier, which has been trained on images of particles with rotations limited to 15° , is used to predict pseudo labels for the pool dataset, which includes images of particles with any rotation. It should be reminded here, that the particles are literally rotated in the Blender environment, as if it is caused by secondary particle motions and images are captured at a

fixed camera position. Before passing the pseudo labels to the reviewer, we use the class probabilities output by the network's softmax output layer to discard predictions that fall below a 80 % confidence threshold, in order to filter out predictions where the model is not confident.

In the next step, the proposed classes are checked by the reviewer via a novel metric learning approach. Similar to many similarity based assessments, we first project the training and pool data into a two-dimensional embedding space using two different dimensionality reduction techniques, namely t-SNE [32] and Ivis [33], which preserve local and structural similarities of the original images in the low-dimensional representations. The hypothesis is that the model is more likely to accurately predict samples that are similar and therefore closer to the training data in the embedding space, akin to how humans tend to build upon their prior knowledge by solving problems that are similar to ones they have already solved. By selecting those samples during each iteration, the model will be able to systematically explore the entire data space in the presence of concept shift. What is unique in our approach is to use both the magnitude and the direction of the centroids for all classes simultaneously in the form of a domain split task. A more detailed description of the acceptance/rejection policy is provided in Section 4.3. After the reviewing process, the algorithm checks if more than 1 % of the pool data has been accepted. If more than 1 % of the recent pool data is selected, these samples and their corresponding pseudo-labels are added to the training dataset for the next iteration, effectively treating them as true labels. This process continues until, in theory, the entire pool dataset is correctly labeled. If not, the algorithm re-applies the dimensionality reduction method, resulting in a different embedding space since t-SNE and Ivis are non-deterministic. In this inner loop, the similarity constraint is further relaxed via increasing the allowable maximum distance from the class centroid by 20 %. If the recalculated embedding space does not lead to a higher number of selected pool samples for five consecutive iterations, the algorithm stops. As some incorrect predictions may be added to the training dataset, leading to a confirmation bias, we calculate the accuracy metrics on an independent test data during each iteration of the learning process. It is important to note that no external information is used during the training and it is merely used for demonstration of the improved performance of the classifier due to selective use of self-improved pseudo-labels.

4.3. Reviewing Policy

In essence, the reviewer checks how the newly labeled dataset is aligned with the current centroids and how the class centroids will shift if the proposed labels are accepted. To generate the necessary low dimensional embeddings, we deployed two dimensionality reduction techniques, t-SNE [32] and Ivis [33], which both produce two-dimensional representations of the training and pool images. We set the number of nearest neighbors to 30 for both. Ivis is selected due to its demonstrated ability to preserve the data structure and whether that proves to be more useful than the t-SNE approach. It is also considered that the performance comparisons with different projection policies can provide further insights on whether we can benefit from multi-review approach in the follow-up studies.

For the reviewing, we first calculate the centroids for both the training data and the pseudo labeled pool data for each class. The centroids calculated from the training set represents the current "state of the art". The centroids of the pseudo labels proposed by the most recent classifier, on the other hand, represents the "proposed hypothesis". Let $l_{1,A}$ and $l_{1,B}$ denote the distances between the training centroid and the pool centroid for class A and B , respectively. Herein, $l_{1,A}$ and $l_{1,B}$ provides relative information about the magnitudes of the domain shift. Next, the directions of the vectors starting from the previous class centroid to the newly observed class centroid is computed to decide in which direction it is reasonable to expand for each class, based on how the classifier interpret the "world" and the pool data (unlabeled set). Herein, we used semicircles to explore the projected feature space. At each iteration, we add all pseudo labels that are inside the semicircle of one class, but not inside the semicircle of the other. By doing so, in a single step, we account for the both negative and positive feedbacks coming from the previous and the proposed knowledge states. Herein, each projection with

t-SNE or Ivis acts like the perspective of the reviewer(s) to the current state of art, and its relation to the proposed hypothesis (pseudo labels).

Figure 3 shows an example plot of the filtering in the embedding space using t-SNE from both the perspectives of Class A and B. In each view, the blue color shows the class of interest, while the gray color denotes the other (i.e., data space is viewed based on one-vs-others). The training data is represented by large-thicker points. The pseudo labeled pool data is represented by smaller points if the model predictions was right, else with a cross symbol. From the figure, it is immediately seen that the pool data exhibits a concept shift and the unlabeled pool data has drastically different representations for classes.




Figure 3. Example embedding space for selecting pool samples for class *A* and class *B*.

The green shaded semicircle area defines the zone, where the pseudo labeled pool data is to be added if we only take the class of interest into account (blue color). Correspondingly, the red semicircle defines the area of rejection if we consider the feedback coming from the concept shift in the other class. The selected pool data samples are highlighted in red.

One important hyperparameter here is the radius of the semicircles, which is analogous to the learning rate concept. In the study, it is calculated via two different methods:

$$r_{1,i} = 0.8l_{1,i} \quad i \in [A, B] \quad (1)$$

$$r_{2,i} = (\mu - l_{1,i}) + l_{1,i}\left(1 - \frac{l_{1,i}}{l_0}\right) = \mu - \frac{l_{1,i}^2}{l_0} \quad i \in [A, B] \quad (2)$$

for both class *A* and *B*. The first definition is simply scaled with the available subjective information about the concept shift. The second definition is considered as an alternative approach, which is regularized with respect to the data projection. For that purpose, we introduce two new terms into the equation. μ is the average distance between pseudo labels of class *i* and the training centroid of the same class, while l_0 is the distance between the two training centroids, which is considered as a relative similarity measure between current class representations in the projected space. Such a regularization is considered to be useful particularly if the domain shift in the projected feature is manifested as a symmetric expansion around the training centroids. In such a case, $l_{1,i}$ would be close to zero, resulting in a stagnation in the learning process (no pseudo labels would be accepted). If the concept shift is highly asymmetric, then the first term of the Eq. 2 would converge to zero and domain exploration would be driven by the shifts in class centroids. This is considered to be similar to weight regularization.

5. Results

5.1. Learning Process

We first examine the learning process by looking at the quantity and quality of the selected pool data samples, as well as the embedding space during the learning process using t-SNE in combination with the simple radius selection method (r_1). Figure 4 reports the details of the learning process via demonstrating (i) the percentage of the accepted pseudo labels with respect to the initial pool data and (ii) the calculated accuracy of the binary classification task at each iteration. It should be reminded that these samples are subsequently added to the training data in the next iteration, and therefore play a crucial role in the overall success of the method.

Focusing on t-SNE using r_1 in Figure 4a, it is evident that for the first five iterations, almost no pool data samples with incorrect predictions were selected, indicating that the model's accuracy on the test dataset is likely to improve. However, it is worth noting that in the subsequent iterations, it becomes increasingly difficult to avoid adding samples with incorrect labels to the training data. The accuracy of the selected pool samples reaches a minimum of 45 % during these later iterations, though in most cases it is above 90 %. Additionally, the overall proportion of pool data added to the training dataset per iteration remains relatively low, at a maximum of 27 %. The overall number of samples selected per iteration serves as a form of learning rate, as increasing the number of samples per iteration could lead to faster potential improvement of the model's accuracy, but at the same time increases the proportion of mislabeled data in the training set. This emphasizes the importance of balancing the quantity and quality of samples selected per iteration to achieve optimal model performance. To underscore the significance of the embedding filtering step, Figure 5 demonstrates the results obtained from a purely self-supervised approach, i.e., using only the confidence filter of the classifier. The findings reveal a rather poor accuracy of about 60 on the test dataset when relying solely on the model's confidence scores to select samples. Additionally, nearly all samples pass the filter in the first iteration since the model's confidence scores exceed 95 for more than 90 of the samples. The results are not affected by adjustments to the confidence threshold to higher values either. In the test runs with the reviewer approach, on the other hand, the confidence filter gets important in later iterations. Model yields a wider range of confidence distribution, as more samples from the target domain are added into the training dataset.

In order to further investigate the reviewing process, we present in Figure 6 the corresponding embedding plots for iterations 0, 6, 8, and 11, with a focus on the selection process for class *B*. As shown in Figure 4a, in the first iteration, almost all accepted pool samples had been correctly classified by the model. However, in iteration 6, the rejection semicircle of class *A* is not large enough to reject the misclassified samples, which will consequently be added to the training dataset in the next iteration. It is worth noting that the majority of misclassified pool samples by the model are either in the boundary zone between the two classes or have a significant distance from the training data centroid (Figure 6). This supports our assumption that the accuracy of predictions for similar images is higher and the position of the training data centroids should be included in the selection process. After eight iterations, most of the pool data had already been included into the training set and only a few additional samples can be selected. Recalculating the embeddings in addition to increasing the semicircle radius did not lead to an increase in the number of selected samples at this point. Since this was the case for the last five iterations, the algorithm stops after Iteration 11. The remaining samples are added based on the most recent classifier.




Figure 4. Added pool data per iteration for t-SNE/Ivis and r_1/r_2 divided in correct classified (green) and misclassified (black) fractions; numbers above the bars represent the prediction accuracy in each iteration.




Figure 5. Added pool data per iteration for a run without the embedding filter divided in correct classified (green) and misclassified (black) fractions; numbers above the bars represent the prediction accuracy in each iteration.




Figure 6. Embedding based on t-SNE.

5.2. Evaluation of Alternative Review Procedures

Next, we turn to an analysis of the quantity and quality of the selected data samples per iteration for the different combinations of t-SNE/Ivis and r_1/r_2 . In Figure 7, the accumulated amount of pool data that was added to the training dataset of the next iteration until the training process stopped is shown for all cases. Typically a larger number of samples are selected in the first iteration compared to later iterations. Almost 95 % of the whole pool data was added iteratively before the loop is terminated, except the t-SNE projection with r_2 policy regularization, which added up to 56 %. When comparing the results obtained using r_1 and r_2 as the radius for the filtering shape, it is evident that using r_1 leads to the selection of more samples in the first iterations. Specifically, after two iterations almost 50 % of the pool data has already been selected using r_1 , while it takes six iterations to reach the same level using r_2 . The comparison shows that regularization technique functions as expected, yet without much noticeable improvement in the accuracy rates. Results further suggest that alternative and/or adaptive domain regularization methods should be investigated. One suggestion here is to deploy a transition between r_1 to r_2 based on the percentage of the remaining pool data, which may be more effective at identifying and selecting relevant samples early on in the training process. It is also seen that t-SNE leads to a higher accuracy rate in most of the time, compared to the Ivis method, as shown in Figure 4. During some iterations, especially when using Ivis in combination with r_2 , the accuracy falls below 50 %.




Figure 7. Accumulated filtered pool data.

5.3. Accuracy Assessment on Test Dataset

Figure 8 depicts the accuracy, precision and recall score at every iteration on the test dataset using t-SNE and r_1 . The precision and recall curve is only shown for class B , as they look very similar to that of class A . When the classifier is tested on the data with the domain shift, the initial accuracy is found to be around 55%, which is about 99% in the test data without the domain shift. With the peer reviewing policy, the model's accuracy increases to 85% after 6 iterations. The course of the precision and recall scores follows a similar pattern, except for iterations 4 – 6 where the precision temporarily drops to 77% whereas the recall score increases to 88%. This can be explained by the model being biased towards class B during these iterations. In order to test the repeatability of our method, we performed four different runs with t-SNE embedding and r_1 as the radius of the acceptance/rejection semicircles. The results of that investigation are shown in Figure 9. It is clear that the resulting accuracy plots cannot be identical due to the stochastic nature of the t-SNE. Nonetheless, the overall learning history looks similar with different projections and converges to a similar accuracy score of around 87% with a maximum difference of approximately 5%.

In an attempt to better see whether the peer reviewing approach outperforms a baseline model, we conducted a simple self-supervised learning policy, where the classifier confidence is used as the only filter for adding pseudo-labeled instances to the training set. In this case, however, the accuracy of the basic approach does not change significantly once all the pool data is added (58%), which illustrates the added value of using the direction vectors to explore the unknown feature space for fully automating the self-learning schemes.




Figure 8. Test data metrics for evaluating model over iterations using t-SNE and r_1 .




Figure 9. Comparison of different runs using t-SNE and r_1 .

Figure 10 compares the predictive accuracy of all four approaches on the test dataset. It can be seen that after the first learning loop, methods with no regularization (r_1) outperforms the ones with regularization (r_2) by a margin. In the course of the iterations, the accuracy curves converge to different maximum scores. Especially using r_2 results in a maximum accuracy of only around 65% for both embedding methods, while using r_1 results in an increase of accuracy to around 89% for t-SNE and 78% for Ivis. With t-SNE projection, a total accuracy increase of 29% is achieved. It should be emphasized that this increase in accuracy was not due to any external input, but rather achieved as a result of the selection process based on relative metric learning in the embedding space. This highlights the effectiveness of the proposed reviewing policy particularly for scenarios with noticeable domain shifts.




Figure 10. Accuracy improvement on test dataset.

6. Discussions

Our method proposes to use all information extracted from the potential shift in class centroids in terms of directed vectors and regularized, gradual feature space exploration, which is considered to be particularly useful when the unlabeled data includes concept drifts in the physical feature space. In an attempt to test the idea, we created a dataset related to gas-solid flow characterization experiments, in which the human generated labels typically cover a fraction of the operating parameters.

As in self-supervised approaches, we only rely on model predictions to minimize the human supervision needed particularly for a new case study. In addition to model confidence as a filter for learning, we apply the principles of metric learning to assess the shifts in class centroid (in lower dimensional projections) based on the relative information provided by the classifier. Herein, we utilize all the positive and negative feedbacks extracted from the proposed pseudo labels, in the form of direction vectors connecting the current and the proposed class centroids. The reviewer accepts the current labeled data as the state of the art and checks how much the new proposal (pseudo labels) are consistent with the known ground truth (most recent training data) via considering the potential re-partitioning of the projected feature space. This is done in a single step by considering the domain shift vectors of all classes, which are directed from the training sample centroids to the pseudo labeled pool centroids. If the position of the pseudo labels in the latent space do not agree with the potential domain shifts in all classes, the algorithm rejects the proposed labels for those instances at the given iteration. All pseudo labeled pool samples which pass both filters are added to the training dataset, helping to improve the model performance in the next iteration. With this approach, we were able to improve the accuracy for predicting the class from initially 55 % to 89 %.

From those findings we can conclude that the labeling process by a human can be at least partially replaced. We called our approach as peer reviewing, since the metric learning deployed as the reviewer also has access the same labeled training set, but look at the proposed pseudo labels from a different perspective. Herein, the quality of the reviewing process can be improved by utilizing multiple reviewers (projections and distance descriptions) with different initialization, or partial knowledge of the training set (similar to masking policies). The approach can be further strengthened with other augmentation techniques. An important point here is that the feature space exploration was found to be increasing the model accuracy drastically if it is both gradual and directed, indicating a vector field in the embedding space. In our implementation, we used the direction vector of the centroid

shift as a supporting information to expand class domains asymmetrically and in the direction of the available information, unlike the clustering based approaches which grow in every direction. We also showed it is both intuitive and easy to implement either more strict or relaxed regularization schemes for the directed domain exploration, which can be guided through the rate of pseudo label addition, analogous to momentum approach in gradient decent. We currently work on testing our approach on different benchmark datasets from the domain adaptation community like VisDA2017 and Office-Home and extend it to be applicable to multiclass classification problems.

7. Conclusions

In conclusion, our method presents a novel approach for leveraging unlabeled data with concept drifts in the physical feature space. By utilizing directed vectors and gradual feature space exploration, we aim to minimize human supervision and improve the model performance. Through experiments on a custom particle dataset originating from the multiphase flow community, we successfully addressed the challenge of domain shift between slightly rotated and randomly rotated particles. By leveraging our method, the accuracy of the model on the test data significantly increased from 58% to 85% without requiring any external input. This improvement demonstrates the effectiveness of our approach in adapting a pre-trained model from a source domain to achieve high accuracy in a target domain.

Author Contributions: Conceptualization, J.A. and C.A.; methodology, J.A. and C.A.; software, J.A.; validation, J.A. and C.A.; formal analysis, J.A., C.A. and J.C.; writing—original draft preparation, J.A. and C.A.; writing—review and editing, C.A., J.C. and R.K.; visualization, J.A.; supervision, C.A., R.K. and H.-J.B.; project administration, C.A. and H.-J.B.; funding acquisition, C.A. and H.-J.B. All authors have read and agreed to the published version of the manuscript.

Funding: This research was funded by Baden-Württemberg Stiftung, grant number “Elite Program for Postdocs”.

Acknowledgments: This study is partially financially supported by the Baden-Württemberg Foundation, through the Elite Program for Postdocs.

Conflicts of Interest: The authors declare no conflict of interest. The funders had no role in the design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript; or in the decision to publish the results.

Abbreviations

The following abbreviations are used in this manuscript:

AR	Aspect Ratio
DAN	Deep Adaptation Networks
DANN	Domain Adversarial Training for Neural Networks
D-CORAL	Deep-Correlation Alignment
JAN	Joint Adaptation Networks
MSTN	Moving Semantic Transfer Network
t-SNE	t-Distributed Stochastic Neighbor Embedding
VDA	Visual Domain Adaptation

Appendix A. Algorithm Flowchart




Figure A1. Algorithm flowchart.

References

1. Ke, Z.; Qiu, D.; Li, K.; Yan, Q.; Lau, R.W.H. Guided Collaborative Training for Pixel-Wise Semi-Supervised Learning. In Proceedings of the Computer Vision – ECCV 2020; Vedaldi, A.; Bischof, H.; Brox, T.; Frahm, J.M., Eds.; Springer International Publishing: Cham, 2020; pp. 429–445.
2. Chum, L.; Subramanian, A.; Balasubramanian, V.N.; Jawahar, C.V. Beyond Supervised Learning: A Computer Vision Perspective. *Journal of the Indian Institute of Science* **2019**, *99*, 177–199. <https://doi.org/10.1007/s41745-019-0099-3>.
3. Schmarje, L.; Santarossa, M.; Schroder, S.M.; Koch, R. A Survey on Semi-, Self- and Unsupervised Learning for Image Classification. *IEEE Access* **2021**, *9*, 82146–82168. <https://doi.org/10.1109/access.2021.3084358>.
4. Jeong, J.; Lee, S.; Kim, J.; Kwak, N. Consistency-based Semi-supervised Learning for Object detection. In Proceedings of the Advances in Neural Information Processing Systems; Wallach, H.; Larochelle, H.; Beygelzimer, A.; d'Alché-Buc, F.; Fox, E.; Garnett, R., Eds. Curran Associates, Inc., 2019, Vol. 32.
5. Zhai, X.; Oliver, A.; Kolesnikov, A.; Beyer, L. S4L: Self-Supervised Semi-Supervised Learning. In Proceedings of the 2019 IEEE/CVF International Conference on Computer Vision (ICCV), 2019, pp. 1476–1485. <https://doi.org/10.1109/ICCV.2019.00156>.
6. Zhang, R.; Liu, S.; Yu, Y.; Li, G. Self-supervised Correction Learning for Semi-supervised Biomedical Image Segmentation. In Proceedings of the Medical Image Computing and Computer Assisted Intervention – MICCAI 2021; de Bruijne, M.; Cattin, P.C.; Cotin, S.; Padoy, N.; Speidel, S.; Zheng, Y.; Essert, C., Eds.; Springer International Publishing: Cham, 2021; pp. 134–144.
7. Xu, H.M.; Liu, L.; Gong, D. Semi-supervised Learning via Conditional Rotation Angle Estimation. *2021 Digital Image Computing: Techniques and Applications (DICTA)* **2020**, pp. 01–08.
8. Fan, Y.; Kukleva, A.; Dai, D.; Schiele, B. Revisiting Consistency Regularization for Semi-Supervised Learning. *International Journal of Computer Vision* **2022**. <https://doi.org/10.1007/s11263-022-01723-4>.
9. Yang, X.; Song, Z.; King, I.; Xu, Z. A Survey on Deep Semi-Supervised Learning. *IEEE Transactions on Knowledge and Data Engineering* **2022**, pp. 1–20. <https://doi.org/10.1109/TKDE.2022.3220219>.
10. Su, J.C.; Cheng, Z.; Maji, S. A Realistic Evaluation of Semi-Supervised Learning for Fine-Grained Classification, 2021. <https://doi.org/10.48550/ARXIV.2104.00679>.
11. Antonelli, S.; Avola, D.; Cinque, L.; Crisostomi, D.; Foresti, G.L.; Galasso, F.; Marini, M.R.; Mecca, A.; Pannone, D. Few-Shot Object Detection: A Survey. *ACM Comput. Surv.* **2022**, *54*. <https://doi.org/10.1145/3519022>.
12. Köhler, M.; Eisenbach, M.; Gross, H.M. Few-Shot Object Detection: A Comprehensive Survey, 2021. <https://doi.org/10.48550/ARXIV.2112.11699>.
13. Calderon-Ramirez, S.; Yang, S.; Elizondo, D. Semisupervised Deep Learning for Image Classification With Distribution Mismatch: A Survey. *IEEE Transactions on Artificial Intelligence* **2022**, *3*, 1015–1029. <https://doi.org/10.1109/TAI.2022.3196326>.
14. Pan, S.; Yang, Q. A survey on transfer learning. *IEEE Transactions on Knowledge and Data Engineering* **2010**, *22*, 1345–1359. <https://doi.org/10.1109/TKDE.2009.191>.
15. Fan, M.; Cai, Z.; Zhang, T.; Wang, B. A survey of deep domain adaptation based on label set classification. *Multimedia Tools and Applications* **2022**, *81*, 39545–39576. <https://doi.org/10.1007/s11042-022-12630-8>.
16. Gong, B.; Grauman, K.; Sha, F. Connecting the Dots with Landmarks: Discriminatively Learning Domain-Invariant Features for Unsupervised Domain Adaptation. PMLR, 2013, pp. 222–230.
17. Bruzzone, L.; Marconcini, M. Domain Adaptation Problems: A DASVM Classification Technique and a Circular Validation Strategy. *IEEE Transactions on Pattern Analysis and Machine Intelligence* **2010**, *32*, 770–787. <https://doi.org/10.1109/TPAMI.2009.57>.
18. Noori Saray, S.; Tahmoresnezhad, J. Joint distinct subspace learning and unsupervised transfer classification for visual domain adaptation. *Signal, Image and Video Processing* **2021**, *15*, 279–287. <https://doi.org/10.1007/s11760-020-01745-w>.
19. Dudley, A.; Nagabandi, B.; Venkateswara, H.; Panchanathan, S. Domain Adaptive Fusion for Adaptive Image Classification. In Proceedings of the Smart Multimedia; McDaniel, T.; Berretti, S.; Curcio, I.D.D.; Basu, A., Eds.; Springer International Publishing: Cham, 2020; Lecture Notes in Computer Science, pp. 357–371. https://doi.org/10.1007/978-3-030-54407-2_30.

20. Zhou, X.; Xu, X.; Venkatesan, R.; Swaminathan, G.; Majumder, O. d-SNE: Domain Adaptation Using Stochastic Neighborhood Embedding; Springer International Publishing: Cham, 2020; pp. 43–56. https://doi.org/10.1007/978-3-030-45529-3_3.
21. Deng, W.; Zhao, L.; Kuang, G.; Hu, D.; Pietikainen, M.; Liu, L. Deep Ladder-Suppression Network for Unsupervised Domain Adaptation. *IEEE Transactions on Cybernetics* **2022**, *52*, 10735–10749. <https://doi.org/10.1109/TCYB.2021.3065247>.
22. Sun, B.; Saenko, K. Deep CORAL: Correlation Alignment for Deep Domain Adaptation. Technical report, 2016. arXiv:1607.01719 [cs] type: article, <https://doi.org/10.48550/arXiv.1607.01719>.
23. Long, M.; Cao, Y.; Wang, J.; Jordan, M. Learning Transferable Features with Deep Adaptation Networks. PMLR, 2015, pp. 97–105.
24. Long, M.; Zhu, H.; Wang, J.; Jordan, M.I. Deep Transfer Learning with Joint Adaptation Networks. Technical report, 2017. arXiv:1605.06636 [cs, stat] type: article, <https://doi.org/10.48550/arXiv.1605.06636>.
25. Gu, X.; Sun, J.; Xu, Z. Spherical Space Domain Adaptation With Robust Pseudo-Label Loss. In Proceedings of the 2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR), 2020, pp. 9098–9107. ISSN: 2575-7075, <https://doi.org/10.1109/CVPR42600.2020.00912>.
26. Ganin, Y.; Ustinova, E.; Ajakan, H.; Germain, P.; Larochelle, H.; Laviolette, F.; March, M.; Lempitsky, V. Domain-Adversarial Training of Neural Networks. *Journal of Machine Learning Research* **2016**, *17*, 1–35.
27. Xie, S.; Zheng, Z.; Chen, L.; Chen, C. Learning Semantic Representations for Unsupervised Domain Adaptation. 2018.
28. Tahmoresnezhad, J.; Hashemi, S. Visual domain adaptation via transfer feature learning. *Knowledge and Information Systems* **2017**, *50*, 585–605. <https://doi.org/10.1007/s10115-016-0944-x>.
29. Krueger, B.; Wirtz, S.; Scherer, V. Measurement of drag coefficients of non-spherical particles with a camera-based method. *Powder Technology* **2015**, *278*, 157–170. <https://doi.org/10.1016/j.powtec.2015.03.024>.
30. Ates, C.; Arweiler, J.; Hadad, H.; Koch, R.; Bauer, H.J. Secondary Motion of Non-Spherical Particles in Gas Solid Flows. *Processes* **2023**, *11*. <https://doi.org/10.3390/pr11051369>.
31. Cai, J.; Peng, Z.; Wu, C.; Zhao, X.; Yuan, Z.; Moghtaderi, B.; Doroodchi, E. Numerical Study of the Orientation of Cylindrical Particles in a Circulating Fluidized Bed. *Industrial & Engineering Chemistry Research* **2016**, *55*, 12806–12817. <https://doi.org/10.1021/acs.iecr.6b04022>.
32. van der Maaten, L.; Hinton, G. Visualizing Data using t-SNE. *Journal of Machine Learning Research* **2008**, *9*, 2579–2605.
33. Szubert, B.; Drozdov, I. ivis: dimensionality reduction in very large datasets using Siamese Networks. *Journal of Open Source Software* **2019**, *4*, 1596. <https://doi.org/10.21105/joss.01596>.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.