

























Luminous spaces		category	urban elements	Lighting Parameters Values	
				Illuminance (Lux)	Colour temperature (Kelvin)
1a		II penumbra	Building facade: Path: Surroundings:	clara 3 a 5 claro 3 a 7 dark 0 a 1	cold 4000 cold 4000 — —
1b		III bright	Building facade: Path: Surroundings:	clara 5 a 10 claro 5 a 10 dark 0 a 3	warm 3000 cold 4000 — —
1c		I opaco	Building facade: Path: Surroundings:	dark 0 a 1 claro 1 a 3 dark 0	— — cold 4000 — —
2a		III bright	Tower : Path: Surroundings:	clara 3 a 7 claro 5 a 10 dark 0	warm 3000 cálido 3000 — —
2b		II penumbra	Tower : Path: Surroundings:	clara 1 a 5 claro 3 a 5 dark 0	cold 4000 cold 4000 — —
2c		I opaco	Tower : Path: Surroundings:	oscura 0 dark 1 a 3 dark 0	— — cold 0 — —








3a		II penumbra	Building facade: Plaza: Surroundings:	clara 1 a 5 clara 1 a 3 dark 0 a 2	cold 4000 cold 4000 — —
3b		I opaco	Building facade: Plaza: Surroundings:	oscura 0 a 1 oscura 0 dark 0	— — — — — —
3c		III bright	Building facade: Plaza: Surroundings:	clara 3 a 7 clara 3 a 5 dark 0 a 3	warm 3000 cold 4000 — —
4a		III bright	Building facade: Streets: Surroundings:	clara 3 a 7 clara 1 a 5 dark —	warm 3000 warm 3000 — —
4b		I opaco	Building facade: Streets: Surroundings:	dark — dark — dark —	— — — — — —
4c		II penumbra	Building facade: Streets: Surroundings:	clara 1 a 5 clara 1 a 5 dark —	cold 4000 cold 4000 — —




5a		II penumbra	Building facade: Surroundings:	clara 5 a 10 claro 5 a 10	cold 4000 cold 4000
5b		III bright	Building facade: Surroundings:	clara 5 a 10 claro 5 a 10	warm 3000 cálido 3000
5c		I opaco	Building facade: Surroundings:	dark 0 a 3 dark 0 a 3	warm 3000 cálido 3000

Luminous spaces		category	urban elements	Lighting Parameters Values	
				Illuminance (Lux)	Colour temperature (Kelvin)
6a		I opaco	Building facade: Surroundings:	oscura 0 a 3 dark 0 a 3	cold 4000 cold 4000
6b		II penumbra	Building facade: Surroundings:	clara 1 a 5 claro 1 a 5	cold 4000 cold 4000
6c		III bright	Building facade: Surroundings:	clara 1 a 5 claro 1 a 5	warm 3000 cálido 3000
7a		I opaco	Building facade: Streets: Surroundings:	oscura 0 a 2 oscura 0 dark 0	cold 4000 — — — —
7b		III bright	Building facade: Streets: Surroundings:	clara 3 a 7 clara 1 a 5 dark 1 a 3	cálido 3000 cold 4000 cálido 3000
7c		II penumbra	Building facade: Streets: Surroundings:	clara 3 a 7 clara 1 a 5 dark 1 a 3	cold 4000 cold 4000 — —

8a		I opaco	Building facade: Plaza:	oscura 0 clara 3 a 5	— — cold 4000
8b		II penumbra	Building facade: Plaza:	clara 5 a 10 clara 3 a 5	cold 4000 cold 4000
8c		III bright	Building facade: Plaza:	clara 5 a 10 clara 3 a 5	cálido 3000 cold 4000
9a		III bright	Building facade: Surroundings:	clara 5 a 10 claro 3 a 5	warm 3000 cálido 3000
9b		I opaco	Building facade: Surroundings:	oscura 0 dark 0	— — — —
9c		II penumbra	Building facade: Surroundings:	clara 5 a 10 claro 3 a 5	cold 4000 cold 4000

10a		I opaco	Building facade: Plaza: Surroundings:	oscura 0 dark 0 dark 0	— — — — — —
10b		III bright	Building facade: Plaza: Surroundings:	claro 5 a 15 oscura 1 a 3 claro 1 a 5	cálido 3000 warm 3000 cálido 3000
10c		II penumbra	Building facade: Plaza: Surroundings:	claro 5 a 10 oscura 0 a 3 dark 0 a 3	cálido 3000 cálido 3000 cálido 3000

Luminous spaces		category	urban elements	Lighting Parameters Values	
				Illuminance (Lux)	Colour temperature (Kelvin)
11a		II penumbra	Tower:	clara 5 a 10	cálido 3000
			Bridge:	claro 3 a 5	cálido 3000
			Surroundings:	dark 0 a 3	cold 4000
11b		I opaco	Tower :	dark 5 a 10	cálido 3000
			Bridge:	dark 3 a 5	cálido 3000
			Surroundings:	dark 0 a 3	— —
11c		III bright	Tower:	clara 5 a 15	cálido 3000
			Bridge:	claro 3 a 7	cálido 3000
			Surroundings:	claro 0 a 3	cálido 3000
12a		I opaco	Building facade:	dark —	— —
			Plaza:	dark —	— —
			Surroundings:	dark 0 a 1	cálido 3000
12b		III bright	Building facade:	claro 1 a 3	warm 3000
			Plaza:	dark 0 a 2	oscura 3000
			Surroundings:	claro 3 a 5	cálido 3000
12c		II penumbra	Building facade:	claro 1 a 3	cold 4000
			Plaza:	dark 0	— —
			Surroundings:	claro 3 a 5	cold 4000
			Porch of arches:	clara 5 a 15	warm 3000

13a		III bright	Path: Surroundings:	claro 1 a 3 claro 1 a 5	cálido 3000 cálido 3000
13b		I opaco	Porch of arches: Path: Surroundings:	clara 5 a 10 dark 0 claro 1 a 3	cálido 3000 — — cold 3000
13c		III penumbra	Porch of arches: Path: Surroundings:	clara 5 a 10 claro 0 a 3 claro 1 a 3	cold 4000 cold 4000 cold 4000

14a		III bright	Building facade: Streets:	clara 5 a 10 claro 5 a 15	cálido 3000 cálido 3000
14b		II penumbra	Building facade: Streets:	clara 5 a 10 claro 5 a 15	cold 4000 cold 4000
14c		I opaco	Building facade: Streets:	oscura 1 a 5 dark 0	cold 4000 — —
15a		II penumbra	Building facade: Surroundings:	clara 5 a 10 claro 3 a 5	cold 4000 cold 4000
15b		I opaco	Building facade: Surroundings:	oscura 0 dark 0	— — — —
15c		III bright	Building facade: Surroundings:	clara 5 a 10 claro 3 a 5	warm 3000 cálido 3000

Lista de descriptores estéticos | idioma inglés

		favourable	unfavourable	neutral	indifferent
emotional group	1	I like it liking attractive fascinating	I don't like it disgust tasteless unpleasant		
	2	interesting happiness enthusiasm	boring sadness		apathy
	3	comfortable wellbeing	uncomfortable discomfort		
	4	tranquillity calm	restlessness suspense		
	5	trust security	fear unsafety		
	6	vitality	exhaustion		
	7	relaxing	stressful		
	8	pride (identity)	rejection		
	9	socialise (outgoing)		isolate (introvert)	
	10	harmonises	disturbs		