

checkCIF/PLATON report

Structure factors have been supplied for datablock(s) JF3162FFMI

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: JF3162FFMI

| | | | |
|------------------------|-------------------------------|-------------------------------|--------------|
| Bond precision: | C-C = 0.0032 A | Wavelength=0.71073 | |
| Cell: | a=9.9964 (9) | b=7.9885 (7) | c=27.840 (3) |
| | alpha=90 | beta=97.4283 (14) | gamma=90 |
| Temperature: | 90 K | | |
| | Calculated | Reported | |
| Volume | 2204.5 (4) | 2204.5 (3) | |
| Space group | P 21/c | P 21/c | |
| Hall group | -P 2ybc | -P 2ybc | |
| Moiety formula | 2 (C20.50 H16 C12 N7.50 O4 S) | 2 (C20.50 H16 C12 N7.50 O4 S) | |
| Sum formula | C41 H32 C14 N15 O8 S2 | C41 H32 C14 N15 O8 S2 | |
| Mr | 1068.74 | 1068.74 | |
| Dx, g cm ⁻³ | 1.610 | 1.610 | |
| Z | 2 | 2 | |
| Mu (mm ⁻¹) | 0.437 | 0.437 | |
| F000 | 1094.0 | 1094.0 | |
| F000' | 1096.07 | | |
| h, k, lmax | 12, 10, 36 | 12, 10, 36 | |
| Nref | 5064 | 5054 | |
| Tmin, Tmax | 0.883, 0.980 | 0.831, 0.932 | |
| Tmin' | 0.883 | | |

Correction method= # Reported T Limits: Tmin=0.831 Tmax=0.932
AbsCorr = MULTI-SCAN

Data completeness= 0.998 Theta(max)= 27.505

R(reflections)= 0.0416 (3417) wR2(reflections)=
0.0943 (5054)

S = 1.025 Npar= 380

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.

● **Alert level G**

| | | |
|-------------------|--|-------------|
| PLAT168_ALERT_4_G | The CIF-Embedded .res File Contains EXYZ Records | 1 Report |
| PLAT171_ALERT_4_G | The CIF-Embedded .res File Contains EADP Records | 1 Report |
| PLAT300_ALERT_4_G | Atom Site Occupancy of N21 Constrained at | 0.5 Check |
| PLAT300_ALERT_4_G | Atom Site Occupancy of C21 Constrained at | 0.5 Check |
| PLAT301_ALERT_3_G | Main Residue Disorder(Resd 1) | 3% Note |
| PLAT431_ALERT_2_G | Short Inter HL..A Contact C11 ..018 . | 3.16 Ang. |
| | 1+x,3/2-y,-1/2+z = | 4_675 Check |
| PLAT480_ALERT_4_G | Long H...A H-Bond Reported H10B ..011 . | 2.62 Ang. |
| PLAT480_ALERT_4_G | Long H...A H-Bond Reported H20 ..CL3 . | 2.87 Ang. |
| PLAT899_ALERT_4_G | SHELXL2018 is Deprecated and Succeeded by SHELXL | 2019/3 Note |
| PLAT912_ALERT_4_G | Missing # of FCF Reflections Above STh/L= 0.600 | 10 Note |
| PLAT941_ALERT_3_G | Average HKL Measurement Multiplicity | 3.6 Low |
| PLAT978_ALERT_2_G | Number C-C Bonds with Positive Residual Density. | 6 Info |

0 **ALERT level A** = Most likely a serious problem - resolve or explain
0 **ALERT level B** = A potentially serious problem, consider carefully
0 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
12 **ALERT level G** = General information/check it is not something unexpected

0 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
2 ALERT type 2 Indicator that the structure model may be wrong or deficient
2 ALERT type 3 Indicator that the structure quality may be low
8 ALERT type 4 Improvement, methodology, query or suggestion
0 ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

