

Article

Not peer-reviewed version

Lorentzian Signature as Algebraic Causality in FRC

[Yosef Akhtman](#) *

Posted Date: 29 August 2025

doi: 10.20944/preprints202508.2175.v1

Keywords: finite fields; quadratic forms; lorentzian metric; square classes; quadratic extension; Finite Ring Continuum (FRC); algebraic causality; symmetry shells; orbital complex; discrete spacetime; relational physics; emergent causality



Preprints.org is a free multidisciplinary platform providing preprint service that is dedicated to making early versions of research outputs permanently available and citable. Preprints posted at Preprints.org appear in Web of Science, Crossref, Google Scholar, Scilit, Europe PMC.

Copyright: This open access article is published under a Creative Commons CC BY 4.0 license, which permit the free download, distribution, and reuse, provided that the author and preprint are cited in any reuse.

Disclaimer/Publisher's Note: The statements, opinions, and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions, or products referred to in the content.

Article

Lorentzian Signature as Algebraic Causality in FRC

Yosef Akhtman

AGH University of Science and Technology, Switzerland; ya@gamma.earth

Abstract

We show that a genuine Lorentzian quadratic form on a prime shell cannot be realized within a single symmetry-complete finite field $\mathbb{F}_p$. The obstruction is elementary: to split time from space one needs a time coefficient c^2 in the nonsquare class of $\mathbb{F}_p^\times$, but then $c \notin \mathbb{F}_p$. Thus, the minimal construction of a Minkowski metric in the Finite Ring Continuum (FRC) requires the quadratic extension $\mathbb{F}_{p^2}$ ("the next shell"), where such a c exists. We interpret this obstruction as the algebraic origin of causal structure: just as the South Pole of the orbital complex $\mathcal{S}_p$ lies beyond an observer's horizon, the constant distinguishing time from space lies beyond the local field. Causality, in this sense, is encoded as algebraic inaccessibility, becoming available only by extension beyond the shell. This short note isolates the mechanism in a minimal form, making the causal significance of square-class separation explicit and fully reproducible.

Keywords: finite fields; quadratic forms; lorentzian metric; square classes; quadratic extension; Finite Ring Continuum (FRC); algebraic causality; symmetry shells; orbital complex; discrete spacetime; relational physics; emergent causality

1. Introduction

The present note is framed within the broader programme of Finite Ring Continuum (FRC) [1]. In the physical interpretation of FRC, the universe is modelled by an ensemble of finite arithmetic symmetry shells formed by a succession of finite algebraic rings $\mathbb{Z}_q$ with $q = 4t + 1$ and t being a time-like discrete radial chronon parameter, as illustrated in Figure 1. Each shell supports three fundamental arithmetic actions—translation T_a , scaling S_m , and powering P_e —which are interpreted as rotational symmetries and generate a $(1, 3)$ -dimensional symbolic symmetry space $\mathcal{U}$.




Figure 1. Schematic of the first 16 counts of the chronon parameter t and the corresponding arithmetic symmetry shells of the order $q = 4t + 1$. The prime shells $\mathcal{S}_p$ formed by the symmetry-complete fields $\mathbb{F}_p$, where p is prime are emphasised.

For the specific values of t , such that $p = 4t + 1$ is prime, this structure can be geometrically represented by an orbital 2-sphere $\mathcal{S}_p$ embedded in a $(1, 3)$ -D symmetry space, with meridians and latitudes corresponding to additive and multiplicative symmetries. Physical observables are identified not with individual residues of $\mathbb{F}_p$ but with stable symmetry classes (e.g., quadratic residues, Klein-four

orbits, etc). In the cosmological reading, the linear succession of shells $\mathcal{S}_q$ models the passage of cosmic time, while the internal symmetries of each shell encode the local laws of physics. Within this setting, the present paper isolates a key phenomenon: Lorentzian signature cannot be realized internally to a prime shell but only through its quadratic extension $\mathbb{F}_{p^2}$. We interpret this purely emergent phenomenon as the algebraic origin of causality.

More specifically, a prime shell $\mathcal{S}_p$ of order $p = 4t + 1$ is formed by a symmetry-complete finite field $\mathbb{F}_p$ [1] with fourth roots of unity $\{1, i, -1, -i\}$ and a 3D rotational structure encoded by additive and multiplicative actions; the ambient symmetry space is $\mathcal{U} = \bigcup_t \mathcal{U}_t$, and a 2D orbital complex $\mathcal{S}_p \subset \mathcal{U}$ is built by the meridians $M_n(a) = ag^n$ and latitudes $L_a(m) = ag^m$, where g is a primitive root of $\mathbb{F}_p$, while freezing the power-map parameter ϵ as depicted in Figure 2.




Figure 2. State diagram for framed finite field $\mathbb{F}_{13}(3;0,1,2)$ as a 2D spheroid in 4D symmetry space $\mathcal{U}$ combining the additive symmetry along the meridians $M_n(a)$, as well as multiplicative symmetry along the latitudes $L_a(m)$ for multiplicative generator $g = 2$.

A persistent question is: how to realize a Lorentzian metric (split signature) on such a shell [2]? We prove that, algebraically, one cannot do this within $\mathbb{F}_p$ for $p \equiv 1 \pmod{4}$. The reason is that a Lorentzian form needs the time coefficient to live in the *opposite* square class from the spatial coefficients; but if $c \in \mathbb{F}_p$, then c^2 is a square. Thus, the correct time constant c is not available inside $\mathbb{F}_p$; it exists in the next shell $\mathbb{F}_{p^2}$, obtained by adjoining a square root of a chosen nonsquare $v \in \mathbb{F}_p^\times$.

This formalizes (and sharpens) the FRC claim that “Minkowski emerges locally” only when one allows the minimal extension beyond the observer’s local algebraic horizon (compare also the “No South Pole in $\mathbb{F}_p$ ” inaccessibility argument).

Contributions

- (i) A short nonexistence theorem: no $c \in \mathbb{F}_p$ with $c^2 = v$ for any nonsquare v .
- (ii) A corollary: a genuine split-signature quadratic form requires $\mathbb{F}_{p^2}$.
- (iii) A concrete $p = 13$ example. All statements are elementary and reproducible.

Contextual Framing

In the broader FRC program, the emergence of a Lorentzian signature is not merely a technical algebraic choice but is tied to the reconstruction of causal structure itself. The distinction between Euclidean and Minkowski forms reflects whether time and space coordinates belong to the same or different square classes in the underlying finite field. When the time coefficient can only be realized in a quadratic extension, causality appears as a form of algebraic inaccessibility: it requires stepping “beyond the shell” of $\mathbb{F}_p$. This connects directly with the horizon principles already identified in FRC (e.g., the inaccessibility of the South Pole in the orbital complex). The present note isolates this mechanism in a minimal form, showing that the Lorentzian split is impossible within a single prime shell and arises only in the extension, thereby grounding causal order in the square-class structure of finite fields.

References and Context

The algebraic classification underlying our main theorem rests on the standard theory of quadratic forms over finite fields [3], where it is well known that nondegenerate forms in dimension at least three are isotropic and split into two equivalence classes distinguished by square classes of their coefficients; see Lam’s monograph [4] for a comprehensive treatment. On the physics side, our interpretation of the square-class obstruction as “algebraic causality” resonates with relational views of time and causality advocated by Smolin, who emphasizes that causal structure is not fundamental but emergent and relational [5]. Together these sources situate the present note both in the classical algebraic literature and in contemporary discussions of relational physics.

2. Preliminaries (Finite Shells and Square Classes)

We recall the minimal algebraic facts needed here.

Definition 1 (Symmetry-complete shell; FRC notation). *Let $p = 4t + 1$ be prime. The multiplicative group $\mathbb{F}_p^\times$ is cyclic of order $4t$ and contains the structural set $\{1, i, -1, -i\}$ with $i^2 = -1$. The ambient symmetry space U is formed from 4-tuples $(t; a, m, \epsilon)$ modulo the symmetry actions; the orbital complex $S_p \subset U$ is the 2D skeleton obtained by fixing $\epsilon = 1$ and combining additive meridians and multiplicative latitudes.*

We only use the following basic facts.

- $\mathbb{F}_p^\times$ splits into two square classes: the set of nonzero squares $(\mathbb{F}_p^\times)^2$ and its complement (non-squares). When $p \equiv 1 \pmod{4}$, -1 is a square.
- If $c \in \mathbb{F}_p$, then $c^2 \in (\mathbb{F}_p^\times)^2$ is a square.
- If $v \in \mathbb{F}_p^\times$ is a nonsquare, the polynomial $X^2 - v$ is irreducible over $\mathbb{F}_p$ and defines the quadratic extension $\mathbb{F}_{p^2} \simeq \mathbb{F}_p[X]/(X^2 - v)$.

3. Main Result: Minimality of the Quadratic Extension for Lorentzian Signature

The next theorem encodes the algebraic obstruction to Minkowski signature inside $\mathbb{F}_p$.

Theorem 1 (Nonexistence of a causal square root in $\mathbb{F}_p$). *Let $p = 4t + 1$ and let $v \in \mathbb{F}_p^\times$ be a nonsquare. There is no $c \in \mathbb{F}_p$ with $c^2 = v$. Consequently, for any $c \in \mathbb{F}_p$, the form*

$$Q(t, x, y, z) = -c^2 t^2 + x^2 + y^2 + z^2$$

is equivalent over $\mathbb{F}_p$ to a positive-definite diagonal form.

Proof. If $c \in \mathbb{F}_p$, then c^2 is a square in $\mathbb{F}_p^\times$ by definition, so it cannot equal a fixed nonsquare v . For the consequence: when $p \equiv 1 \pmod{4}$, -1 is a square, hence $-c^2 = (-1) \cdot c^2$ is also a square. Thus time and space coefficients lie in the same square class, and the diagonal form is equivalent to a Euclidean form. $\square$

Corollary 1 (Minimal extension for a Lorentzian split). *Fix a nonsquare $v \in \mathbb{F}_p^\times$. The split-signature quadratic form*

$$Q_v(t, x, y, z) = -v t^2 + x^2 + y^2 + z^2$$

is not realizable over $\mathbb{F}_p$ but is realized canonically over $\mathbb{F}_{p^2} \simeq \mathbb{F}_p[X]/(X^2 - v)$ by choosing $c := X \bmod (X^2 - v)$ with $c^2 = v$.

Proof. Non-realizability in $\mathbb{F}_p$ follows from Theorem 1. Over $\mathbb{F}_{p^2}$, the class c of X satisfies $c^2 = v$ by construction, yielding Q_v . $\square$

Remark 1 (Interpretation in FRC). *In the shell language, c does not exist as an internal element of $\mathbb{F}_p$ if one insists that c^2 be a fixed nonsquare v . Therefore, the causal split of square classes (time vs space) requires a pass to the “next shell” $\mathbb{F}_{p^2}$. This mirrors the horizon/inaccessibility motif in FRC (cf. the “No South Pole in $\mathbb{F}_p$ ” statement).*

4. Local Minkowski Linearization in the Framed Continuum

FRC provides a framed-real embedding that supports local linearization around a frame point $(t; 0, 1, g) \in U_t$. In that calculus, once Q_v is available (i.e., over $\mathbb{F}_{p^2}$), one obtains a genuine local Minkowski quadratic form

$$ds^2 = -(\lambda_t dt)^2 + (\lambda_1 dx)^2 + (\lambda_2 dy)^2 + (\lambda_3 dz)^2,$$

for suitable positive calibrations λ_μ determined by the framed units. The proof is standard linearization: the discrete tangent and the symmetric bilinearization of Q_v determine the form; the point is that the algebraic *split of square classes* needed for Lorentzian signature only exists after adjoining c (Cor. 1). All other steps are routine in the framed setup.

5. Concrete Example at $p=13$

Take $p = 13$. The nonzero squares and nonsquares are

$$(\mathbb{F}_p^\times)^2 = \{1, 3, 4, 9, 10, 12\}, \quad \text{nonsquares} = \{2, 5, 6, 7, 8, 11\}.$$

Hence no $c \in \mathbb{F}_p$ satisfies $c^2 \in \{2, 5, 6, 7, 8, 11\}$. Pick $v = 2$. Then $X^2 - 2$ is irreducible over $\mathbb{F}_p$, and

$$\mathbb{F}_{p^2} \simeq \mathbb{F}_p[X]/(X^2 - 2), \quad c := X \bmod (X^2 - 2), \quad c^2 = 2.$$

Thus

$$Q_2(t, x, y, z) = -2t^2 + x^2 + y^2 + z^2$$

is realized over $\mathbb{F}_{p^2}$ and provides the desired split. One can explicitly enumerate null solutions $Q_2 = 0$ in small boxes to visualize the (finite) light-cone counts; null sets exist in ≥ 3 variables over finite fields by standard isotropy arguments.

6. Discussion and Outlook

Theorem 1 isolates the minimal algebraic reason why a single prime shell does not carry Lorentzian geometry: the time coefficient must be from a nonsquare class, which forbids its realization as c^2 with $c \in \mathbb{F}_p$. Corollary 1 shows that the quadratic extension $\mathbb{F}_{p^2}$ is sufficient (and minimal) to restore the split, giving a precise sense in which causality emerges “one shell out.”

This sharpens the “Minkowski emerges locally” claim in the FRC Algebra paper by identifying the exact obstruction and the minimal remedy within the finite-field hierarchy.

Compact Numerics

For reproducibility, the $p = 13$ tables above can be checked in a few lines of code; all identities are exact and require no floating-point approximation.

Related Work (Concise)

Square/nonsquare classes and quadratic extensions are textbook facts in finite-field theory and underlie quadratic-form classification over finite fields. The FRC-specific notions of shells $\mathcal{U}_t$, the orbital complex $\mathcal{S}_p$, framed numbers, and the horizon/inaccessibility perspective (e.g., “No South Pole in $\mathbb{F}_p$ ”) are taken from [1]. The novelty here is the causal interpretation: split signature is equivalent to a square-class separation that is unattainable inside $\mathbb{F}_p$ but achieved in the minimal extension, thus tying causality to “next-shell” accessibility.

Outlook

The algebraic obstruction we have identified has immediate consequences for how causal structure may be represented in finite settings. In particular, the passage to $\mathbb{F}_{p^2}$ that restores the Lorentzian split also yields nontrivial null sets $Q_v = 0$, which can be viewed as discrete analogues of light-cone structures. This suggests that finite-field shells equipped with square-class separated quadratic forms could serve as toy models for spacetime in discrete or algebraic approaches to physics. Possible applications include finite-field analogues of Minkowski space used in coding theory, or as simplified models for causal order in discrete quantum gravity frameworks. In this sense, algebraic causality provides not only an explanation of why Lorentzian signature emerges in FRC, but also a potential bridge to broader investigations of spacetime geometry in finite or informationally bounded regimes.

Data Availability Statement: All computations are elementary within $\mathbb{F}_p$ and $\mathbb{F}_{p^2}$ and can be reproduced directly from the identities given.

References

1. Akhtman, Y. Relativistic Algebra over Finite Ring Continuum. *Axioms* **2025**, *14*, 636. <https://doi.org/10.3390/axioms14080636>.
2. Hawking, S.W.; Ellis, G.F.R. *The Large Scale Structure of Space-Time*; Cambridge Monographs on Mathematical Physics, Cambridge University Press, 1973. <https://doi.org/10.1017/CBO9780511524646>.
3. Lidl, R.; Niederreiter, H. *Finite Fields*, 2 ed.; Vol. 20, *Encyclopedia of Mathematics and its Applications*, Cambridge University Press: Cambridge, 1997. <https://doi.org/10.1017/CBO9780511525926>.
4. Lam, T.Y. *Introduction to Quadratic Forms over Fields*; American Mathematical Society, 2005.
5. Smolin, L. *Time Reborn: From the Crisis in Physics to the Future of the Universe*; Houghton Mifflin Harcourt, 2013.

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.