

Article

Not peer-reviewed version

Association Between Academic, Initial Licensure, Employment Factors, and NCLEX-RN Performance of Philippine-Educated Nurses

[James Montegrigo](#)^{*} and Zhuo Job Chen

Posted Date: 24 February 2025

doi: 10.20944/preprints202502.1807.v1

Keywords: internationally educated nurses; NCLEX; nursing education; nursing workforce; Philippines



Preprints.org is a free multidisciplinary platform providing preprint service that is dedicated to making early versions of research outputs permanently available and citable. Preprints posted at Preprints.org appear in Web of Science, Crossref, Google Scholar, Scilit, Europe PMC.

Copyright: This open access article is published under a Creative Commons CC BY 4.0 license, which permit the free download, distribution, and reuse, provided that the author and preprint are cited in any reuse.

Article

Association Between Academic, Initial Licensure, Employment Factors, and NCLEX-RN Performance of Philippine-Educated Nurses

James Montegrigo * and Zhuo Job Chen

University of North Carolina at Charlotte

* Correspondence: jmontegr@charlotte.edu

Abstract: The United States' nursing shortage attracted internationally educated nurses (IENs) to take the National Council Licensure Examination–Registered Nurses (NCLEX-RN), which is required to practice nursing in the U.S. Philippine-educated nurses (PENs) comprised more than half of IENs in the U.S. nursing workforce. From 2002 to 2021, only 45.8% of 177,730 PENs passed the exam. Published studies investigating IEN NCLEX-RN performance are limited. This study addresses this gap in the literature. This study determined the association between academic, initial nursing licensure, and employment factors on PEN NCLEX-RN passing. A retrospective correlation research design was used to determine the association among the research variables. Participants were recruited through online nursing groups. Descriptive statistics compared characteristics of PEN who passed and failed the NCLEX on the first attempt. Chi-square and Fisher's exact test were used to determine the association between the research variables. Initial nursing licensure and nursing workplace were significantly associated with PEN NCLEX-RN passing. Identifying unique PEN contextual characteristics is critical in helping them pass the NCLEX-RN. Findings provide input to educational and regulatory bodies to improve the NCLEX-RN individual outcomes and Philippine NCLEX-RN pass rates.

Keywords: internationally educated nurses; NCLEX; nursing education; nursing workforce; Philippines

1. Introduction

Almost 20 percent of the world's nursing workforce is in the United States (U.S.), the largest importer of internationally educated nurses (IEN), attracting nurses from 187 countries [1,2]. Of the 4.3 million U.S. registered nurses (RN), 6%-8% are IEN and more than half are Philippine-educated nurses (PEN) [3–5]. The cyclical U.S. nursing shortage attracted IEN to migrate to the U.S. as IEN recruitment became a common strategy to help address the nursing shortage. In March 2021, the Healthcare Workforce Resilience Act (S. 1024) was introduced in the U.S. Senate to allow 25,000 IEN to help the U.S. during the pandemic [6].

The National Council Licensure Examination-Registered Nurses (NCLEX-RN) is a requirement to practice nursing in the U.S. and Canada. From 2002 to 2021, out of 285,094 IEN first-time NCLEX-RN candidates, more than half failed (52.7%, n=150,232), and only 45.8% (n=81,393) of 177,730 PEN passed NCLEX-RN at first attempt [1,7]. Furthermore, almost 75% of 68,949 IEN who repeated the NCLEX-RN from 2017 to 2021 failed [1].

The low first-time pass rate (FTPR) and limited literature on PEN NCLEX-RN performance are the main rationales for conducting this study. This study analyzed the association of academic, initial nursing licensure, employment factors, and PEN NCLEX-RN performance to enhance understanding of this area that has significant implications for nursing education and workforce. Specifically, the research questions in this study are: 1) What are the characteristics of PEN who passed and failed the NCLEX-RN at the first attempt? and 2) What academic, initial licensure, and employment factors are

associated with PEN NCLEX-RN performance? Most NCLEX-RN studies were conducted on U.S.-educated nurses (USEN) [8,9]. With limited research on PEN NCLEX-RN performance, this study addresses this gap in the literature. This study can guide prospective PEN in increasing their likelihood of passing the NCLEX-RN and has the potential to increase the pipeline of PEN in the U.S. Further, the findings may provide input to nursing education in the Philippines, which is the primary IEN source country to the U.S. [1].

1.1. Conceptual Framework

Factors affecting NCLEX-RN performance are multi-dimensional. Jeffrey's Nursing Universal Retention and Success (NURS) model was used as the conceptual framework to understand the multidimensionality of factors affecting nursing students' success [10]. The NURS model postulates that nursing success, such as passing the NCLEX-RN, is an interplay of individual characteristics, academic, and environmental factors. Although the model was originally intended for USEN, it has a universal applicability [10].

1.2. NCLEX-RN and the IEN

Research on NCLEX-RN among and PEN is very limited. In a scoping review of 17 studies on factors affecting IEN NCLEX-RN performance published from 1994 to 2020, the use of the English language, differences in nursing education internationally, and level of NCLEX-RN familiarity were common factors affecting IEN NCLEX-RN performance, while nursing work experience, support system, and the Commission on Graduates of Foreign Nursing Schools certification examination (CGFNS CE) were found to predict IEN NCLEX-RN passing at first attempt [8,11].

In April 2023, 25% of Next Generation NCLEX-RN used new format questions that simulate actual clinical scenarios and measure clinical judgment [12]. The NCLEX-RN blueprint is revised every three years to reflect current U.S. nursing practice [13]. As patient care becomes more complex, the NCLEX-RN reflects an increased threshold for passing, making it more difficult to pass [14].

Differences in nursing education and nursing practice internationally have limited IEN familiarization of NCLEX-RN questions and impacted their test outcomes [9,15,16]. Characteristics unique to PEN may influence NCLEX-RN preparation and outcomes. U.S. regulatory bodies require additional documents and fees (i.e., high school diploma, English proficiency exams, credentials evaluation, and international testing fee) when IENs apply for the NCLEX-RN. Thus, they invest significant time and resources to prepare for the NCLEX-RN, which is described as stressful and affects their NCLEX-RN preparation and outcomes. Failing the NCLEX-RN has significant individual, family, and socioeconomic implications [9]. Additionally, compared to USEN, PENs have taken a nurse licensure exam (NLE), earned a graduate nursing degree, and worked as registered nurses domestically or internationally before taking the NCLEX-RN. However, the association of these variables on PEN NCLEX-RN passing at the first attempt has not been studied.

1.2.1. Contextual Characteristics

Previous studies reported that age, gender, race, use of the English language, and family-work responsibilities affect NCLEX-RN outcomes [15,17–20]. IENs from countries with English as official language had higher NCLEX-RN FTNR, compared to those from countries with official languages other than English [20]. IEN with support system during their preparation for the licensure exam had higher chances of passing the exam [18,21].

1.2.2. Academic Factors

A baccalaureate degree in nursing is the only educational entry pathway to practice nursing in the Philippines. Although there's a higher percentage of IEN with a bachelor's degree in nursing compared to USEN [5,22], this did not help PEN in having a higher NCLEX-RN FTNR. Variations in academic preparation and testing are challenging to PEN due to a lack of NCLEX-RN familiarity and

difficulty with prioritization, delegation, and pharmacology due to practice differences in the U.S. and internationally [9]. In some countries, nursing curricula are outdated and use the traditional medical model [23,24], and nursing practice is mainly dependent on physicians, which is entirely different from the autonomy, management, and clinical judgment skills that USEN learn and practice. This can be a hindrance in answering management of care questions, which account for 17%-23% of NCLEX-RN questions [13].

Limited clinical experiences in nursing schools were detrimental to their NCLEX-RN performance [9]. While some PENs possess a graduate nursing degree, this did not provide enough confidence when taking the NCLEX-RN [5,9,25]. Further, students who choose nursing as their first nursing choice tend to be more successful in the nursing program [26].

In U.S. studies, public nursing schools and those with a higher percentage of full-time faculty members have higher NCLEX-RN FTPR [27]. Research conducted in the Philippines reported that graduates of public institutions had higher PNLE FTPR, compared to graduates of private nursing institutions [28,29].

Moreover, due to differences in nursing education internationally, additional requirements for IEN NCLEX-RN application are needed, such as secondary school information, CGFNS CE or credentials evaluation, and English proficiency exams [30]. PEN described the time, process, and cost of meeting these requirements as challenges when preparing for the NCLEX-RN, which may have impacted test outcomes [9].

1.2.3. Initial Nursing Licensure Factors

PENs claimed that PNLE preparation was helpful to their NCLEX-RN preparatory experiences and outcomes [9]. However, NCLEX-RN familiarization programs and readiness assessments are lacking in Philippine nursing schools but they have partnerships with review centers that focus on PNLE preparation [31]. Thus, PEN preparing for NCLEX-RN seek review centers or online resources independently. Although the Philippines has NLE, the exams are completely different compared to NCLEX-RN [24,32]. There is a lack of published research on the association of PNLE and NCLEX-RN passing at first attempts. This study addressed this gap in the literature.

1.2.4. Employment Factors

Most IENs have professional nursing experience before taking the NCLEX-RN. However, differences in international nursing practice may create confusion when studying for the NCLEX-RN, and may have accounted for a drop in Canadian FTPR, from 87% to 69.7%, when the NCLEX-RN was first adopted in Canada in 2015 [33–35]. The length and nature of nursing employment have an impact on NCLEX-RN outcomes. In a Canadian study, IEN with three to five years of nursing experience before taking the NCLEX-RN have higher odds of passing the NCLEX-RN [21]. Nursing workplace influenced positive PEN NCLEX-RN preparatory experiences and outcomes [9].

In summary, the available literature on international NCLEX-RN studies was conducted mostly on IEN outside the Philippines. There is very limited research that investigated the association of academic, initial nursing licensure, and employment on NCLEX-RN passing of the largest population comprising international NCLEX-RN applications. Further, there is a need to analyze the contextual characteristics of PEN to promote a deeper understanding of factors associated with their NCLEX-RN performance.

2. Materials and Methods

2.1. Research Design

A retrospective correlational research design was used in this study. This design is appropriate for determining relationships between variables [36]. In this study, demographic, academic, initial nursing licensure, and employment factors were the independent variables while NCLEX-RN

performance, categorized as pass and fail, was the dependent variable. The consensus-based Checklist for Reporting of Survey Studies (CROSS) [37] was used to guide the reporting of research findings.

2.2. Sample and Sampling

G*Power analysis required 128 participants to yield a power of 0.80, a two-tailed test of 0.05 level of significance, and an effect size of 0.30. PENs were selected for this study since almost 60% of IEN NCLEX-RN applications come from the Philippines [13]. Participants were recruited online through professional groups on social media (Facebook), such as Registered Nurses in the Philippines, Lefora Filipino Nurses to the U.S., and professional organizations, such as the Philippines Nurses Association of America. Inclusion criteria include an age of at least 18 years, graduate of bachelor's degree in nursing in the Philippines, and having taken the computer-based NCLEX-RN. Through single-stage convenience sampling, 328 participants started the survey. Follow-up was done one week after the initial survey. A total of 159 participants completed the survey. The email addresses of completed surveys were checked to avoid duplication of responses. Data from 19 participants that were missing completely at random were not included in the study. A total of 146 participants were included in this study (44.5% completion rate).

2.3. Data Collection

Due to limited studies in this area and the unavailability of instruments to measure the research variables, a literature-based survey questionnaire was developed. Twenty-three questions regarding demographic characteristics (three questions), academic (six questions), initial nursing licensure (ten questions), and employment factors (four questions) were asked. Two PhD-prepared nurse educators who are familiar with Philippine nursing education and the NCLEX-RN assessed the content validity of the survey questionnaire. The instrument was not assessed for reliability. The web-based survey was administered online via Qualtrics on professional nursing groups on several social media platforms.

2.4. Data Analysis

Data analysis was done on R4.2 software. Descriptive statistics such as frequency, percentage distribution, mean, and standard deviation described the NCLEX-RN results, demographic, academic, initial nursing licensure, and employment factors of PEN who passed and failed NCLEX-RN on the first attempt. The Chi-square test (or Fisher's exact test when the cell count was less than six) was used to determine the relationship between the categorical independent and dependent variables. Analysis of variance was used to determine the relationship between age and pass on the first attempt. All statistical tests were computed at a 0.05 level of significance. Missing data occurred on age, nursing degree, and employment variables. The missing data were modeled as an independent category in the statistical analyses.

2.5. Ethical Considerations

The Institutional Review Board of the University of North Carolina at Charlotte, under the Office of Research Protections and Integrity, approved this study (IRB 19-108).

3. Results

3.1. Participant Characteristics

The majority of the 146 participants were female (70.5%, n=103), single (56.8%, n=83), and had a mean age of 28.2 years ($SD = 5.68$) (Table 1). They mostly graduated nursing from private schools (87%, n=127), do not have a graduate nursing degree (83.6%, n=122), and nursing was their first career choice (95.9%, n=140). Most participants passed the PNLE at first attempt (95.9%, n=140) and did not

take the CGFNS-CE (69.2%, n=101). The majority did self-review (54.8%, n=80), and spent less than three months reviewing for the NCLEX-RN (45.2%, n=66). Moreover, the majority of the participants were employed (77.4%, n=113), had a full-time job (68.5%, n=100), worked in the field of nursing (64.4%, n=94), and in a hospital setting (46.6%, n=68) when they took the NCLEX-RN.

Table 1. Participant characteristics.

Demographic characteristics	<i>n</i> (%) / Mean (SD)*
Demographic	
Gender	
Male	43 (29.5)
Female	103 (70.5)
Marital Status	
Single	83 (56.8)
Married	63 (43.2)
Age (range: 19-53)	28.2 (5.68)*
Academic	
Type of ownership	
Public school	19 (13.0)
Private school	127 (87.0)
Nursing degree	
Undergraduate	122 (83.6)
Graduate	21 (14.4)
Nursing choice	
Not first	6 (4.1)
First	140 (95.9)
Initial licensure	
PNLE attempts	
Once	140 (95.9)
More than once	6 (4.1)
CGFNS before NCLEX	
Not taken	101 (69.2)
Taken	45 (30.8)
Type of NCLEX preparation	
Assisted	66 (45.2)
Self-review	80 (54.8)
Duration	
1-3 months	68 (46.6)
4-6 months	47 (32.2)
Over 6 months	31 (21.2)
Employment	
Status	
Unemployed	32 (21.9)
Employed	113 (77.4)
Type	

Part-time or less	42 (28.8)
Full-time	100 (68.5)
Field	
Non-nursing	47 (32.2)
Nursing	94 (64.4)
Workplace	
Other	32 (21.9)
Hospital	68 (46.6)

Note: PNLE – Philippine Nurse Licensure Exam; CGFNS – Commission on Graduates of Foreign Nursing Schools; NCLEX – National Council Licensure Examination-Registered Nurses.

3.2. Association of Demographic, Academic, Initial Nursing Licensure, Employment Factors and NCLEX-RN Passing at First Attempt

The majority of participants (79.5%, n=116) passed the NCLEX-RN at first attempt. All demographic, academic, initial nursing licensure, and employment factors, except for PNLE attempts and workplace, were not significantly associated with passing the NCLEX-RN on first attempt (Table 2). The demographic variables gender [χ^2 (1, n=146) = 1.10, $p = .293$] and marital status [χ^2 (1, n=146) = 1.12, $p = .291$] were not significantly associated with PEN NCLEX-RN passing on first attempt. Academic factors such as the type of school ownership [Fisher's $p = .365$], nursing degree [Fisher's $p = .083$], and nursing as a first career choice [Fisher's $p = .101$] were not significantly associated with PEN NCLEX-RN passing on first attempt.

Table 2. Association of demographic, academic, initial nursing licensure, employment factors, and NCLEX-RN passing at first attempt.

	NCLEX-RN First Attempt (n = 146)		Chi-square (χ^2) or Fisher's exact test (p-value)
	Pass (n=116) n (%)	Fail (n=30) n (%)	
Demographic			
Gender			$\chi^2 = (1, 146) = 1.10, p = .293$
Male	37 (86.0)	6 (14.0)	
Female	79 (76.7)	24 (23.3)	
Marital Status			$\chi^2 (1, 146) = 1.12, p = .291$
Single	69 (83.1)	14 (16.9)	
Married	47 (74.6)	16 (25.4)	
Age (range: 19-53)	27.9 (5.43)	29.4 (6.52)	.187
Academic			
Type of ownership			Fisher's $p = .365$
Public school	17 (89.5)	2 (10.5)	
Private school	99 (78.0)	28 (22.0)	
Nursing degree			Fisher's $p = .083$
Undergraduate	94 (77.0)	28 (23.0)	
Graduate	20 (95.2)	1 (4.8)	
Nursing choice			Fisher's $p = .101$

Not first	3 (50.0)	3 (50.0)	
First	113 (80.7)	27 (19.3)	
Initial licensure			
PNLE attempts			
Once	111 (82.8)	23 (17.2)	Fisher's $p = .001^*$
More than once	1 (16.7)	5 (83.3)	
CGFNS before NCLEX			
Not taken	79 (78.2)	22 (21.8)	$\chi^2(1, 146) = 0.11, p = .741$
Taken	37 (82.2)	8 (17.8)	
Type of preparation			
Assisted	55 (83.3)	11 (16.7)	$\chi^2(1, 146) = 0.72, p = .396$
Self-review	61 (76.2)	19 (23.8)	
Duration			
1-3 months	53 (77.9)	15 (22.1)	$\chi^2(2, 146) = 3.21, p = .201$
4-6 months	41 (87.2)	6 (12.8)	
Over 6 months	22 (71.0)	9 (29.0)	
Employment			
Status			
Unemployed	27 (84.4)	5 (15.6)	Fisher's $p = .196$
Employed	89 (78.8)	24 (21.2)	
Type			
Part-time or less	33 (78.6)	9 (21.4)	$\chi^2(2, 146) = 0.09, p = .958$
Full-time	80 (80.0)	20 (20.0)	
Field			
Non-nursing	34 (72.3)	13 (27.7)	$\chi^2(2, 146) = 3.21, p = .337$
Nursing	78 (83.0)	16 (17.0)	
Workplace			
Other	30 (93.8)	2 (6.2)	Fisher's $p = .026^*$
Hospital	54 (79.4)	14 (20.6)	

Note: *Statistically significant at $p = .05$; PNLE – Philippine Nurse Licensure Exam; CGFNS – Commission on Graduates of Foreign Nursing Schools; NCLEX – National Council Licensure Examination-Registered Nurses.

Passing the PNLE the first time is significantly associated with passing NCLEX-RN on first attempt [Fisher's $p = .001$]. Initial nursing licensure factors such as taking the CGFNS certification exam [$\chi^2(1, n=146) = 0.11, p = .741$] and type [$\chi^2(1, n=146) = 0.72, p = .396$] and duration [$\chi^2(2, n=146) = 3.21, p = .201$] of NCLEX-RN preparation were not significantly associated with PEN NCLEX-RN passing on first attempt. Moreover, employment factors such as employment status [Fisher's $p = .196$], type of employment [$\chi^2(2, n=146) = 0.09, p = .958$], field of employment [$\chi^2(2, n=146) = 2.17, p = .337$] were not significantly associated. However, workplace [Fisher's $p = .026$] was significantly associated with PEN NCLEX-RN performance on first attempt.

Overall, except for NLE attempt and workplace during the test, all demographic, academic, and employment variables were not significantly different between PEN who passed and failed NCLEX-RN on first attempt.

4. Discussion

This study aimed to describe the demographic, academic, initial nursing licensure, and employment characteristics of PEN who passed and failed NCLEX-RN at first attempt and to determine the association between the participants' contextual characteristics and NCLEX-RN passing on first attempt.

Majority passed the NCLEX-RN at first attempt. Results show that individual characteristics (gender and marital status), academic factors (nursing as first career choice, type of nursing school, and graduate nursing degree), initial licensure factors (taking the CGFNS-CE and NCLEX-RN review preparation), and employment factors (type and status of employment) were not significantly associated with passing the NCLEX-RN on first attempt among PEN. In this study, passing the PNLE on first attempt and workplace were the only independent variables that were significantly related to PEN NCLEX-RN passing on first attempt. The results of this study provide preliminary information on this understudied but relevant research area that has implications for Philippine nursing education and regulation, being the primary source of IEN in the U.S. nursing workforce.

4.1. Contextual Factors

A higher percentage of PEN who passed NCLEX-RN at first attempt were males, single, and had nursing as their first career choice. The findings of this study regarding the influence of gender on NCLEX-RN are contrary to most studies. This may be related to methodological and contextual differences. The proportion of the male-to-female nursing student population internationally is higher compared to U.S. nursing student population [38,39]. While males comprised 30.7% of the participants in this study, published NCLEX-RN studies acknowledged the underrepresentativeness of the male gender in their samples as a study limitation [40].

Results showed that a higher percentage of single NCLEX-RN candidates passed the NCLEX-RN on their first attempt compared to married candidates. Being married may pose numerous challenges related to family roles and responsibilities when preparing for the NCLEX-RN. Married individuals may have less time to study due to household and childcare responsibilities. In the cultural context of the participants, the family provider role is a major responsibility and expectation. This finding supports previous studies of IEN from Korea, Mexico, and the Philippines on the influence of family responsibilities on NCLEX-RN outcomes [9,18,20].

Those who had nursing as a first career choice had a higher NCLEX-RN pass rate compared to those who did not choose nursing as their first career. This choice serves as a motivation to perform better in their nursing education and career. This finding is related to Salamonson's study, which claimed that nursing as a first career choice is associated with nursing program success [26].

4.2. Academic Factors

The results show that a greater percentage of NCLEX-RN candidates who graduated nursing from public schools passed NCLEX-RN on their first attempt compared to those who completed nursing education in private institutions. The influence of institutional characteristics and nurse licensure outcomes is reported in previous U.S. [27] and Philippine studies [28,29], which claimed that nursing graduates from public nursing institutions had higher first-time pass rates in the NCLEX-RN and NLE, respectively. However, no significant association was found between the type of institution and NCLEX-RN outcomes in our study. The small sample size of graduates of public schools may be a limitation in establishing this association.

A graduate nursing degree provides advanced nursing knowledge and skills that are useful in answering complex NCLEX-RN questions. Although more PEN NCLEX-RN candidates with graduate nursing degrees passed the NCLEX-RN on their first attempt, graduate nursing education and NCLEX-RN passing were not significantly related. This can be attributed to the small sample size of participants with graduate degree who failed the NCLEX-RN.

4.3. Initial Licensure Factors

Most PEN who passed the NCLEX-RN the first time have passed the PNLE on first attempt. This is the first study that established a statistically significant association between passing the PNLE and NCLEX-RN on first attempts. Although a higher percentage of NCLEX-RN passing was observed in PENs who enrolled in review centers and studied for four to six months, these preparations were not significantly associated with NCLEX-RN passing on first attempt.

The experience of preparing for and passing the PNLE is a prelude to international nursing examinations. For nursing programs internationally that are patterned after the U.S. nursing curriculum, such as the Philippines [41], successfully passing the PNLE may contribute to successful NCLEX-RN performance [9]. The Philippines has nursing review centers that prepare their graduates for PNLE [31]. Those centers offering NCLEX-RN review programs make a viable option for NCLEX-RN preparation. This finding supports a study on Korean IEN [18], which reported that NCLEX-RN preparatory classes were helpful in NCLEX-RN passing.

Most PEN who passed NCLEX-RN at first attempt studied for four to six months. The differences in nursing education, nursing practice, and unfamiliarity with the NCLEX-RN create a need for PEN to have a longer preparation for the examination. While most USENs take the NCLEX-RN one to two months after graduation, it is different for PEN. Aside from learning nursing practice in the U.S., PENs need to learn the NCLEX-RN test plan, test questions, and the use of computers for testing. Thus, a need for longer NCLEX-RN preparatory time.

4.4. Employment Factors

There was a higher percentage of NCLEX-RN passing on the first attempt for PEN who were not employed at the time of examination. Since preparing for the NCLEX-RN is an expensive investment, some PEN may prioritize preparing for the NCLEX-RN to avoid wasting time and financial resources; thus, they opt to either delay getting employed or resign from their jobs while preparing for the NCLEX-RN [9]. Having a full-time job and working for long hours while preparing for the NCLEX-RN reduces time to study, which can have negative effects on academic performance and test outcomes [42].

For those who were employed at the time of NCLEX, a higher percentage of passing was seen among those who were worked full-time and employed in nursing. Working as staff nurses provides actual patient care experiences that enhance clinical nursing knowledge and skills that help in developing critical thinking while preparing for NCLEX-RN [9,21]. Active involvement in actual clinical situations helps foster clinical judgment, which is critical in analyzing NCLEX-RN questions [13]. The workplace was significantly associated with NCLEX-RN passing. Interestingly, PEN who were employed in non-hospital settings, such as schools of nursing, at the time of NCLEX-RN had higher first-time pass rates. Intuitively, one who teaches as a faculty member in a nursing school has more cognitive preparation and skills to pass the NCLEX-RN.

As far as the knowledge of the researchers is concerned, this is the first study that described the association between PEN contextual, academic, initial nursing licensure, and nursing employment factors, and NCLEX-RN passing at first attempt. The results of this study contribute to the body of knowledge that helps understand the variability of factors unique to the PEN population.

4.5. Implications and Recommendations

4.5.1. PEN NCLEX-RN Candidates

Recognizing individual characteristics that are associated with PEN NCLEX-RN passing at first attempt is important because of the cost and time needed for test preparation and application. IENs have more requirements and fees when applying for the test compared to USEN. For example, some U.S. boards of nursing require CGFNS CE and English proficiency exams before taking the NCLEX-RN. Processing and cost of additional IEN-specific required documents, and international testing fees

(USD 200) are needed for IEN NCLEX-RN application. Travel outside their home country may be required when scheduling NCLEX-RN due to limited schedules in international testing centers. Further, within the context of nurses in the Philippines, passing NCLEX-RN at first attempt promotes socioeconomic mobility and professional recognition. Thus, passing the NCLEX-RN at first attempt is cost-effective and rewarding.

With the availability of standardized assessment tests, online materials, and support groups that are essential to NCLEX-RN success, PENs may consider adapting these resources to assess NCLEX-RN readiness, improve test outcomes, and promote an overall positive NCLEX-RN preparatory experience [43,44].

4.5.2. Nursing Education, Practice, and Research

Since PNLE passing at first attempt is associated with NCLEX-RN first-time passing, academic preparation in nursing school should be given appropriate attention. With more than half of PEN failing the NCLEX-RN at first attempt, understanding academic factors that influence PEN NCLEX-RN passing is critical in designing educational interventions to increase the chances of passing the exam. As the main source of international NCLEX-RN applications, undergraduate nursing programs in the Philippines should provide opportunities to familiarize nursing students with the NCLEX-RN test blueprint, type of questions, and computer-adaptive testing, since familiarity with the NCLEX-RN is essential in passing the exam. Moreover, there is a need to introduce Next Generation NCLEX (NGN) to nursing students because NGN started in April 2023. Further, as NGN focuses on clinical judgment, nursing schools should emphasize the use of active learning strategies such as simulations, case studies, reflection, and clinical practice to develop clinical judgment, which is critical in passing the NCLEX-RN [45].

The unique PEN context as a professional nurse at the time of NCLEX-RN may be both considered as a facilitating and hindering factor. As facilitating factor, nursing employment offers exposure to clinical scenarios that may help in developing clinical judgment, which is essential in answering NCLEX-RN questions. As hindrance, nursing employment may reduce test preparatory time. This may lead to reduced nursing working hours or resignation from nursing positions to prepare for the NCLEX-RN, potentially impacting nursing staffing.

Further studies to include other IEN with a larger sample size are needed. Future researchers need to explore the influence of other factors affecting IEN NCLEX-RN performance. Variables such as academic performance, course grades, licensure exam scores, and critical thinking have not been studied on PEN. Moreover, the adaptation of the NURS model is needed to develop an IEN-specific conceptual model to understand the NCLEX-RN from an IEN perspective better.

4.5.3. Nursing Policy and Regulation

Without an international benchmark, the NCLEX-RN has served as a measure to compare nursing education internationally. While most countries do not prepare their graduates for U.S. nursing practice, some countries, such as the Philippines, intentionally design nursing programs to train their students for the global labor market. The representation of 187 countries and territories on the NCLEX-RN is evidence of the interest of nurses globally to work in the U.S. For IEN source countries for the NCLEX-RN and the U.S. nursing workforce, the research findings can provide input in designing educational and regulatory policies that are aimed at assisting IENs increase their chances of passing the examination.

Since nursing education and nursing practice are not well regulated in other countries (i.e., lack of national nursing law, nursing regulation, or NLE as a requirement to practice nursing), it is crucial for nursing regulatory bodies to design policies that will help elevate the standards of nursing education, practice, and regulation in their respective countries [46]. Some countries have gaps and deficiencies in their nursing curriculum while other countries allow nursing graduates to work right

after graduation, without taking a national licensure examination. Regulating nursing practice internationally may improve individual IEN, nursing schools, and country NCLEX-RN pass rates.

Finally, other than the test itself, the NCLEX-RN requirements are resource-intensive and the application and processing time are tedious and stressful. The long processing time has created a longer time lag for IEN to take the NCLEX-RN. These barriers negatively affect IEN NCLEX-RN preparation and outcomes. Reducing or eliminating some of these barriers, without compromising public safety, may more likely produce a more positive NCLEX-RN preparatory experience and outcome. With the cyclical U.S. nursing shortage and the COVID-19 pandemic, there is a need for U.S. boards of nursing to streamline NCLEX-RN application requirements and expedite processing times.

4.6. Study Limitations

The limitations of this study include its focus only on PEN, convenience sampling, representativeness of the sample, and instrumentation. Since the study specifically studied PEN, the findings cannot be generalized to the IEN population. Convenience sampling may have limited the representativeness of the sample. In this study, PEN who passed the NCLEX-RN the first time were overrepresented, constituting a sample bias. Future research should involve IENs from other countries and investigation of IENs who failed the NCLEX-RN on first attempt. Due to the different contextual characteristics of IEN, future studies should include the development of valid and reliable IEN-specific research instruments.

5. Conclusion

This study aimed to determine the association between academic, initial nursing licensure, and employment factors, and PEN NCLEX-RN passing on first attempt. The limited research on this topic and the low NCLEX-RN pass rates of PEN were the main impetus for conducting this research as an attempt to build a conceptual base on this understudied area. PEN have unique characteristics that relate to their NCLEX-RN outcomes. Passing the national licensure examination of origin at first attempt and workplace showed significant associations with passing the NCLEX-RN at first attempt. Emphasis should be placed in the academic preparation of undergraduate nursing students in order to assist them in passing the national licensure examination at first attempt. Careful selection of clinical areas for practice is essential in having adequate and appropriate opportunities to enhance clinical judgment.

Awareness of the association of these factors and NCLEX-RN performance provides direct benefit to individual PEN and has relevant implications to faculty members of undergraduate and graduate nursing programs, administration of health care facilities, and the nursing workforce, in general.

Author Contributions: Conceptualization, J.M.; methodology, J.M., J.C.; formal analysis, J.M., J.C.; investigation, J.M.; writing—original draft preparation, J.M.; writing—review and editing, J.M., J.C.; All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: The study was approved by the Institutional Review Board of the University of North Carolina at Charlotte (IRB 19-0108).

Informed Consent Statement: Informed consent was obtained from all subjects involved in the study.

Data Availability Statement: Data can be directly requested from the corresponding author.

Acknowledgments: None.

Conflicts of Interest: The authors declare no conflicts of interest.

Abbreviations

The following abbreviations are used in this manuscript:

IEN	Internationally educated nurses
NCLEX-RN	National Council Licensure Examination – Registered Nurses
NLE	Nurse licensure examination
PEN	Philippine-educated nurses

References

1. National Council on State Boards of Nursing (NCSBN). Nurse licensure and NCLEX examination statistics. **2022**. https://www.ncsbn.org/publicfiles/2021_NCLEXExamStats-final.pdf
2. World Health Organization (WHO). State of the World's Nursing Report: United States of America. **2020**. <https://apps.who.int/nhwaportal/Sown/Files?name=USA>.
3. American Nurses Association. Nurses in the workforce. (n.d.) <https://www.nursingworld.org/practice-policy/workforce/#:~:text=The%20nation's%204.3%20million%20registered,and%20improving%20the%20nation's%20health>.
4. Smiley, R. Lauer, & Bienemy, C. Berg, J., Shireman, E., Reneau, K., & Alexander, M. The 2017 National Nursing Workforce Survey. *Journal of Nursing Regulation*, **2018**, 9(3S1), S1-S88. Available at <https://www.journalofnursingregulation.com/action/showPdf?pii=S2155-8256%2818%2930131-5>
5. Spetz, J., Gates, M., & Jones, C. Internationally educated nurses in the United States: Their origins and roles. *Nursing Outlook*, **2014**, 62, 8-15. <https://doi.org/10.1016/j.outlook.2013.05.001>
6. U.S. Congress. Healthcare Workforce Resilience Act. **2021**. <https://www.congress.gov/bill/117th-congress/senate-bill/1024/text>
7. Montegrigo, J. A 15-year trend study of internationally educated nurses' NCLEX-RN performance. *Nursing Education Perspectives*. **2020**. doi: **10.1097/01.NEP.0000000000000660**
8. Montegrigo, J. (A scoping review on factors affecting the NCLEX-RN performance of internationally educated nurses. *Philippine Journal of Nursing*, **2021**, 90 (2), 21-28.
9. Montegrigo, J. The experiences of internationally educated nurses while preparing for the NCLEX-RN. Unpublished dissertation. **2021**. The University of North Carolina at Greensboro, Greensboro, NC, USA.
10. Jeffrey, M. Jeffrey's Nursing Universal Retention and Success model: Overview and action ideas for optimizing outcomes A-Z. *Nurse Education Today*, **2015**, 35, 425-31. <https://doi.org/10.1016/j.nedt.2014.11.004>
11. Nichols & Davis. The official guide for foreign-educated nurses. Commission on Graduates of Foreign Nursing Schools. **2009**. Springer Publishing Co., New York.
12. NCSBN. NGN FAQs for candidates. n.d. <https://www.ncsbn.org/exams/next-generation-nclex/NGN+FAQS/ngn-faqs-for-candidates.page>
13. NCSBN. Nurse licensure and NCLEX examination statistics. **2021**. Available at https://www.ncsbn.org/2019_NCLEXExamStats.pdf
14. Quinn, B., Smolinski, M., & Peters, A. Strategies to improve NCLEX-RN success: a review. *Teaching and Learning in Nursing*, **2018**, 13, 18-26. <https://doi.org/10.1016/j.teln.2017.09.002>
15. Bahari, G. A plan to promote NCLEX-RN success of Saudi Arabian nurse graduates, *Austin Journal of Nursing & Health Care*, **2015**, 2(1), 1-8.
16. Mathew, L., McFarquhar, C., Wright, R. Facilitating NCLEX-RN success using model Achieve in a community based program for internationally prepared nurses. *International Journal of Nursing Education*, **2015**, 7(1), 116-119. <https://doi.org/10.5958/0974-9357.2015.00023.9>
17. Banks, J., McCullough, E., Ketner, D., & Darby, R. (2019). Tailoring NCLEX-RN indicator assessments for historically black colleges and universities: literature review. *Journal of Professional Nursing*, **2019**, 34, 331-345. <https://doi.org/10.1016/j.profnurs.2018.05.007>
18. Choe, K-S. & Yang, B-S. Korean nurses' experience of preparing for and taking the National Council Licensure Examination for Registered Nurses. *Asian Nursing Research*, **2009**, 3(4), 177-185. [https://doi.org/10.1016/S1976-1317\(09\)60029-3](https://doi.org/10.1016/S1976-1317(09)60029-3)
19. Hoffart, N., McCoy, T., Lewallen, L., & Thorpe, S. Differences in gender-related profile, characteristics, perceptions, and outcomes of accelerated second degree nursing students, *Journal of Professional Nursing*, **2019**, 35, 93-100. <https://doi.org/10.1016/j.profnurs.2018.10.003>
20. Squires, A. A case example of a transitional education program for internationally educated nurses from Mexico. *Nursing Economics*, **2017**, 35(1), 30-37.
21. Covell, C., Primeau, M., Kilpatrick, K., & St-Pierre, I. (2017). Internationally educated nurses in Canada: predictors of workforce integration. *Human Resources for Health*, **2017**, 15(26). doi 10.1186/s12960-017-0201-8

22. Sherwood, G. & Shaffer, F. The role of internationally educated nurses in a quality, safe workplace. *Nursing Outlook*, **2014**, *62*, 46-52. <https://doi.org/10.1016/j.outlook.2013.11.001>
23. Muraraneza, C., Mtshali, N., & Mukamana, D. Issues and challenges of curriculum reform to competency-based curricula in Africa: A meta-synthesis. *Nursing and Health Sciences*, **2017**, *19*, 5-12. <https://doi.org/10.1111/nhs.12316>
24. Xiao, H., Wu, W., Lin, Y., & Zhang, W. Relationship of academic courses and clinical internships to performance on the National Qualified Examination for Registered Professional Nurses (NQEX-RPN), *International Journal of Nursing Sciences*, **2014**, *1*(4), 400-404.
25. Genovese, S.K., Schmidt, N., & Brown, J. Admitting international graduate students: What faculty need to know. *Nurse Educator*, **2015**, *40*(1), 41-45.
26. Salamonson, Y., Everett, B., Cooper, M., Lombardo, L., Weaver, R., & Davidson, P. Nursing as first choice predicts nursing program completion, *Nurse Education Today*, **2014**, *34*, 127-131.
27. Odom-Maryon, T., Bailey, R., & Amiri, S. The influences of nursing school characteristics on NCLEX-RN pass rates: a national study. *Journal of Nursing Regulation*, **2018**, *9*(3), P59-69. DOI: [https://doi.org/10.1016/S2155-8256\(18\)30154-6](https://doi.org/10.1016/S2155-8256(18)30154-6).
28. Bautista, J.R., Ducanes, G., David, C. (2018). Quality of nursing schools in the Philippines: Trends and evidence from the 2010-2016 Nurse Licensure Examination results, *Nursing Outlook*, **2018**, 1-11.
29. Rosales, A., Arugay, Y., Divinagracia, C., & Castro-Palaganas, E. Analytical study of the nurses licensure examination performance of graduates of Philippine colleges of nursing. *Philippine Journal of Nursing*, **2014**, *84*(1), 4-23.
30. CGFNS. Credentials evaluation service professional report. n.d. <https://www.cgfns.org/services/credentials-evaluation/credentials-evaluation-service-professional-report/>
31. Masselink, L. & Lee, S. Nurses, Inc.: Expansion and commercialization of nursing education in the Philippines. *Social Science & Medicine*, **2010**, *71*, 166-172.
32. Ko, Y. & Yu, S. Core competency assessment tool for graduates of outcome-based nursing education in South Korea: a validation study. *Japan Journal of Nursing Science*, **2019**, *16*, 155-171.
33. Lurie, L. Strategic planning for future delivery of care: onboarding foreign-educated nurses. *Nurse Leader*, **2016**, 427-432. <https://doi.org/10.1016/j.mnl.2016.08.014>
34. Palmer, A., Zuraikat, N., West, E., Calderone, T., & Shanty, J. The lived experience of international graduate nursing students engaged with the US educational system. *Journal of Professional Nursing*, **2019**, *35*, 174-180.
35. Petrovic, K., Doyle, E., Lane, A., & Corcoran, L. The work of preparing Canadian nurses for a licensure exam originating from the USA: a nurse educator's journey into the institutional organization of the NCLEX-RN. *International Journal of Nursing Education Scholarship*. **2019**. doi: 10.1515/ijnes-2018-0052
36. Polit, D. & Beck, C. *Nursing research: Generating and assessing evidence for nursing practice*. **2017**. Philadelphia, PA: Wolster Kluwer.
37. Sharma, A., Duc, N., Thang, T., Nam, N., Ng, S., Abbas, K., Huy, N., Marusic A., Paul, C., Kwok, J., Karbwang, J., deWaure, C., Drummond, F., Kizawa, Y., Taal, E., Vermeulen, J., Lee, G., Gyedu, A., To, K...Karamouzian, M. A consensus-based checklist for reporting of survey studies. *Journal of General Internal Medicine*, **2021**. doi: 10.1007/s11606-021-06737-1
38. American Association of Colleges of Nursing (AACN). Fact sheet: enhancing diversity in the nursing workforce. **2019**. <https://www.aacnnursing.org/News-Information/Fact-Sheets/Enhancing-Diversity>
39. Dante, A., Ferrao, S., Jarosova, D., Lanca, L., Nascimento, C., Notora, V., Pokorna, A., Rybarova, L., Skela-Savic, B., & Palese, A. Nursing student profiles and occurrence of early academic failure: Findings from an explorative European study. *Nurse Education Today*, **2016**, *38*, 74-81.
40. Kaddoura, M, Flint, E., Van Dyke, O., Yang, Q, & Chiang, L. Academic and demographic predictors of NCLEX pass-rates in first and second-degree accelerated BSN programs. *Journal of Professional Nursing*, **2017**, *33*(3), 229-240.
41. Jurado, L. & Pacquiao, D. Historical analysis of Filipino nurse migration to the U.S. *Journal of Nursing Practice Applications & Reviews of Research*, **2015**, *5*(10), 4-18.

42. Mthimunye, K & Daniels, F. Predictors of academic performance, success, and retention amongst undergraduate nursing students: A systematic review. *South African Journal of Higher Education*, **2019**, 33(1), 200-220.
43. Dreher, H.M., Smith Glasgow, M.E., & Schreiber, J. The use of “high-stakes testing” in nursing education: rhetoric or rigor”. *Nursing Forum*, **2019**, 54, 477-482. <https://10.1111/nuf.12363>
44. Smith Glasgow, M.E., Dreher, H.M., & Schreiber, J. Standardized testing in nursing education: preparing students for NCLEX-RN and practice. *Journal of Professional Nursing*, **2019**, 35, 440-446. <https://doi.org/10.1016/j.profnurs.2019.04.012>
45. NCSBN. NCSBN clinical judgment measurement model. **2022**. <https://www.ncsbn.org/exams/next-generation-nclex/NGN+Resources/clinical-judgment-measurement-model.page>
46. 46. NCSBN. Global regulatory atlas. **2022**. <https://regulatoryatlas.com/>

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.