

Article

Not peer-reviewed version

Mathematics Has Already Chosen Federalism: The Logic of Domain Separation

[Igor Durdanovic](#) *

Posted Date: 13 March 2026

doi: 10.20944/preprints202602.0766.v2

Keywords: foundations of mathematics; ZFC; decidability; model theory; mathematical logic; real closed fields; philosophy of mathematics; reverse mathematics



Preprints.org is a free multidisciplinary platform providing preprint service that is dedicated to making early versions of research outputs permanently available and citable. Preprints posted at Preprints.org appear in Web of Science, Crossref, Google Scholar, Scilit, Europe PMC.

Copyright: This open access article is published under a [Creative Commons CC BY 4.0 license](#), which permit the free download, distribution, and reuse, provided that the author and preprint are cited in any reuse.

Disclaimer/Publisher's Note: The statements, opinions, and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions, or products referred to in the content.

Article

Mathematics Has Already Chosen Federalism: The Logic of Domain Separation [†]

Igor Durdanovic

Independent Researcher, Croatia; igor.durdanovic@gmail.com

[†] In memory of Alfred Tarski and Kurt Gödel

Abstract

Mathematics, as actually practiced, operates as a federated system: practitioners work within autonomous domain-specific axiomatizations (geometry, algebra, analysis) and construct explicit bridges only when cross-domain reasoning is required. This organization is not accidental; it is a structural adaptation that safeguards local decidability and algorithmic efficiency. Yet the dominant foundational narrative still operates on the **Compiler Myth**—the belief that all mathematics must theoretically compile down into ZFC set theory to achieve rigor. We argue that this monolithic reductionism confuses representational universality with logical priority. Embedding a decidable (tame) domain into an undecidable (wild) one does not clarify foundations; it imposes a crippling epistemic overhead. It buries efficient, domain-specific decision procedures under general proof search and destroys the native structural immunities of the object. We introduce the **Decidability Threshold** — a litmus test based on Negation, Representability, and Discrete Unboundedness — to explain why mathematicians instinctively isolate tame domains from wild ones. Finally, we distinguish the Mathematician (builder of formal systems) from the Scientist (consumer modeling reality). We argue that federalism, through explicit bridges and domain autonomy, is not a failure of unification, but the primary safeguard preventing the scientist from inadvertently importing wild, undecidable paradoxes into physical theories.

Keywords: foundations of mathematics; ZFC; decidability; model theory; mathematical logic; real closed fields; philosophy of mathematics; reverse mathematics

1. Introduction

It is impossible that someone should set up a certain well-defined system of axioms and rules and consistently make the following assertion about it: All of these axioms and rules I perceive to be correct, and moreover I believe that they contain all of mathematics. Kurt Gödel [1]

Modern mathematics has organically developed a federated structure. Geometers invoke Hilbert’s axioms or Tarski’s postulates [2]; analysts rely on the ordered-field completeness of the reals; algebraists work with group and ring axioms. When cross-domain reasoning is required—analytic geometry, Galois theory, algebraic topology—mathematicians construct explicit, carefully defined bridges that are built once and reused.

This is not a theoretical proposal. It is a description of observed reality.

Nevertheless, the standard foundational narrative often presents ZFC set theory as the universal substrate: that all mathematical objects are, in principle, sets (formally: every mathematical object is encoded as a set), and that domain-specific axioms are merely shorthand for set-theoretic constructions. This creates a pragmatic gap:

- *Theory claims:* Everything reduces to ZFC.
- *Practice shows:* ZFC is almost never invoked outside of logic and set theory itself.

- *Theory claims:* Incompleteness is a universal fog covering all mathematics.
- *Practice shows:* Most working domains (geometry, finite algebra, elementary analysis) behave as if they are complete and decidable.

Why does this gap exist? We argue that the federated organization of mathematics is a sophisticated response to a deep logical reality. Mathematicians have instinctively partitioned their field to create “Safe Zones”—domains of local decidability—and they resist monolithic reduction because it destroys these local properties.

The standard foundational narrative fails to internalize Gödel’s fundamental warning: no single formal system can contain all of mathematics. The federated organization of mathematical practice is not a failure to achieve a unified foundation; it is the organic, pragmatic realization of Gödel’s insight. By analyzing the structural boundaries between domains, we demonstrate that federalism is the only architecture that preserves local decidability while allowing rigorous, controlled cross-domain reasoning.

2. Axiom 1: The Requirement of External Vantage Point

The exact definition of the concept of truth implies the necessity of a strict distinction between the language which is the object of our investigations and the language in which these investigations are carried out. Alfred Tarski [3]

Axiom 1 (Axiom 1 — Domain Separation). *A foundational framework should allow stable external vantage points for metareasoning, so meta-level statements need not be modelled within the same object-level universe.*

A monolithic ZFC-based framework does not satisfy Axiom 1. Because every object is declared to be a set, metareasoning about ZFC often requires ascending to stronger set theories (large cardinals), creating a hierarchy with no stable external vantage point.

By attempting to model both the object language and the metalanguage within a single, universal set-theoretic ontology, monolithic foundations inherently violate Tarski’s requirement for a strict distinction between the two. When the ambient universe is forced to reflect upon itself, the resulting self-reference dissolves the external vantage point.

Federalism, by contrast, structurally enforces a separation of concerns. In a federated system, we can study Geometry from the vantage point of Algebra, or Arithmetic from the vantage point of Model Theory, without forcing one to *be* the other. By maintaining domain autonomy, one domain can serve as the rigorous, external metalanguage for another, naturally satisfying Tarski’s condition for defining exact mathematical truth.

3. The Logic of Separation: The Decidability Threshold

In consequence of the philosophical significance of the mathematical integers...one could perhaps expect that it would be possible to find a few evident axioms from which all properties of integers could be derived. This expectation...is false. Kurt Gödel [4]

Why do mathematicians instinctively separate Geometry from Arithmetic? It is not merely a matter of taste. It is a matter of logical safety. We can identify a structural “Litmus Test” that explains these boundaries.

3.1. The Trinity of Danger

Undecidability and incompleteness arise only when a system possesses three specific ingredients simultaneously. We define these formally as the **Decidability Threshold**:

1. **Classical Negation:** The ability to assert falsity and rely on classical proof principles sufficient to express provability and negation in the usual sense used in diagonalization arguments.
2. **Representability (Encoding):** The capacity to define a discrete infinite predicate $N(x)$ and represent all primitive recursive functions on that predicate.

Formal Definition: It suffices that the theory interprets Robinson arithmetic Q or otherwise provides a definable predicate $N(x)$ and formulas representing all primitive recursive functions on N . In practice, this is witnessed by a definable copy of the natural numbers carrying addition and multiplication (or, minimally, an interpretation of Robinson arithmetic Q). The mere presence of a multiplicative operation on a continuum does not suffice unless a discrete N is definable.

3. **Discrete Unboundedness:** An infinite supply of distinct discrete states.

Technical Assumptions: The argument assumes that the theory is recursively axiomatizable (effectively enumerable axioms) and consistent. Under these conditions, a “Wild” theory (possessing all three ingredients) is essentially undecidable.

3.2. *Federalism as Quarantine*

Mathematical practice organizes itself by managing these ingredients:

- **Type I (Finite Domains):** Boolean Algebra, Finite Groups. They possess Negation and Encoding, but drop **Unboundedness**. They are trivially decidable.
- **Type II (Tame Continuous/Linear Domains):** Euclidean Geometry, Presburger Arithmetic, Real Closed Fields. They possess Negation and Unboundedness, but they drop **Representability**. While natural enrichments (e.g., adding arbitrary predicates or the exponential function under certain conditions) can cross into undecidability, the core domains remain decidable via quantifier elimination.
- **Type III (Wild Domains):** Peano Arithmetic, ZFC Set Theory. They possess all three ingredients. They are essentially undecidable.

Gödel’s observation regarding the integers is the historical-philosophical counterpart to our technical Type III criteria. As he noted, the expectation that the integers could be tamed by a few evident axioms was demonstrably false. The integers inherently possess the complete Trinity of Danger; they are the canonical Wild domain.

Mathematicians separate domains precisely to preserve the Tame status of Type I and Type II fields. They intuitively know that mixing Geometry with full Arithmetic (without a controlled bridge) triggers this Wild state, inadvertently infecting otherwise decidable spaces with the inescapable incompleteness of the integers.

4. **The Cost of Reduction: The Compiler Myth**

It is a fact of great philosophical interest that our knowledge of the system of real numbers and its geometry is much more complete than our knowledge of the system of integers.
Alfred Tarski [2]

The standard foundational doctrine operates on what we might call the **Compiler Myth**. In this view, ZFC set theory is the “machine code” of mathematics, and domain-specific axioms (like those of Geometry or Algebra) are merely high-level “syntactic sugar.”

The claim that ZFC is the foundational machine code mistakes representational universality for logical priority. ZFC is not the foundation of mathematical practice; it is a universal coding environment. Confusing codability with epistemic priority is the foundational error.

A tame domain derives its rigor precisely from the disciplined poverty of its language, the locality of its admissible constructions, and the availability of effective procedures native to that domain. Reducing such a domain to ZFC does not strengthen these virtues; it dissolves them into a vastly more expressive ambient theory whose additional questions are irrelevant to the domain and often undecidable. This imposes a crippling **Epistemic Overhead**:

1. **Loss of Structural Immunity:** In suitably chosen tame geometric formalisms (such as Tarski’s first-order geometry [2]), the admissible first-order questions admit effective elimination procedures.

The native language excludes the expressive resources required to generate the familiar set-theoretic independence phenomena.

When we embed geometry into ZFC, we expose geometric objects to the full expressive power of set theory. We can now formulate questions *about* geometric points—involving arbitrary set membership, cardinality, or choice functions—that are undecidable. Reduction to ZFC is not neutral; it changes the logical ecology of the objects. We have moved the object from a Clean Room to a Wild environment.

2. **The Proof-Theoretic Overhead:** In the native domain, truth is often algorithmic or governed by domain-specific decision methods. In the reduced domain (ZFC), truth is fundamentally deductive. While ZFC *can* simulate the geometric algorithm, the default mode of set theory is general proof search. By compiling down, we bury the efficient, domain-specific insight under layers of generic set-theoretic machinery.
3. **The Combinatorial Explosion of Strict Reduction:** We do not need to look far to see what happens when the Compiler Myth is taken literally. The Bourbaki group famously attempted to rigorously formalize mathematics from the ground up using a strict set-theoretic foundation. As calculated by A.R.D. Mathias [5], the fully expanded formal definition of the number 1 in Bourbaki's strict foundational system requires 4,523,659,424,929 symbols.
A standard defense is that abstraction layers exist precisely so no one has to write fully expanded proofs. But this misses the point: strict reduction is not epistemically faithful to the structures mathematicians actually exploit. A foundation that requires 4.5 trillion symbols to define a trivially decidable primitive concept is not providing ultimate semantic clarity; it is creating an epistemic collapse.

A reduction that preserves theoretical existence while destroying locality, decidability, and structural immunity is not foundational clarification; it is epistemic sabotage. Mathematicians ignore ZFC in their daily work because the high-level architecture—the domain autonomy—is where the logical safety actually resides.

This is precisely why Tarski observed that our knowledge of geometry and the real numbers is vastly more complete than our knowledge of the integers. Tame domains yield complete knowledge *because* of their restricted expressivity. If we insist on reducing these clear, decidable spaces into a universal set theory—a Wild environment built to accommodate the infinite and the undecidable—we willfully discard the very structural immunity that made them comprehensible in the first place.

5. Implications for the Consumer: The Warning Label

The deductive method cannot, of course, provide any absolute guarantee of the material truth of the theorems established by its means. The truth of a theorem depends entirely on the truth of the axioms from which it has been deduced. Alfred Tarski [6]

A crucial distinction must be made between the **Mathematician** (the builder) and the **Scientist** (the user).

The Mathematician is an **Architect**. They build formal structures of varying strength and expressiveness, some designed for specific utility, others for exploring the limits of logic (ZFC). The Scientist is a **Tenant** looking for a stable place to model reality.

As Tarski cautioned, the deductive method guarantees only that theorems follow logically from axioms; it cannot provide *material truth*. The Mathematician's domain is strictly deductive validity. The Scientist's domain is the material mapping of those structures to the physical world. A mathematical construction that is rigorously deduced in ZFC may still be materially false—or physically meaningless—when applied to reality.

Disclaimer: Mathematics is a discipline of formal structural consequences, not a description of physical reality. The existence of an object in a mathematical domain implies only its logical consistency within that framework, not its existence in nature. Any application of these structures to reality—and the resulting material truth of that mapping—is the sole responsibility of the user. For concrete examples of deductive truths that fail materially, see the illusion of non-constructive PDE solutions (Section ??) and the Banach-Tarski paradox (Section ??).

To assist the scientist in navigating this landscape, we provide the following decision procedure:

Decision checklist for adopting a mathematical foundation

1. **Identify domain type.** Is the intended domain fundamentally discrete/finite (Type I), continuous/tame (Type II), or does it require full arithmetic and syntactic self-encoding (Type III)?
2. **Ask about encodability.** Can the theory naturally express encodings of its own syntax and represent all primitive recursive functions? If yes, it can become Wild when combined with negation and infinity.
3. **Check for Choice / non-measurable constructions.** Does the model rely on the Axiom of Choice or constructions that yield non-measurable sets (Banach–Tarski style)? If so, assess whether those consequences are acceptable for the physical application.
4. **Prefer conservative bridges.** When connecting domains, insist on explicit bridges that are conservative extensions or interpretability-preserving translations. Avoid implicit blanket reductions into a universal Wild foundation unless Wild features are intentionally required.
5. **Rule of thumb for physics.** For conserved continuous quantities (mass, charge, energy), prefer Type II tame frameworks (e.g., real-closed fields plus explicit regularity/measure hypotheses) to prevent importing paradoxes.

5.1. The Mirage of Non-Constructive Existence

[PDE]

A pervasive source of confusion for the scientific consumer is the conflation of **Mathematical Existence** with **Physical Computability**. Standard analysis provides powerful theorems—such as the **De Giorgi-Nash Theorem** [7,8]—which guarantee the existence and regularity (smoothness) of solutions to certain partial differential equations (PDEs).

Crucially, these existence proofs are often **Non-Constructive**. They prove that a solution exists in the Platonic realm of ZFC sets (typically via compactness arguments or fixed-point theorems that rely on the Axiom of Choice), but they do not provide a Turing machine algorithm to generate the solution from finite initial data.

For a physicist, a solution that “exists” but cannot be computed is operationally indistinguishable from a solution that does not exist. By relying on non-constructive mathematics, scientists may believe their models are physically sound when they are merely logically consistent with axioms that permit infinite information processing (Oracles). The warning label is clear: **Existence $\neq$ Computability**.

5.2. The Risk of Using the Wrong Domain

If a physicist accepts the doctrine that “ZFC is the foundation of everything,” they are unknowingly importing Type III paradoxes into their physical model.

Example: The Banach-Tarski Paradox. The Banach-Tarski paradox offers a concrete illustration of the risk of using Wild mathematics carelessly. In the usual ZFC framework (which includes the Axiom of Choice), one can prove that a solid 3-dimensional ball can be partitioned into finitely many

non-measurable pieces and reassembled to form two balls identical to the original.¹ Such a construction rests crucially on Choice and the existence of highly non-measurable sets, and it conflicts with physical principles like conservation of mass if taken literally.

For applied modeling, the salient issue is whether the idealizations used (pointwise set membership, arbitrary subsets of Euclidean space, and the freedom to choose non-measurable selectors) are physically justified. One can avoid the paradox either by rejecting Choice in favor of regularity axioms (e.g., asserting all relevant sets are Lebesgue measurable) or by restricting modeling to measurability-preserving categories; both choices are legitimate modeling commitments.

6. Bridges Are Explicit, Not Automatic

How do these separate domains communicate? Through **Bridges**.
Every major cross-domain advance has been an explicit, deliberate construction, not a reduction:

- **Analytic Geometry:** A bridge from Euclidean Space to Field Arithmetic.
- **Galois Theory:** A bridge from Fields to Groups.
- **Algebraic Topology:** A bridge from Spaces to Algebraic Invariants.

6.1. Conservative vs. Non-Conservative Bridges

Not all formal embeddings are equally dangerous. A **conservative extension** or faithful interpretation that merely rephrases theorems of a tame domain in another language does not change the decidability status of sentences formulated in the original language. If every sentence about geometry provable in ZFC was already provable in the native geometric axioms, decidability for geometric sentences is preserved.

Concrete Caution: Expanding the language of a decidable theory by naming an infinite discrete predicate can be catastrophic. For example, adding a unary predicate that names a copy of $\mathbb{N}$ to the language of real closed fields typically turns the theory undecidable.

By contrast, a **non-conservative encoding** that enriches the language available to talk about originally tame objects—for example, by allowing quantification over arbitrary set-theoretic constructions built from geometric points or by naming a new discrete predicate inside a continuous theory—can enable synthetic encodings of computation and thereby create undecidable questions about the objects. The practical prescription is: prefer bridges that are explicitly conservative or whose expressive increase is tightly controlled and documented.

Implicit reduction is risky precisely because it often performs non-conservative encoding silently, escalating privilege without warning.

7. The Federated Organisation We Already Possess

We advocate codifying the structure mathematics has already adopted:

Level 1 — Primary Domain Axiomatizations

The working axioms of each field (Type I and II). These are the daily tools.

Level 2 — Explicit Bridges

Structure-preserving translations defined when required.

Level 3 — The Wild Reserve (ZFC)

A designated “Wild” domain (Type III) used for studying infinity, cardinality, and consistency strength. It is a valuable laboratory, not a universal basement.

¹ The Banach–Tarski theorem depends crucially on the Axiom of Choice (or equivalent forms producing non-measurable sets); see [9] and [10]. In frameworks that forbid the requisite non-measurable sets (for example by adopting regularity/measure axioms or by working within tame real-closed-field based modeling plus explicit measurability hypotheses), the paradoxical decomposition cannot be carried out and the theorem has no force for physical modeling. Note this is a genuine foundational trade-off: rejecting Choice to block Banach–Tarski removes certain familiar set-theoretic conveniences and alters what can be proved, so the choice between Choice and regularity axioms is a deliberate modeling decision with consequences.

Modern proof assistants (Lean/mathlib, Coq) have effectively implemented this. They use modular libraries where imports are explicit and distinct. For example, ‘mathlib’ treats real analysis through ordered field axioms and topological structures, rather than forcing a universal encoding into set theory at every step [?]. If monolithic reduction were optimal, these systems would funnel everything through ZFC sets. They do not; they choose federalism for scalability and logical hygiene.

8. Objections and Replies

Objection 1 — “ZFC is useful as a universal lingua franca; abandoning it risks fragmentation.”
Reply: ZFC remains an invaluable laboratory for set-theoretic inquiry and for comparing relative consistency strengths. This paper does not propose abandoning ZFC as a research domain; it recommends treating ZFC as a designated Wild reserve rather than the default operational substrate for every applied domain. Explicit, well-documented bridges preserve interoperability while protecting local decidability.

Objection 2 — “Embedding a decidable theory into an undecidable one does not automatically make the original problems undecidable.”
Reply: Correct—conservative embeddings preserve decidability for sentences in the original language [11]. The risk arises when the host theory’s extra expressive resources are used to formulate new predicates or quantifications about the original objects (for instance, naming a discrete subset or quantifying over arbitrary set constructions). Such implicit enrichments are the common source of accidental privilege escalation.

Objection 3 — “Constructive or non-classical logics evade these limitations.”
Reply: While constructive frameworks change some formal properties (e.g., the role of excluded middle), once sufficient arithmetic is interpretable the essential limitations reappear in adapted form. The Decidability Threshold emphasizes the structural features that enable encoding of computation; changing the proof calculus shifts technicalities but not the core need for caution.

Objection 4 — “Reverse mathematics already provides a fine-grained map of required axioms.”
Reply: Exactly—reverse mathematics and proof-theoretic calibration are complementary to the federalist prescription. They help identify minimal bridges: import only the subsystem needed for the target theorems [12]. Reverse mathematics provides recipes for which subsystems to import when a particular theorem is needed (e.g., many classical analysis results are equivalent to WKL_0 or ATR_0), so use these calibrations to select minimal bridges. The paper’s recommendation is operational: prefer minimal, explicit, and conservative imports informed by such calibrations.

Objection 5 — “Category theory or univalent foundations already provide a non-set-theoretic federation.”
Reply: Indeed—homotopy type theory and categorical approaches offer alternative federated architectures [13,14]. The argument here is largely agnostic about the specific metalanguage; the key is rejecting *implicit universal reduction* in favor of explicit, controlled connections.

9. Conclusions: Codifying Implicit Wisdom

Either mathematics is too big for the human mind, or the human mind is more than a machine. Kurt Gödel [1]

Mathematics has already chosen federalism. The evidence is in the autonomy of its fields, the explicit nature of its bridges, and the intuitive separation of Tame and Wild domains.

The contribution of this paper is to provide the **structural explanation** for this behavior:

1. Domains separate to preserve the **Decidability Threshold** (avoiding the Trinity of Danger).
2. Reduction to ZFC is avoided because it imposes an unnecessary **Epistemic Overhead**.
3. This separation protects the **Consumer** (Science) from inheriting logical paradoxes irrelevant to physical reality.

We should stop teaching students that mathematics is a precarious tower resting on a single infinite foundation. Instead, we should teach them the architecture of the Federation: a robust network of safe, decidable domains connected by strong, explicit bridges.

Gödel famously speculated that either mathematics is too big for the human mind, or the human mind is more than a single machine. The federalist architecture of mathematics suggests a resolution: mathematics is indeed too big for any single formal machine, such as ZFC. The human mind navigates this vastness not by forcing all mathematical truth into one universal syntax, but by acting as the architect of a federation—building localized, tame machines, and traversing the wild spaces between them with explicit, deliberate bridges. Federalism is not defeat; it is an organizing insight that makes mathematical practice possible.

Appendix A. Formalizing the Decidability Threshold

Proposition A1 (Formalized Decidability Threshold). *Let T be a first-order theory in classical logic that is recursively axiomatizable (the axioms are recursively enumerable) and consistent. Suppose (i) T interprets Robinson arithmetic Q (or equivalently, contains a definable predicate $N(x)$ on which all primitive recursive functions are representable); and (ii) for each standard natural number n (coded in the meta-language) T proves there exist $x_1, \dots, x_n$ in N with $x_i \neq x_j$ for $i \neq j$ (i.e., N is provably infinite). Then the set of sentences provable in T is undecidable: there is no algorithm that, given an arbitrary sentence φ in the language of T , decides whether $T \vdash \varphi$.*

Proof sketch. Recursive axiomatizability together with representability yields an effective internal coding of syntax and a formula expressing the proof predicate; provably infinite discrete N supplies the definable domain necessary for diagonalization; classical logic allows the usual inferences about negation and provability. Hence one can construct a self-referential sentence asserting its own non-provability, and the standard Gödel/Turing diagonal argument shows that decidability of provability in T would yield a decision procedure for known undecidable sets (contradiction). See [15–17] for full formal details and variants. $\square$

Lemma A1 (Naming an infinite discrete copy of $\mathbb{N}$ in RCF yields undecidability). *Let RCF be the decidable theory of real closed fields in the language $\mathcal{L}_{\text{RCF}} = \{0, 1, +, \cdot, <\}$. Expand the language by a unary predicate P and (if convenient) a binary relation symbol S intended as successor on P . Let T^* be the theory consisting of RCF plus the following schemes of axioms: 1. (Discreteness) For every x , if $P(x)$ then there exists an open interval (expressible by field inequalities) containing x and no other element satisfying P . 2. (Infinity) For each standard natural number n there are axioms asserting existence of at least n distinct elements in P (equivalently: a scheme asserting “for every n there exist $x_1, \dots, x_n \in P$ pairwise distinct”). 3. (Arithmetic on P) Axioms interpreting a copy of arithmetic on P : either axioms for a total successor relation $S(x, y)$ making (P, S) isomorphic to an initial segment structure that can be extended to an interpretation of Robinson arithmetic Q , or explicit axioms stating that the graphs of addition and multiplication on P are definable (so that primitive recursive functions on P are representable).*

Then T^ is undecidable.*

Sketch of proof. The added axioms ensure a definable, provably infinite, discrete subset P and provide a means to interpret arithmetic on it; thus the hypotheses of the Decidability Threshold are satisfied while recursive enumerability is preserved by the finite or scheme axiomatization. Applying the standard diagonalization (Gödel/Turing) inside the coded arithmetic on P yields the usual self-referential sentence and shows provability in T^* is undecidable. Hence an otherwise tame decidable theory (RCF) can be turned into an undecidable theory by the apparently small syntactic step of naming and axiomatizing a discrete infinite predicate that carries arithmetic. This illustrates the concrete danger behind implicit reductions: naming an infinite discrete substructure is a small syntactic move with large metamathematical consequences. $\square$

Appendix A.1. Commentary: Mapping the Lemma to Modeling Mistakes

The lemma above is not a mere formal curiosity: it captures a recurring class of modeling errors. In practice, these errors take the following forms:

First, implicitly assuming the availability of arbitrary choice or selector functions (for example, “choose one representative from each equivalence class”) is equivalent to enriching the language of the model with new names or predicates that can encode discrete choices; this is the same move as adding a predicate P naming distinct points.

Second, introducing a mechanism to count, index, or enumerate otherwise continuous objects (for instance, by postulating a distinguished sequence of points or a labeled grid) is exactly the step that produces a definable copy of $\mathbb{N}$ and allows arithmetic to be interpreted. Both moves are syntactic: they change the expressive power of the theory even if the unchanged, original formulas about the continuous domain look the same.

References

1. Gödel, K. Some basic theorems on the foundations of mathematics and their implications. In *Collected Works, Volume III: Unpublished Essays and Lectures*; Feferman, S.; et al., Eds.; Oxford University Press, 1995. Delivered as the 25th Josiah Willard Gibbs Lecture (1951).
2. Tarski, A. *A Decision Method for Elementary Algebra and Geometry*; University of California Press, 1951.
3. Tarski, A. The Semantic Conception of Truth: and the Foundations of Semantics. *Philosophy and Phenomenological Research* **1944**, *4*, 341–376.
4. Gödel, K. Remarks before the Princeton bicentennial conference on problems in mathematics. In *Collected Works, Volume II: Publications 1938–1974*; Feferman, S.; et al., Eds.; Oxford University Press, 1990. Originally presented in 1946.
5. Mathias, A.R.D. A Term of Length 4,523,659,424,929. *Synthese* **2002**, *133*, 75–86. Calculates the precise combinatorial bloat of Bourbaki’s foundational system when defining the number 1.
6. Tarski, A. *Introduction to Logic and to the Methodology of Deductive Sciences*; Oxford University Press: New York, 1941.
7. De Giorgi, E. Sulla differenziabilità e l’analiticità delle estremali degli integrali multipli regolari. *Memorie della Accademia delle Scienze di Torino. Classe di Scienze Fisiche, Matematiche e Naturali* **1957**, *3*, 25–43.
8. Nash, J. Continuity of solutions of parabolic and elliptic equations. *American Journal of Mathematics* **1958**, *80*, 931–954.
9. Banach, S.; Tarski, A. Sur la décomposition des ensembles de points en parties respectivement congruentes. *Fundamenta Mathematicae* **1924**, *6*, 244–277.
10. Wagon, S. *The Banach–Tarski Paradox*; Cambridge University Press: Cambridge, 1985.
11. Montague, R. *Deterministic Theories and Interpretations*; 1965.
12. Feferman, S. What rests on what? The proof-theoretic analysis of mathematics. In *Proceedings of the Proceedings of the 15th International Congress of Logic, Methodology and Philosophy of Science*, 1998.
13. Voevodsky, V. The Origins and Motivations of Univalent Foundations. *The Institute Letter* **2014**.
14. Mac Lane, S. *Categories for the Working Mathematician*; Springer, 1998.
15. Gödel, K. Über formal unentscheidbare Sätze der Principia Mathematica und verwandter Systeme I. *Monatshefte für Mathematik und Physik* **1931**, *38*, 173–198.
16. Turing, A.M. On Computable Numbers, with an Application to the Entscheidungsproblem. *Proceedings of the London Mathematical Society, Series 2* **1936**, *42*, 230–265.
17. Tarski, A.; Mostowski, A.; Robinson, R.M. *Undecidable Theories*; North-Holland, 1953.

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.