

Sommario

Table S1. Detailed cardiovascular area (AMI/STEMI) indicators sheets.	3
Table S2. Detailed cerebrovascular area indicators sheet.	3
Table S3. ICD-9-CM codes.	5
Table S4. List of participating facilities.	7
Figure S1. Flow chart of inclusion of Lazio facilities who have in charge AMI patients.	7
Figure S2. Flow chart of inclusion of Lazio facilities who have in charge STEMI patients.	8
Figure S3. Flow chart of inclusion of Lazio facilities who have in charge ischemic stroke patients.	8
Table S5. Distribution of patients belonging to the IMA cohorts by year of analysis and facility.	9
Table S6. Distribution of patients belonging to the STEMI cohorts by year of analysis and facility.	10
Table S7. Distribution of patients belonging to stroke cohorts by year of analysis and facility (a and b).	11
Table S8. Characteristics of patients included in the AMI cohort in 2021 and 2022 from participating facilities according to A&F intervention exposure status.	12
Table S9. Characteristics of patients included in the AMI cohort in 2021 (PRE) from participating facilities according to A&F intervention exposure status.	13
Table S10. Characteristics of patients included in the AMI cohort in 2022 (POST) from participating facilities according to A&F intervention exposure status.	14
Table S11. Characteristics of patients included in the AMI cohort in 2021 (PRE) from participating facilities by 30-days mortality after first hospital admission in patients with AMI (Yes/No).	15
Table S12. Characteristics of patients included in the AMI cohort in 2022 (POST) from participating facilities by 30-days mortality after first hospital admission in patients with AMI (Yes/No).	16
Table S13. Characteristics of patients included in the STEMI cohort in 2021 and 2022 from participating facilities according to A&F intervention exposure status.	17
Table S14. Characteristics of patients included in the STEMI cohort in 2021 (PRE) from participating facilities according to A&F intervention exposure status.	18
Table S15. Characteristics of patients included in the STEMI cohort in 2022 (POST) from participating facilities according to A&F intervention exposure status.	19
Table S16. Characteristics of patients included in the STEMI cohort in 2021 (PRE) from participating facilities according to performing of PTCA within 90 minutes of admission to the hospital ER (Yes/No).	20
Table S17. Characteristics of patients included in the STEMI cohort in 2022 (POST) from participating facilities according to performing of PTCA within 90 minutes of admission to the hospital ER (Yes/No).	21
Table S18. Characteristics of patients included in the ischemic stroke cohort (in hospital mortality) in 2021 and 2022 from participating facilities according to A&F intervention exposure status.	22
Table S19. Characteristics of patients included in the ischemic stroke cohort (in hospital mortality) in 2021(PRE) from participating facilities according to A&F intervention exposure status.	22
Table S20. Characteristics of patients included in the ischemic stroke cohort (in hospital mortality) in 2022 (POST) from participating facilities according to A&F intervention exposure status.	24

Table S21. Characteristics of patients included in the ischemic stroke cohort in 2021 (PRE) from participating facilities by in hospital 30-days mortality since first hospital admission in patients with ischemic stroke (Yes/No).....	25
Table S22. Characteristics of patients included in the ischemic stroke cohort in 2022 (POST) from participating facilities by in hospital 30-days mortality since first hospital admission in patients with ischemic stroke (Yes/No).....	26
Table S23. Characteristics of patients included in the ischemic stroke cohort (hospital readmissions) in 2021 and 2022 from participating facilities according to A&F intervention exposure status.	27
Table S24. Characteristics of patients included in the ischemic stroke cohort (hospital readmissions) in 2021(PRE) from participating facilities according to A&F intervention exposure status.	28
Table S25. Characteristics of patients included in the ischemic stroke cohort (hospital readmissions) in 2022 (POST) from participating facilities according to A&F intervention exposure status.	29
Table S26. Characteristics of patients included in the stroke cohort in 2021 (PRE) from participating facilities according to of in hospital readmissions within 30-days of discharge for ischemic stroke (Yes/No).....	30
Table S27. Characteristics of patients included in the stroke cohort in 2022 (POST) from participating facilities according to of in hospital readmissions within 30-days of discharge for ischemic stroke (Yes/No).....	30

Table S1. Detailed cardiovascular area (AMI/STEMI) indicators sheets.

INDICATOR	30-days mortality after first hospital admission of patients with AMI
DIMENSION	Outcome
RATIONAL	Timely and effective treatments are essential for the survival of the acute myocardial infarction (AMI) patient, particularly in the case of a STEMI. Mortality at 30-days after IMA is considered a valid and reproducible indicator of the appropriateness and effectiveness of the diagnostic-therapeutic process that begins with hospitalization. With the widespread use of fibrinolytic drugs, aspirin, and coronary revascularization interventions, mortality has gone from 18% to 6-7% in the past 30 years. Reperfusion therapy, if implemented correctly and with the necessary timeliness, results in both decreased mortality and improved short- and long-term prognosis. However, the choice of treatment pathway should be made even before arrival at the hospital taking into account the characteristics of the available organization and the patient's clinical picture, based on which to perform risk stratification. https://www.dep.lazio.it/prevale2022/documenti/razionali/definizione_1.pdf
YEAR/S	2021,2022
STANDARD	Nd; analysis by volume classes
PROTOCOL	https://www.dep.lazio.it/prevale2022/documenti/protocolli/pro_1.pdf

INDICATOR	Proportion of PTCA performed in STEMI patients within 90 min of admission to the hospital ER
DIMENSION	Timeliness
RATIONAL	In patients with STEMI, PTCA is considered the treatment of choice when it can be performed by expert personnel, in an appropriate Cath laboratory, within 90 minutes of the first contact with the Health Service. In fact, the literature has demonstrated the inverse relationship between the timeliness of execution of the procedure in patients with AMI (door-to-balloon time) and short-term mortality. https://www.dep.lazio.it/prevale2022/documenti/razionali/definizione_610.pdf
YEAR/S	2021,2022
STANDARD	≥60% (DM 70/2015; DCA 412/2014)
PROTOCOL	https://www.dep.lazio.it/prevale2022/documenti/protocolli/pro_610.pdf

Table S2. Detailed cerebrovascular area indicators sheet.

INDICATOR	30-days in hospital mortality after first hospital admission in patients with ischemic stroke Proportion of in hospital readmissions within 30-days of discharge for ischemic stroke
DIMENSION	Outcome
RATIONAL	Individuals with stroke are at increased risk of adverse outcomes following the acute event including death but also recurrence, disability, complications, and general clinical deterioration.

	Mortality at 30-days after hospitalization for stroke is internationally considered a valid and reproducible indicator of the appropriateness and effectiveness of the diagnostic-therapeutic process. Given the likelihood of recurrence, "hospital readmissions at 30-days after treatment for ischemic stroke" also represents a short-term, measurable health outcome. Recurrences may be associated with disease progression but may also depend on the quality of both intra- and extrahospital care processes. The rate of rehospitalizations 30-days after a hospital discharge can, therefore, be a valid indicator of the quality of care provided. There is evidence in the literature that improvements in discharge processes can, for example, reduce the rate of hospital readmissions. These also expose the patient to additional risk of hospital infections and complications in general as well as incurring additional costs for hospitals. Monitoring this outcome offers the possibility of identifying opportunities for improvement in the care process, in this case intrahospital, and achieving better patient outcomes. https://www.dep.lazio.it/prevale2022/documenti/razionali/definizione_18.pdf
YEAR/S	2021,2022
STANDARD	nd;
PROTOCOL	https://www.dep.lazio.it/prevale2022/documenti/protocolli/pro_19.pdf https://www.dep.lazio.it/prevale2022/documenti/protocolli/pro_18.pdf

Table S3. ICD-9-CM codes.

Indicators	Calculation	Data sources	ICD9-CM primary or secondary diagnoses codes		ICD9-CM procedures codes
			Inclusion	Exclusion	Inclusion
STEMI: Proportion of PTCA performed in STEMI patients within 90 min of admission to the hospital ER	Number of hospitalized patients diagnosed with STEMI who received PTCA within 90 minutes from access to ER / Number of hospitalization of patients diagnosed with STEMI	HDR, HEIS	410.XX 411, 413, 414, 423.0, 426, 427, 428, 429.5, 429.6, 429.71, 429.79, 429.81, 518.4, 518.81, 780.01, 780.2, 785.51, 799.1, 997.02, 998.2	410.7X, 410.9.X 427.5	00.66, 36.01, 36.02, 36.05, 36.06 36.07
AMI: 30-days mortality after first hospital admission of patients with AMI	Number of hospitalized patients diagnosed with STEMI who died during the 30-days after hospital admission/ Number of hospitalized patients diagnosed with AMI	HDR, HEIS, Tax Registry			
Ischemic Stroke: intrahospital 30-days mortality after first hospital admission in patients with ischemic stroke	Number of admissions with a principal diagnosis of ischemic stroke in which the patient is found to have died within thirty days from the date of first admission/Number of hospitalizations with principal diagnosis of ischemic stroke.	HDR, HEIS, Tax Registry	433.x1, 434.x1, 436	430,431,432.X 290-319 140.0-208.9 Admissions preceded by another hospitalization with a stroke diagnosis within 1 year from the date of first admission (430,431,	72-75

				432.X, 433.x1, 434.x1, 436)	
Ischemic Stroke: in hospital readmissions within 30-days of discharge for ischemic stroke	Number of hospitalizations followed within 30-days from the date of discharge by at least one hospitalization ordinary acute care hospital admission/ Number hospitalizations with principal diagnosis of ischemic stroke.	HDR, HEIS,	433.x1, 434.x1, 436	430,431,432.X 290-319 140.0-208.9 Admissions preceded by another hospitalization with a stroke diagnosis within 1 year from the date of first admission (430,431, 432.X, 433.x1, 434.x1, 436)	72-75

STEMI: ST Elevation Myocardial Infarction

PTCA: Percutaneous Transluminal Coronary Angioplasty

ER: Emergency Room


HEIS: Healthcare Emergency Information System

HDR: Italian Hospital Discharge Registry

Table S4. List of participating facilities.


PATHWAYS		
	AMI	Ischemic stroke
Participating facilities	Osp. S. Spirito (ASL Roma 1)	Osp. S. Spirito (ASL Roma 1)
	Osp. S. Eugenio-CTO (ASL Roma 2)	Osp. S. Eugenio-CTO (ASL Roma 2)
	Osp. G. Grassi (ASL Roma 3)	Osp. G. Grassi (ASL Roma 3)
	Osp. S. Paolo (ASL Roma 4)	Osp. S. Paolo (ASL Roma 4)
	Osp. L. Parodi Delfino (ASL Roma 5)	Osp. L. Parodi Delfino (ASL Roma 5)
	Nuovo Ospedale dei Castelli (ASL Roma 6)	
	Osp. S. Maria Goretti (ASL Latina)	Osp. S. Maria Goretti (ASL Latina)
	Osp. F. Spaziani (ASL Frosinone)	
	Osp. S. Camillo De Lellis (ASL Rieti)	Osp. S. Camillo De Lellis (ASL Rieti)
	Osp. Di Belcolle (ASL Viterbo)	Osp. Di Belcolle (ASL Viterbo)
	A.O.U.U. S. Andrea	A.O.U.U. S. Andrea
	Pol. U. A. Gemelli	Pol. U. A. Gemelli
	Osp. S. Carlo di Nancy	Osp. S. Carlo di Nancy
	A.O. S. Camillo Forlanini	
	Osp. S. Pertini	
	Osp. M.G. Vannini	
		A.O.U.U. Umberto I
		A.O.U.U. Tor Vergata

Figure S1. Flow chart of inclusion of Lazio facilities who have in charge AMI patients.




* <https://www.regione.lazio.it/enti/salute/sistemi-emergenza/rete-emergenza-ospedaliera>

Figure S2. Flow chart of inclusion of Lazio facilities who have in charge STEMI patients.



* <https://www.regione.lazio.it/enti/salute/sistemi-emergenza/rete-emergenza-ospedaliera>

Figure S3. Flow chart of inclusion of Lazio facilities who have in charge ischemic stroke patients.



* <https://www.regione.lazio.it/enti/salute/sistemi-emergenza/rete-ictus->

Table S5. Distribution of patients belonging to the IMA cohorts by year of analysis and facility.

FACILITIES	PRE-2021	POST-2022	Total
	N (col%)	N (col%)	N (col%)
	5986 (49.1)	6210 (50.9)	12196 (100)
EXPOSED	3393 (48.5)	3609 (51.5)	7002 (100)
A.O. S.CAMILLO FORLANINI	289 (8.5)	321 (8.9)	610 (8.7)
A.O.U.U. S.ANDREA	354 (10.4)	345 (9.6)	699 (10.0)
NUOVO OSPEDALE DEI CASTELLI	–	111 (3.1)	111 (1.6)
OSP. DI BELCOLLE	386 (11.4)	366 (10.1)	752 (10.7)
OSP. F.SPAZIANI	301 (8.9)	310 (8.6)	611 (8.7)
OSP. G.GRASSI	261 (7.9)	256 (7.1)	517 (7.4)
OSP. L.PARODI DELFINO	70 (2.1)	61 (1.7)	131 (1.9)
OSP. S.CAMILLO DE LELLIS	260 (7.7)	208 (5.8)	468 (6.7)
OSP. S.EUGENIO	182 (5.4)	178 (4.9)	360 (5.1)
OSP. S.MARIA GORETTI	419 (12.4)	448 (12.4)	867 (12.4)
OSP. S.PAOLO	40 (1.2)	51 (1.4)	91 (1.3)
OSP. S.PERTINI	232 (6.8)	260 (7.2)	492 (7.0)
OSP. S.SPIRITO	177 (5.3)	210 (5.8)	387 (5.5)
OSP.C. G.VANNINI	102 (3.1)	204 (5.7)	306 (4.4)
POL.U. A.GEMELLI	320 (9.4)	280 (7.8)	600 (8.6)
CONTROLS	2593 (49.9)	2601 (50.1)	5194 (100)
A.O. S.GIOVANNI ADDOLORATA	223 (8.6)	208 (8.0)	431 (8.3)
A.O.U.U. TOR VERGATA	385 (14.85)	344 (13.2)	729 (14.0)
A.O.U.U. UMBERTO I	184 (7.1)	168 (6.5)	352 (6.8)
C.C.A. AURELIA HOSPITAL	202 (7.79)	168 (6.5)	370 (7.1)
C.C.A.S.ANNA	101 (3.9)	86 (3.3)	187 (3.6)
OSP. DI ANZIO E NETTUNO	48 (1.85)	33 (1.3)	81 (1.6)
OSP. DONO SVIZZERO	245 (9.45)	257 (9.9)	502 (9.7)
OSP. S.GIOVANNI EVANGELISTA	155 (5.98)	188 (7.2)	343 (6.6)
OSP. S.SCOLASTICA	43 (1.66)	51 (2.0)	94 (1.8)
OSP. S.SEBASTIANO	99 (3.82)	61 (2.4)	160 (3.1)
OSP. SS.TRINITA'	61 (2.35)	60 (2.1)	121 (2.3)
OSP.C. S.PIETRO FATEBENEFRAELLI	176 (6.79)	238 (9.2)	414 (8.0)
OSPEDALE FATEBENEFRAELLI-ISOLA TIBERINA	–	78 (3.0)	78 (1.5)
POL.U. CAMPUS BIOMEDICO	66 (2.55)	103 (3.7)	169 (3.3)
POLICLINICO CASILINO	342 (13.19)	300 (11.3)	642 (12.4)
PRESIDIO OSPEDALIERO SAN FILIPPO NERI	263 (10.14)	258 (9.2)	521 (10.0)

Table S6. Distribution of patients belonging to the STEMI cohorts by year of analysis and facility.

FACILITIES	PRE-2021	POST-2022	Totale
	N(col%)	N(col%)	N(col%)
	2433 (47.8)	2651 (52.5)	5084 (100)
EXPOSED	1541 (47.1)	1731 (52.9)	3272 (100)
A.O. S.CAMILLO FORLANINI	136 (8.8)	160 (9.2)	296 (9.1)
A.O.U.U. S.ANDREA	164 (10.6)	172 (9.9)	336 (10.3)
OSP. DI BELCOLLE	161 (10.5)	166 (9.6)	327 (10.0)
OSP. F.SPAZIANI	206 (13.4)	198 (11.4)	404 (12.4)
OSP. G.GRASSI	110 (7.1)	109 (6.3)	219 (6.7)
OSP. S.CAMILLO DE LELLIS	71 (4.6)	80 (4.6)	151 (4.6)
OSP. S.EUGENIO	108 (7.0)	108 (6.2)	216 (6.6)
OSP. S.MARIA GORETTI	201 (13.0)	249 (14.4)	450 (13.8)
OSP. S.PERTINI	122 (7.9)	143 (8.3)	265 (8.1)
OSP. S.SPIRITO	55 (3.6)	76 (4.4)	131 (4.0)
OSP.C. G.VANNINI	39 (2.5)	81 (4.7)	120 (3.7)
POL.U. A.GEMELLI	168 (10.9)	189 (10.9)	357 (10.9)
CONTROLS	892 (49.2)	920 (50.8)	1812 (100)
A.O. S.GIOVANNI ADDOLORATA	82 (9.2)	89 (9.7)	171 (9.4)
A.O.U.U. TOR VERGATA	224 (25.1)	250 (27.2)	474 (26.2)
A.O.U.U. UMBERTO I	124 (13.9)	99 (10.7)	223 (12.3)
OSP. DONO SVIZZERO	94 (10.5)	117 (12.7)	211 (11.6)
OSP. S.GIOVANNI EVANGELISTA	82 (9.2)	87 (9.5)	169 (9.3)
OSP.C. S.PIETRO FATEBENEFRAELLI	58 (6.5)	67 (7.8)	125 (6.9)
POLICLINICO CASILINO	168 (18.8)	155 (16.9)	323 (17.8)
PRESIDIO OSPEDALIERO SAN FILIPPO NERI	60 (6.7)	56 (6.1)	116 (6.4)

Table S7. Distribution of patients belonging to stroke cohorts by year of analysis and facility (a and b).

a) Intrahospital mortality within 30-days after first hospital admission for ischemic stroke.

FACILITIES	PRE-2021	PRE-2022	Totale
	N(col%)	N(col%)	N(col%)
	2954 (49.7)	2995 (50.3)	5949 (100)
EXPOSED	1885 (49.7)	1908 (50.3)	3793 (100)
A.O.U.U. S.ANDREA	206 (10.9)	200 (10.5)	406 (10.7)
A.O.U.U. TOR VERGATA	448 (23.8)	419 (22.0)	867 (22.9)
A.O.U.U. UMBERTO I	308 (16.3)	350 (18.3)	658 (17.4)
OSP. DI BELCOLLE	167 (8.9)	191 (10.0)	358 (9.5)
OSP. S.CAMILLO DE LELLIS	88 (4.7)	89 (4.7)	177 (4.7)
OSP. S.EUGENIO	167 (8.9)	118 (6.2)	285 (7.5)
OSP. S.MARIA GORETTI	149 (7.9)	225 (11.8)	374 (9.9)
POL.U. A.GEMELLI	352 (18.7)	316 (16.6)	668 (17.6)
CONTROLS	1069 (49.6)	1087 (50.4)	2156 (100)
A.O. S.CAMILLO FORLANINI	260 (24.3)	245 (22.5)	505 (23.4)
A.O. S.GIOVANNI ADDOLORATA	278 (26.0)	226 (20.8)	504 (23.4)
NUOVO OSPEDALE DEI CASTELLI	–	56 (5.2)	56 (2.6)
OSP. DONO SVIZZERO	46 (4.3)	48 (4.4)	94 (4.4)
OSP. F.SPAZIANI	107 (10.0)	116 (10.7)	223 (10.3)
OSP. SS.TRINITA'	–	79 (7.3)	79 (3.7)
OSP.C. S.PIETRO FATEBENEFRATELLI	46 (4.3)	–	46 (2.1)
POL.U. CAMPUS BIOMEDICO	208 (19.5)	198 (18.2)	406 (18.8)
POLICLINICO CASILINO	45 (4.2)	36 (3.3)	81 (3.8)
PRESIDIO OSPEDALIERO SAN FILIPPO NERI	79 (7.4)	83 (7.6)	162 (7.5)

b) Hospital readmissions within 30-days after discharge for ischemic stroke.

FACILITIES	PRE-2021	PRE-2022	Totale
	N(col%)	N(col%)	N(col%)
	2685 (49.2)	2768 (50.8)	5453(100)
EXPOSED	1711 (49.3)	1760 (50.7)	3471 (100)
A.O.U.U. S.ANDREA	186 (10.9)	182 (10.4)	368 (10.6)
A.O.U.U. TOR VERGATA	424 (24.8)	398 (22.6)	822 (23.7)
A.O.U.U. UMBERTO I	271 (15.8)	315 (17.9)	586 (16.9)
OSP. DI BELCOLLE	155 (9.1)	184 (10.5)	339 (9.8)
OSP. S.CAMILLO DE LELLIS	82 (4.8)	76 (4.3)	158 (4.6)
OSP. S.EUGENIO	154 (9.0)	108 (6.1)	262 (7.6)
OSP. S.MARIA GORETTI	129 (7.5)	197 (11.2)	326 (9.4)
POL.U. A.GEMELLI	310 (18.2)	300 (17.1)	610 (17.6)
CONTROLS	974 (49.1)	1008 (50.9)	1982 (100)
A.O. S.CAMILLO FORLANINI	236 (24.3)	224 (22.2)	460 (23.2)
A.O. S.GIOVANNI ADDOLORATA	245 (25.2)	204 (20.2)	449 (22.7)
NUOVO OSPEDALE DEI CASTELLI	–	54 (5.4)	54 (2.7)
OSP. DONO SVIZZERO	39 (4.0)	48 (4.8)	87 (4.4)
OSP. F.SPAZIANI	98 (10.1)	106 (10.5)	204 (10.3)
OSP. SS.TRINITA'	–	64 (6.4)	64 (3.2)
OSP.C. S.PIETRO FATEBENEFRATELLI	46 (4.7)	–	46 (2.3)
POL.U. CAMPUS BIOMEDICO	201 (20.6)	193 (19.2)	394 (19.9)
POLICLINICO CASILINO	40 (4.1)	35 (3.5)	75 (3.8)
PRESIDIO OSPEDALIERO SAN FILIPPO NERI	69 (7.1)	80 (7.9)	149 (7.5)

Description of patient populations

AMI patient cohort

Table S8. Characteristics of patients included in the AMI cohort in 2021 and 2022 from participating facilities according to A&F intervention exposure status.

	Exposed			Control			Total		χ^2 p-value
	N	col%	row%	N	col%	row%	N	col%	
Total	7002			5194			12196		
Sex									0.073
Female	2025	28.9	56.2	1580	30.4	43.8	3605	29.6	
Male	4977	71.1	57.9	3614	69.6	42.1	8591	70.4	
Age (years)									0.959
19-59	1778	25.4	57.5	1315	25.3	42.5	3093	25.4	
60-69	1760	25.1	57.4	1308	25.2	42.6	3068	25.2	
70-79	1741	24.9	57.7	1274	24.5	42.3	3015	24.7	
80-100	1723	24.6	57.1	1297	25.0	42.9	3020	24.8	
Education level									0.971
Degree	724	10.3	58.2	520	10.0	41.8	1244	10.2	
Lower middle high school	2269	32.4	57.5	1677	32.3	42.5	3946	32.4	
Middle high school	1989	28.4	57.4	1479	28.5	42.6	3468	28.4	
None or elementary	1729	24.7	57.0	1303	25.1	43.0	3032	24.9	
Not stated	291	4.2	57.5	215	4.1	42.5	506	4.2	
Concomitant clinical conditions									
Cancer	383	5.5	56.8	291	5.6	43.2	674	5.5	0.751
Diabetes	400	5.7	55.4	322	6.2	44.6	722	5.9	0.260
Lipid metabolism disorders	187	2.7	52.8	167	3.2	47.2	354	2.9	0.077
Obesity	34	0.5	51.5	32	0.6	48.5	66	0.5	0.331
Obesity at index admission	324	4.6	60.2	214	4.1	39.8	538	4.4	0.178
Anaemia	173	2.5	53.1	153	3.0	46.9	326	2.7	0.108
Anaemia at index admission	323	4.6	57.9	235	4.5	42.1	558	4.6	0.817
Coagulation defects	4	0.1	66.7	2	0.0	33.3	6	0.1	0.647
Coagulation defects at index admission	2	0.0	66.7	1	0.0	33.3	3	0.0	0.746
Other haematological diseases	15	0.2	48.4	16	0.3	51.6	31	0.3	0.309
Other haematological diseases at index admission	28	0.4	60.9	18	0.4	39.1	46	0.4	0.635
Arterial hypertension	666	9.5	53.8	571	11.0	46.2	1237	10.1	0.007
Previous myocardial infarction	547	7.8	57.6	402	7.7	42.4	949	7.8	0.883
Other forms of ischemic heart disease	567	8.1	57.0	428	8.2	43.0	995	8.2	0.776
Heart failure	300	4.3	55.4	242	4.7	44.6	542	4.4	0.321
Not well-defined forms and complications of heart disease	41	0.6	54.7	34	0.7	45.3	75	0.6	0.630
Rheumatic heart disease	24	0.3	55.8	19	0.4	44.2	43	0.4	0.832
Rheumatic heart disease at index admission	98	1.4	61.3	62	1.2	38.8	160	1.3	0.323
Cardiomyopathies	37	0.5	67.3	18	0.4	32.7	55	0.5	0.138
Cardiomyopathies at index admission	72	1.0	51.8	67	1.3	48.2	139	1.1	0.178
Acute endocarditis and myocarditis	5	0.1	83.3	1	0.0	16.7	6	0.1	0.199
Other cardiac conditions	61	0.9	58.1	44	0.9	41.9	105	0.9	0.887
Other cardiac conditions at index admission	186	2.7	57.4	138	2.7	42.6	324	2.7	0.999
Conduction disorders and arrhythmias	312	4.5	54.4	262	5.0	45.6	574	4.7	0.129
Cerebrovascular diseases	233	3.3	56.4	180	3.5	43.6	413	3.4	0.677
Cerebrovascular diseases at index admission	183	2.6	54.8	151	2.9	45.2	334	2.7	0.326
Vascular diseases	169	2.4	56.3	131	2.5	43.7	300	2.5	0.702
Vascular diseases at index admission	213	3.0	57.3	159	3.1	42.7	372	3.1	0.951
Chronic obstructive pulmonary disease (COPD)	149	2.1	51.9	138	2.7	48.1	287	2.4	0.057
Chronic nephropathy	252	3.6	58.3	180	3.5	41.7	432	3.5	0.693
Chronic kidney disease	567	8.1	53.4	494	9.5	46.6	1061	8.7	0.006
Chronic diseases (liver, pancreas, intestines)	46	0.7	67.6	22	0.4	32.4	68	0.6	0.087
Chronic diseases (liver, pancreas, intestine) at index admission	46	0.7	65.7	24	0.5	34.3	70	0.6	0.159
Previous coronary artery bypass grafting	202	2.9	63.5	116	2.2	36.5	318	2.6	0.026
Previous coronary angioplasty	757	10.8	61.4	476	9.2	38.6	1233	10.1	0.003
Cerebrovascular revascularization	39	0.6	51.3	37	0.7	48.7	76	0.6	0.281
Other heart surgery	49	0.7	66.2	25	0.5	33.8	74	0.6	0.125
Other vessel surgery	154	2.2	58.6	109	2.1	41.4	263	2.2	0.705
Type of hospital*									<.0001
EADI	4794	68.5	59.0	3335	64.2	41.0	8129	66.7	
EADII	2077	29.7	57.9	1512	29.1	42.1	3589	29.4	
ER	131	1.9	27.4	347	6.7	72.6	478	3.9	

*EADI: Emergency Admission Department level I;
EADII: Emergency Admission Department level II;
ER: Emergency Room.

Table S9. Characteristics of patients included in the AMI cohort in 2021 (PRE) from participating facilities according to A&F intervention exposure status.

	Exposed			Control			Total		χ^2 p-value
	N	col%	row%	N	col%	row%	N	col%	
Total	3393			2593			5986		
Sex									0.593
Female	999	29.4	56.2	780	30.1	43.8	1779	29.7	
Male	2394	70.6	56.9	1813	69.9	43.1	4207	70.3	
Age (years)									0.846
19-59	866	25.5	56.3	672	25.9	43.7	1538	25.7	
60-69	845	24.9	56.1	661	25.5	43.9	1506	25.2	
70-79	843	24.9	56.7	643	24.8	43.3	1486	24.8	
80-100	839	24.7	57.6	617	23.8	42.4	1456	24.3	
Education level									0.180
Degree	357	10.5	61.4	224	8.6	38.6	581	9.7	
Lower middle high school	1089	32.1	56.1	851	32.8	43.9	1940	32.4	
Middle high school	961	28.3	56.6	736	28.4	43.4	1697	28.4	
None or elementary	861	25.4	55.7	686	26.5	44.3	1547	25.8	
Not stated	125	3.7	56.6	96	3.7	43.4	221	3.7	
Concomitant clinical conditions									
Cancer	187	5.5	57.7	137	5.3	42.3	324	5.4	0.699
Diabetes	180	5.3	53.4	157	6.1	46.6	337	5.6	0.212
Lipid metabolism disorders	77	2.3	47.0	87	3.4	53.0	164	2.7	0.011
Obesity	14	0.4	48.3	15	0.6	51.7	29	0.5	0.360
Obesity at index admission	172	5.1	63.9	97	3.7	36.1	269	4.5	0.014
Anaemia	87	2.6	55.1	71	2.7	44.9	158	2.6	0.677
Anaemia at index admission	147	4.3	57.4	109	4.2	42.6	256	4.3	0.807
Coagulation defects	2	0.1	66.7	1	0.0	33.3	3	0.1	0.727
Coagulation defects at index admission	—	—	—	1	0.0	100.0	1	0.0	0.253
Other haematological diseases	9	0.3	45.0	11	0.4	55.0	20	0.3	0.291
Other haematological diseases at index admission	13	0.4	50.0	13	0.5	50.0	26	0.4	0.491
Arterial hypertension	318	9.4	52.1	292	11.3	47.9	610	10.2	0.017
Previous myocardial infarction	262	7.7	53.4	229	8.8	46.6	491	8.2	0.121
Other forms of ischemic heart disease	277	8.2	55.1	226	8.7	44.9	503	8.4	0.446
Heart failure	152	4.5	56.7	116	4.5	43.3	268	4.5	0.991
Not well-defined forms and complications of heart disease	21	0.6	45.7	25	1.0	54.3	46	0.8	0.130
Rheumatic heart disease	14	0.4	51.9	13	0.5	48.1	27	0.5	0.612
Rheumatic heart disease at index admission	56	1.7	63.6	32	1.2	36.4	88	1.5	0.185
Cardiomyopathies	21	0.6	70.0	9	0.4	30.0	30	0.5	0.140
Cardiomyopathies at index admission	32	0.9	46.4	37	1.4	53.6	69	1.2	0.082
Acute endocarditis and myocarditis	4	0.1	80.0	1	0.0	20.0	5	0.1	0.293
Other cardiac conditions	28	0.8	60.9	18	0.7	39.1	46	0.8	0.565
Other cardiac conditions at index admission	102	3.0	55.1	83	3.2	44.9	185	3.1	0.666
Conduction disorders and arrhythmias	164	4.8	55.2	133	5.1	44.8	297	5.0	0.602
Cerebrovascular diseases	112	3.3	57.7	82	3.2	42.3	194	3.2	0.764
Cerebrovascular diseases at index admission	83	2.5	52.2	76	2.9	47.8	159	2.7	0.248
Vascular diseases	86	2.5	59.7	58	2.2	40.3	144	2.4	0.456
Vascular diseases at index admission	88	2.6	51.5	83	3.2	48.5	171	2.9	0.162
Chronic obstructive pulmonary disease (COPD)	74	2.2	49.3	76	2.9	50.7	150	2.5	0.066
Chronic nephropathy	123	3.6	58.6	87	3.4	41.4	210	3.5	0.574
Chronic kidney disease	262	7.7	51.8	244	9.4	48.2	506	8.5	0.020
Chronic diseases (liver, pancreas, intestines)	26	0.8	66.7	13	0.5	33.3	39	0.7	0.207
Chronic diseases (liver, pancreas, intestine) at index admission	21	0.6	61.8	13	0.5	38.2	34	0.6	0.549
Previous coronary artery bypass grafting	99	2.9	61.5	62	2.4	38.5	161	2.7	0.212
Previous coronary angioplasty	384	11.3	60.2	254	9.8	39.8	638	10.7	0.059
Cerebrovascular revascularization	15	0.4	51.7	14	0.5	48.3	29	0.5	0.589
Other heart surgery	20	0.6	60.6	13	0.5	39.4	33	0.6	0.648
Other vessel surgery	72	2.1	55.8	57	2.2	44.2	129	2.2	0.841
Type of hospital*									<.0001
EADI	2295	67.6	58.9	1601	61.7	41.1	3896	65.1	
EADII	1028	30.3	56.5	792	30.5	43.5	1820	30.4	
ER	70	2.1	25.9	200	7.7	74.1	270	4.5	

*EADI: Emergency Admission Department level I;
EADII: Emergency Admission Department level II;
ER: Emergency Room.

Table S10. Characteristics of patients included in the AMI cohort in 2022 (POST) from participating facilities according to A&F intervention exposure status.

	Exposed			Control			Total		χ^2 p-value
	N	col%	row%	N	col%	row%	N	col%	
Total	3609			2601			6210		
Sex									0.047
Female	1026	28.4	56.2	800	30.8	43.8	1826	29.4	
Male	2583	71.6	58.9	1801	69.2	41.1	4384	70.6	
Age (years)									0.534
19-59	912	25.3	58.6	643	24.7	41.4	1555	25.0	
60-69	915	25.4	58.6	647	24.9	41.4	1562	25.2	
70-79	898	24.9	58.7	631	24.3	41.3	1529	24.6	
80-100	884	24.5	56.5	680	26.1	43.5	1564	25.2	
Education level									0.633
Bachelor's degree	367	10.2	55.4	296	11.4	44.6	663	10.7	
Lower middle high school	1180	32.7	58.8	826	31.8	41.2	2006	32.3	
Middle high school	1028	28.5	58.0	743	28.6	42.0	1771	28.5	
None or elementary	868	24.1	58.5	617	23.7	41.5	1485	23.9	
Not stated	166	4.6	58.2	119	4.6	41.8	285	4.6	
Concomitant clinical conditions									
Cancer	196	5.4	56.0	154	5.9	44.0	350	5.6	0.409
Diabetes	220	6.1	57.1	165	6.3	42.9	385	6.2	0.690
Lipid metabolism disorders	110	3.1	57.9	80	3.1	42.1	190	3.1	0.950
Obesity	20	0.6	54.1	17	0.7	45.9	37	0.6	0.616
Obesity at index admission	152	4.2	56.5	117	4.5	43.5	269	4.3	0.584
Anaemias	86	2.4	51.2	82	3.2	48.8	168	2.7	0.065
Anaemias at index admission	176	4.9	58.3	126	4.8	41.7	302	4.9	0.953
Coagulation defects	2	0.1	66.7	1	0.0	33.3	3	0.1	0.764
Coagulation defects at index admission	2	0.1	100.0	—	—	—	2	0.0	0.230
Other haematological diseases	6	0.2	54.5	5	0.2	45.5	11	0.2	0.810
Other haematological diseases at index admission	15	0.4	75.0	5	0.2	25.0	20	0.3	0.125
Arterial hypertension	348	9.6	55.5	279	10.7	44.5	627	10.1	0.162
Previous myocardial infarction	285	7.9	62.2	173	6.7	37.8	458	7.4	0.064
Other forms of ischemic heart disease	290	8.0	58.9	202	7.8	41.1	492	7.9	0.698
Heart failure	148	4.1	54.0	126	4.8	46.0	274	4.4	0.159
Not well-defined forms and complications of heart disease	20	0.6	69.0	9	0.4	31.0	29	0.5	0.235
Rheumatic heart disease	10	0.3	62.5	6	0.2	37.5	16	0.3	0.722
Rheumatic heart disease at index admission	42	1.2	58.3	30	1.2	41.7	72	1.2	0.970
Cardiomyopathies	16	0.4	64.0	9	0.4	36.0	25	0.4	0.550
Cardiomyopathies at index admission	40	1.1	57.1	30	1.2	42.9	70	1.1	0.868
Acute endocarditis and myocarditis	1	0.0	100.0	—	—	—	1	0.0	0.396
Other cardiac conditions	33	0.9	55.9	26	1.0	44.1	59	1.0	0.733
Other cardiac conditions at index admission	84	2.3	60.4	55	2.1	39.6	139	2.2	0.576
Conduction disorders and arrhythmias	148	4.1	53.4	129	5.0	46.6	277	4.5	0.106
Cerebrovascular diseases	121	3.4	55.3	98	3.8	44.7	219	3.5	0.382
Cerebrovascular diseases at index admission	100	2.8	57.1	75	2.9	42.9	175	2.8	0.791
Vascular diseases	83	2.3	53.2	73	2.8	46.8	156	2.5	0.208
Vascular diseases at index admission	125	3.5	62.2	76	2.9	37.8	201	3.2	0.234
Chronic obstructive pulmonary disease (COPD)	75	2.1	54.7	62	2.4	45.3	137	2.2	0.419
Chronic nephropathy	129	3.6	58.1	93	3.6	41.9	222	3.6	0.998
Chronic kidney disease	305	8.5	55.0	250	9.6	45.0	555	8.9	0.114
Chronic diseases (liver, pancreas, intestines)	20	0.6	69.0	9	0.4	31.0	29	0.5	0.235
Chronic diseases (liver, pancreas, intestine) at index admission	25	0.7	69.4	11	0.4	30.6	36	0.6	0.167
Previous coronary artery bypass grafting	103	2.9	65.6	54	2.1	34.4	157	2.5	0.054
Previous coronary angioplasty	373	10.3	62.7	222	8.5	37.3	595	9.6	0.017
Cerebrovascular revascularization	24	0.7	51.1	23	0.9	48.9	47	0.8	0.325
Other heart surgery	29	0.8	70.7	12	0.5	29.3	41	0.7	0.100
Other vessel surgery	82	2.3	61.2	52	2.0	38.8	134	2.2	0.465
Type of hospital*									<.0001
EADI	2499	69.2	59.0	1734	66.7	41.0	4233	68.2	
EADII	1049	29.1	59.3	720	27.7	40.7	1769	28.5	
ER	61	1.7	29.3	147	5.7	70.7	208	3.4	

*EADI: Emergency Admission Department level I;

EADII: Emergency Admission Department level II;

ER: Emergency Room.

Table S11. Characteristics of patients included in the AMI cohort in 2021 (PRE) from participating facilities by 30-days mortality after first hospital admission in patients with AMI (Yes/No).

	30-days mortality after first hospital admission in patients with AMI								χ^2 p-value
	Yes			No			Total		
	N	col%	row %	N	col%	row %	N	col%	
Total	409			5577			5986		
A&F intervention									0.048
Exposed	251	61.4	7.4	3142	56.3	92.6	3393	56.7	
Control	158	38.6	6.1	2435	43.7	93.9	2593	43.3	
Sex									<.0001
Female	169	41.3	9.5	1610	28.9	90.5	1779	29.7	
Male	240	58.7	5.7	3967	71.1	94.3	4207	70.3	
Age (years)									<.0001
19-59	31	7.6	2.0	1507	27.0	98.0	1538	25.7	
60-69	45	11.0	3.0	1461	26.2	97.0	1506	25.2	
70-79	107	26.2	7.2	1379	24.7	92.8	1486	24.8	
80-100	226	55.3	15.5	1230	22.1	84.5	1456	24.3	
Education level									<.0001
Bachelor's degree	34	8.3	5.9	547	9.8	94.1	581	9.7	
Lower middle high school	102	24.9	5.3	1838	33.0	94.7	1940	32.4	
Middle high school	86	21.0	5.1	1611	28.9	94.9	1697	28.3	
None or elementary	172	42.1	11.1	1375	24.7	88.9	1547	25.8	
Not stated	15	3.7	6.8	206	3.7	93.2	221	3.7	
Concomitant clinical conditions									
Cancer	42	10.3	13.0	282	5.1	87.0	324	5.4	<.0001
Diabetes	42	10.3	12.5	295	5.3	87.5	337	5.6	<.0001
Lipid metabolism disorders	12	2.9	7.3	152	2.7	92.7	164	2.7	0.803
Obesity	3	0.7	10.3	26	0.5	89.7	29	0.5	0.452
Obesity at index admission	7	1.7	2.6	262	4.7	97.4	269	4.5	0.005
Anaemias	34	8.3	21.5	124	2.2	78.5	158	2.6	<.0001
Anaemias at index admission	27	6.6	10.5	229	4.1	89.5	256	4.3	0.016
Coagulation defects	—	—	—	3	0.1	100.0	3	0.1	0.639
Coagulation defects at index admission	—	—	—	1	0.0	100.0	1	0.0	0.787
Other haematological diseases	1	0.2	5.0	19	0.3	95.0	20	0.3	0.745
Other haematological diseases at index admission	2	0.5	7.7	24	0.4	92.3	26	0.4	0.862
Arterial hypertension	52	12.7	8.5	558	10.0	91.5	610	10.2	0.081
Previous myocardial infarction	29	7.1	5.9	462	8.3	94.1	491	8.2	0.396
Other forms of ischemic heart disease	51	12.5	10.1	452	8.1	89.9	503	8.4	0.002
Heart failure	48	11.7	17.9	220	3.9	82.1	268	4.5	<.0001
Not well-defined forms and complications of heart disease	4	1.0	8.7	42	0.8	91.3	46	0.8	0.615
Rheumatic heart disease	3	0.7	11.1	24	0.4	88.9	27	0.5	0.377
Rheumatic heart disease at index admission	18	4.4	20.5	70	1.3	79.5	88	1.5	<.0001
Cardiomyopathies	6	1.5	20.0	24	0.4	80.0	30	0.5	0.004
Cardiomyopathies at index admission	7	1.7	10.1	62	1.1	89.9	69	1.2	0.273
Acute endocarditis and myocarditis	—	—	—	5	0.1	100.0	5	0.1	0.545
Other cardiac conditions	7	1.7	15.2	39	0.7	84.8	46	0.8	0.024
Other cardiac conditions at index admission	22	5.4	11.9	163	2.9	88.1	185	3.1	0.006
Conduction disorders and arrhythmias	39	9.5	13.1	258	4.6	86.9	297	5.0	<.0001
Cerebrovascular diseases	23	5.6	11.9	171	3.1	88.1	194	3.2	0.005
Cerebrovascular diseases at index admission	18	4.4	11.3	141	2.5	88.7	159	2.7	0.023
Vascular diseases	21	5.1	14.6	123	2.2	85.4	144	2.4	0.000
Vascular diseases at index admission	12	2.9	7.0	159	2.9	93.0	171	2.9	0.923
Chronic obstructive pulmonary disease (COPD)	18	4.4	12.0	132	2.4	88.0	150	2.5	0.011
Chronic nephropathy	32	7.8	15.2	178	3.2	84.8	210	3.5	<.0001
Chronic kidney disease	59	14.4	11.7	447	8.0	88.3	506	8.5	<.0001
Chronic diseases (liver, pancreas, intestines)	6	1.5	15.4	33	0.6	84.6	39	0.7	0.034
Chronic diseases (liver, pancreas, intestine) at index admission	3	0.7	8.8	31	0.6	91.2	34	0.6	0.645
Previous coronary artery bypass grafting	19	4.7	11.8	142	2.6	88.2	161	2.7	0.011
Previous coronary angioplasty	31	7.6	4.9	607	10.9	95.1	638	10.7	0.037
Cerebrovascular revascularization	4	1.0	13.8	25	0.5	86.2	29	0.5	0.136
Other heart surgery	7	1.7	21.2	26	0.5	78.8	33	0.6	0.001
Other vessel surgery	19	4.7	14.7	110	2.0	85.3	129	2.2	0.000
Type of hospital*									0.028
EADI	267	65.3	6.9	3629	65.1	93.1	3896	65.1	
EADII	134	32.8	7.4	1686	30.2	92.6	1820	30.4	
ER	8	2.0	3.0	262	4.7	97.0	270	4.5	

*EADI: Emergency Admission Department level I;
EADII: Emergency Admission Department level II;
ER: Emergency Room.

Table S12. Characteristics of patients included in the AMI cohort in 2022 (POST) from participating facilities by 30-days mortality after first hospital admission in patients with AMI (Yes/No).

	30-days mortality after first hospital admission in patients with AMI								χ^2 p-value
	Yes			No			Total		
	N	col%	row %	N	col%	row %	N	col%	
Total	430			5780			6210		
A&F intervention									0.103
Exposed	266	61.9	7.4	3343	57.8	92.6	3609	58.1	
Control	164	38.1	6.3	2437	42.2	93.7	2601	41.9	
Sex									<.0001
Female	185	43.0	10.1	1641	28.4	89.9	1826	29.4	
Male	245	57.0	5.6	4139	71.6	94.4	4384	70.6	
Age (years)									0.0
19-59	29	6.7	1.9	1526	26.4	98.1	1555	25.0	<.0001
60-69	47	10.9	3.0	1515	26.2	97.0	1562	25.2	
70-79	113	26.3	7.4	1416	24.5	92.6	1529	24.6	
80-100	241	56.1	15.4	1323	22.9	84.6	1564	25.2	
Education level									<.0001
Bachelor's degree	35	8.1	5.3	628	10.9	94.7	663	10.7	
Lower middle high school	113	26.3	5.6	1893	32.8	94.4	2006	32.3	
Middle high school	90	20.9	5.1	1681	29.1	94.9	1771	28.5	
None or elementary	168	39.1	11.3	1317	22.8	88.7	1485	23.9	
Not stated	24	5.6	8.4	261	4.5	91.6	285	4.6	
Concomitant clinical conditions									0.0
Cancer	55	12.8	15.7	295	5.1	84.3	350	5.6	<.0001
Diabetes	47	10.9	12.2	338	5.9	87.8	385	6.2	<.0001
Lipid metabolism disorders	13	3.0	6.8	177	3.1	93.2	190	3.1	0.964
Obesity	2	0.5	5.4	35	0.6	94.6	37	0.6	0.715
Obesity at index admission	6	1.4	2.2	263	4.6	97.8	269	4.3	0.002
Anaemias	28	6.5	16.7	140	2.4	83.3	168	2.7	<.0001
Anaemias at index admission	27	6.3	8.9	275	4.8	91.1	302	4.9	0.157
Coagulation defects	1	0.2	33.3	2	0.0	66.7	3	0.0	0.072
Coagulation defects at index admission	—	—	—	2	0.0	100.0	2	0.0	0.700
Other haematological diseases	1	0.2	9.1	10	0.2	90.9	11	0.2	0.777
Other haematological diseases at index admission	2	0.5	10.0	18	0.3	90.0	20	0.3	0.587
Arterial hypertension	60	14.0	9.6	567	9.8	90.4	627	10.1	0.006
Previous myocardial infarction	25	5.8	5.5	433	7.5	94.5	458	7.4	0.199
Other forms of ischemic heart disease	39	9.1	7.9	453	7.8	92.1	492	7.9	0.361
Heart failure	42	9.8	15.3	232	4.0	84.7	274	4.4	<.0001
Not well-defined forms and complications of heart disease	2	0.5	6.9	27	0.5	93.1	29	0.5	0.995
Rheumatic heart disease	3	0.7	18.8	13	0.2	81.3	16	0.3	0.062
Rheumatic heart disease at index admission	9	2.1	12.5	63	1.1	87.5	72	1.2	0.061
Cardiomyopathies	2	0.5	8.0	23	0.4	92.0	25	0.4	0.832
Cardiomyopathies at index admission	1	0.2	1.4	69	1.2	98.6	70	1.1	0.069
Acute endocarditis and myocarditis	—	—	—	1	0.0	100.0	1	0.0	0.785
Other cardiac conditions	7	1.6	11.9	52	0.9	88.1	59	1.0	0.133
Other cardiac conditions at index admission	13	3.0	9.4	126	2.2	90.6	139	2.2	0.254
Conduction disorders and arrhythmias	36	8.4	13.0	241	4.2	87.0	277	4.5	<.0001
Cerebrovascular diseases	24	5.6	11.0	195	3.4	89.0	219	3.5	0.017
Cerebrovascular diseases at index admission	16	3.7	9.1	159	2.8	90.9	175	2.8	0.241
Vascular diseases	19	4.4	12.2	137	2.4	87.8	156	2.5	0.009
Vascular diseases at index admission	12	2.8	6.0	189	3.3	94.0	201	3.2	0.588
Chronic obstructive pulmonary disease (COPD)	20	4.7	14.6	117	2.0	85.4	137	2.2	0.000
Chronic nephropathy	36	8.4	16.2	186	3.2	83.8	222	3.6	<.0001
Chronic kidney disease	57	13.3	10.3	498	8.6	89.7	555	8.9	0.001
Chronic diseases (liver, pancreas, intestines)	3	0.7	10.3	26	0.5	89.7	29	0.5	0.467
Chronic diseases (liver, pancreas, intestine) at index admission	4	0.9	11.1	32	0.6	88.9	36	0.6	0.321
Previous coronary artery bypass grafting	12	2.8	7.6	145	2.5	92.4	157	2.5	0.719
Previous coronary angioplasty	34	7.9	5.7	561	9.7	94.3	595	9.6	0.221
Cerebrovascular revascularization	2	0.5	4.3	45	0.8	95.7	47	0.8	0.469
Other heart surgery	6	1.4	14.6	35	0.6	85.4	41	0.7	0.051
Other vessel surgery	11	2.6	8.2	123	2.1	91.8	134	2.2	0.554
Type of hospital*									0.0
EADI	287	66.7	6.8	3946	68.3	93.2	4233	68.2	
EADII	128	29.8	7.2	1641	28.4	92.8	1769	28.5	
ER	15	3.5	7.2	193	3.3	92.8	208	3.3	

*EADI: Emergency Admission Department level I;
EADII: Emergency Admission Department level II;
ER: Emergency Room.

STEMI patient cohort

Table S13. Characteristics of patients included in the STEMI cohort in 2021 and 2022 from participating facilities according to A&F intervention exposure status.

	Exposed			Control			Total		χ^2
	N	col%	row%	N	col%	row%	N	col%	p-value
Total	3272			1812			5084		
Sex									0.408
Female	816	24.9	63.4	471	26.0	36.6	1287	25.3	
Male	2456	75.1	64.7	1341	74.0	35.3	3797	74.7	
Age (years)									0.688
21-57	825	25.2	63.1	482	26.6	36.9	1307	25.7	
58-65	782	23.9	64.4	433	23.9	35.6	1215	23.9	
66-75	840	25.7	64.6	460	25.4	35.4	1300	25.6	
76-100	825	25.2	65.4	437	24.1	34.6	1262	24.8	
Education level									0.355
Degree	368	11.3	63.8	209	11.5	36.2	577	11.4	
Lower middle high school	1073	32.8	64.8	584	32.2	35.2	1657	32.6	
Middle high school	1022	31.2	65.1	547	30.2	34.9	1569	30.9	
None or elementary	653	20.0	64.3	362	20.0	35.7	1015	20.0	
Not stated	156	4.8	58.6	110	6.1	41.4	266	5.2	
Concomitant clinical conditions									
Cancer	154	4.7	63.4	89	4.9	36.6	243	4.8	0.743
Diabetes	99	3.0	61.5	62	3.4	38.5	161	3.2	0.440
Lipid metabolism disorders	48	1.5	60.0	32	1.8	40.0	80	1.6	0.412
Obesity	12	0.4	75.0	4	0.2	25.0	16	0.3	0.373
Obesity at index admission	161	4.9	72.5	61	3.4	27.5	222	4.4	0.009
Anaemias	33	1.0	55.0	27	1.5	45.0	60	1.2	0.128
Anaemias at index admission	97	3.0	61.0	62	3.4	39.0	159	3.1	0.370
Coagulation defects	—	—	—	1	0.1	100.0	1	0.0	0.179
Coagulation defects at index admission	1	0.0	100.0	—	—	—	1	0.0	0.457
Other hematological diseases	10	0.3	66.7	5	0.3	33.3	15	0.3	0.852
Other hematological diseases at index admission	13	0.4	76.5	4	0.2	23.5	17	0.3	0.296
Arterial hypertension	199	6.1	61.2	126	7.0	38.8	325	6.4	0.224
Previous myocardial infarction	152	4.7	72.0	59	3.3	28.0	211	4.2	0.017
Other forms of ischemic heart disease	149	4.6	68.7	68	3.8	31.3	217	4.3	0.176
Heart failure	59	1.8	71.1	24	1.3	28.9	83	1.6	0.197
Not well-defined forms and complications of heart disease	8	0.2	61.5	5	0.3	38.5	13	0.3	0.832
Rheumatic heart disease	5	0.2	62.5	3	0.2	37.5	8	0.2	0.913
Rheumatic heart disease at index admission	32	1.0	74.4	11	0.6	25.6	43	0.9	0.167
Cardiomyopathies	10	0.3	62.5	6	0.3	37.5	16	0.3	0.876
Cardiomyopathie at index admission	25	0.8	43.1	33	1.8	56.9	58	1.1	0.001
Acute endocarditis and myocarditis	1	0.0	100.0	—	—	—	1	0.0	0.457
Other cardiac conditions	8	0.2	61.5	5	0.3	38.5	13	0.3	0.832
Other cardiac conditions at index admission	49	1.5	74.2	17	0.9	25.8	66	1.3	0.092
Conduction disorders and arrhythmias	72	2.2	59.0	50	2.8	41.0	122	2.4	0.212
Cerebrovascular diseases	77	2.4	64.2	43	2.4	35.8	120	2.4	0.965
Cerebrovascular diseases at index admission	76	2.3	62.3	46	2.5	37.7	122	2.4	0.630
Vascular diseases	54	1.7	67.5	26	1.4	32.5	80	1.6	0.554
Vascular diseases at index admission	69	2.1	65.1	37	2.0	34.9	106	2.1	0.873
Chronic obstructive pulmonary disease (COPD)	43	1.3	71.7	17	0.9	28.3	60	1.2	0.235
Chronic nephropathy	69	2.1	71.1	28	1.5	28.9	97	1.9	0.160
Chronic kidney disease	188	5.8	63.5	108	6.0	36.5	296	5.8	0.754
Chronic diseases (liver, pancreas, intestines)	14	0.4	73.7	5	0.3	26.3	19	0.4	0.395
Chronic diseases (liver, pancreas, intestine) at index admission	22	0.7	81.5	5	0.3	18.5	27	0.5	0.063
Previous coronary artery bypass grafting	34	1.0	73.9	12	0.7	26.1	46	0.9	0.174
Previous coronary angioplasty	235	7.2	74.8	79	4.4	25.2	314	6.2	<.0001
Cerebrovascular revascularization	10	0.3	62.5	6	0.3	37.5	16	0.3	0.876
Other heart surgery	13	0.4	61.9	8	0.4	38.1	21	0.4	0.814
Other vessel surgery	45	1.4	68.2	21	1.2	31.8	66	1.3	0.514
Type of facility									<.0001
DEAI	2169	66.3	69.7	944	52.1	30.3	3113	61.2	
DEAII	1103	33.7	56.0	868	47.9	44.0	1971	38.8	

*EADI: Emergency Admission Department level I;

EADII: Emergency Admission Department level II;

Table S14. Characteristics of patients included in the STEMI cohort in 2021 (PRE) from participating facilities according to A&F intervention exposure status.

	Exposed			Controls			Total		χ^2 p-value
	N	col%	row%	N	col%	row%	N	col%	
Total	1541			892			2433		
Sex									0.710
Female	392	25.4	62.7	233	26.1	37.3	625	25.7	
Male	1149	74.6	63.6	659	73.9	36.4	1808	74.3	
Age (years)									0.394
21-57	384	24.9	61.7	238	26.7	38.3	622	25.6	
58-65	373	24.2	63.5	214	24.0	36.5	587	24.1	
66-75	389	25.2	62.1	237	26.6	37.9	626	25.7	
76-100	395	25.6	66.1	203	22.8	33.9	598	24.6	
Education level									0.489
Bachelor's degree	167	10.8	64.7	91	10.2	35.3	258	10.6	
Lower middle high school	507	32.9	62.6	303	34.0	37.4	810	33.3	
Middle high school	478	31.0	65.3	254	28.5	34.7	732	30.1	
None or elementary	319	20.7	62.3	193	21.6	37.7	512	21.0	
Not stated	70	4.5	57.9	51	5.7	42.1	121	5.0	
Concomitant clinical conditions									
Cancer	77	5.0	64.7	42	4.7	35.3	119	4.9	0.751
Diabetes	39	2.5	54.2	33	3.7	45.8	72	3.0	0.101
Lipid metabolism disorders	17	1.1	51.5	16	1.8	48.5	33	1.4	0.156
Obesity	3	0.2	50.0	3	0.3	50.0	6	0.3	0.497
Obesity at index admission	90	5.8	74.4	31	3.5	25.6	121	5.0	0.010
Anaemias	17	1.1	56.7	13	1.5	43.3	30	1.2	0.446
Anaemias at index admission	47	3.1	59.5	32	3.6	40.5	79	3.3	0.471
Coagulation defects	—	—	—	—	—	—	—	—	—
Coagulation defects at index admission	—	—	—	—	—	—	—	—	—
Other haematological diseases	5	0.3	50.0	5	0.6	50.0	10	0.4	0.381
Other haematological diseases at index admission	4	0.3	57.1	3	0.3	42.9	7	0.3	0.733
Arterial hypertension	87	5.7	59.2	60	6.7	40.8	147	6.0	0.281
Previous myocardial infarction	65	4.2	64.4	36	4.0	35.6	101	4.2	0.828
Other forms of ischemic heart disease	63	4.1	63.6	36	4.0	36.4	99	4.1	0.950
Heart failure	27	1.8	73.0	10	1.1	27.0	37	1.5	0.220
Not well-defined forms and complications of heart disease	2	0.1	28.6	5	0.6	71.4	7	0.3	0.056
Rheumatic heart disease	3	0.2	60.0	2	0.2	40.0	5	0.2	0.877
Rheumatic heart disease at index admission	15	1.0	75.0	5	0.6	25.0	20	0.8	0.277
Cardiomyopathies	3	0.2	75.0	1	0.1	25.0	4	0.2	0.628
Cardiomyopathies at index admission	12	0.8	41.4	17	1.9	58.6	29	1.2	0.014
Acute endocarditis and myocarditis	—	—	—	—	—	—	—	—	—
Other cardiac conditions	3	0.2	50.0	3	0.3	50.0	6	0.3	0.497
Other cardiac conditions at index admission	22	1.4	73.3	8	0.9	26.7	30	1.2	0.253
Conduction disorders and arrhythmias	30	2.0	50.0	30	3.4	50.0	60	2.5	0.030
Cerebrovascular diseases	37	2.4	67.3	18	2.0	32.7	55	2.3	0.540
Cerebrovascular diseases at index admission	29	1.9	55.8	23	2.6	44.2	52	2.1	0.252
Vascular diseases	26	1.7	68.4	12	1.4	31.6	38	1.6	0.512
Vascular diseases at index admission	37	2.4	66.1	19	2.1	33.9	56	2.3	0.668
Chronic obstructive pulmonary disease (COPD)	19	1.2	67.9	9	1.0	32.1	28	1.2	0.618
Chronic nephropathy	30	2.0	69.8	13	1.5	30.2	43	1.8	0.377
Chronic kidney disease	87	5.7	63.0	51	5.7	37.0	138	5.7	0.941
Chronic diseases (liver, pancreas, intestines)	7	0.5	70.0	3	0.3	30.0	10	0.4	0.661
Chronic diseases (liver, pancreas, intestine) at index admission	6	0.4	75.0	2	0.2	25.0	8	0.3	0.493
Previous coronary artery bypass grafting	17	1.1	85.0	3	0.3	15.0	20	0.8	0.044
Previous coronary angioplasty	109	7.1	72.2	42	4.7	27.8	151	6.2	0.020
Cerebrovascular revascularization	5	0.3	83.3	1	0.1	16.7	6	0.3	0.309
Other heart surgery	4	0.3	50.0	4	0.5	50.0	8	0.3	0.433
Other vessel surgery	20	1.3	64.5	11	1.2	35.5	31	1.3	0.891
Type of hospital*									<.0001
EADI	1036	67.2	69.2	462	51.8	30.8	1498	61.6	
EADII	505	32.8	54.0	430	48.2	46.0	935	38.4	

*EADI: Emergency Admission Department level I;

EADII: Emergency Admission Department level II;

Table S15. Characteristics of patients included in the STEMI cohort in 2022 (POST) from participating facilities according to A&F intervention exposure status.

	Exposed			Controls			Total		χ^2 p-value
	N	col%	row%	N	col%	row%	N	col%	
Total	1731			920			2651		
Sex									0.436
Female	424	24.5	64.0	238	25.9	36.0	662	25.0	
Male	1307	75.5	65.7	682	74.1	34.3	1989	75.0	
Age (years)									0.771
21-57	441	25.5	64.4	244	26.5	35.6	685	25.8	
58-65	409	23.6	65.1	219	23.8	34.9	628	23.7	
66-75	451	26.1	66.9	223	24.2	33.1	674	25.4	
76-100	430	24.8	64.8	234	25.4	35.2	664	25.1	
Education level									0.379
Bachelor's degree	201	11.6	63.0	118	12.8	37.0	319	12.0	
Lower middle high school	566	32.7	66.8	281	30.5	33.2	847	32.0	
Middle high school	544	31.4	65.0	293	31.9	35.0	837	31.6	
None or elementary	334	19.3	66.4	169	18.4	33.6	503	19.0	
Not stated	86	5.0	59.3	59	6.4	40.7	145	5.5	
Concomitant clinical conditions									
Cancer	77	4.5	62.1	47	5.1	37.9	124	4.7	0.443
Diabetes	60	3.5	67.4	29	3.2	32.6	89	3.4	0.669
Lipid metabolism disorders	31	1.8	66.0	16	1.7	34.0	47	1.8	0.923
Obesity	9	0.5	90.0	1	0.1	10.0	10	0.4	0.100
Obesity at index admission	71	4.1	70.3	30	3.3	29.7	101	3.8	0.282
Anaemias	16	0.9	53.3	14	1.5	46.7	30	1.1	0.166
Anaemias at index admission	50	2.9	62.5	30	3.3	37.5	80	3.0	0.594
Coagulation defects	—	—	—	1	0.1	100.0	1	0.0	0.170
Coagulation defects at index admission	1	0.1	100.0	—	—	—	1	0.0	0.466
Other haematological diseases	5	0.3	100.0	—	—	—	5	0.2	0.103
Other haematological diseases at index admission	9	0.5	90.0	1	0.1	10.0	10	0.4	0.100
Arterial hypertension	112	6.5	62.9	66	7.2	37.1	178	6.7	0.491
Previous myocardial infarction	87	5.0	79.1	23	2.5	20.9	110	4.2	0.002
Other forms of ischemic heart disease	86	5.0	72.9	32	3.5	27.1	118	4.5	0.077
Heart failure	32	1.9	69.6	14	1.5	30.4	46	1.7	0.540
Not well-defined forms and complications of heart disease	6	0.4	100.0	—	—	—	6	0.2	0.074
Rheumatic heart disease	2	0.1	66.7	1	0.1	33.3	3	0.1	0.960
Rheumatic heart disease at index admission	17	1.0	73.9	6	0.7	26.1	23	0.9	0.383
Cardiomyopathies	7	0.4	58.3	5	0.5	41.7	12	0.5	0.612
Cardiomyopathies at index admission	13	0.8	44.8	16	1.7	55.2	29	1.1	0.020
Acute endocarditis and myocarditis	1	0.1	100.0	—	—	—	1	0.0	0.466
Other cardiac conditions	5	0.3	71.4	2	0.2	28.6	7	0.3	0.733
Other cardiac conditions at index admission	27	1.6	75.0	9	1.0	25.0	36	1.4	0.218
Conduction disorders and arrhythmias	42	2.4	67.7	20	2.2	32.3	62	2.3	0.682
Cerebrovascular diseases	40	2.3	61.5	25	2.7	38.5	65	2.5	0.519
Cerebrovascular diseases at index admission	47	2.7	67.1	23	2.5	32.9	70	2.6	0.742
Vascular diseases	28	1.6	66.7	14	1.5	33.3	42	1.6	0.851
Vascular diseases at index admission	32	1.9	64.0	18	2.0	36.0	50	1.9	0.846
Chronic obstructive pulmonary disease (COPD)	24	1.4	75.0	8	0.9	25.0	32	1.2	0.246
Chronic nephropathy	39	2.3	72.2	15	1.6	27.8	54	2.0	0.280
Chronic kidney disease	101	5.8	63.9	57	6.2	36.1	158	6.0	0.709
Chronic diseases (liver, pancreas, intestines)	7	0.4	77.8	2	0.2	22.2	9	0.3	0.431
Chronic diseases (liver, pancreas, intestine) at index admission	16	0.9	84.2	3	0.3	15.8	19	0.7	0.082
Previous coronary artery bypass grafting	17	1.0	65.4	9	1.0	34.6	26	1.0	0.992
Previous coronary angioplasty	126	7.3	77.3	37	4.0	22.7	163	6.2	0.001
Cerebrovascular revascularization	5	0.3	50.0	5	0.5	50.0	10	0.4	0.309
Other heart surgery	9	0.5	69.2	4	0.4	30.8	13	0.5	0.765
Other vessel surgery	25	1.4	71.4	10	1.1	28.6	35	1.3	0.443
Type of hospital*									<.0001
EADI	1133	65.5	70.2	482	52.4	29.8	1615	60.9	
EADII	598	34.6	57.7	438	47.6	42.3	1036	39.1	

*EADI: Emergency Admission Department level I;

EADII: Emergency Admission Department level II;

Table S16. Characteristics of patients included in the STEMI cohort in 2021 (PRE) from participating facilities according to performing of PTCA within 90 minutes of admission to the hospital ER (Yes/No).

	% PTCA STEMI patients within 90 min of admission to the ED							χ^2 p-value	
	Yes			No			Total		
	N	col%	row %	N	col %	row %	N		col %
Total	1420			101			2433		
A&F intervention				3					
Exposed	904	63.7	58.7	637	62.9	41.3	1541	63.3	0.694
Control	516	36.3	57.8	376	37.1	42.2	892	36.7	
Sex									
Female	324	22.8	51.8	301	29.7	48.2	625	25.7	0.000
Male	1096	77.2	60.6	712	70.3	39.4	1808	74.3	
Age (years)									
21-57	408	28.7	65.6	214	21.1	34.4	622	25.6	<.0001
58-65	373	26.3	63.5	214	21.1	36.5	587	24.1	
66-75	352	24.8	56.2	274	27.1	43.8	626	25.7	
76-100	287	20.2	48.0	311	30.7	52.0	598	24.6	
Education level									
Bachelor's degree	147	10.4	57.0	111	11.0	43.0	258	10.6	0.013
Lower middle high school	481	33.9	59.4	329	32.5	40.6	810	33.3	
Middle high school	455	32.0	62.2	277	27.3	37.8	732	30.1	
None or elementary	268	18.9	52.3	244	24.1	47.7	512	21.0	
Not stated	69	4.9	57.0	52	5.1	43.0	121	5.0	
Concomitant clinical conditions									
Cancer	47	3.3	39.5	72	7.1	60.5	119	4.9	<.0001
Diabetes	28	2.0	38.9	44	4.3	61.1	72	3.0	0.001
Lipid metabolism disorders	16	1.1	48.5	17	1.7	51.5	33	1.4	0.246
Obesity	1	0.1	16.7	5	0.5	83.3	6	0.2	0.038
Obesity at index admission	61	4.3	50.4	60	5.9	49.6	121	5.0	0.069
Anaemias	8	0.6	26.7	22	2.2	73.3	30	1.2	0.000
Anaemias at index admission	24	1.7	30.4	55	5.4	69.6	79	3.2	<.0001
Coagulation defects	—	—	—	—	—	—	—	—	—
Coagulation defects at index admission	—	—	—	—	—	—	—	—	—
Other haematological diseases	3	0.2	30.0	7	0.7	70.0	10	0.4	0.068
Other haematological diseases at index admission	3	0.2	42.9	4	0.4	57.1	7	0.3	0.405
Arterial hypertension	74	5.2	50.3	73	7.2	49.7	147	6.0	0.042
Previous myocardial infarction	39	2.8	38.6	62	6.1	61.4	101	4.2	<.0001
Other forms of ischemic heart disease	36	2.5	36.4	63	6.2	63.6	99	4.1	<.0001
Heart failure	12	0.9	32.4	25	2.5	67.6	37	1.5	0.001
Not well-defined forms and complications of heart disease	2	0.1	28.6	5	0.5	71.4	7	0.3	0.109
Rheumatic heart disease	2	0.1	40.0	3	0.3	60.0	5	0.2	0.404
Rheumatic heart disease at index admission	6	0.4	30.0	14	1.4	70.0	20	0.8	0.010
Cardiomyopathies	1	0.1	25.0	3	0.3	75.0	4	0.2	0.176
Cardiomyopathies at index admission	10	0.7	34.5	19	1.9	65.5	29	1.2	0.009
Acute endocarditis and myocarditis	—	—	—	—	—	—	—	—	—
Other cardiac conditions	1	0.1	16.7	5	0.5	83.3	6	0.2	0.038
Other cardiac conditions at index admission	9	0.6	30.0	21	2.1	70.0	30	1.2	0.002
Conduction disorders and arrhythmias	20	1.4	33.3	40	4.0	66.7	60	2.5	<.0001
Cerebrovascular diseases	20	1.4	36.4	35	3.5	63.6	55	2.3	0.001
Cerebrovascular diseases at index admission	14	1.0	26.9	38	3.8	73.1	52	2.1	<.0001
Vascular diseases	15	1.1	39.5	23	2.3	60.5	38	1.6	0.017
Vascular diseases at index admission	19	1.3	33.9	37	3.7	66.1	56	2.3	0.000
Chronic obstructive pulmonary disease (COPD)	11	0.8	39.3	17	1.7	60.7	28	1.2	0.039
Chronic nephropathy	18	1.3	41.9	25	2.5	58.1	43	1.8	0.027
Chronic kidney disease	63	4.4	45.7	75	7.4	54.3	138	5.7	0.002
Chronic diseases (liver, pancreas, intestines)	5	0.4	50.0	5	0.5	50.0	10	0.4	0.591
Chronic diseases (liver, pancreas, intestine) at index admission	4	0.3	50.0	4	0.4	50.0	8	0.3	0.631
Previous coronary artery bypass grafting	7	0.5	35.0	13	1.3	65.0	20	0.8	0.033
Previous coronary angioplasty	78	5.5	51.7	73	7.2	48.3	151	6.2	0.084
Cerebrovascular revascularization	4	0.3	66.7	2	0.2	33.3	6	0.2	0.680
Other heart surgery	2	0.1	25.0	6	0.6	75.0	8	0.3	0.055
Other vessel surgery	13	0.9	41.9	18	1.8	58.1	31	1.3	0.062
Type of hospital*								0.0	0.024
EADI	901	63.5	60.1	597	58.9	39.9	1498	61.6	
EADII	519	36.6	55.5	416	41.1	44.5	935	38.4	

*EADI: Emergency Admission Department level I;

EADII: Emergency Admission Department level II;

Table S17. Characteristics of patients included in the STEMI cohort in 2022 (POST) from participating facilities according to performing of PTCA within 90 minutes of admission to the hospital ER (Yes/No).

	% PTCA STEMI patients within 90 min of admission to the hospital ER							χ^2 p-value	
	Yes			No			Total		
	N	col%	row %	N	col %	row %	N		col%
Total	1657			994			2651		
A&F intervention									
Exposed	1046	63.1	60.4	685	68.9	39.6	1731	65.3	0.002
Control	611	36.9	66.4	309	31.1	33.6	920	34.7	
Sex									
Female	377	22.8	56.9	285	28.7	43.1	662	25.0	0.00
Male	1280	77.3	64.4	709	71.3	35.6	1989	75.0	
Age (years)									
21-57	471	28.4	68.8	214	21.5	31.2	685	25.8	<.0001
58-65	435	26.3	69.3	193	19.4	30.7	628	23.7	
66-75	429	25.9	63.6	245	24.7	36.4	674	25.4	
76-100	322	19.4	48.5	342	34.4	51.5	664	25.0	
Education level									
Bachelor's degree	192	11.6	60.2	127	12.8	39.8	319	12.0	0.002
Lower middle high school	550	33.2	64.9	297	29.9	35.1	847	32.0	
Middle high school	533	32.2	63.7	304	30.6	36.3	837	31.6	
None or elementary	280	16.9	55.7	223	22.4	44.3	503	19.0	
Not stated	102	6.2	70.3	43	4.3	29.7	145	5.5	
Concomitant clinical conditions									
Cancer	62	3.7	50.0	62	6.2	50.0	124	4.7	0.003
Diabetes	39	2.4	43.8	50	5.0	56.2	89	3.4	0.000
Lipid metabolism disorders	20	1.2	42.6	27	2.7	57.4	47	1.8	0.004
Obesity	6	0.4	60.0	4	0.4	40.0	10	0.4	0.870
Obesity at index admission	65	3.9	64.4	36	3.6	35.6	101	3.8	0.695
Anaemias	8	0.5	26.7	22	2.2	73.3	30	1.1	<.0001
Anaemias at index admission	36	2.2	45.0	44	4.4	55.0	80	3.0	0.001
Coagulation defects	1	0.1	100.0	—	—	—	1	0.0	0.439
Coagulation defects at index admission	1	0.1	100.0	—	—	—	1	0.0	0.439
Other haematological diseases	2	0.1	40.0	3	0.3	60.0	5	0.2	0.298
Other haematological diseases at index admission	8	0.5	80.0	2	0.2	20.0	10	0.4	0.252
Arterial hypertension	92	5.6	51.7	86	8.7	48.3	178	6.7	0.002
Previous myocardial infarction	42	2.5	38.2	68	6.8	61.8	110	4.1	<.0001
Other forms of ischemic heart disease	60	3.6	50.8	58	5.8	49.2	118	4.5	0.008
Heart failure	15	0.9	32.6	31	3.1	67.4	46	1.7	<.0001
Not well-defined forms and complications of heart disease	2	0.1	33.3	4	0.4	66.7	6	0.2	0.140
Rheumatic heart disease	2	0.1	66.7	1	0.1	33.3	3	0.1	0.882
Rheumatic heart disease at index admission	12	0.7	52.2	11	1.1	47.8	23	0.9	0.304
Cardiomyopathies	2	0.1	16.7	10	1.0	83.3	12	0.5	0.001
Cardiomyopathies at index admission	13	0.8	44.8	16	1.6	55.2	29	1.1	0.048
Acute endocarditis and myocarditis	—	—	—	1	0.1	100.0	1	0.0	0.197
Other cardiac conditions	1	0.1	14.3	6	0.6	85.7	7	0.3	0.008
Other cardiac conditions at index admission	12	0.7	33.3	24	2.4	66.7	36	1.4	0.000
Conduction disorders and arrhythmias	25	1.5	40.3	37	3.7	59.7	62	2.3	0.000
Cerebrovascular diseases	34	2.1	52.3	31	3.1	47.7	65	2.5	0.086
Cerebrovascular diseases at index admission	28	1.7	40.0	42	4.2	60.0	70	2.6	<.0001
Vascular diseases	13	0.8	31.0	29	2.9	69.0	42	1.6	<.0001
Vascular diseases at index admission	23	1.4	46.0	27	2.7	54.0	50	1.9	0.015
Chronic obstructive pulmonary disease (COPD)	12	0.7	37.5	20	2.0	62.5	32	1.2	0.003
Chronic nephropathy	19	1.2	35.2	35	3.5	64.8	54	2.0	<.0001
Chronic kidney disease	68	4.1	43.0	90	9.1	57.0	158	6.0	<.0001
Chronic diseases (liver, pancreas, intestines)	4	0.2	44.4	5	0.5	55.6	9	0.3	0.262
Chronic diseases (liver, pancreas, intestine) at index admission	9	0.5	47.4	10	1.0	52.6	19	0.7	0.171
Previous coronary artery bypass grafting	12	0.7	46.2	14	1.4	53.8	26	1.0	0.084
Previous coronary angioplasty	81	4.9	49.7	82	8.3	50.3	163	6.1	0.001
Cerebrovascular revascularization	6	0.4	60.0	4	0.4	40.0	10	0.4	0.870
Other heart surgery	4	0.2	30.8	9	0.9	69.2	13	0.5	0.018
Other vessel surgery	12	0.7	34.3	23	2.3	65.7	35	1.3	0.001
Type of hospital*									
EADI	1008	60.8	62.4	607	61.1	37.6	1615	60.9	0.905
EADII	649	39.2	62.6	387	38.9	37.4	1036	39.1	

*EADI: Emergency Admission Department level I;

EADII: Emergency Admission Department level II;

Ischemic Stroke patient cohort

The eligibility criteria for including patients in the stroke cohorts for calculating the two indicators considered are different, so the two cohorts are described separately.

- ✓ In hospital mortality within 30-days of first hospital admission in patients with ischemic stroke

Table S18. Characteristics of patients included in the ischemic stroke cohort (in hospital mortality) in 2021 and 2022 from participating facilities according to A&F intervention exposure status.

	Exposed			Control			Total		χ^2 p-value
	N	col%	row%	N	col%	row%	N	col%	
Total	3793			2156			5949		
Sex									0.848
Female	1753	46.2	63.6	1002	46.5	36.4	2755	46.3	
Male	2040	53.8	63.9	1154	53.5	36.1	3194	53.7	
Age (years)									0.095
35-66	967	25.5	64.1	541	25.1	35.9	1508	25.3	
67-76	959	25.3	65.1	513	23.8	34.9	1472	24.7	
77-83	925	24.4	64.7	504	23.4	35.3	1429	24.0	
84-100	942	24.8	61.2	598	27.7	38.8	1540	25.9	
Education level									<.0001
Bachelor's degree	356	9.4	62.8	211	9.8	37.2	567	9.5	
Lower middle high school	997	26.3	62.4	602	27.9	37.6	1599	26.9	
Middle high school	857	22.6	62.1	523	24.3	37.9	1380	23.2	
None or elementary	1355	35.7	64.2	757	35.1	35.8	2112	35.5	
Not stated	228	6.0	78.4	63	2.9	21.6	291	4.9	
Concomitant clinical conditions									
Cancer	129	3.4	60.6	84	3.9	39.4	213	3.6	0.323
Diabetes	188	5.0	65.3	100	4.6	34.7	288	4.8	0.583
Lipid metabolism disorders	63	1.7	57.3	47	2.2	42.7	110	1.8	0.153
Obesity	26	0.7	72.2	10	0.5	27.8	36	0.6	0.289
Obesity at index admission	77	2.0	55.4	62	2.9	44.6	139	2.3	0.038
Anaemias	102	2.7	60.0	68	3.2	40.0	170	2.9	0.301
Anaemias at index admission	67	1.8	37.2	113	5.2	62.8	180	3.0	<.0001
Coagulation defects	1	0.0	33.3	2	0.1	66.7	3	0.1	0.273
Coagulation defects at index admission	2	0.1	16.7	10	0.5	83.3	12	0.2	0.001
Other haematological diseases	10	0.3	66.7	5	0.2	33.3	15	0.3	0.815
Other haematological diseases at index admission	24	0.6	55.8	19	0.9	44.2	43	0.7	0.277
Arterial hypertension	370	9.8	62.6	221	10.3	37.4	591	9.9	0.539
Previous myocardial infarction	69	1.8	54.8	57	2.6	45.2	126	2.1	0.034
Other forms of ischemic heart disease	138	3.6	54.5	115	5.3	45.5	253	4.3	0.002
Heart failure	169	4.5	58.9	118	5.5	41.1	287	4.8	0.078
Not well-defined forms and complications of heart disease	35	0.9	85.4	6	0.3	14.6	41	0.7	0.004
Rheumatic heart disease	27	0.7	60.0	18	0.8	40.0	45	0.8	0.599
Rheumatic heart disease at index admission	26	0.7	43.3	34	1.6	56.7	60	1.0	0.001
Cardiomyopathies	17	0.5	56.7	13	0.6	43.3	30	0.5	0.418
Cardiomyopathies at index admission	20	0.5	55.6	16	0.7	44.4	36	0.6	0.304
Acute endocarditis and myocarditis	1	0.0	33.3	2	0.1	66.7	3	0.1	0.273
Other cardiac conditions	43	1.1	52.4	39	1.8	47.6	82	1.4	0.032
Other cardiac conditions at index admission	136	3.6	59.6	92	4.3	40.4	228	3.8	0.188
Conduction disorders and arrhythmias	229	6.0	60.9	147	6.8	39.1	376	6.3	0.234
Cerebrovascular diseases	254	6.7	60.8	164	7.6	39.2	418	7.0	0.187
Vascular diseases	86	2.3	62.8	51	2.4	37.2	137	2.3	0.808
Vascular diseases at index admission	157	4.1	63.3	91	4.2	36.7	248	4.2	0.880
Chronic obstructive pulmonary disease (COPD)	78	2.1	62.9	46	2.1	37.1	124	2.1	0.841
Chronic nephropathy	95	2.5	59.7	64	3.0	40.3	159	2.7	0.286
Chronic nephropathy at index admission	149	3.9	67.7	71	3.3	32.3	220	3.7	0.212
Chronic kidney disease	25	0.7	71.4	10	0.5	28.6	35	0.6	0.344
Diseases chronic diseases (liver, pancreas, intestine)	28	0.7	66.7	14	0.7	33.3	42	0.7	0.694
Diseases chronic diseases (liver, pancreas, intestine) at index admission	84	2.2	58.3	60	2.8	41.7	144	2.4	0.170
Cerebrovascular revascularization	16	0.4	59.3	11	0.5	40.7	27	0.5	0.626
Other heart surgery	42	1.1	62.7	25	1.2	37.3	67	1.1	0.854
Other vessel surgery	78	2.1	60.0	52	2.4	40.0	130	2.2	0.367
Type of hospital*									<.0001
noNVT	—	—	—	125	5.8	100.0	125	2.1	
NVT	—	—	—	175	8.1	100.0	175	2.9	
NTUI	1600	42.2	54.2	1351	62.7	45.8	2951	49.6	
NTUII	2193	57.8	81.3	505	23.4	18.7	2698	45.4	

* noNVT: Hospital without Neurovascular Treatment Team;

NVT: Hospital with a Neurovascular Treatment Team;

NTUI: Neurovascular Treatment Unit level I;

NTUII: Neurovascular Treatment Unit level II.

Table S19. Characteristics of patients included in the ischemic stroke cohort (in hospital mortality) in 2021(PRE) from participating facilities according to A&F intervention exposure status.

	Exposed			Control			Total		χ^2
	N	col%	row%	N	col%	row%	N	col%	p-value
Total	1885			1069			2954		
Sex									0.820
Female	874	46.4	64.0	491	45.9	36.0	1365	46.2	
Male	1011	53.6	63.6	578	54.1	36.4	1589	53.8	
Age (years)									0.605
35-66	461	24.5	62.8	273	25.5	37.2	734	24.9	
67-76	491	26.1	64.7	268	25.1	35.3	759	25.7	
77-83	458	24.3	65.3	243	22.7	34.7	701	23.7	
84-100	475	25.2	62.5	285	26.7	37.5	760	25.7	
Education level									<.0001
Bachelor's degree	185	9.8	64.2	103	9.6	35.8	288	9.8	
Lower middle high school	443	23.5	58.7	312	29.2	41.3	755	25.6	
Middle high school	432	22.9	61.2	274	25.6	38.8	706	23.9	
None or elementary	727	38.6	67.3	354	33.1	32.7	1081	36.6	
Not stated	98	5.2	79.0	26	2.4	21.0	124	4.2	
Concomitant clinical conditions									
Cancer	65	3.5	61.9	40	3.7	38.1	105	3.6	0.679
Diabetes	90	4.8	66.7	45	4.2	33.3	135	4.6	0.480
Lipid metabolism disorders	28	1.5	53.8	24	2.3	46.2	52	1.8	0.131
Obesity	11	0.6	64.7	6	0.6	35.3	17	0.6	0.939
Obesity at index admission	46	2.4	56.8	35	3.3	43.2	81	2.7	0.182
Anaemias	56	3.0	61.5	35	3.3	38.5	91	3.1	0.647
Anaemias at index admission	34	1.8	44.2	43	4.0	55.8	77	2.6	0.000
Coagulation defects	1	0.1	100.0	—	—	—	1	0.0	0.451
Coagulation defects at index admission	—	—	—	10	0.9	100.0	10	0.3	<.0001
Other haematological diseases	1	0.1	20.0	4	0.4	80.0	5	0.2	0.041
Other haematological diseases at index admission	11	0.6	55.0	9	0.8	45.0	20	0.7	0.411
Arterial hypertension	189	10.0	64.9	102	9.5	35.1	291	9.9	0.671
Previous myocardial infarction	39	2.1	65.0	21	2.0	35.0	60	2.0	0.847
Other forms of ischemic heart disease	69	3.7	51.9	64	6.0	48.1	133	4.5	0.003
Heart failure	91	4.8	60.3	60	5.6	39.7	151	5.1	0.352
Not well-defined forms and complications of heart disease	17	0.9	81.0	4	0.4	19.0	21	0.7	0.101
Rheumatic heart disease	15	0.8	75.0	5	0.5	25.0	20	0.7	0.296
Rheumatic heart disease at index admission	13	0.7	44.8	16	1.5	55.2	29	1.0	0.033
Cardiomyopathies	8	0.4	50.0	8	0.8	50.0	16	0.5	0.249
Cardiomyopathies at index admission	7	0.4	50.0	7	0.7	50.0	14	0.5	0.281
Acute endocarditis and myocarditis	1	0.1	33.3	2	0.2	66.7	3	0.1	0.272
Other cardiac conditions	24	1.3	54.5	20	1.9	45.5	44	1.5	0.198
Other cardiac conditions at index admission	69	3.7	55.6	55	5.1	44.4	124	4.2	0.053
Conduction disorders and arrhythmias	114	6.1	60.0	76	7.1	40.0	190	6.4	0.258
Cerebrovascular diseases	131	7.0	62.4	79	7.4	37.6	210	7.1	0.654
Vascular diseases	37	2.0	62.7	22	2.1	37.3	59	2.0	0.859
Vascular diseases at index admission	75	4.0	62.5	45	4.2	37.5	120	4.1	0.760
Chronic obstructive pulmonary disease (COPD)	40	2.1	62.5	24	2.3	37.5	64	2.2	0.825
Chronic nephropathy	42	2.2	62.7	25	2.3	37.3	67	2.3	0.846
Chronic nephropathy at index admission	73	3.9	68.9	33	3.1	31.1	106	3.6	0.270
Chronic kidney disease	10	0.5	66.7	5	0.5	33.3	15	0.5	0.818
Diseases chronic diseases (liver, pancreas, intestine)	13	0.7	65.0	7	0.7	35.0	20	0.7	0.912
Diseases chronic diseases (liver, pancreas, intestine) at index admission	46	2.4	57.5	34	3.2	42.5	80	2.7	0.234
Cerebrovascular revascularization	11	0.6	73.3	4	0.4	26.7	15	0.5	0.442
Other heart surgery	22	1.2	61.1	14	1.3	38.9	36	1.2	0.734
Other vessel surgery	32	1.7	52.5	29	2.7	47.5	61	2.1	0.062
Type of hospital*									<.0001
noNVT	—	—	—	46	4.3	100.0	46	1.6	
NVT	—	—	—	91	8.5	100.0	91	3.1	
NTUI	777	41.2	53.6	672	62.9	46.4	1449	49.1	
NTUII	1108	58.8	81.0	260	24.3	19.0	1368	46.3	

* noNVT: Hospital without Neurovascular Treatment Team;

NVT: Hospital with a Neurovascular Treatment Team;

NTUI: Neurovascular Treatment Unit level I;

NTUII: Neurovascular Treatment Unit level II.

Table S20. Characteristics of patients included in the ischemic stroke cohort (in hospital mortality) in 2022 (POST) from participating facilities according to A&F intervention exposure status.

	Exposed			Control			Total		χ^2 p-value
	N	col%	row%	N	col%	row%	N	col%	
Total	1908			1087			2995		
Sex									0.620
Female	879	46.1	63.2	511	47.0	36.8	1390	46.4	
Male	1029	53.9	64.1	576	53.0	35.9	1605	53.6	
Age (years)									0.069
35-66	506	26.5	65.4	268	24.7	34.6	774	25.8	
67-76	468	24.5	65.6	245	22.5	34.4	713	23.8	
77-83	467	24.5	64.1	261	24.0	35.9	728	24.3	
84-100	467	24.5	59.9	313	28.8	40.1	780	26.0	
Education level									0.001
Bachelor's degree	171	9.0	61.3	108	9.9	38.7	279	9.3	
Lower middle high school	554	29.0	65.6	290	26.7	34.4	844	28.2	
Middle high school	425	22.3	63.1	249	22.9	36.9	674	22.5	
None or elementary	628	32.9	60.9	403	37.1	39.1	1031	34.4	
Not stated	130	6.8	77.8	37	3.4	22.2	167	5.6	
Concomitant clinical conditions									
Cancer	64	3.4	59.3	44	4.1	40.7	108	3.6	0.328
Diabetes	98	5.1	64.1	55	5.1	35.9	153	5.1	0.927
Lipid metabolism disorders	35	1.8	60.3	23	2.1	39.7	58	1.9	0.591
Obesity	15	0.8	78.9	4	0.4	21.1	19	0.6	0.166
Obesity at index admission	31	1.6	53.4	27	2.5	46.6	58	1.9	0.101
Anaemias	46	2.4	58.2	33	3.0	41.8	79	2.6	0.305
Anaemias at index admission	33	1.7	32.0	70	6.4	68.0	103	3.4	<.0001
Coagulation defects	—	—	—	2	0.2	100.0	2	0.1	0.061
Coagulation defects at index admission	2	0.1	100.0	—	—	—	2	0.1	0.286
Other haematological diseases	9	0.5	90.0	1	0.1	10.0	10	0.3	0.083
Other haematological diseases at index admission	13	0.7	56.5	10	0.9	43.5	23	0.8	0.472
Arterial hypertension	181	9.5	60.3	119	11.0	39.7	300	10.0	0.200
Previous myocardial infarction	30	1.6	45.5	36	3.3	54.5	66	2.2	0.002
Other forms of ischemic heart disease	69	3.6	57.5	51	4.7	42.5	120	4.0	0.149
Heart failure	78	4.1	57.4	58	5.3	42.6	136	4.5	0.115
Not well-defined forms and complications of heart disease	18	0.9	90.0	2	0.2	10.0	20	0.7	0.014
Rheumatic heart disease	12	0.6	48.0	13	1.2	52.0	25	0.8	0.101
Rheumatic heart disease at index admission	13	0.7	41.9	18	1.7	58.1	31	1.0	0.011
Cardiomyopathies	9	0.5	64.3	5	0.5	35.7	14	0.5	0.964
Cardiomyopathies at index admission	13	0.7	59.1	9	0.8	40.9	22	0.7	0.651
Acute endocarditis and myocarditis	—	—	—	—	—	—	—	—	
Other cardiac conditions	19	1.0	50.0	19	1.8	50.0	38	1.3	0.077
Other cardiac conditions at index admission	67	3.5	64.4	37	3.4	35.6	104	3.5	0.877
Conduction disorders and arrhythmias	115	6.0	61.8	71	6.5	38.2	186	6.2	0.582
Cerebrovascular diseases	123	6.5	59.1	85	7.8	40.9	208	6.9	0.155
Vascular diseases	49	2.6	62.8	29	2.7	37.2	78	2.6	0.869
Vascular diseases at index admission	82	4.3	64.1	46	4.2	35.9	128	4.3	0.932
Chronic obstructive pulmonary disease (COPD)	38	2.0	63.3	22	2.0	36.7	60	2.0	0.952
Chronic nephropathy	53	2.8	57.6	39	3.6	42.4	92	3.1	0.217
Chronic nephropathy at index admission	76	4.0	66.7	38	3.5	33.3	114	3.8	0.503
Chronic kidney disease	15	0.8	75.0	5	0.5	25.0	20	0.7	0.292
Diseases chronic diseases (liver, pancreas, intestine)	15	0.8	68.2	7	0.6	31.8	22	0.7	0.661
Diseases chronic diseases (liver, pancreas, intestine) at index admission	38	2.0	59.4	26	2.4	40.6	64	2.1	0.466
Cerebrovascular revascularization	5	0.3	41.7	7	0.6	58.3	12	0.4	0.112
Other heart surgery	20	1.1	64.5	11	1.0	35.5	31	1.0	0.925
Other vessel surgery	46	2.4	66.7	23	2.1	33.3	69	2.3	0.605
Type of hospital*									<.0001
noNVT	—	—	—	79	7.3	100.0	79	2.6	
NVT	—	—	—	84	7.7	100.0	84	2.8	
NTUI	823	43.1	54.8	679	62.5	45.2	1502	50.2	
NTUII	1085	56.9	81.6	245	22.5	18.4	1330	44.4	

* noNVT: Hospital without Neurovascular Treatment Team;

NVT: Hospital with a Neurovascular Treatment Team;

NTUI: Neurovascular Treatment Unit level I;

NTUII: Neurovascular Treatment Unit level II.

Table S21. Characteristics of patients included in the ischemic stroke cohort in 2021 (PRE) from participating facilities by in hospital 30-days mortality since first hospital admission in patients with ischemic stroke (Yes/No).

	In hospital 30-days mortality after admission in patients with ischemic stroke								χ^2 p-value
	Yes			No			Total		
	N	col%	row%	N	col%	row%	N	col%	
Total	232			2722			2954		
A&F intervention									0.008
Exposed	137	59.1	9.2	1359	49.9	90.8	1496	50.6	
Control	95	41.0	6.5	1363	50.1	93.5	1458	49.4	
Sex									0.001
Female	131	56.5	9.6	1234	45.3	90.4	1365	46.2	
Male	101	43.5	6.4	1488	54.7	93.6	1589	53.8	
Age (years)									<.0001
35-66	14	6.0	1.9	720	26.5	98.1	734	24.8	
67-76	35	15.1	4.6	724	26.6	95.4	759	25.7	
77-83	54	23.3	7.7	647	23.8	92.3	701	23.7	
84-100	129	55.6	17.0	631	23.2	83.0	760	25.7	
Education level									0.000
Bachelor's degree	12	5.2	4.2	276	10.1	95.8	288	9.7	
Lower middle high school	57	24.6	7.5	698	25.6	92.5	755	25.6	
Middle high school	40	17.2	5.7	666	24.5	94.3	706	23.9	
None or elementary	115	49.6	10.6	966	35.5	89.4	1081	36.6	
Not stated	8	3.5	6.5	116	4.3	93.5	124	4.2	
Concomitant clinical conditions									
Cancer	9	3.9	8.6	96	3.5	91.4	105	3.6	0.781
Diabetes	14	6.0	10.4	121	4.5	89.6	135	4.6	0.266
Lipid metabolism disorders	2	0.9	3.8	50	1.8	96.2	52	1.8	0.278
Obesity	2	0.9	11.8	15	0.6	88.2	17	0.6	0.548
Obesity at index admission	5	2.2	6.2	76	2.8	93.8	81	2.7	0.569
Anaemias	12	5.2	13.2	79	2.9	86.8	91	3.1	0.055
Anaemias at index admission	5	2.2	6.5	72	2.7	93.5	77	2.6	0.653
Coagulation defects	—	—	—	1	0.0	100.0	1	0.0	0.770
Coagulation defects at index admission	—	—	—	10	0.4	100.0	10	0.3	0.355
Other haematological diseases	—	—	—	5	0.2	100.0	5	0.2	0.514
Other haematological diseases at index admission	4	1.7	20.0	16	0.6	80.0	20	0.7	0.043
Arterial hypertension	39	16.8	13.4	252	9.3	86.6	291	9.9	0.000
Previous myocardial infarction	7	3.0	11.7	53	2.0	88.3	60	2.0	0.267
Other forms of ischemic heart disease	15	6.5	11.3	118	4.3	88.7	133	4.5	0.133
Heart failure	25	10.8	16.6	126	4.6	83.4	151	5.1	<.0001
Not well-defined forms and complications of heart disease	4	1.7	19.0	17	0.6	81.0	21	0.7	0.056
Rheumatic heart disease	5	2.2	25.0	15	0.6	75.0	20	0.7	0.004
Rheumatic heart disease at index admission	—	—	—	29	1.1	100.0	29	1.0	0.114
Cardiomyopathies	2	0.9	12.5	14	0.5	87.5	16	0.5	0.489
Cardiomyopathies at index admission	2	0.9	14.3	12	0.4	85.7	14	0.5	0.370
Acute endocarditis and myocarditis	—	—	—	3	0.1	100.0	3	0.1	0.613
Other cardiac conditions	8	3.5	18.2	36	1.3	81.8	44	1.5	0.010
Other cardiac conditions at index admission	5	2.2	4.0	119	4.4	96.0	124	4.2	0.106
Conduction disorders and arrhythmias	29	12.5	15.3	161	5.9	84.7	190	6.4	<.0001
Cerebrovascular diseases	19	8.2	9.0	191	7.0	91.0	210	7.1	0.505
Vascular diseases	5	2.2	8.5	54	2.0	91.5	59	2.0	0.858
Vascular diseases at index admission	9	3.9	7.5	111	4.1	92.5	120	4.1	0.883
Chronic obstructive pulmonary disease (COPD)	11	4.7	17.2	53	2.0	82.8	64	2.2	0.005
Chronic nephropathy	9	3.9	13.4	58	2.1	86.6	67	2.3	0.086
Chronic nephropathy at index admission	18	7.8	17.0	88	3.2	83.0	106	3.6	0.000
Chronic kidney disease	2	0.9	13.3	13	0.5	86.7	15	0.5	0.429
Diseases chronic diseases (liver, pancreas, intestine)	2	0.9	10.0	18	0.7	90.0	20	0.7	0.720
Diseases chronic diseases (liver, pancreas, intestine) at index admission	6	2.6	7.5	74	2.7	92.5	80	2.7	0.905
Cerebrovascular revascularization	—	—	—	15	0.6	100.0	15	0.5	0.257
Other heart surgery	8	3.5	22.2	28	1.0	77.8	36	1.2	0.001
Other vessel surgery	4	1.7	6.6	57	2.1	93.4	61	2.1	0.704
Type of hospital*									
noNVT	—	—	—	46	1.7	100.0	46	1.6	0.128
NVT	10	4.3	11.0	81	3.0	89.0	91	3.1	
NTUI	109	47.0	7.5	1340	49.2	92.5	1449	49.1	
NTUII	113	48.7	8.3	1255	46.1	91.7	1368	46.3	

* noNVT: Hospital without Neurovascular Treatment Team;

NVT: Hospital with a Neurovascular Treatment Team;

NTUI: Neurovascular Treatment Unit level I;

NTUII: Neurovascular Treatment Unit level II.

Table S22. Characteristics of patients included in the ischemic stroke cohort in 2022 (POST) from participating facilities by in hospital 30-days mortality since first hospital admission in patients with ischemic stroke (Yes/No).

	In hospital 30-days mortality after admission in patients with ischemic stroke								χ ² p-value
	Yes			No			Total		
	N	col%	row%	N	col%	row%	N	col%	
Total	200			2795			2995		
A&F intervention									0.236
Exposed	112	56.0	7.2	1444	51.7	92.8	1556	52.0	
Control	88	44.0	6.1	1351	48.3	93.9	1439	48.0	
Sex									0.005
Female	112	56.0	8.1	1278	45.7	91.9	1390	46.4	
Male	88	44.0	5.5	1517	54.3	94.5	1605	53.6	
Age (years)									<.0001
35-66	12	6.0	1.6	762	27.3	98.4	774	25.8	
67-76	36	18.0	5.0	677	24.2	95.0	713	23.8	
77-83	57	28.5	7.8	671	24.0	92.2	728	24.3	
84-100	95	47.5	12.2	685	24.5	87.8	780	26.0	
Education level									0.001
Bachelor's degree	12	6.0	4.3	267	9.6	95.7	279	9.3	
Lower middle high school	50	25.0	5.9	794	28.4	94.1	844	28.2	
Middle high school	36	18.0	5.3	638	22.8	94.7	674	22.5	
None or elementary	96	48.0	9.3	935	33.5	90.7	1031	34.4	
Not stated	6	3.0	3.6	161	5.8	96.4	167	5.6	
Concomitant clinical conditions								0.0	
Cancer	12	6.0	11.1	96	3.4	88.9	108	3.6	0.060
Diabetes	20	10.0	13.1	133	4.8	86.9	153	5.1	0.001
Lipid metabolism disorders	5	2.5	8.6	53	1.9	91.4	58	1.9	0.550
Obesity	2	1.0	10.5	17	0.6	89.5	19	0.6	0.500
Obesity at index admission	4	2.0	6.9	54	1.9	93.1	58	1.9	0.946
Anaemias	11	5.5	13.9	68	2.4	86.1	79	2.6	0.009
Anaemias at index admission	6	3.0	5.8	97	3.5	94.2	103	3.4	0.724
Coagulation defects	—	—	—	2	0.1	100.0	2	0.1	0.705
Coagulation defects at index admission	1	0.5	50.0	1	0.0	50.0	2	0.1	0.014
Other haematological diseases	1	0.5	10.0	9	0.3	90.0	10	0.3	0.673
Other haematological diseases at index admission	—	—	—	23	0.8	100.0	23	0.8	0.198
Arterial hypertension	32	16.0	10.7	268	9.6	89.3	300	10.0	0.004
Previous myocardial infarction	7	3.5	10.6	59	2.1	89.4	66	2.2	0.196
Other forms of ischemic heart disease	12	6.0	10.0	108	3.9	90.0	120	4.0	0.137
Heart failure	25	12.5	18.4	111	4.0	81.6	136	4.5	<.0001
Not well-defined forms and complications of heart disease	—	—	—	20	0.7	100.0	20	0.7	0.230
Rheumatic heart disease	3	1.5	12.0	22	0.8	88.0	25	0.8	0.284
Rheumatic heart disease at index admission	2	1.0	6.5	29	1.0	93.5	31	1.0	0.960
Cardiomyopathies	1	0.5	7.1	13	0.5	92.9	14	0.5	0.944
Cardiomyopathies at index admission	1	0.5	4.5	21	0.8	95.5	22	0.7	0.688
Acute endocarditis and myocarditis	—	—	—	—	—	—	—	—	—
Other cardiac conditions	4	2.0	10.5	34	1.2	89.5	38	1.3	0.339
Other cardiac conditions at index admission	3	1.5	2.9	101	3.6	97.1	104	3.5	0.115
Conduction disorders and arrhythmias	26	13.0	14.0	160	5.7	86.0	186	6.2	<.0001
Cerebrovascular diseases	21	10.5	10.1	187	6.7	89.9	208	6.9	0.041
Vascular diseases	6	3.0	7.7	72	2.6	92.3	78	2.6	0.716
Vascular diseases at index admission	6	3.0	4.7	122	4.4	95.3	128	4.3	0.357
Chronic obstructive pulmonary disease (COPD)	10	5.0	16.7	50	1.8	83.3	60	2.0	0.002
Chronic nephropathy	17	8.5	18.5	75	2.7	81.5	92	3.1	<.0001
Chronic nephropathy at index admission	11	5.5	9.6	103	3.7	90.4	114	3.8	0.195
Chronic kidney disease	1	0.5	5.0	19	0.7	95.0	20	0.7	0.763
Diseases chronic diseases (liver, pancreas, intestine)	—	—	—	22	0.8	100.0	22	0.7	0.208
Diseases chronic diseases (liver, pancreas, intestine) at index admission	3	1.5	4.7	61	2.2	95.3	64	2.1	0.519
Cerebrovascular revascularization	—	—	—	12	0.4	100.0	12	0.4	0.353
Other heart surgery	5	2.5	16.1	26	0.9	83.9	31	1.0	0.034
Other vessel surgery	7	3.5	10.1	62	2.2	89.9	69	2.3	0.243
Type of hospital*	15	7.5	19.0	64	2.3	81.0	79	2.6	<.0001
noNVT									
NVT	1	0.5	1.2	83	3.0	98.8	84	2.8	
NTUI	100	50.0	6.7	1402	50.2	93.3	1502	50.2	
NTUII	84	42.0	6.3	1246	44.6	93.7	1330	44.4	

* noNVT: Hospital without Neurovascular Treatment Team;

NVT: Hospital with a Neurovascular Treatment Team;

NTUI: Neurovascular Treatment Unit level I;

NTUII: Neurovascular Treatment Unit level II.

- ✓ Hospital readmissions within 30-days of discharge for ischemic stroke

Table S23. Characteristics of patients included in the ischemic stroke cohort (hospital readmissions) in 2021 and 2022 from participating facilities according to A&F intervention exposure status.

	Exposed			Control			Total		χ^2 p-value
	N	col%	row%	N	col%	row%	N	col%	
Total	3471			1982			5453		
Sex									0.928
Female	1577	45.4	63.6	903	45.6	36.4	2480	45.5	
Male	1894	54.6	63.7	1079	54.4	36.3	2973	54.5	
Age (years)									0.046
35-66	874	25.2	63.9	493	24.9	36.1	1367	25.1	
67-76	872	25.1	65.0	469	23.7	35.0	1341	24.6	
77-83	941	27.1	65.0	507	25.6	35.0	1448	26.6	
84-100	784	22.6	60.4	513	25.9	39.6	1297	23.8	
Education level									<.0001
Bachelor's degree	337	9.7	62.5	202	10.2	37.5	539	9.9	
Lower middle high school	919	26.5	62.1	561	28.3	37.9	1480	27.1	
Middle high school	800	23.1	61.9	492	24.8	38.1	1292	23.7	
None or elementary	1201	34.6	64.3	667	33.7	35.7	1868	34.3	
Not stated	214	6.2	78.1	60	3.0	21.9	274	5.0	
Concomitant clinical conditions									
Cancer	113	3.3	59.2	78	3.9	40.8	191	3.5	0.189
Diabetes	160	4.6	64.0	90	4.5	36.0	250	4.6	0.907
Lipid metabolism disorders	59	1.7	59.0	41	2.1	41.0	100	1.8	0.329
Obesity	23	0.7	71.9	9	0.5	28.1	32	0.6	0.332
Obesity at index admission	73	2.1	56.6	56	2.8	43.4	129	2.4	0.091
Anaemias	89	2.6	61.4	56	2.8	38.6	145	2.7	0.564
Anaemias at index admission	60	1.7	37.3	101	5.1	62.7	161	3.0	<.0001
Coagulation defects	1	0.0	33.3	2	0.1	66.7	3	0.1	0.275
Coagulation defects at index admission	—	—	—	10	0.5	100.0	10	0.2	<.0001
Other haematological diseases	9	0.3	64.3	5	0.3	35.7	14	0.3	0.961
Other haematological diseases at index admission	21	0.6	55.3	17	0.9	44.7	38	0.7	0.281
Arterial hypertension	322	9.3	62.4	194	9.8	37.6	516	9.5	0.535
Previous myocardial infarction	60	1.7	54.1	51	2.6	45.9	111	2.0	0.034
Other forms of ischemic heart disease	122	3.5	55.0	100	5.1	45.0	222	4.1	0.006
Heart failure	132	3.8	56.4	102	5.2	43.6	234	4.3	0.019
Not well-defined forms and complications of heart disease	31	0.9	83.8	6	0.3	16.2	37	0.7	0.011
Rheumatic heart disease	21	0.6	58.3	15	0.8	41.7	36	0.7	0.506
Rheumatic heart disease at index admission	24	0.7	42.1	33	1.7	57.9	57	1.0	0.001
Cardiomyopathies	14	0.4	51.9	13	0.7	48.1	27	0.5	0.201
Cardiomyopathies at index admission	19	0.6	57.6	14	0.7	42.4	33	0.6	0.467
Acute endocarditis and myocarditis	1	0.0	33.3	2	0.1	66.7	3	0.1	0.275
Other cardiac conditions	34	1.0	50.0	34	1.7	50.0	68	1.2	0.019
Other cardiac conditions at index admission	129	3.7	58.9	90	4.5	41.1	219	4.0	0.136
Conduction disorders and arrhythmias	192	5.5	60.8	124	6.3	39.2	316	5.8	0.271
Cerebrovascular diseases	224	6.5	60.2	148	7.5	39.8	372	6.8	0.153
Vascular diseases	77	2.2	61.6	48	2.4	38.4	125	2.3	0.629
Vascular diseases at index admission	143	4.1	61.6	89	4.5	38.4	232	4.3	0.514
Chronic obstructive pulmonary disease (COPD)	67	1.9	65.0	36	1.8	35.0	103	1.9	0.766
Chronic nephropathy	77	2.2	58.8	54	2.7	41.2	131	2.4	0.240
Chronic nephropathy at index admission	129	3.7	68.3	60	3.0	31.7	189	3.5	0.181
Chronic kidney disease	23	0.7	71.9	9	0.5	28.1	32	0.6	0.332
Diseases chronic diseases (liver, pancreas, intestine)	25	0.7	64.1	14	0.7	35.9	39	0.7	0.953
Diseases chronic diseases (liver, pancreas, intestine) at index admission	77	2.2	58.3	55	2.8	41.7	132	2.4	0.198
Cerebrovascular revascularization	16	0.5	59.3	11	0.6	40.7	27	0.5	0.634
Other heart surgery	32	0.9	60.4	21	1.1	39.6	53	1.0	0.618
Other vessel surgery	67	1.9	57.8	49	2.5	42.2	116	2.1	0.182
Type of hospital*									<.0001
noNVT	—	—	—	110	5.6	100.0	110	2.0	
NVT	—	—	—	162	8.2	100.0	162	3.0	
NTUI	1453	41.9	53.8	1250	63.1	46.2	2703	49.6	
NTUII	2018	58.1	81.4	460	23.2	18.6	2478	45.4	

* noNVT: Hospital without Neurovascular Treatment Team;

NVT: Hospital with a Neurovascular Treatment Team;

NTUI: Neurovascular Treatment Unit level I;

NTUII: Neurovascular Treatment Unit level II.

Table S24. Characteristics of patients included in the ischemic stroke cohort (hospital readmissions) in 2021(PRE) from participating facilities according to A&F intervention exposure status.

	Exposed			Control			Total		χ^2 p-value
	N	col%	row%	N	col%	row%	N	col%	
Total	1711			974			2685		
Sex									0.633
Female	784	45.8	64.2	437	44.9	35.8	1221	45.5	
Male	927	54.2	63.3	537	55.1	36.7	1464	54.5	
Age (years)									0.261
35-66	406	23.7	62.3	246	25.3	37.7	652	24.3	
67-76	467	27.3	65.4	247	25.4	34.6	714	26.6	
77-83	456	26.7	65.5	240	24.6	34.5	696	25.9	
84-100	382	22.3	61.3	241	24.7	38.7	623	23.2	
Education level									<.0001
Bachelor's degree	174	10.2	63.7	99	10.2	36.3	273	10.2	
Lower middle high school	406	23.7	58.8	285	29.3	41.2	691	25.7	
Middle high school	397	23.2	60.3	261	26.8	39.7	658	24.5	
None or elementary	644	37.6	67.9	304	31.2	32.1	948	35.3	
Not stated	90	5.3	78.3	25	2.6	21.7	115	4.3	
Concomitant clinical conditions									
Cancer	58	3.4	61.1	37	3.8	38.9	95	3.5	0.581
Diabetes	76	4.4	64.4	42	4.3	35.6	118	4.4	0.875
Lipid metabolism disorders	27	1.6	56.3	21	2.2	43.8	48	1.8	0.277
Obesity	10	0.6	66.7	5	0.5	33.3	15	0.6	0.812
Obesity at index admission	44	2.6	58.7	31	3.2	41.3	75	2.8	0.356
Anaemias	48	2.8	62.3	29	3.0	37.7	77	2.9	0.797
Anaemias at index admission	31	1.8	45.6	37	3.8	54.4	68	2.5	0.002
Coagulation defects	1	0.1	100.0	—	—	—	1	0.0	0.451
Coagulation defects at index admission	—	—	—	10	1.0	100.0	10	0.4	<.0001
Other haematological diseases	1	0.1	20.0	4	0.4	80.0	5	0.2	0.042
Other haematological diseases at index admission	9	0.5	56.3	7	0.7	43.8	16	0.6	0.533
Arterial hypertension	161	9.4	64.7	88	9.0	35.3	249	9.3	0.748
Previous myocardial infarction	33	1.9	63.5	19	2.0	36.5	52	1.9	0.968
Other forms of ischemic heart disease	60	3.5	52.2	55	5.7	47.8	115	4.3	0.009
Heart failure	72	4.2	58.5	51	5.2	41.5	123	4.6	0.221
Not well-defined forms and complications of heart disease	13	0.8	76.5	4	0.4	23.5	17	0.6	0.273
Rheumatic heart disease	11	0.6	78.6	3	0.3	21.4	14	0.5	0.247
Rheumatic heart disease at index admission	12	0.7	42.9	16	1.6	57.1	28	1.0	0.021
Cardiomyopathies	6	0.4	42.9	8	0.8	57.1	14	0.5	0.104
Cardiomyopathies at index admission	6	0.4	50.0	6	0.6	50.0	12	0.5	0.322
Acute endocarditis and myocarditis	1	0.1	33.3	2	0.2	66.7	3	0.1	0.273
Other cardiac conditions	18	1.1	52.9	16	1.6	47.1	34	1.3	0.188
Other cardiac conditions at index admission	64	3.7	54.2	54	5.5	45.8	118	4.4	0.028
Conduction disorders and arrhythmias	95	5.6	60.1	63	6.5	39.9	158	5.9	0.332
Cerebrovascular diseases	115	6.7	60.8	74	7.6	39.2	189	7.0	0.393
Vascular diseases	33	1.9	61.1	21	2.2	38.9	54	2.0	0.687
Vascular diseases at index admission	66	3.9	60.0	44	4.5	40.0	110	4.1	0.407
Chronic obstructive pulmonary disease (COPD)	36	2.1	67.9	17	1.8	32.1	53	2.0	0.521
Chronic nephropathy	35	2.1	60.3	23	2.4	39.7	58	2.2	0.588
Chronic nephropathy at index admission	61	3.6	69.3	27	2.8	30.7	88	3.3	0.267
Chronic kidney disease	9	0.5	69.2	4	0.4	30.8	13	0.5	0.679
Diseases chronic diseases (liver, pancreas, intestine)	10	0.6	58.8	7	0.7	41.2	17	0.6	0.673
Diseases chronic diseases (liver, pancreas, intestine) at index admission	40	2.3	55.6	32	3.3	44.4	72	2.7	0.144
Cerebrovascular revascularization	11	0.6	73.3	4	0.4	26.7	15	0.6	0.438
Other heart surgery	16	0.9	59.3	11	1.1	40.7	27	1.0	0.628
Other vessel surgery	28	1.6	50.9	27	2.8	49.1	55	2.1	0.046
Type of hospital*									<.0001
noNVT	—	—	—	46	4.7	100.0	46	1.7	
NVT	—	—	—	79	8.1	100.0	79	2.9	
NTUI	706	41.3	53.5	613	62.9	46.5	1319	49.1	
NTUII	1005	58.7	81.0	236	24.2	19.0	1241	46.2	

* noNVT: Hospital without Neurovascular Treatment Team;

NVT: Hospital with a Neurovascular Treatment Team;

NTUI: Neurovascular Treatment Unit level I;

NTUII: Neurovascular Treatment Unit level II.

Table S25. Characteristics of patients included in the ischemic stroke cohort (hospital readmissions) in 2022 (POST) from participating facilities according to A&F intervention exposure status.

	Exposed			Control			Total		χ^2
	N	col%	row%	N	col%	row%	N	col%	p-value
Total	1760			1008			2768		
Sex									0.551
Female	793	45.1	63.0	466	46.2	37.0	1259	45.5	
Male	967	54.9	64.1	542	53.8	35.9	1509	54.5	
Age (years)									0.105
35-66	468	26.6	65.5	247	24.5	34.5	715	25.8	
67-76	405	23.0	64.6	222	22.0	35.4	627	22.7	
77-83	485	27.6	64.5	267	26.5	35.5	752	27.2	
84-100	402	22.8	59.6	272	27.0	40.4	674	24.4	
Education level									0.001
Bachelor's degree	163	9.3	61.3	103	10.2	38.7	266	9.6	
Lower middle high school	513	29.2	65.0	276	27.4	35.0	789	28.5	
Middle high school	403	22.9	63.6	231	22.9	36.4	634	22.9	
None or elementary	557	31.7	60.5	363	36.0	39.5	920	33.2	
Not stated	124	7.1	78.0	35	3.5	22.0	159	5.7	
Concomitant clinical conditions									
Cancer	55	3.1	57.3	41	4.1	42.7	96	3.5	0.192
Diabetes	84	4.8	63.6	48	4.8	36.4	132	4.8	0.990
Lipid metabolism disorders	32	1.8	61.5	20	2.0	38.5	52	1.9	0.757
Obesity	13	0.7	76.5	4	0.4	23.5	17	0.6	0.268
Obesity at index admission	29	1.7	53.7	25	2.5	46.3	54	2.0	0.128
Anaemias	41	2.3	60.3	27	2.7	39.7	68	2.5	0.568
Anaemias at index admission	29	1.7	31.2	64	6.4	68.8	93	3.4	<.0001
Coagulation defects	—	—	—	2	0.2	100.0	2	0.1	0.062
Coagulation defects at index admission	—	—	—	—	—	—	—	—	—
Other haematological diseases	8	0.5	88.9	1	0.1	11.1	9	0.3	0.114
Other haematological diseases at index admission	12	0.7	54.5	10	1.0	45.5	22	0.8	0.376
Arterial hypertension	161	9.2	60.3	106	10.5	39.7	267	9.7	0.241
Previous myocardial infarction	27	1.5	45.8	32	3.2	54.2	59	2.1	0.004
Other forms of ischemic heart disease	62	3.5	57.9	45	4.5	42.1	107	3.9	0.216
Heart failure	60	3.4	54.1	51	5.1	45.9	111	4.0	0.033
Not well-defined forms and complications of heart disease	18	1.0	90.0	2	0.2	10.0	20	0.7	0.014
Rheumatic heart disease	10	0.6	45.5	12	1.2	54.5	22	0.8	0.076
Rheumatic heart disease at index admission	12	0.7	41.4	17	1.7	58.6	29	1.1	0.013
Cardiomyopathies	8	0.5	61.5	5	0.5	38.5	13	0.5	0.878
Cardiomyopathies at index admission	13	0.7	61.9	8	0.8	38.1	21	0.8	0.873
Acute endocarditis and myocarditis	—	—	—	—	—	—	—	—	—
Other cardiac conditions	16	0.9	47.1	18	1.8	52.9	34	1.2	0.044
Other cardiac conditions at index admission	65	3.7	64.4	36	3.6	35.6	101	3.7	0.869
Conduction disorders and arrhythmias	97	5.5	61.4	61	6.1	38.6	158	5.7	0.556
Cerebrovascular diseases	109	6.2	59.6	74	7.3	40.4	183	6.6	0.242
Vascular diseases	44	2.5	62.0	27	2.7	38.0	71	2.6	0.775
Vascular diseases at index admission	77	4.4	63.1	45	4.5	36.9	122	4.4	0.912
Chronic obstructive pulmonary disease (COPD)	31	1.8	62.0	19	1.9	38.0	50	1.8	0.814
Chronic nephropathy	42	2.4	57.5	31	3.1	42.5	73	2.6	0.276
Chronic nephropathy at index admission	68	3.9	67.3	33	3.3	32.7	101	3.7	0.426
Chronic kidney disease	14	0.8	73.7	5	0.5	26.3	19	0.7	0.359
Diseases chronic diseases (liver, pancreas, intestine)	15	0.9	68.2	7	0.7	31.8	22	0.8	0.653
Diseases chronic diseases (liver, pancreas, intestine) at index admission	37	2.1	61.7	23	2.3	38.3	60	2.2	0.755
Cerebrovascular revascularization	5	0.3	41.7	7	0.7	58.3	12	0.4	0.114
Other heart surgery	16	0.9	61.5	10	1.0	38.5	26	0.9	0.828
Other vessel surgery	39	2.2	63.9	22	2.2	36.1	61	2.2	0.954
Type of hospital*									<.0001
noNVT	—	—	—	64	6.4	100.0	64	2.3	
NVT	—	—	—	83	8.2	100.0	83	3.0	
NTUI	747	42.4	54.0	637	63.2	46.0	1384	50.0	
NTUII	1013	57.6	81.9	224	22.2	18.1	1237	44.7	

* noNVT: Hospital without Neurovascular Treatment Team;

NVT: Hospital with a Neurovascular Treatment Team;

NTUI: Neurovascular Treatment Unit level I;

NTUII: Neurovascular Treatment Unit level II.

Table S26. Characteristics of patients included in the stroke cohort in 2021 (PRE) from participating facilities according to of in hospital readmissions within 30-days of discharge for ischemic stroke (Yes/No).

	% of in hospital readmissions within 30-days of discharge for ischemic stroke							χ^2 p-value
	Yes			No			Total	
	N	col%	row%	N	col%	row%	N	col%
Total	182			2503			2685	
A&F intervention								0.819
Exposed	93	51.1	6.9	1257	50.2	93.1	1350	50.3
Control	89	48.9	6.7	1246	49.8	93.3	1335	49.7
Sex								0.297
Female	76	41.8	6.2	1145	45.8	93.8	1221	45.5
Male	106	58.2	7.2	1358	54.3	92.8	1464	54.5
Age (years)								0.295
35-66	35	19.2	5.4	617	24.7	94.6	652	24.3
67-76	57	31.3	8.0	657	26.3	92.0	714	26.6
77-83	48	26.4	6.9	648	25.9	93.1	696	25.9
84-100	42	23.1	6.7	581	23.2	93.3	623	23.2
Education level								0.644
Bachelor's degree	19	10.4	7.0	254	10.2	93.0	273	10.2
Lower middle high school	49	26.9	7.1	642	25.7	92.9	691	25.7
Middle high school	39	21.4	5.9	619	24.7	94.1	658	24.5
None or elementary	70	38.5	7.4	878	35.1	92.6	948	35.3
Not stated	5	2.8	4.3	110	4.4	95.7	115	4.3
Concomitant clinical conditions								
Cancer	9	5.0	9.5	86	3.4	90.5	95	3.5
Diabetes	6	3.3	5.1	112	4.5	94.9	118	4.4
Lipid metabolism disorders	4	2.2	8.3	44	1.8	91.7	48	1.8
Obesity	2	1.1	13.3	13	0.5	86.7	15	0.6
Obesity at index admission	3	1.7	4.0	72	2.9	96.0	75	2.8
Anaemias	3	1.7	3.9	74	3.0	96.1	77	2.9
Anaemias at index admission	1	0.6	1.5	67	2.7	98.5	68	2.5
Coagulation defects	—	—	—	1	0.0	100.0	1	0.0
Coagulation defects at index admission	1	0.6	10.0	9	0.4	90.0	10	0.4
Other haematological diseases	—	—	—	5	0.2	100.0	5	0.2
Other haematological diseases at index admission	—	—	—	16	0.6	100.0	16	0.6
Arterial hypertension	14	7.7	5.6	235	9.4	94.4	249	9.3
Previous myocardial infarction	3	1.7	5.8	49	2.0	94.2	52	1.9
Other forms of ischemic heart disease	9	5.0	7.8	106	4.2	92.2	115	4.3
Heart failure	12	6.6	9.8	111	4.4	90.2	123	4.6
Not well-defined forms and complications of heart disease	1	0.6	5.9	16	0.6	94.1	17	0.6
Rheumatic heart disease	1	0.6	7.1	13	0.5	92.9	14	0.5
Rheumatic heart disease at index admission	9	5.0	32.1	19	0.8	67.9	28	1.0
Cardiomyopathies	—	—	—	14	0.6	100.0	14	0.5
Cardiomyopathies at index admission	—	—	—	12	0.5	100.0	12	0.4
Acute endocarditis and myocarditis	—	—	—	3	0.1	100.0	3	0.1
Other cardiac conditions	4	2.2	11.8	30	1.2	88.2	34	1.3
Other cardiac conditions at index admission	8	4.4	6.8	110	4.4	93.2	118	4.4
Conduction disorders and arrhythmias	13	7.1	8.2	145	5.8	91.8	158	5.9
Cerebrovascular diseases	20	11.0	10.6	169	6.8	89.4	189	7.0
Vascular diseases	3	1.7	5.6	51	2.0	94.4	54	2.0
Vascular diseases at index admission	4	2.2	3.6	106	4.2	96.4	110	4.1
Chronic obstructive pulmonary disease (COPD)	5	2.8	9.4	48	1.9	90.6	53	2.0
Chronic nephropathy	9	5.0	15.5	49	2.0	84.5	58	2.2
Chronic nephropathy at index admission	9	5.0	10.2	79	3.2	89.8	88	3.3
Chronic kidney disease	3	1.7	23.1	10	0.4	76.9	13	0.5
Diseases chronic diseases (liver, pancreas, intestine)	1	0.6	5.9	16	0.6	94.1	17	0.6
Diseases chronic diseases (liver, pancreas, intestine) at index admission	6	3.3	8.3	66	2.6	91.7	72	2.7
Cerebrovascular revascularization	—	—	—	15	0.6	100.0	15	0.6
Other heart surgery	4	2.2	14.8	23	0.9	85.2	27	1.0
Other vessel surgery	3	1.7	5.5	52	2.1	94.5	55	2.0
Type of hospital*								0.591
noNVT	2	1.1	4.3	44	1.8	95.7	46	1.7
NVT	8	4.4	10.1	71	2.8	89.9	79	2.9
NTUI	87	47.8	6.6	1232	49.2	93.4	1319	49.1
NTUII	85	46.7	6.8	1156	46.2	93.2	1241	46.2

* noNVT: Hospital without Neurovascular Treatment Team;

NVT: Hospital with a Neurovascular Treatment Team;

NTUI: Neurovascular Treatment Unit level I;

NTUII: Neurovascular Treatment Unit level II.

Table S27. Characteristics of patients included in the stroke cohort in 2022 (POST) from participating facilities according to of in hospital readmissions within 30-days of discharge for ischemic stroke (Yes/No).

	% of in hospital readmissions within 30-days of discharge for ischemic stroke								χ ² p-value
	Yes			No			Total		
	N	col%	row%	N	col%	row%	N	col%	
Total	210			2558			2768		
A&F intervention									0.935
Exposed	108	51.4	7.5	1323	51.7	92.5	1431	51.7	
Control	102	48.6	7.6	1235	48.3	92.4	1337	48.3	
Sex									0.071
Female	83	39.5	6.6	1176	46.0	93.4	1259	45.5	
Male	127	60.5	8.4	1382	54.0	91.6	1509	54.5	
Age (years)									0.002
35-66	36	17.1	5.0	679	26.5	95.0	715	25.8	
67-76	44	21.0	7.0	583	22.8	93.0	627	22.7	
77-83	77	36.7	10.2	675	26.4	89.8	752	27.2	
84-100	53	25.2	7.9	621	24.3	92.1	674	24.3	
Education level									0.312
Bachelor's degree	22	10.5	8.3	244	9.5	91.7	266	9.6	
Lower middle high school	47	22.4	6.0	742	29.0	94.0	789	28.5	
Middle high school	51	24.3	8.0	583	22.8	92.0	634	22.9	
None or elementary	79	37.6	8.6	841	32.9	91.4	920	33.2	
Not stated	11	5.2	6.9	148	5.8	93.1	159	5.7	
Concomitant clinical conditions									
Cancer	7	3.3	7.3	89	3.5	92.7	96	3.5	0.912
Diabetes	12	5.7	9.1	120	4.7	90.9	132	4.8	0.504
Lipid metabolism disorders	3	1.4	5.8	49	1.9	94.2	52	1.9	0.617
Obesity	2	1.0	11.8	15	0.6	88.2	17	0.6	0.514
Obesity at index admission	1	0.5	1.9	53	2.1	98.1	54	2.0	0.108
Anaemias	9	4.3	13.2	59	2.3	86.8	68	2.5	0.075
Anaemias at index admission	11	5.2	11.8	82	3.2	88.2	93	3.4	0.116
Coagulation defects	1	0.5	50.0	1	0.0	50.0	2	0.1	0.023
Coagulation defects at index admission	—	—	—	—	—	—	—	—	—
Other haematological diseases	1	0.5	11.1	8	0.3	88.9	9	0.3	0.689
Other haematological diseases at index admission	2	1.0	9.1	20	0.8	90.9	22	0.8	0.789
Arterial hypertension	21	10.0	7.9	246	9.6	92.1	267	9.6	0.857
Previous myocardial infarction	4	1.9	6.8	55	2.2	93.2	59	2.1	0.813
Other forms of ischemic heart disease	8	3.8	7.5	99	3.9	92.5	107	3.9	0.965
Heart failure	15	7.1	13.5	96	3.8	86.5	111	4.0	0.016
Not well-defined forms and complications of heart disease	3	1.4	15.0	17	0.7	85.0	20	0.7	0.209
Rheumatic heart disease	4	1.9	18.2	18	0.7	81.8	22	0.8	0.060
Rheumatic heart disease at index admission	1	0.5	3.4	28	1.1	96.6	29	1.0	0.398
Cardiomyopathies	1	0.5	7.7	12	0.5	92.3	13	0.5	0.989
Cardiomyopathies at index admission	3	1.4	14.3	18	0.7	85.7	21	0.8	0.245
Acute endocarditis and myocarditis	—	—	—	—	—	—	—	—	—
Other cardiac conditions	4	1.9	11.8	30	1.2	88.2	34	1.2	0.355
Other cardiac conditions at index admission	8	3.8	7.9	93	3.6	92.1	101	3.6	0.897
Conduction disorders and arrhythmias	17	8.1	10.8	141	5.5	89.2	158	5.7	0.121
Cerebrovascular diseases	12	5.7	6.6	171	6.7	93.4	183	6.6	0.586
Vascular diseases	8	3.8	11.3	63	2.5	88.7	71	2.6	0.235
Vascular diseases at index admission	7	3.3	5.7	115	4.5	94.3	122	4.4	0.430
Chronic obstructive pulmonary disease (COPD)	5	2.4	10.0	45	1.8	90.0	50	1.8	0.516
Chronic nephropathy	9	4.3	12.3	64	2.5	87.7	73	2.6	0.121
Chronic nephropathy at index admission	14	6.7	13.9	87	3.4	86.1	101	3.6	0.015
Chronic kidney disease	3	1.4	15.8	16	0.6	84.2	19	0.7	0.175
Diseases chronic diseases (liver, pancreas, intestine)	2	1.0	9.1	20	0.8	90.9	22	0.8	0.789
Diseases chronic diseases (liver, pancreas, intestine) at index admission	3	1.4	5.0	57	2.2	95.0	60	2.2	0.444
Cerebrovascular revascularization	—	—	—	12	0.5	100.0	12	0.4	0.320
Other heart surgery	3	1.4	11.5	23	0.9	88.5	26	0.9	0.445
Other vessel surgery	8	3.8	13.1	53	2.1	86.9	61	2.2	0.099
Type of hospital*									0.624
noNVT	6	2.9	9.4	58	2.3	90.6	64	2.3	
NVT	8	3.8	9.6	75	2.9	90.4	83	3.0	
NTUI	110	52.4	7.9	1274	49.8	92.1	1384	50.0	
NTUII	86	41.0	7.0	1151	45.0	93.0	1237	44.7	

* noNVT: Hospital without Neurovascular Treatment Team;

NVT: Hospital with a Neurovascular Treatment Team;

NTUI: Neurovascular Treatment Unit level I;

NTUII: Neurovascular Treatment Unit level II.