

Article

Not peer-reviewed version

Synergistic Effects of Sodium Lauryl Sulfate and Lauryl Dime-Thylamine Oxide Blends on Foam Properties and Skin Irritation Reduction

[Elena Herrero](#) ^{*}, [Cristina Calabuig](#), [Francisco Ríos](#) ^{*}, [Manuela Lechuga](#)

Posted Date: 12 December 2025

doi: 10.20944/preprints202512.1118.v1

Keywords: anionic surfactants; amphoteric surfactants; synergism; foaming; irritability; zein test



Preprints.org is a free multidisciplinary platform providing preprint service that is dedicated to making early versions of research outputs permanently available and citable. Preprints posted at Preprints.org appear in Web of Science, Crossref, Google Scholar, Scilit, Europe PMC.

Copyright: This open access article is published under a [Creative Commons CC BY 4.0 license](#), which permit the free download, distribution, and reuse, provided that the author and preprint are cited in any reuse.

Article

Synergistic Effects of Sodium Lauryl Sulfate and Lauryl Dimethylamine Oxide Blends on Foam Properties and Skin Irritation Reduction

Elena Herrero ^{1,*}, Cristina Calabuig ¹, Francisco Ríos ^{2,*} and Manuela Lechuga ²

¹ Textile and Cosmetic Industry Research Association (AITEC). Carretera de Banyeres, 10, 03802 Alcoy, Alicante, Spain

² Department of Chemical Engineering, Faculty of Sciences, University of Granada, Avda. Fuente Nueva s/n, 18071 Granada, Spain

* Correspondence: eherrero@aitex.es (E.H.); rios@ugr.es (F.R.)

Abstract

Surfactants are commonly employed in cleaning, cosmetic and pharmaceutical formulations due to their ability to lower surface tension and facilitate the formation of emulsions, foams, and dispersions. Recent research highlights the advantages of synergistic interactions between anionic and nonionic surfactants to improve overall performance. In this study the physicochemical properties and performance of binary mixtures of the anionic surfactant sodium lauryl sulfate (SLS) and the amphoteric surfactant lauryl dimethyl amine oxide (LDAO) at varying ratios (100% SLS, 90:10, 80:20, 70:30, 60:40, and 50:50) were investigated. Key parameters analysed included critical micelle concentration (CMC), surface tension (γ), foam volume and potential irritability, assessed via the Zein test. The results revealed a clear synergistic effect between SLS and LDAO: all mixtures showed reduced CMC and minimum surface tension compared to the individual surfactants, while exhibiting enhanced foam volume and stability. Regarding irritability, increasing LDAO content consistently led to decreased protein denaturation, indicating lower irritancy levels. Furthermore, the results obtained in the Zein test confirmed that mixtures induced less protein denaturation than the sum of their individual surfactant components, with formulations ranging from moderately to non-irritating. The results obtained indicate that the more stable mixed micelle systems (SLS+LDAO) might improve the performance of cleaning formulations (γ , CMC, foam) while reducing the irritability.

Keywords: anionic surfactants; amphoteric surfactants; synergism; foaming; irritability; zein test

1. Introduction

Surfactants are amphipathic molecules consisting of a nonpolar (hydrophobic) part and a polar (hydrophilic) part. This dual structure allows them to interact simultaneously with polar solvents such as water and nonpolar substances like oils, lipids, or hydrophobic surfaces. As a result, surfactants play a key role in solubilizing immiscible phases and stabilizing interfaces. The balance between the hydrophilic and lipophilic parts—known as the hydrophilic-lipophilic balance (HLB)—is a fundamental parameter that influences critical properties of the system, such as adsorption at interfaces, emulsification, and the formation of aggregates like micelles [1,2]. These compounds are widely used in cleaning products, cosmetics, pharmaceuticals, and food products due to the aforementioned characteristics, which allow the formation of emulsions, foams, and dispersions [1,3].

Surfactant adsorption is driven by the reduction of interfacial tension, which increases with surfactant concentration at the interface. On the other hand, surfactants in aqueous solution tend to aggregate to form micelles. The driving force for micelle formation is the reduction of contact between the hydrophobic part of the molecule and water, thus reducing the free energy of the system [4].

Micelle formation is a key property that defines surfactant behaviour in solution, along with the critical micelle concentration (CMC), defined as the minimum concentration at which surfactant molecules begin to form these micelles. This parameter is key because it directly affects properties such as solubilization, foaming, and detergency [1–3].

Foam generation is one of the most valued properties in surfactant-based formulations, especially in household and personal care products. Foam not only contributes to the mechanical removal of dirt and oils but also plays a psychological role in consumer perception of product efficacy [3,5]. However, excessive or unstable foam can hinder rinsability and reduce user satisfaction. Moreover, the relationship between foam performance and skin tolerance is complex: while high foam volume is often associated with strong detergency, it may also correlate with increased skin irritation, particularly in formulations containing high concentrations of anionic surfactants [6].

Modern cleaning formulations contain mixtures of surfactants, generally anionic, amphoteric, and/or nonionic. Anionic surfactants are usually the main surfactant due to their high cleaning power and foaming capacity, although they have drawbacks such as high irritancy and sensitivity to hard water [7]. Mixtures of anionic and nonionic (or amphoteric) surfactants, such as the SLS+LDAO mixture, offer various benefits, such as reducing the irritating potential of the formula or increasing the stability of the foam generated [3,6,8].

Sodium lauryl sulfate (SLS) is an anionic surfactant naturally sourced from coconut and/or palm kernel oil. It is widely used in personal care products due to its foaming, cleansing, and emulsifying properties. Its ability to generate foam makes it ideal for shampoos, shower gels, or dishwashing liquids. However, its ability to strip the skin of its natural oils gives it a high potential for skin irritation, especially in sensitive skin or at high concentrations [9,10].

Amine-oxide-based surfactants such as lauryl dimethylamine oxide (LDAO) possess several valuable properties, including enhancing and stabilizing foam in blends with other amphoteric or anionic surfactants and thickening due to their strong dipolar moment, which structures the surfactant phase [11,12]. They improve compatibility with skin and hair, reducing the irritation caused by anionic surfactants such as SLS [1]. These characteristics make them suitable for use in a variety of industrial, household, and cosmetic products including detergents, dishwashing liquids, shampoos, and hair conditioners [13].

There are several previous studies that suggest a synergistic interaction in mixtures of anionic surfactants with nonionic or amphoteric surfactants [6,14–18], with “synergy” being understood as the joint action of two or more elements that results in a superior effect, or an improvement in the individual effects of each of them [19]. These synergies are mainly due to the formation of more stable mixed micelles, thanks to the ability of nonionic (or amphoteric) surfactants to increase the distance between the hydrophilic heads of anionic surfactants, thereby reducing electrostatic repulsive forces [20], as well as the reduction of monomers in the medium. The formation of more stable mixed micelles and, consequently, the reduction of the CMC has beneficial effects on efficacy characteristics such as foam generation and stability or cleaning ability, as well as reducing skin irritation [1,21,22].

The irritant potential of anionic surfactants like SLS is a well-documented concern [23]. This adverse effect has driven the development of milder formulations and the use of synergistic systems, such as the SLS+LDAO system, as a strategy to minimize aggressiveness without sacrificing performance, especially in the development of manual dishwashing formulas, which come into direct contact with the skin [9].

Although numerous studies have explored the synergistic effects between anionic and nonionic or amphoteric surfactants—particularly in relation to their irritant potential using various analytical techniques [5,24,25]—few have specifically examined how the ratio between anionic and nonionic components influences skin irritation [5]. Understanding this relationship is essential for optimizing detergent formulations that balance performance with mildness. Moreover, the underlying physicochemical mechanisms driving these synergistic interactions remain insufficiently characterized, underscoring the need for further investigation into how each surfactant contributes to key functional properties.

To address this gap, the present study not only evaluates the physicochemical behaviour of SLS+LDAO mixtures but also quantifies the degree of synergy in terms of irritant potential. This is achieved by comparing the Zein (Zn) solubilization values of the mixtures against the cumulative values derived from the individual surfactants at equivalent concentrations, thereby providing a more precise assessment of their combined effect. In this study, the synergistic effect of SLS+LDAO mixtures at different ratios (90:10, 80:20, 70:30, 60:40, and 50:50) was evaluated. To this end, the surface tension and CMC values of the different mixtures, as well as those of the individual surfactants, were obtained, the foam generation and foam decay of each of them were evaluated, and finally, the irritant profile of these mixtures was studied by applying the Zein test. To determine the SLS+LDAO ratio that offers maximum synergy, in addition to evaluating the dissolved zein of the different mixtures, the accumulated zein value was also obtained by adding the contribution of each individual surfactant at the same concentration as in the mixture.



The research concludes that synergism is favourable in all the solutions analysed, which have been able to lower their binary mixture CMC and the minimum surface tension compared to that of the individual surfactants. Besides, regarding protein denaturation, the Zein solubilization caused by the mixtures of surfactants is significantly lower than the cumulative score of Zein solubilization by each of the surfactants separately tested. These findings confirm a synergistic interaction between the surfactants, resulting in reduced protein denaturation.

2. Materials and Methods

2.1. Materials

The surfactants used in this study were sodium lauryl sulfate (SLS), provided by Grupo ADI (Terrassa, Spain), and lauryl dimethylamine oxide (LDAO), provided by KAO Corporation S.A. (Barcelona, Spain), both with 30% active matter content (Table 1). Stock solutions containing 5% active matter were prepared for each SLS+LDAO ratio (90:10, 80:20, 70:30, 60:40, and 50:50), as well as for the individual surfactants. Working solutions were obtained by diluting the stock preparations to the specific concentrations required for each experimental protocol. Purified zein from ThermoFisher Scientific (Massachusetts, USA) was used. Solution pH was adjusted using 99% citric acid and sodium hydroxide (analytical grade), both supplied by Sigma-Aldrich (St. Louis, USA) and used as 30% aqueous solutions. Table 1 Chemical and structural characteristics of the surfactants used in the study.

Table 1. Characteristics of the surfactants used in the study.

Chemical name	Abbreviation	INCI	% Active matter	Length alkyl chain	Chemical structure depiction
<u>Sulfuric acid, mono-C12-14-alkyl esters, sodium salts</u>	SLS	Sodium lauryl sulfate	30	12	
Dodecyldimethylamine oxide	LDAO	Lauramine Oxide	30	12	

2.2. Methods

2.2.1. Surface Tension

The surface tension of the solutions was determined using an Attension Theta Flex optical tensiometer (Biolin Scientific, Västra Frölunda, Sweden) with the Pendant Drop method [26]. For each

measurement, 200 μ L of the corresponding solution were dispensed at the micropipette tip. Experimental parameters such as drop size and dispensing rate were adjusted according to the expected surface tension value. In general, larger drop volumes and lower dispensing rates were used for solutions with high surface tension, whereas smaller drops and higher dispensing rates were employed for solutions with lower surface tension. All measurements were performed at a controlled room temperature of 22 $^{\circ}$ C, and surface tension was determined 5 seconds after the required drop volume was reached. The instrument recorded images at a frequency of 17 frames per second (fps), and the average surface tension value was calculated from the data collected during this interval. The final value was automatically provided by the measurement system and expressed in mN/m.

2.2.2. Critical Micelle Concentration

To determine the critical micelle concentration (CMC), serial dilutions of each surfactant and their mixtures were prepared within a concentration range of 0.1 to 0.005%. For SLS, the range was extended up to 0.25% since a higher CMC was expected [1]. Surface tension was measured as previously described, and the data obtained were plotted as surface tension versus concentration.

The CMC was estimated graphically by fitting two linear segments to the curve—one before and one after the inflection point—and identifying their intersection. In addition to the CMC, other parameters related to surfactant adsorption at the interface were extracted from the surface tension vs. concentration curve. These included: effectiveness of adsorption [1], defined as the minimum surface tension achieved (lowest γ), and efficiency of adsorption C_{1-2} , defined as the surfactant concentration required to reduce surface tension to a target value (31 mN/m in this study) [1].

2.2.3. Protein Denaturation

Zein is a corn-derived protein that mimics the denaturation behaviour of skin keratinocytes and is insoluble in aqueous solutions unless disrupted by surfactants. The Zein test is a widely accepted method for estimating the irritant potential of surfactants, based on the amount of protein solubilized upon denaturation [6].

An adaptation of the original Zein test [27] was carried out, with quantification of the dissolved zein using the Kjeldahl method. The results are expressed as mg N/100 mL of solution (Zein number). Surfactant solutions were prepared at 1% active matter with the pH adjusted to 8 ± 0.2 . A suspension of 2 g of zein in 40 mL of surfactant solution was stirred at 300 rpm for 1 hour at room temperature. Insoluble zein was then removed by centrifugation for 15 minutes at 4000 rpm (Bench top centrifuge ScanSpeed 1248) and subsequently filtered under vacuum through a Whatman filter (8 μ m pore). Finally, the amount of dissolved zein was analysed by quantifying the nitrogen in solution using the Kjeldahl method. The higher the Zein number, the more protein has been denatured, and therefore, the more irritant the tested solution is. The method includes classification of the surfactant’s irritant potential based on the Zein number obtained, as shown in Table 2.

Table 2. Classification of surfactant irritant potential based on the zein number [28].

Zein Number (mgN/100mL)	Irritation Category
0-200	Not irritant
200-400	Moderately irritant
400-500	Irritant Type I
>500	Irritant Type II

The Zein method was used to quantify the irritant potential of the binary SLS+LDAO mixtures. Additionally, the presence of a synergistic effect in irritancy was evaluated by analysing the surfactants individually at the concentrations present in the binary mixtures and then summing the values to obtain the cumulative Zein number. The synergistic effect was subsequently quantified by comparing the Zein number of the mixture to the cumulative Zein number, expressed as a % increase

(Equation 1). This approach enables identification of the SLS+LDAO ratio that yields the highest synergistic reduction in irritant potential.

$$\%increase = \frac{(Zein_{Cumulative} - Zein_{Mixture})}{Zein_{Mixture}} \cdot 100 \quad (1)$$

2.3. Foam Generation and Stability

Foam generation and stability were evaluated using a SITA Foam Tester R-2000 (Dresden, Germany). Surfactant mixtures were analysed in solution at 0.1% active matter. Foam was generated by performing 20 agitation cycles of 10 seconds each at 1500 rpm, with volume recorded after each cycle. To assess the stability of the generated foam, volume measurements were taken every 20 seconds for 5 minutes after the final agitation. All measurements were performed in triplicate.

3. Results and Discussion

3.1. Determination of Surface Tension and CMC

By representing the concentration versus the surface tension in solutions of the mixtures of each surfactant and the pure ingredients (Figure 1), the Critical Micelle Concentration (CMC) and the minimum surface tension of each of them were determined. From Figure 1 it can be easily observed how the SLS+LDAO mixtures are able to reach a lower surface tension as well as a lower CMC compared to individual surfactants.




Figure 1. Surface tension profiles of SLS, LDAO and their binary mixtures as a function of concentration,.

The results (Table 3) show CMC, lowest γ and C_{12} (concentration required to reduce surface tension to 31mN/m). SLS has a much higher CMC than LDAO and its mixtures, as expected for an anionic surfactant. This is because for anionic surfactants, higher concentrations are necessary to overcome the electrostatic repulsion between the head groups during aggregation [1]. In addition, all mixtures have a lower CMC than pure LDAO and further reduce the minimum surface tension than either of the surfactants alone.

Table 3. CMC, minimum surface tension (γ) and surfactant concentration required to reach 31 mN/m (C_{12}) for SLS, LDAO and their binary mixtures.

Sample	CMC (mg/L)	Lowest γ (mN/m)	C1-2 (mg/L) *31mN/m
SLS	840	32.05	1155,0
LDAO	418	30.1	363.6
SLS+LDAO (90:10)	208	24.7	217,6
SLS+LDAO (80:20)	212	24.5	206,4
SLS+LDAO (70:30)	202	24.3	180,8
SLS+LDAO (60:40)	219	24.1	109,1
SLS+LDAO (50:50)	263	23.7	56,3

The results obtained allow us to conclude that there is a strong synergistic interaction among SLS and LDAO resulting in a clear benefit on the most important interfacial phenomena which are the generation of mixed micelles on liquid solutions (micellization) and the reduction of the interfacial tension, compared to the values obtained for the individual surfactants. The synergy between SLS and LDAO allows the obtention of mixed micelles in solution at a concentration much lower than the CMC of the individual ingredients, even at a very low percentage of LDAO (90:10). Regarding the efficacy on the γ reduction, all the mixtures of SLS+LDAO assessed improve the values of the individual surfactants, with efficacy increasing in mixtures richer in LDAO and reaching the smallest γ for the 50:50 mixture (23,7mN/m). On the other hand, the efficiency on surface tension reduction has been assessed to determine the surfactant concentration required to get a surface tension of 31 mN/m. In this case, as for the lowest surface tension, all the SLS+LDAO mixtures show a synergistic effect with lower surfactant concentration than for the individual surfactants, with the highest degree of synergy observed in the 50:50 mixture (56.3 mg/L).

The synergistic behavior on the CMC reduction can be explained by assuming that in the mixed micelles, the hydrophilic part of the LDAO molecule coils around the charged head groups of the anionic surfactant, screening the electrostatic repulsions and thus favoring the micelle formation [1,14]. A similar mechanism may explain the enhanced γ reduction, as nonionic or amphoteric surfactants exhibit greater adsorption efficiency due to the absence of electrostatic repulsion, which otherwise increases the free energy required for head group transfer from the bulk phase to the interface [26].

Similar synergistic phenomena have been reported in other anionic/nonionic systems [14,16,29]. For example, Kotsi et al. [15] proved that mixtures of nonionic tristyrilphenol ethoxylate and an anionic sodium dodecyl benzene sulfonate, significantly lowered the CMC of each surfactant alone. Their results were attributed to cooperative interactions between the hydrophobic chains and the ethoxylated head groups, leading to improved molecular packing at the air-water interface and the formation of mixed micelles with more thermodynamic stability.

3.2. Protein Denaturation

The results obtained are shown in Figure 2, where the zein number is expressed in mgN/100mL of solution. According to these results, the higher the proportion of LDAO in the mixture, the lower the irritant potential. The value obtained for SLS corresponds to type I irritant according to the Zein method classification scale. The 90:10, 80:20, and 70:30 mixtures would be classified as moderately irritating, and the 60:40 and 50:50 mixtures as non-irritating.




Figure 2. Zein number (mgN/100mL) for SLS and SLS: LDAO binary mixtures.

This study demonstrates that, using surfactant mixtures of different nature such as anionic/nonionic or anionic/amphoteric is one of the simplest options to reduce the dermal irritation caused by anionic surfactants due to the synergistic interaction achieved by these mixtures [17,20,30,31]. This way, it is possible to drastically reduce the irritant potential of SLS (type I irritant) to obtain moderately irritating or non-irritating mixtures.

As it has been widely demonstrated in the literature, the application of surfactant mixtures of different nature, such as SLS+LDAO, allows the formation of bigger and more stable micelles, in comparison to anionic surfactant micelles [1,2]. Micelles formed in solution by anionic surfactants are relatively small in size which can promote their penetration into the epidermis [20]. Besides, strong electrostatic repulsion of the hydrophilic group in the micelle-forming molecules has an influence reducing the stability leading to its breakdown into monomers. The use of a nonionic or amphoteric surfactant, leads to weakening of the electrostatic repulsion, and so micelle stabilization occurs

On the other hand, as previously discussed, the formation of mixed micelles significantly reduces the CMC and so the concentration of free monomers on the solution. These theories are confirmed by several studies where the irritant potential of anionic/nonionic mixtures has been assessed, and the results were correlated with the CMC values determined for the mixtures [17,30].

To quantify the synergistic effect that occurs in surfactant mixtures, Table 4 shows the Zein number for each individual surfactant at the concentration found in the mixtures ($Zn_{individual}$), the sum of the contribution of each ingredient ($Zn_{accumulated}$), and the comparison with the experimentally obtained Zein value of the mixture ($Zn_{mixture}$). Likewise, the percentage increase in irritant potential has been calculated by considering the accumulated effect vs. the Zein value obtained for the mixture. The percentage increase serves as a metric to quantify the synergistic reduction in protein denaturation. Figure 3 shows both curves ($Zn_{Accumulated}$ and $Zn_{mixture}$) vs. SLS concentration.

Table 4. Quantification of the synergistic effect in SLS+LDAO mixtures based on the Zein number for the mixtures and the Zein accumulated summing the contribution of each surfactant at the same concentration.

Surfactant mixtures SLS+LDAO	Zn individual (mgN/100mL)	Zn Accumulated (mgN/100mL)	Zn mixture (mgN/100mL)	% increase
90:10	412	421.13	383.0	9.95

	9.13			
80:20	341.6	346.36	297.8	16.32
	4.76			
70:30	285.3	287.59	221.0	30.14
	2.29			
60:40	258.8	262.12	124.9	109.83
	2.32			
50:50	208	209.55	36.5	474.90
	1.55			




Figure 3. Comparison of Accumulated Zn and experimental (Zn mixture) for SLS+LDAO mixtures as a function of SLS concentration.

As it can be observed in Table 4 and Figure 3, the denaturation of Zein caused by surfactant mixtures is significantly lower than the accumulated value of Zein when adding the values of the individual ingredients.

These results demonstrate the existence of a synergistic effect in the SLS+LDAO mixture, resulting in a reduction in the protein denaturation potential of the mixture. Through the calculated % increase, it can also be seen that this synergistic effect is more pronounced for the mixture with a higher proportion of LDAO, demonstrating its regulatory effect on the potential irritation of surfactant mixtures. This reduction in the irritant potential of the mixture compared to the accumulated potential of the individual surfactants has already been demonstrated in different mixtures of surfactants in commercial laundry detergents [24]. However, the study of the synergy obtained as a function of the ratio of each surfactant in binary mixtures provides added value since no previous literature has been found where similar studies have been carried out.

With this assessment, it can be concluded that dermal irritation does not have to be proportional to the surfactant concentration. Due to the synergies that might take place on surfactant mixtures, especially on those of different nature such as anionic-nonionic and anionic-amphoteric, it is possible to get a lower dermal irritation while increasing the total surfactant concentration [24].

3.3. Foam Generation and Stability

Figure 4 illustrates the evolution of foam volume as a function of agitation cycles for each SLS+LDAO mixture and the individual surfactants. The results indicate that increasing the proportion of LDAO accelerates foam generation, with the highest volume observed for the 60:40 mixture. All binary mixtures outperform the individual surfactants in both generation speed and total foam volume, confirming a synergistic effect in foam formation. This enhancement highlights the potential of SLS+LDAO mixtures for use in hand dishwashing formulations.




Figure 4. Foam volume evolution during agitation cycles for SLS, LDAO and their binary mixtures.

The most pronounced differences in foam volume are observed between the 2nd and 6th agitation cycles. Figure 5 presents the foam volume generated after three agitation cycles, plotted against the percentage of SLS in the mixture, as this cycle showed the greatest variation among formulations. Additionally, Figure 5 includes foam stability curves, showing foam volume recorded every 20 seconds over a 5-minute period following the final agitation.





Figure 5. Volume of foam generated vs. SLS+LDAO ratio after 3 shaking cycles.**Figure 6.** Foam stability over time for SLS, LDAO and their binary mixtures.

Foam generated by SLS and its mixtures remained stable throughout the 5-minute observation period, with no significant volume loss. In the case of LDAO, the foam generated is not as stable, with a clear decrease in volume. Although LDAO alone exhibits lower foam generation and stability, it can be used as a co-surfactant to improve the foaming properties of SLS, with the improvement offered being proportional to the % of LDAO.

In foaming, as in other surface properties, correlations between surfactant structure and foaming in aqueous solution require a distinction between the efficiency of the surfactant (concentration required to produce a significant amount of foam) and effectiveness (maximum foam height obtained with the surfactant solution regardless of its concentration). Foam height typically increases with surfactant concentration up to the CMC, beyond which no further increase is observed. Thus, the CMC of a surfactant is a good measure of its efficiency as a foaming agent; the lower the CMC, the more efficient the surfactant as a foamer. On the other hand, the effectiveness of a surfactant as a foaming agent depends on the effectiveness in reducing the surface tension of the foaming solution [1]. Regarding stability, a mixed surfactant system has greater foam stability than a single one; and this is because the dispersion of two different types of surfactants together in a continuous phase increases surface viscosity and minimizes the liquid drainage rate [32].

In the study carried out, thanks to the synergistic interactions among SLS and LDAO, a reduction in the CMC as well as in the minimum surface tension is achieved for all the mixtures analyzed; as a consequence, foam height and foam stability are considerably improved for all the mixtures, compared to the individual surfactants. These synergies on foaming and foaming stability on surfactant mixtures of different nature have been proved in previous studies, as well as their relationship with interfacial parameters such as CMC [16,33].

4. Conclusions

This study demonstrates that binary mixtures of sodium lauryl sulfate (SLS) and lauryl dimethylamine oxide (LDAO) exhibit a pronounced synergistic effect that enhances key

physicochemical and functional properties relevant to surfactant-based formulations. The combination of these anionic and amphoteric surfactants led to a significant reduction in critical micelle concentration (CMC) and minimum surface tension (γ), indicating improved micellization efficiency and interfacial activity compared to the individual surfactants.

Foam generation and stability were also markedly improved in all SLS+LDAO mixtures, with the 60:40 ratio showing the highest foam volume and persistence. These enhancements are particularly relevant for applications such as cosmetics and dishwashing liquids, where both performance and user perception are critical.

Importantly, the Zein test revealed that the irritant potential of the mixtures was substantially lower than that of SLS alone. The reduction in protein denaturation was not only proportional to the LDAO content but also significantly lower than the cumulative irritancy expected from the individual surfactants, confirming the presence of a synergistic effect. This finding underscores the potential of mixed surfactant systems to mitigate skin irritation without compromising performance.

Overall, the results highlight the value of combining surfactants of different natures—anionic and amphoteric—in optimizing formulation performance. The study also provides a quantitative framework for evaluating synergy in terms of irritant potential, offering a useful tool for the rational design of milder and more effective cleaning products.

Author Contributions: Conceptualization, E.H., F.R. and M.L.; methodology, E.H. and C.C.; validation, M.L. and F.R.; formal analysis, E.H. and C.C.; investigation, E.H. and C.C.; data curation, E.H. and C.C.; writing—original draft preparation, E.H. and C.C.; writing—review and editing, F.R. and M.L.; visualization, E.H., C.C., F.R. and M.L.; supervision, E.H., F.R. and M.L.; project administration, E.H.; funding acquisition, E.H. and C.C. All authors have read and agreed to the published version of the manuscript.

Funding: This project is supported by the Regional Ministry of Innovation, Industry, Trade, and Tourism of the Valencian Regional Government, through the Valencian Institute of Competitiveness and Innovation (IVACE). File: IMAMCA/2025/6.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: Data will be made available on request.

Acknowledgments: We would like to thank Rosana Martínez (AITEEX, Department of Microbiology) for her work in conducting the Kjeldahl method used to quantify the zein dissolved.

Conflicts of Interest: The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Abbreviations

The following abbreviations are used in this manuscript:

SLS	Sodium Lauryl Sulfate
LDAO	Lauryl Dimethyl Amine Oxide
CMC	Critical Micelle Concentration
HLB	Hydrophilic-Lipophilic Balance
INCI	International nomenclature of cosmetics ingredients
Zn	Zein

References

1. Rosen, M.J.; Kunjappu, J.T. *Surfactants and interfacial phenomena*; 2012.

2. Myers, D. *Surfactant Science and Technology*; John Wiley & Sons, 2005.

3. Lai, K.-Y. *Liquid detergents*; CRC Press, 2005.

4. Tadros, T.F. *Applied Surfactants: Principles and applications*; 2005.

5. Klein, K. Evaluating Shampoo Foam. *Cosmetics & Toiletries* **2004**, 119 (10), 67–72.
6. Blagojević, S.M.; Pejić, N.D.; Blagojević, S.N. Synergism and Physicochemical Properties of Anionic/Amphoteric Surfactant Mixtures with Nonionic Surfactant of Amine Oxide Type. *Russian Journal of Physical Chemistry A* **2017**, 91 (13), 2690–2695. <https://doi.org/10.1134/s0036024417130064>.
7. Salager, J.L. *Surfactants – Types and Uses*; Lab. FIRP, Booklet 300A; Laboratorio FIRP: Mérida, 2019.
8. Ranji, H.; Babajanzadeh, B.; Sherizadeh, S. Detergents and surfactants: a brief review. *Open Access Journal of Science* **2019**, 3 (2). <https://doi.org/10.15406/oajs.2019.03.00138>.
9. Salomon, G.; Giordano-Labadie, F. Surfactant irritations and allergies. *European Journal of Dermatology* **2022**, 32 (6), 677–681. <https://doi.org/10.1684/ejd.2022.4290>.
10. Horita, K.; Horita, D.; Tomita, H.; Yasoshima, M.; Yagami, A.; Matsunaga, K. Effects of different base agents on prediction of skin irritation by sodium lauryl sulfate using patch testing and repeated application test. *Toxicology* **2017**, 382, 10–15. <https://doi.org/10.1016/j.tox.2017.03.003>.
11. Singh, S.K.; Bajpai, M.; Tyagi, V.K. Amine Oxides: A review. *Journal of Oleo Science* **2006**, 55 (3), 99–119. <https://doi.org/10.5650/jos.55.99>.
12. Zhang, H.; Miller, C.A.; Garrett, P.R.; Raney, K.H. Lauryl alcohol and amine oxide as foam stabilizers in the presence of hardness and oily soil. *Journal of Surfactants and Detergents* **2005**, 8 (1), 99–107. <https://doi.org/10.1007/s11743-005-0337-3>.
13. Ríos, F.; Lechuga, M.; Fernández-Serrano, M.; Fernández-Arteaga, A. Aerobic biodegradation of amphoteric amine-oxide-based surfactants: Effect of molecular structure, initial surfactant concentration and pH. *Chemosphere* **2016**, 171, 324–331. <https://doi.org/10.1016/j.chemosphere.2016.12.070>.
14. Joshi, T.; Mata, J.; Bahadur, P. Micellization and interaction of anionic and nonionic mixed surfactant systems in water. *Colloids and Surfaces a Physicochemical and Engineering Aspects* **2005**, 260 (1–3), 209–215. <https://doi.org/10.1016/j.colsurfa.2005.03.009>.
15. Kotsi, K.; Dong, T.; Kobayashi, T.; Robbie, I. M.; Striolo, A.; Angeli, P. Synergistic effects between a non-ionic and an anionic surfactant on the micellization process and the adsorption at liquid/air surfaces. *Soft Matter* **2023**, 20 (3), 523–534. <https://doi.org/10.1039/d3sm01454a>.
16. Jadidi, N.; Adib, B.; Malihi, F. B. Synergism and performance optimization in liquid detergents containing binary mixtures of Anionic–Nonionic, and Anionic–Cationic surfactants. *Journal of Surfactants and Detergents* **2012**, 16 (1), 115–121. <https://doi.org/10.1007/s11743-012-1371-y>.
17. Vilaplana, J.; Lecha, M.; Trullas, C.; Coll, J.; Comelles, F.; Romaguera, C.; Pelejero, C. A physicochemical approach to minimize the irritant capacity of anionic surfactants. *Exogenous Dermatology* **2002**, 1 (1), 22–26. <https://doi.org/10.1159/000047987>.
18. Grady, B. P. Surfactant mixtures: A short review. *Journal of Surfactants and Detergents* **2022**, 26 (3), 237–250. <https://doi.org/10.1002/jsde.12642>.
19. Abdel-Rahem, R. Synergism in mixed Anionic–Amphoteric surfactant solutions: Influence of anionic surfactant chain length. *Tenside Surfactants Detergents* **2009**, 46 (5), 298–305. <https://doi.org/10.3139/113.110035>.
20. Seweryn, A. Interactions between surfactants and the skin – Theory and practice. *Advances in Colloid and Interface Science* **2018**, 256, 242–255. <https://doi.org/10.1016/j.cis.2018.04.002>.
21. Martín, J. F. G.; Herrera-Márquez, O.; Vicaria, J. M.; Jurado, E. Synergistic effect on wettability of mixtures of amine oxides, alkylpolyglucosides, and ethoxylated fatty alcohols. *Journal of Surfactants and Detergents* **2014**, 17 (5), 1035–1042. <https://doi.org/10.1007/s11743-014-1579-0>.
22. Alves, L.; Magalhães, S.; Esteves, C.; Sebastião, M.; Antunes, F. Synergisms between Surfactants, Polymers, and Alcohols to Improve the Foamability of Mixed Systems. *J — Multidisciplinary Scientific Journal* **2024**, 7 (2), 169–182. <https://doi.org/10.3390/j7020010>.
23. De Jongh, C.M.; Jakasa, I.; Verberk, M.M.; Kezic, S. Variation in barrier impairment and inflammation of human skin as determined by sodium lauryl sulphate penetration rate. *British Journal of Dermatology* **2005**, 154 (4), 651–657. <https://doi.org/10.1111/j.1365-2133.2005.06989.x>.
24. Paye, M.; Block, C.; Hamaide, N.; Hüttmann, G. -e.; Kirkwood, S.; Lally, C.; Lloyd, P. H.; Makela, P.; Razenberg, H.; Young, R. Antagonisms between Surfactants: The Case of Laundry Detergents. *Tenside Surfactants Detergents* **2006**, 43 (6), 290–294. <https://doi.org/10.3139/113.100316>.

25. Löffler, H.; Happle, R. Profile of irritant patch testing with detergents: sodium lauryl sulfate, sodium laureth sulfate and alkyl polyglucoside. *Contact Dermatitis* **2003**, *48* (1), 26–32. <https://doi.org/10.1034/j.1600-0536.2003.480105.x>.
26. Berry, J.D.; Neeson, M.J.; Dagastine, R.R.; Chan, D.Y.C.; Tabor, R.F. Measurement of surface and interfacial tension using pendant drop tensiometry. *Journal of Colloid and Interface Science* **2015**, *454*, 226–237. <https://doi.org/10.1016/j.jcis.2015.05.012>.
27. DB-ALM Protocol n° 26. *The Zein Test: Skin Irritation and Corrosivity*; European Commission, Joint Research Centre. [26 P The Zein Test.pdf](#) (accessed Nov 21, 2025).
28. Lechuga, M.; Avila-Sierra, A.; Lobato-Guarnido, I.; GarcíaLópez, A. I.; Ríos, F.; Fernández-Serrano, M. Mitigating the Skin Irritation Potential of Mixtures of Anionic and Non-Ionic Surfactants by Incorporating Low-Toxicity Silica Nanoparticles. *J Journal of Molecular Liquids* **2023**, *383*, 122021. <https://doi.org/10.1016/j.molliq.2023.122021>
29. Muherei, M.A.; Junin, R. Equilibrium adsorption isotherms of anionic, nonionic surfactants and their mixtures to shale and sandstone. *Modern Applied Science* **2009**, *3* (2). <https://doi.org/10.5539/mas.v3n2p158>.
30. Paye, M. Mechanism of Skin Irritation by Surfactants and Anti-Irritants for Surfactant-Based Products. In *Handbook of Cosmetic Science and Technology*, 4th ed.; Barel, A.; Paye, M.; Maibach, H., Eds.; CRC Press, 2014; pp 353–366. <https://doi.org/10.1201/b16716-33>
31. Lechuga, M.; García, P.A.; García-López, A. I.; Tapia-Navarro, C.; Ríos, F. Development of a Predictive Classification Model for Surfactant-Induced Skin Irritation. *ACS Omega* **2025**, *10* (46) 55868–55878. <https://doi.org/10.1021/acsomega.5c07338>
32. Shah, S.K.; Chakraborty, G.; Bhattarai, A.; De, R. Synergistic and antagonistic effects in micellization of mixed surfactants. *Journal of Molecular Liquids* **2022**, *368*, 120678. <https://doi.org/10.1016/j.molliq.2022.120678>.
33. Bera, A.; Ojha, K.; Mandal, A. Synergistic effect of mixed surfactant systems on foam behavior and surface tension. *Journal of Surfactants and Detergents* **2013**, *16* (4), 621–630. <https://doi.org/10.1007/s11743-012-1422-4>.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.