

Article

Verification of the Mode Decomposition Technique for the Closely Distributed Modal System in State Space

Jungtae Noh ¹ and Jae-Seung Hwang ^{2,*}

¹ Department of Architectural Engineering, Dankook University, Yongin 16890, Republic of Korea; jungtae.noh@dankook.ac.kr

² School of Architecture, Chonnam National University, Gwangju 61186, Republic of Korea; jshwang@chonnam.ac.kr

* Correspondence: jshwang@chonnam.ac.kr

Abstract: This study aims to propose and validate the state space mode decomposition technique for precise mode separation of non-classical damping systems and closely distributed modal systems. To assess the reliability and applicability of this technique, a 40-story building with a tuned mass damper is investigated, and acceleration responses measured by the building's health monitoring system are used for the verification of the technique. The mode separation results reveal that the separated modal power spectrum becomes distorted at neighboring natural frequency ranges when the performance index only considers the concentration of power spectral energy at the target natural frequency. However, by introducing an augmented performance index that includes a constraint condition to account for distortion, more accurate mode decomposition can be achieved.

Keywords: state-space model; closely spaced modes; mode decomposition; structure-tuned mass damper system; operational modal analysis; high-rise building

1. Introduction

Structures with various shapes and diversified structural systems exhibit complicated dynamic behavior. Wind load on high-rise structures leads to the idealized behavior characterized by mutually independent translational and torsional motions, and complex behavior where motions in different directions are combined. To understand the complex dynamic behavior, mode decomposition techniques that extract main modes are widely used for system identification [1–4]. The first-generation operational modal identification method in the frequency domain is Frequency Domain Decomposition (FDD). It was developed to separate mode shapes by performing Singular Value Decomposition (SVD) of the cross-power spectral density (PSD) of the measured response at an a priori estimated natural frequency of interest in terms of peak picking [5]. Enhanced FDD (EFDD) introduced the feasibility of Inverse Fast Fourier Transform (IFFT) for PSD in the vicinity of the target natural frequency to estimate the damping ratio in the time domain [6,7]. Frequency-Spatial Domain Decomposition (FSDD) was proposed to manipulate a bias error in damping estimation by EFDD and applied to civil structures such as long-span bridges and stadium roofs [8]. Recently, the advanced FDD method, Frequency Scale Domain Decomposition, was proposed to estimate modal parameters by applying SVD to the continuous wavelet transform of the PSD of the response [9]. Furthermore, modal properties are identified using the orthogonality of filtered response vectors without the need for SVD after modal response decomposition [10]. Bayesian Operational Modal Analysis (BAYOMA) method operating in the frequency domain and applicable for close modes has been developed for a recent development based on an expectation-maximization algorithm that shows promise for simpler algorithm and computer coding [11]. Recent developments in the field of Operational Modal Analysis (OMA) and Blind Source Separation (BSS) have attracted considerable

interest in separating modal response and estimating dynamic properties [6,12–14]. BSS techniques separate time series data into stationary and non-stationary components, becoming popular for modal identification [15]. Independent Component Analysis (ICA), one of the high-order BSS methods, has been used to decompose measured mixed signals into the linear transform matrix and source signals [16–18]. The performance of ICA is limited to modes with low damping and well-separated modal systems. To address this issue, Second-Order Blind Source Separation (SOBSS) has been suggested, which works better than high-order BSS algorithms [19–21].

A major advantage of using OMA and BSS is that those approaches allow simple and effective estimation of the modal properties based on only the responses due to the ambient vibration other than a controlled artificial excitation to the structure as input.

The mode decomposition methods, namely OMA and BSS, have been predominantly used in the MCK-domain, which represents the equation of motions using the mass, damping, and method of the equation of motion as M , C , and K respectively. However, these techniques have limitations in mode separation, especially when the modal damping is high or modes are closely spaced. This results in incomplete mode decomposition, making it difficult to extract accurate modal information from the measured response [22]. To overcome these challenges, Hwang proposed a novel method called State-Space Based Mode Decomposition (SSBMD), which has been proven effective through numerical simulations [23,24]. Similar to conventional OMA techniques, SSBMD assumes white noise as an external force, which may not accurately represent the responses of an actual structure. To ensure reliable estimates of modal properties, it is recommended to conduct analytical simulations with enhanced frequency resolution. However, the performance of mode decomposition can still be affected by closely spaced neighboring modes, as the length of measurement response data can vary depending on the monitoring system used on-site.

This study aims to validate the Optimized State-Space Based Mode Decomposition (OSSBMD) approach proposed by Hwang and Kim [24] through its application to the output signal from a benchmark building with closely spaced modes. The Tuned Mass Damper (TMD) is a widely used vibration control device in tall buildings, which introduces non-classical damping resulting in closely spaced modes. In this paper, the SSBMD framework with a new performance index is described, which can accurately separate modal responses in the state-space domain. The closely spaced modes, in this study, are defined not only as neighboring natural frequencies but also those that cannot be separated using conventional techniques in the MCK-domain due to the presence of non-classical damping. To validate the proposed method, the result of mode decomposition using monitoring data from a non-classically damped system is presented. The aim is to examine experimentally the effectiveness of the improved OSSBMD methodology in a high-rise building where a TMD is installed to control wind-induced vibration.

2. State-space Mode Decomposition

The equation of motion of the structure with n degree of freedom under the external load can be expressed as follows:

$$M\ddot{x} + C\dot{x} + Kx = Ef \quad (1)$$

where, M , C and K represent the mass, damping and stiffness of the system in size $n \times n$, respectively, and E is the matrix indicating the location of the external load f . In this paper, the space in which all terms in Equation (1) are described is referred to as MCK-domain. However, a problem arises when the damping matrix is non-classical, that is the damping matrix cannot be expressed by a combination of the mass and stiffness matrix. In this case, mode separation may not be achieved in the MCK-domain [24,25]. To address the such difficulty in mode decomposition, the equation of motion can be expressed in the state-space domain as follows:

$$\dot{z} = Az + Bf \quad (2)$$

where,

$$A = \begin{bmatrix} 0 & I \\ -M^{-1}K & -M^{-1}C \end{bmatrix} \quad B = \begin{bmatrix} 0 \\ M^{-1}E \end{bmatrix} \quad z = \begin{pmatrix} x \\ \dot{x} \end{pmatrix}$$

Equation (2) indicates the transformed Equation (1) into the state-space domain by the linear combination of the state variables z of displacement and velocity and the differential variable \dot{z} of velocity and acceleration. The eigenvalue problem in the state-space domain with respect to the system matrix A can be expressed as follows:

$$A\Psi = \Psi\Lambda \quad (3)$$

where Λ and Ψ are the eigenvalue and the eigen-matrix respectively as follows:

$$\Lambda = \begin{bmatrix} \lambda_1 & & & \\ & \lambda_1^* & & 0 \\ & & \ddots & \\ & 0 & & \lambda_n \\ & & & & \lambda_n^* \end{bmatrix} \quad \Psi = [\Psi_1, \Psi_1^*, \dots, \Psi_n, \Psi_n^*] \quad (4a \text{ and } b)$$

The Eigen matrix consists of the eigenvectors corresponding to the eigenvalues and is composed as shown in Equation (4b). The superscript “*” indicates the complex conjugate.

The state variable z can be transformed into a newly defined modal response in the state-space domain as

$$z = \Psi q \quad q = \Psi^{-1}z \quad (5a \text{ and } 5b)$$

where q is the response vector in the modal space. Substituting Equation (5) into Equation gives

$$\dot{q} = \Lambda q + \Psi^{-1}Bf \quad (6)$$

The major problem with the mode decomposition using Equation (5) is that the resultant modal response has a complex number. This issue can be resolved by transforming the eigenproblem using the conjugate response as follows:

$$\begin{bmatrix} 0 & 1 \\ -\omega_i^2 & -2\xi_i\omega_i \end{bmatrix} \begin{bmatrix} 1 & 1 \\ \lambda_i & \lambda_i^* \end{bmatrix} = \begin{bmatrix} 1 & 1 \\ \lambda_i & \lambda_i^* \end{bmatrix} \begin{bmatrix} \lambda_i & 0 \\ 0 & \lambda_i^* \end{bmatrix} \quad (7)$$

where $\lambda_i = -\xi_i\omega_i + i\sqrt{1 - \xi_i^2}\omega_i$. The general eigenproblem using Equation (7) is given as

$$\Lambda_m T = T\Lambda \quad (8)$$

$$\Lambda_m = \begin{bmatrix} 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & \ddots & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \\ -w_1^2 & 0 & 0 & 0 & -2\xi_1 w_1 & 0 & 0 & 0 \\ 0 & -w_2^2 & 0 & 0 & 0 & -2\xi_2 w_2 & 0 & 0 \\ 0 & 0 & \ddots & 0 & 0 & 0 & \ddots & 0 \\ 0 & 0 & 0 & -w_n^2 & 0 & 0 & 0 & -2\xi_n w_n \end{bmatrix} \quad T = \begin{bmatrix} 1 & 1 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 1 & 0 & 0 & 0 & 0 \\ \vdots & \vdots & \vdots & \vdots & \ddots & \ddots & \vdots & \vdots \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 1 \\ \lambda_1 & \lambda_1^* & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & \lambda_2 & \lambda_2^* & 0 & 0 & 0 & 0 \\ \vdots & \vdots & \vdots & \vdots & \ddots & \ddots & \vdots & \vdots \\ 0 & 0 & 0 & 0 & 0 & 0 & \lambda_n & \lambda_n^* \end{bmatrix}$$

The eigenvalue in Equation (8) is rewritten as

$$\Lambda = T^{-1}\Lambda_m T \quad (9)$$

Substituting Equation (9) into Equation (3) gives

$$\Lambda \Psi T^{-1} = \Psi T^{-1} \Lambda_m \quad (10)$$

In Equation (10), ΨT^{-1} is the transformation matrix which transforms the system matrix A to Λ_m and consists of real number elements. Equation (10) is rewritten as

$$A T_p = T_p \Lambda_m, \quad T_p = \Psi T^{-1} \quad (11)$$

where T_p is the unknown real-number transformation matrix to be used to transform into a system matrix expressed with the natural frequency ω_i and damping ratio ξ_i . As shown in Equation (5), the state variable z can be rewritten using T_p as

$$z = T_p p \quad (12)$$

where the new variable p is the real-valued modal response. Substituting Equation (12) into Equation (2) is substituted into Equation (2) gives

$$\dot{p} = \Lambda_m p + T_p^{-1} B f \quad (13)$$

It is noted in Equation (13) that Λ_m is the new system matrix obtained by the transformation matrix T_p . The load term $T_p^{-1} B$ can be expressed in the form as follows:

$$T_p^{-1} B = \begin{bmatrix} B_1 \\ B_2 \end{bmatrix} \quad (14)$$

Using Equation (14), Equation (13) can be broken down into as follows:

$$\dot{r}_1 = r_2 + B_1 f \quad (15a)$$

$$\dot{r}_2 = \Omega r_1 + \Xi r_2 + B_2 f \quad (15b)$$

The variables in Equation (15) are given as

$$r_1 = \begin{pmatrix} p_1 \\ p_2 \\ \vdots \\ p_n \end{pmatrix} \quad r_2 = \begin{pmatrix} \dot{p}_1 + n \\ \dot{p}_2 + n \\ \vdots \\ \dot{p}_n + n \end{pmatrix} \quad \Omega = \begin{bmatrix} -\omega_1^2 & & & \\ & -\omega_2^2 & & \\ & & \ddots & \\ & & & -\omega_n^2 \end{bmatrix} \quad (16)$$

$$\Xi = \begin{bmatrix} -2\xi_1\omega_1 & & & \\ & -2\xi_2\omega_2 & & \\ & & \ddots & \\ & & & -2\xi_n\omega_n \end{bmatrix} \quad (17)$$

The unknown transformation matrix T_p should be determined. By Equation (12). The modal response p can be expressed as follows using the linear transformation matrix W :

$$p = T_p^{-1} z = W^T z, \quad T_p W^T = I \quad (18)$$

As shown in Equation (11), the mode matrix T_p in the state-space domain transforms the system matrix A into Λ_m . Equation (18) indicates that in order to determine the mode transform matrix T_p and modal response p , the state variable z should be defined. In structural monitoring, the structural response is generally measured by accelerometers. Thus, the velocity and displacement can be converted into the frequency domain using the integrator in the time domain as follows:

$$d(s) = \frac{a(s)^2}{s} \quad v(s) = \frac{a(s)}{s} \quad (19a \text{ and } 19b)$$

where, $a(s)$ is a Laplace transform of $m \times 1$ acceleration vector in the s -domain. m is the number of sensors assumed equal to the number of the main modes to be identified. Using Equation (19), the state variable and its differential state variable can be constructed as follows:

$$z(s) = \begin{pmatrix} d(s) \\ v(s) \end{pmatrix} \quad \dot{z}(s) = \begin{pmatrix} v(s) \\ a(s) \end{pmatrix} \quad (20a \text{ and } 20b)$$

The modal response is obtained by a linear transformation of the state variables or the derivative given in the frequency domain.

$$p_i(s) = W_i^T z(s) \quad \text{or} \quad \dot{p}_i(s) = W_i^T \dot{z}(s) \quad (21)$$

where $p_i(s)$ is the modal response of the i -th mode and W_i is the $2m \times 1$ column vector which is calculated by transposing the i th row in the inverse matrix of the mode matrix T_p in the state-space domain. In order to force the separated mode in Equation (21) to be a real vibration mode of the system, the following conditions suggested by Hwang [24] in the previous study should be

met [23,24]: 1) given the constant total energy of the decomposed mode, the variance value of the modal response spectrum that can be calculated by the integral of the modal response spectrum should be unity and 2) the spectrum of the separated mode has the maxim amplitude in the vicinity of the natural frequency of the corresponding mode.

Those conditions can be presented in form of an objective function as

$$\begin{aligned} J &= S_{pp}(\omega_n) + \lambda \left(\int_{-\infty}^{\infty} S_{pp}(\omega) d\omega - 1 \right) \\ &= W_i^T S_{zz}(\omega_n) W_i + \lambda \left(\int_{-\infty}^{\infty} W_i^T S_{zz}(\omega) W_i d\omega - 1 \right) \end{aligned} \quad (22)$$

where ω_n is the natural frequency of the target mode and λ is the Lagrange multiplier constraining the variance value of the mode response spectrum to unity. The linear transformation vector W_i can be determined as the maximum value of the objective function J is found, i.e., the derivative of Equation (22) with respect to W_i is equal to zero.

$$\frac{\partial J}{\partial W_i} = S_{zz}(\omega_n) W_i + \lambda \left(\int_{-\infty}^{\infty} S_{zz}(\omega) d\omega \right) W_i = 0 \quad (23)$$

It is noted that Equation (23) represents the eigenvalue problem with respect to the spectrum matrix of the state variable $S_{zz}(\omega_n)$, $-\int_{-\infty}^{\infty} S_{zz}(\omega) d\omega$, such that W_i and λ is the eigenvalue and corresponding eigenvector of the eigenproblem, respectively. Since the size of the response spectrum matrix is $2m \times 2m$, the number of the linear transform vectors obtained by solving Equation (23) is also $2m$. By choosing the vectors corresponding to the first two largest maximum eigenvalues, two linear transform vectors $[W_i, \tilde{W}_i]$ can be determined. Each of the two neighboring modes due to the tower and the TMD produces two corresponding demixing vectors. In total, four demixing vectors can be selected and expressed in a matrix form as:

$$W = [W_1, W_2, \tilde{W}_1, \tilde{W}_2] \quad (24)$$

where W_i and \tilde{W}_i is the eigenvectors corresponding to the second largest and the largest eigenvalue of the i -th mode in Equation (23), respectively. However, it is noted that the main challenge of this approach is that even though the decomposed mode satisfies the condition of the objective function in Equation (22), the decomposed mode might not be monochromatic and can be distorted by the influence of the close neighboring mode. The main reason for this is that the neighboring mode may distort the response spectrum in order to maximize the target mode at the corresponding natural frequency whereas the interference in the spectrum between close modes is minimal as the neighboring modes are spaced far apart. To address the mode interference issue, the objective function in Equation (22) can be modified taking the averaging spectrum into account as

$$J = \frac{S_{pp}(\omega_n)}{\int_{\omega_k - \Delta\omega}^{\omega_k + \Delta\omega} \left(\log \left(\frac{S_{pp}(\omega)}{S_H(\omega)} \right) \right)^2 d\omega} + \lambda \left(\int_0^{\infty} S_{pp}(\omega) d\omega - 1 \right) \quad (25)$$

The difference in the objective function of Equation (25) from that of Equation (22) is the added denominator term that minimizes the effect of the neighboring modes by introducing the logarithmic ratio of the power spectrum of the target mode $S_{pp}(\omega)$ to the monochromatic power spectrum $S_H(\omega)$ around the natural frequency ω_k of the neighboring mode. The Monochromatic Spectrum hereinafter referred to as MS is given as

$$S_H(\omega) = S_0 |H(s)|^2, \quad H(s) = \frac{s}{s^2 + 2\xi_1 \omega_1 s + \omega_1^2} \quad (26)$$

where the lower case s is the Laplace variable, and $H(s)$ is the transfer function of the velocity response from a Single-Degree-of-Freedom (SDOF) system which describes the target monochromatic mode. Although the damping ratio ξ_i is unknown in this step, it can be approximated using the power spectrum of the decomposed mode evaluated by the conventional mode decomposition method. If the modal response represents the acceleration, the numerator in $H(s)$ is s^2 . S_0 in Equation (26) is calculated using the natural frequency of the target mode ω_n as follows:

$$S_o = \frac{\int_{\omega_n - \Delta\omega}^{\omega_n + \Delta\omega} s_{pp}(\omega_n) d\omega}{\int_{\omega_n - \Delta\omega}^{\omega_n + \Delta\omega} |H(s)|^2 d\omega} \quad (27)$$

Once the variables in Equation (24) are determined, the linear transform matrix W is established in the same way as described in Equation (23). However, since the objective function in Equation (25) is nonlinear, it is difficult to derive the transform matrix W in a closed-form expression as expressed in Equation (23). Instead, the transform matrix W can be determined through optimization using the sensitivity function of the objective function to W .

Lastly, the mode decomposition can be performed using the two objective functions presented above: Equation (22) and Equation (25). In this study, the former and the latter are referred to as State-Space Based Mode Decomposition (SSBMD) method and the Optimized State-Space Based Mode Decomposition (OSSBMD) method, respectively. In order to validate the efficacy of the proposed methods, this study examined the vibration signal from the TMD system which is one of the typical non-classically damped structures. A TMD is a passive damping device designed to reduce the dynamic response related to a particular vibration mode of the structure. As the TMD is tuned to the target natural frequency of the structure, two new modes are produced. Since those two modes are very close to each other, the system with a TMD exhibits typical non-classical damping. This study attempts to decompose the two closely spaced modes from the measured vibration signal data using the proposed techniques.

3. Experimental Validation of the New Mode Decomposition Method

3.1. Benchmark structure and data acquisition

To validate the proposed SSBMD and OSSBMD methods, a case study on a high-rise building was conducted. Acceleration responses were measured from a 184.6 m, 50,354-ton steel benchmark building, consisting of two towers located on the northwest seashore of South Korea, as shown in Figure 1(a). Tuned Mass Damper (TMD) was installed on top of the south tower to reduce lateral vibration caused by strong wind loads, which could be amplified by the neighboring towers. This study aimed to compare the performance of two-mode decomposition methods.



Figure 1. Benchmark structure: (a) Overview of the Posco E&C Tower in Songdo, South Korea; (b) 160-ton tuned mass damper.

The response induced by wind loads on the tower and the Tuned Mass Damper (TMD) were recorded using a monitoring system installed on the roof level of the tower where the TMD is mounted. Accelerometers were arranged in a specific layout to capture the response in the X and Y-direction and torsion, the wind speed and direction, and the dynamic response of the TMD resulting from the tower's motion, as shown in Figure 2 and Figure 3. The sampling frequency was 100 Hz during the 60-minute measurement time, with a frequency resolution of 1/3600 Hz for the analysis.




Figure 2. Layout of the accelerometers and the axes of the recorded accelerations.




Figure 3. Data acquisition: (a) Anemometer on the top level of the tower; (b) the accelerometer installed on the TMD.

The proposed method in this study was used to decompose the neighboring modes induced by the 160-ton TMD installed on the top of the building. The y-direction accelerations of the structure and the TMD were selected for mode separation. Since the amplitude of the X-direction acceleration measured during the test was much smaller than that in the Y-direction, only the motion in the Y-direction was considered to identify the dynamic properties of the tower and the TMD. The results of the experiment are presented in Table 1.

Based on the identified modal properties of the structure and TMD, the complex modal matrix (Equation 4) and real-number modal matrix (Equation 11) were calculated, along with the demixing matrix (Equation 18). The real modal matrix and demixing matrix were normalized to the magnitude of each vector and used as the analytical solution for comparison with the demixing matrix W calculated by the proposed method.

Figures 4 and 5 illustrate the sampled Y-direction responses of the tower and TMD for 60 minutes in the time and frequency domain. As shown in Figure 4, the tower's acceleration increased with time up to 2 gals. The power spectrum of the tower's response identified natural frequencies in the range between 0.2 Hz and 0.3 Hz, along with peaks at around 0.5 Hz and 0.8 Hz. Two closely spaced natural frequencies were observed between 0.2 Hz and 0.3 Hz due to the tower's natural frequency being harmonized with that of the TMD.

In contrast, the maximum acceleration of the TMD was 25 gal, which is 12 times greater than that of the tower. The TMD was designed to interact with the fundamental mode of the tower, so little influence of the higher mode was observed in the power spectrum, as seen in Figure 5(b).

Table 1. Dynamic properties of the structure-TMD system.

Type	Item	Value		
Structure	Modal mass	13,453 ton		
	Natural frequency	0.25 Hz		
	Damping ratio	0.78%		
TMD	Moving mass of TMD	160 ton		
	Natural frequency	0.252 Hz (suboptimally tuned)		
	Damping ratio	4.1%		
System Matrix A	0	0	1.0000	0
	0	0	0	1.0000
	-2.4972	0.0298	-0.0260	0.0015
	2.5070	-2.5070	0.1298	-0.1298
Complex Eigenvalue	1st mode		2nd mode	
	0.0313 + 1.4963i	-0.0313 – 1.4963i	-0.0467 + 1.6612i	-0.0467 - 1.6612i
Complex Eigen matrix	1st mode		2nd mode	
	0.0163 - 0.0602i	0.0163 + 0.0602i	0.0183 + 0.0506i	0.0183 - 0.0506i
	-0.0115 - 0.5519i	-0.0115 + 0.5519i	-0.0144 - 0.5126i	-0.0144 + 0.5126i
	0.0896 + 0.0263i	0.0896 – 0.0263i	-0.0850 + 0.0280i	-0.0850 - 0.0280i
	0.8262 + 0.0000i	0.8262 + 0.0000i	0.8522 + 0.0000i	0.8522 + 0.0000i
Real eigen matrix (normalized)	0.0181	0.023	-0.1083	0.0982
	-0.0277	-0.0336	-0.993	-0.9937
	0.1084	-0.0982	0.0473	0.0542
	0.9936	0.9943	0	0
Demixing matrix (normalized)	-0.0332	0.0332	-0.9947	0.9936
	0.0509	-0.0509	-0.0994	-0.1071
	0.9931	-0.9925	-0.0206	0.0264
	0.1006	0.1062	0.0176	-0.024




Figure 4. The recorded response of the tower: (a) time history; (b) power spectrum.




Figure 5. The recorded response of the TMD: (a) time history; (b) power spectrum.

3.2. Validation of the proposed mode decomposition method

The proposed mode decomposition method was verified using monitored response data from the tower and TMD system, and the results were presented in this section. The SSBMD method was used to decompose the closely spaced modes, and the separated modes were displayed in Figure 6. The power spectra of the modal responses corresponding to the two modes in the demixing matrix were shown in Figure 6, and it was observed that the neighboring peaks were successfully separated.

The state variables and their first derivatives need to be determined as given in Equation 20 to be used for the proposed SSBMD and OSSBMD. Hence, the measured acceleration was converted into the displacement and velocity in the frequency domain using Equation 19. As mentioned above, the state variables and differential state variables can be evaluated using the time integrator.

Though four modes appear in the state-space domain, only the power spectrum of the modal responses corresponding to the \bar{W}_1 and \bar{W}_2 in the demixing matrix, W are displayed in Figure 6.




Figure 6. Separated modes of the structure using SSBMD.

The OSSBMD method was then used to decompose four modes, and the optimization process in the decomposition of the second mode is illustrated in Figure 7 in terms of the converging performance index. This step is to determine the demixing vector \bar{W}_2 . The numerator and denominator of the objective function presented in Equation (25) and the resultant value of the objective function against the number of iterations are shown in Figure 7(a) to Figure 7(c). The initial value used for the optimization through the OSSBMD was the same as that obtained by the SSBMD method. In Figure 7(a), it is observed that a decrease and convergence of the numerator value from the objective function of the OSSBMD with the number of iterations. Likewise, the denominator value

of the objective function in Figure 7(b) decreases rapidly and converges over the number of iterations. The introduced term in the denominator in the first term on the right-hand side of Equation (25) helped to minimize the difference between the target mode spectrum and the averaging spectrum, resulting in a convergence of the objective function of the OSSBMD method, as shown in Figure 7(c).




Figure 7. Convergence of the performance index of the OSSBMD objective function (Equation 25): (a) Numerator of the objective function; (b) Denominator of the objective function; (c) Performance index.

To compare the mode decomposition performance of the SSBMD and OSSBMD methods, four modes were obtained using the optimization process. The modes corresponding to the demixing vector, \tilde{W}_2 were shown in Figure 8, along with the modes obtained by the analytical method from Table 1 and the averaged power spectrum of the monochromatic mode. The results showed that the OSSBMD method provided better mode separation compared to the SSBMD method and the modes obtained from the analytical method.

Figure 8 presents an interesting finding that the difference in spectrum amplitude of the separated mode by SSBMD is greater than that by OSSBMD with respect to the monochromatic mode in the frequency range of the first mode, around 0.22-0.25 Hz. This outcome is likely due to the distortion of the power spectrum near the neighboring natural frequency to maximize the spectrum amplitude at the target mode's natural frequency. The SSBMD technique is based on the eigenproblem, which allows for transforming the spectrum in line with the target mode's spectrum while keeping the area under the spectrum curve unchanged. It is important to note that, as depicted in Figure 8, the OSSBMD approach improved the transformation near the analytical method's spectrum of the target mode without a significant deterioration near the neighboring mode's frequency.




Figure 8. Comparison of the separated modes on a logarithmic scale.

The research paper shows another significant finding indicating the superiority of the OSSBMD method over SSBMD regarding the distortion and amplification of the decomposed mode spectrum. The spectrum ratio of the mode decomposed by SSBMD and OSSBMD to the analytical mode is presented in Figure 9. The SSBMD method resulted in a steep increase in ratio at the neighboring mode's frequency and a significant decrease below 0.22 Hz range, which can be attributed to the distortion of the power spectrum near the neighboring natural frequency. In contrast, the OSSBMD method provided a nearly identical spectrum to the analytical mode, except for a slight difference near the natural frequency of the neighboring mode. It is worth noting that although OSSBMD performs better than SSBMD, the latter is still a useful and convenient approach because the demixing matrix can be easily calculated through the eigenproblem. Moreover, the demixing matrix derived from SSBMD can be used as the initial value for the optimization process to improve the quality of the decomposed mode through the proposed method.




Figure 9. Comparison of spectrum ratio of separated mode to original mode.

Table 2 presents a comparison of the demixing matrices obtained through the OSSBMD and SSBMD methods for the first and second modes, along with the normalized vectors and correlation coefficients to the analytical mode. While the demixing matrices are similar for both methods, the vectors obtained through OSSBMD have a higher correlation with the analytical solution than those obtained through SSBMD. These results support the use of the demixing matrix calculated from SSBMD for mode decomposition, followed by optimization through OSSBMD for more accurate modes.

Table 2. Demixing matrix of the decomposed modes.

Mode decomposition	Demixing matrix				Correlation coefficient			
	W_1	W_2	\widetilde{W}_1	\widetilde{W}_2				
SSBMD (W_{ss})	0.0546	0.2509	-0.9879	0.9889	$corr(W_p, W_{ss})$			
	0.1415	-0.0878	-0.1138	-0.1252	0.9968	0.9792	0.9954	0.9984
	0.9825	-0.9570	0.0874	0.0718				
	0.1078	0.1160	0.0589	-0.0351				
OSSBMD (W_{opt})	0.0533	0.1160	-0.9914	0.9915	$corr(W_p, W_{opt})$			
	0.1325	-0.0495	-0.0769	-0.1030	0.9959	0.9975	0.9983	0.9989
	0.9854	-0.9856	0.0786	0.0705				
	0.0928	0.1124	0.0706	-0.0357				

The proposed state-space mode decomposition method was validated by extracting closely spaced modes in the response of the tower and TMD in a non-classical damping system. The study found that mode decomposition using the new approach in the state-space domain was more effective than using the conventional method in the MCK-domain. Additionally, the OSSBMD method was shown to be useful in preventing spectrum interference near the natural frequency of neighboring modes, which is often observed in structures with damping devices.

4. Conclusions

The aim of this research was to assess the efficacy of an optimized mode decomposition method in the state-space domain for non-classically damped structures. The proposed method was found to effectively address the closely-spaced mode issue commonly encountered in structure-TMD systems by separating neighboring modes independently. However, the modal analysis of the health monitoring data from the tower and TMD revealed a limitation in the power spectrum of the separated mode, which decreased in the vicinity of the neighboring mode's natural frequency. To overcome this distortion issue, a new objective function based on a constraint condition of the power spectrum was introduced. The result of the mode decomposition using this new objective function showed a significant reduction in interference between neighboring modes. It is recommended that a more stable algorithm be investigated for the optimization process to apply an advanced non-linear objective function for more effective mode decomposition and structural health monitoring.

Author Contributions: Conceptualization, J.H.; methodology, J.H.; validation, J.N.; formal analysis, J.N, J.H.; investigation, J.N.; Funding acquisition, J.N.; writing—original draft preparation, J.N.; writing—review and editing, J.H, J.N.; supervision, J.H.; All authors have read and agreed to the published version of the manuscript.

Funding: This research was supported by Brain Pool program funded by the Ministry of Science and ICT through the National Research Foundation of Korea (2021H1D3A2A0203968712).

Institutional Review Board Statement: Not applicable.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Al-Hussein, A. and Haldar, A. Unscented Kalman filter with unknown input and weighted global iteration for health assessment of large structural systems. *Struct. Contr. Health Monit.* 2016, 23(1): 156–175. <https://doi.org/10.1002/stc.1764>
2. Barbosh, M., Sadhu, A. and Vogrig, M. Multisensor-based hybrid empirical mode decomposition method towards system identification of structures. *Struct. Control. Health. Monit.* 2018, 25:e2147, <https://doi.org/10.1002/stc.2147>
3. Cruz, C. and Miranda, E. Evaluation of damping ratios for the seismic analysis of tall buildings. *J. Struct. Eng.* 2017, 143 (1): 04016144 [https://doi.org/10.1061/\(ASCE\)ST.1943-541X.0001628](https://doi.org/10.1061/(ASCE)ST.1943-541X.0001628)
4. Hwang, J., Kwon, D. and Kareem, A. Estimation of structural modal parameters under winds using a virtual dynamic shaker. *J. Eng. Mech.* 2018, 144(4): 04018007. [https://doi.org/10.1061/\(ASCE\)EM.1943-7889.0001423](https://doi.org/10.1061/(ASCE)EM.1943-7889.0001423).

5. Brincker, R., Zhang, L. and Andersen, P. Modal identification of output-only systems using frequency domain decomposition. *Smart Mater. Struct.* 2001 Vol.10:441-445 <https://doi.org/10.1088/0964-1726/10/3/303>
6. Brincker, R., Ventura, C. and Andersen, P. Damping estimation by frequency domain decomposition *Proceedings of the 19th Int'l Modal Analysis Conference (IMAC)*, 2001, 698-703
7. Lamarche, C., Paultre, P., Proulx, J., Mousseau, S. Assessment of the frequency domain decomposition technique by forced-vibration tests of a full-scale structure. *Earthquake. Eng. Struct. Dyn.* 2008, 37(3):487–494 <https://doi.org/10.1002/eqe.766>
8. Zhang L, Wang T and Tamura Y. (2010) A frequency–spatial domain decomposition (FSDD) method for operational modal analysis *Mech. Syst. Sig. Process.* 24(5):1227-1239. <https://doi.org/10.1016/j.ymssp.2009.10.024>.
9. Le, T. and Argoul, P. Modal identification using the frequency scale domain decomposition technique of ambient vibration responses. *J. Sound. Vib.* 2016, 384: 325–338 <https://doi.org/10.1016/j.jsv.2016.08>
10. Kim, D., Oh, B., Park, H., Shim, H. and Kim, J. Modal identification for high-rise building structures using orthogonality of filtered response vectors *Comput-Aided Civ. Infrastruct. Eng.* 2017, 32(12):1064–1084 <https://doi.org/10.1111/mice.12310>
11. Li, B. and Au, S. An expectation-maximization algorithm for Bayesian operational modal analysis with multiple (possibly close) modes. *Mech. Syst. Signal Process.* 2019, 132. <https://doi.org/10.1016/j.ymssp.2019.06.036>.
12. Van Overschee, P. and De Moor, B. Subspace Identification for Linear Systems. Kluwer Academic Publishers, 1996.
13. Kerschen, G., Poncelet, F., and Golinval, J. Physical interpretation of independent component analysis in structural dynamics. *Mech. Syst. Signal Process.*, 2007, 21 (4): 1561–1575 <https://doi.org/10.1016/j.ymssp.2006.07.009>
14. Poncelet, F., Kerschen, G., Golinval, J. and Verhelst, D. Output only modal analysis using blind source separation techniques. *Mech. Syst. Signal Process.* 2007, 21(6): 2335–2358. <https://doi.org/10.1016/j.ymssp.2006.12.005>.
15. Sadhu, A., Hazra, B. and Narasimhan, S. Blind identification of earthquake-excited structures. *Smart Mater. Struct.* 2012, 21(4): 045019. <https://doi.org/10.1088/0964-1726/21/4/045019>.
16. Bell, A. and Sejnowski, T. Edges are independent components of natural scenes. In *Advances in neural information processing system 9*, 1996, London: MIT Press.
17. Hyvärinen, A., Karhunen, J. and Oja, E., *Independent component analysis*, New York. Wiley. 2001
18. Roberts, S. and Everson, R. *Independent component analysis: Principles and practice* New York: Cambridge University Press. 2001
19. Brewick PT and Smyth AW (2014) On the application of blind source separation for damping estimation of bridges under traffic loading *J Sound Vib* 333(26):7333–7351 <https://doi.org/10.1016/j.jsv.2014.08.010>
20. Guo, Y. Nonstationary system identification techniques. Ph.D. dissertation, Dept. of Civil and Environmental Engineering and Earth Sciences, Univ. of Notre Dame, 2015
21. Guo, Y. and Kareem, A. System identification through nonstationary data using time-frequency blind source separation. *J. Sound Vib.* 2016, 371:110–131 <https://doi.org/10.1016/j.jsv.2016.02.011>
22. Kareem, A., Kijewski, T., and Tamura, Y. Mitigation of motions of tall buildings with specific examples of recent applications *Wind Struct.* 1999, 2 (3): 201–251 <https://doi.org/10.12989/was.1999.2.3.201>
23. Hwang JS, Kwon DK and Kareem A. (2019) Frequency Domain State Space-Based Mode Decomposition Framework *Journal of engineering mechanics ASCE* 7:1-14. [https://doi.org/10.1061/\(ASCE\)EM.1943-7889.0001624](https://doi.org/10.1061/(ASCE)EM.1943-7889.0001624).
24. Hwang JS and Kim H (2017) Mode decomposition of structures with closely distributed modes and nonclassical damping *Struct. Contr. Health Monit.* 251-14. <https://doi.org/10.1002/stc.2065>
25. McNeil S (2013) A Modal Identification Algorithm Combining Blind Source Separation and State Space Realization *Journal of Signal and Information Processing* 4(2):173-185. <https://doi.org/10.4236/jsip.2013.42025>.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.