

Article

Not peer-reviewed version

Only in Natural Concepts Does Nature Disclose Her Secrets

[Markolf H. Niemz](#) *

Posted Date: 20 March 2025

doi: 10.20944/preprints202207.0399.v89

Keywords: spacetime; cosmology; Hubble tension; dark energy; quantum mechanics; non-locality



Preprints.org is a free multidisciplinary platform providing preprint service that is dedicated to making early versions of research outputs permanently available and citable. Preprints posted at Preprints.org appear in Web of Science, Crossref, Google Scholar, Scilit, Europe PMC.

Copyright: This open access article is published under a Creative Commons CC BY 4.0 license, which permit the free download, distribution, and reuse, provided that the author and preprint are cited in any reuse.

Only in Natural Concepts Does Nature Disclose Her Secrets

Markolf H. Niemz 

Heidelberg University, Theodor-Kutzer-Ufer 1–3, 68167 Mannheim, Germany
Correspondence: markolf.niemz@medma.uni-heidelberg.de

Today's physics describes nature in "empirical concepts" (based on observation). Examples are coordinate space/coordinate time in special relativity (SR), curved spacetime in general relativity (GR), and today's concepts of objects (particles, matter waves, photons, electromagnetic waves). There are coordinate-free formulations of SR/GR, but there is no absolute time in SR/GR and thus no "holistic view" (universal for all objects at the *same* instant in time). **I show:** Euclidean relativity (ER) provides a holistic view by describing nature in "natural concepts" (immanent in all objects). Examples are proper space/proper time, curved worldlines in Euclidean space, and "wavematters" (pure energy). An object's proper space d_1, d_2, d_3 and proper time τ span its reference frame d_1, d_2, d_3, d_4 ($d_4 = c\tau$) in 4D Euclidean space (ES). It experiences ES as a Euclidean spacetime. The orientation of its reference frame in absolute ES is relative. All energy moves through ES at the speed c . The invariant is absolute, cosmic time. There is a 4D vector "flow of proper time" τ for each object. Acceleration rotates an object's τ and curves its worldline in flat ES. Information hidden in τ is not available in SR/GR. **I conclude:** (1) ER solves 15 mysteries. The Hubble tension is solved quantitatively. (2) ER declares four concepts obsolete, such as dark energy and non-locality. (3) There is no continuous transition between SR/GR and ER. Either scope is limited. We must apply SR/GR whenever we use empirical concepts. We must apply ER whenever τ is crucial (high-redshift supernovae, entanglement).

Keywords: spacetime; cosmology; Hubble tension; dark energy; quantum mechanics; non-locality

There are two legitimate approaches to describing nature: either in "empirical concepts" (based on observation) or else in "natural concepts" (immanent in all objects). Observation implies that the description may not be complete or that some of its concepts are obsolete. Special/general relativity (SR/GR) take the first approach [1, 2], but there is no absolute time in SR/GR and thus no "holistic view" (universal for all objects at the *same* instant in time). Euclidean relativity (ER) takes the second approach and provides a holistic view.

A new theory poses questions: (1) *Does ER predict the same relativistic effects as SR/GR?* Yes, the Lorentz factor and gravitational time dilation are recovered in ER. (2) *What are the benefits of ER?* ER solves fundamental mysteries, such as time's arrow, the Hubble tension, dark energy, non-locality, and the baryon asymmetry. ER tells us that we must not apply empirical concepts to objects that are very far away (high-redshift supernovae) or that move in opposite 4D directions at the speed c (entanglement). In such extreme situations, the 4D vector "flow of proper time" (see Sect. 3) is crucial. (3) *Does ER make quantitative predictions?* Yes, ER explains the 10 percent deviation in the published values of H_0 .

Well-intentioned advice: (1) *Read carefully.* I do not disprove SR/GR. I show that the scope of SR/GR is limited. (2) *Do not reject ER without a disproof.* Experts may feel offended. (3) *Do not apply the concepts of SR/GR to ER.* One reviewer argued that spacetime could not be Euclidean because it would contradict SR/GR. If this were true, Earth could not orbit the sun because it would contradict geocentrism. (4) *Be fair.* A paper cannot cover all of physics. SR/GR have been tested for 100 years. ER deserves the same chance. (5) *Appreciate illustrations.* As a geometric theory, ER complies with math. The 4D vector "flow of proper time" is the key to ER. I apologize for my several preprint versions, but I received little support. The preprints document my path. The final version is all that is needed.

1. Introduction

Today's concepts of space and time were coined by Albert Einstein. In SR, space and time are merged into a flat spacetime described by the Minkowski metric. SR is often presented in Minkowski spacetime [3]. Predicting the lifetime of muons [4] is one example that supports SR. In GR, a curved spacetime is described by the Einstein tensor. The deflection of starlight [5] and the high accuracy of GPS [6] are two examples that support GR. Quantum field theory [7] unifies classical field theory, SR, and QM but not GR.

The postulates of ER: (1) All energy moves through 4D Euclidean space (ES) at the speed c . Physically, one axis of ES is experienced as proper time. (2) The laws of physics have the same form in each object's reference frame. Observers are objects too. An object's proper space and proper time span its reference frame in ES. Unlike coordinate space and coordinate time in SR, proper space and proper time are assembled to a Euclidean manifold (see Sect. 3). I reversed the order of the postulates. Absoluteness comes first. Relativity comes second. My **first postulate** is stronger than in SR: c is both absolute and universal. My **second postulate** is not limited to inertial frames. To improve readability, all observers are male. To make up for it, Mother Nature is female.

Fig. 1 left illustrates the reference frames of two objects in ES. Each object experiences that axis in which it moves at the speed c as its proper time. It experiences the other three axes as its proper space. In ER, an object's physical reality is its proper space and its proper time. They can be interpreted as orthogonal projections from ES. *There are as many physical realities as there are objects.* Fig. 1 right illustrates two approaches to describing nature. ER describes her in natural concepts. SR/GR describe her in empirical concepts. These concepts are incompatible. Thus, we must not play ER off against SR/GR. ER does not compete with SR/GR. So, what is ER good for? ER solves mysteries that are rooted in ES.




Fig. 1. Orthogonal projections and two approaches to describing nature. **Left:** How to project ES to an object's physical reality. **Right:** ER and SR/GR describe nature in different concepts.

In 1969, Newburgh and Phipps [8] pioneered ER. Montanus [9] added a constraint: A pure time interval must be a pure time interval for all observers. According to Montanus [10], this constraint is required to avoid the twin paradox and a "character paradox" (confusion of photons, particles, antiparticles). I show that the constraint is obsolete. *Whatever is proper time for me, it can be one axis of proper space for you.* There is no twin paradox if we take cosmic time as the parameter. There is no "character paradox" if we take the 4D vector "flow of proper time" (see Sect. 3) into account. An object's proper time can flow backward with respect to the observer without being an antiparticle (see Sect. 5.15). Montanus calculated the precession of Mercury's perihelion in ER [10] and other effects [11] but failed to formulate Maxwell's equations in ER because of a missing minus sign [10].

Almeida [12] studied geodesics in ES. Gersten [13] showed that the Lorentz transformation can be interpreted as an SO(4) rotation. van Linden maintains a website about ER (<https://euclideanrelativity.com/>). Most physicists reject ER because dark energy and non-locality make cosmology and QM work, the SO(4) symmetry of ES seems to exclude waves, and paradoxes seem to arise. This paper marks a turning point. *I disclose an issue in SR/GR. I explain why ES does not exclude waves. I avoid paradoxes by projecting ES.*

It is instructive to contrast Newton's physics, Einstein's physics, and ER. In Newton's physics, all energy moves through 3D Euclidean space as a function of independent time. There is no speed limit for matter. In Einstein's physics, all energy moves through a non-Euclidean spacetime. The 3D speed of matter is $v_{3D} < c$. In ER, all energy moves through ES. The 4D speed of all energy is c . Newton's physics [14] shaped Kant's philosophy [15]. I am convinced that ER will trigger a reformation of physics and philosophy.

2. Disclosing an Issue in Special and General Relativity

The fourth coordinate in SR is an observer's coordinate time t . In § 1 of SR, Einstein gives an instruction for synchronizing clocks at the points P and Q. At t_P , a light pulse is sent from P to Q. At t_Q , it is reflected at Q. At t_P^* , it is back at P. The clocks synchronize if

$$t_Q - t_P = t_P^* - t_Q . \quad (1)$$

In § 3 of SR, Einstein derives the Lorentz transformation. The coordinates x_1, x_2, x_3, t of an event in a system K are transformed to the coordinates x'_1, x'_2, x'_3, t' in K' by

$$x'_1 = \gamma (x_1 - v_{3D} t) , \quad (2a)$$

$$x'_2 = x_2 , \quad x'_3 = x_3 , \quad (2b)$$

$$t' = \gamma (t - v_{3D} x_1 / c^2) , \quad (2c)$$

where K' moves relative to K in x_1 at the constant speed v_{3D} and $\gamma = (1 - v_{3D}^2/c^2)^{-0.5}$ is the Lorentz factor. Mathematically, Eqs. (2a–c) are correct: They transform the coordinates from K to K'. There are covariant equations that transform the coordinates from K' to K. Physically, there is an issue in SR and also in GR: *The empirical concepts of SR/GR fail to solve fundamental mysteries*. There are coordinate-free formulations of both SR [16] and GR [17], but there is no absolute time in SR/GR and thus no "holistic view" (I repeat the definition: universal for all objects at the *same* instant in time). The view in SR/GR is "multi-egocentric": SR/GR work for all observers, but each observer's view is egocentric. All observers' views taken together do not make a holistic view because they still do not provide absolute time. Without absolute time, observers will not always agree on what is past and what is future. Physics paid a high price for dismissing absolute time: ER restores absolute time (see Sect. 3) and solves 15 fundamental mysteries (see Sect. 5). Thus, the issue is real.

The issue in SR/GR is not about making wrong predictions. It has much in common with the issue in the geocentric model: In either case, there is no holistic view. Geocentrism is the egocentric view of mankind. In the old days, it was natural to believe that all celestial bodies would orbit Earth. Only astronomers wondered about the retrograde loops of some planets and claimed that Earth orbits the sun. In modern times, engineers have improved rulers and clocks. Today, it is natural to believe that it would be fine to describe nature as accurately as possible but in the empirical concepts of one or more observers. The human brain is smart, but it often takes itself as the center/measure of everything.

The analogy of the geocentric model to SR/GR is not perfect: Heliocentrism and geocentrism exclude each other. ER and SR/GR complement each other. Even so, the analogy is close: (1) After taking some other planet as the center of the Universe (or after a transformation in SR/GR), the view is still geocentric (or else egocentric). (2) Retrograde loops are obsolete in heliocentrism, but they make geocentrism work. Dark energy and non-locality are obsolete in ER, but they make cosmology and QM work. (3) Heliocentrism provides a view from beyond Earth. ER provides a view from beyond any observer's space and time. (4) The geocentric model was a dogma in the old days. SR and GR are dogmata nowadays. *Have physicists not learned from history? Does history repeat itself?*

3. The Physics of Euclidean Relativity

ER cannot be derived from measurement instructions because the proper coordinates of other objects cannot be measured. We start with the Minkowski metric of SR:

$$c^2 d\tau^2 = c^2 dt^2 - dx_1^2 - dx_2^2 - dx_3^2 , \quad (3)$$

where $d\tau$ is an infinitesimal distance in proper time τ , whereas all dx_i ($i = 1, 2, 3$) and dt are infinitesimal distances in an observer's coordinate space x_1, x_2, x_3 and coordinate

time t . Coordinate spacetime x_1, x_2, x_3, t is *empirical* because its coordinates are construed by an observer and thus not immanent in rulers and clocks. Rulers measure proper length. Clocks measure proper time. We introduce ER by defining its Euclidean metric:

$$c^2 d\theta^2 = dd_1^2 + dd_2^2 + dd_3^2 + dd_4^2, \quad (4)$$

where $d\theta$ is an infinitesimal distance in cosmic time θ , whereas all dd_i ($i = 1, 2, 3$) and $dd_4 = c d\tau$ are infinitesimal distances in an object's proper space d_1, d_2, d_3 and proper time τ . Now the role of τ is reversed: The fourth coordinate is τ ; the invariant is θ ; the metric tensor is the identity matrix. I prefer the indices 1–4 to 0–3 to stress the SO(4) symmetry. An object's proper space d_1, d_2, d_3 and proper time τ span its reference frame d_1, d_2, d_3, d_4 ($d_4 = c\tau$) in 4D Euclidean space (ES). It experiences ES as a Euclidean spacetime (EST). The orientation of its reference frame in absolute ES is relative. Euclidean spacetime is *natural* because its coordinates are measured by (immanent in) rulers and clocks. Intrinsic rulers and clocks of all objects, such as biological clocks, measure distances in natural spacetime! Do not confuse ER with a Wick rotation [18], which maintains τ as the invariant.

Montanus [9] distinguished “absolute Euclidean spacetime” (AEST) from a “relative Euclidean spacetime” (REST). His AEST is my ES. His REST is my EST. Montanus [9–11] promoted AEST and disqualified REST. He rejected the idea of four fully symmetric axes. My ES diagrams show: Whatever is proper time for one object, it can be one axis of proper space (or even a mix of proper space and proper time) for another object.

Each object is free to label the axes of its reference frame. We assume: It labels the axis of its *current* 4D motion as d_4 . Because of my [first postulate](#), it thus always moves in the d_4 axis at the speed c . Note that, as in Minkowski diagrams, an object's reference frame is not attached to the object. The object always moves in the time axis of its reference frame. In ER, an object's 4D motion can rotate with respect to absolute ES. In this case, its reference frame performs the same rotation as if the frame's origin were *gimbal-mounted* to the origin of ES, so that the object always moves in the d_4 axis. Because of length contraction at the speed c (see [Sect. 4](#)), the object's d_4 axis disappears for itself and is experienced as proper time. Objects moving in the d'_4 axis at the speed c experience d'_4 as proper time. Each object experiences its 4D motion as proper time. There is a 4D vector “flow of proper time” τ for each object. Information hidden in τ is not available in SR/GR.

$$\tau = d_4/c, \quad \tau' = d'_4/c, \quad (5)$$

$$\tau = d_4 \mathbf{u}/c^2, \quad \tau' = d'_4 \mathbf{u}'/c^2, \quad (6)$$

where $\mathbf{u}$ is an object's 4D velocity. In ER, speed is not defined as $v_i = dx_i/dt$ ($i = 1, 2, 3$) but as $u_\mu = dd_\mu/d\theta$ ($\mu = 1, 2, 3, 4$). Thus, Eq. (4) is nothing but my [first postulate](#):

$$u_1^2 + u_2^2 + u_3^2 + u_4^2 = c^2. \quad (7)$$

It is instructive to contrast three concepts of time. t is a subjective measure of time: An observer uses his clock as the master clock. τ is an objective measure of time: Clocks measure τ independently of observers. θ is the total distance covered in ES (length of a worldline) divided by c . By taking θ as the parameter, all observers agree on what is past and what is future. Since the invariant θ is absolute, there is no twin paradox in ER. *Twins are the same age in cosmic time*. A finite c implies that there is no coordinate “absolute time”. However, a finite c is compatible with a parameter “absolute time”.

Because of incompatible concepts, there is no continuous transition between SR/GR and ER. SR describes nature in empirical concepts $x_1(\tau), x_2(\tau), x_3(\tau), t(\tau)$, where τ is an object-related evolution parameter. GR is locally equivalent to SR. ER describes nature in natural concepts $d_1(\theta), d_2(\theta), d_3(\theta), d_4(\theta)$, where θ is the “cosmic evolution parameter”. Only in proper coordinates can we access ES, but the proper coordinates of other objects cannot be measured. In my [Conclusions](#), I will explain why this is fine.

We consider two identical clocks “r” (red clock) and “b” (blue clock). In SR, “r” moves in the ct axis. Clock “b” starts at $x_1 = 0$ and moves in the x_1 axis at a constant speed of $v_{3D} = 0.6c$. Fig. 2 left shows the instant when either clock moved 1.0 Ls (light seconds) in ct . Clock “b” moved 0.6 Ls in x_1 and 0.8 Ls in ct' . It displays “0.8”. In ER, “r” moves in the d_4 axis. Fig. 2 right shows the instant when either clock moved 1.0 s in its proper time, which is equal to cosmic time for either clock. Both clocks display “1.0”.




Fig. 2. Minkowski diagram and ES diagram of two clocks “r” and “b”. **Left:** “b” is slow with respect to “r” in t' . Coordinate time is relative (“b” is at different positions in t and t'). **Right:** “b” is slow with respect to “r” in d_4 . Cosmic time is absolute (“r” is in d_4 at the same position as “b” in d_4').

We now assume that an observer R (or B) moves with clock “r” (or else “b”). In SR and only from the perspective of R, clock “b” is at $ct' = 0.8$ Ls when “r” is at $ct = 1.0$ Ls (see Fig. 2 left). Thus, “b” is slow with respect to “r” in t' (of B). In ER and independently of observers, clock “b” is at $d_4 = 0.8$ Ls when “r” is at $d_4 = 1.0$ Ls (see Fig. 2 right). Thus, “b” is slow with respect to “r” in d_4 (of R). In SR and ER, “b” is slow with respect to “r”, but time dilation occurs in different axes. Experiments do not disclose that axis in which a clock is slow. Thus, both SR and ER describe time dilation correctly if ER yields the same Lorentz factor as SR. In Sect. 4, I will show that this is the case.

There is also a noteworthy difference regarding the synchronization of clocks: In SR, each observer is able to synchronize a uniformly moving clock to his clock (same value of ct in Fig. 2 left). If he does, these clocks are not synchronized for the moving clock. In ER, clocks with the same 4D vector τ are always synchronized, whereas clocks with different τ and τ' are never synchronized (different values of d_4 in Fig. 2 right).

But why does ER provide a holistic view? Eq. (4) is symmetric in all d_μ ($\mu = 1, 2, 3, 4$). I call them “pure distances” because ES itself does not distinguish between “spatial” and “temporal”. Only objects/observers experience three axes as spatial and one as temporal. R and B experience different axes as temporal. This is why Fig. 2 left works for R but not for B: A second Minkowski diagram is required, where x_1' and ct' are orthogonal. Here the view is multi-egocentric. In contrast, Fig. 2 right works for R and for B at once (at the same cosmic time): Not only are d_1 and d_4 orthogonal but also d_1' and d_4' . ES is independent of observers and thus absolute. Here the view is universal and thus holistic.

What about waves in ES? I admit that regarding waves I was on the wrong track for three years. I was misled by editors who insisted that the SO(4) symmetry of ES is incompatible with waves. They argued that a metric where all coordinates have identical signs is incompatible with waves. Indeed, it can easily be shown that the wave equation cannot be derived if all minus signs in Eq. (3) are replaced by plus signs. However, these editors overlooked that the SO(4) symmetry of ES is compatible with waves that propagate and oscillate as a function of the parameter θ and not as a function of one coordinate. I claim: In ER, all objects are waves that propagate through and oscillate in ES as a function of θ . I call all these objects “wavematters”. In Sects. 5.13 and 5.14, I will provide evidence of my claim: Wavematters solve the two mysteries of the wave–particle duality and non-locality. In an observer’s view, wavematters reduce to wave packets or else to particles.

4. Geometric Effects in Euclidean Relativity

We consider two identical rockets "r" (red rocket) and "b" (blue rocket). Let observer R (or B) be in the rear end of "r" (or else "b"). The 3D space of R (or B) is spanned by d_1, d_2, d_3 (or else d'_1, d'_2, d'_3). We use "3D space" as a synonym of proper space. The proper time of R (or B) relates to d_4 (or else d'_4) according to Eq. (5). Both rockets start at the same point P and at the same cosmic time θ_0 . They move relative to each other at the constant speed v_{3D} . R and B are free to label the axis of relative motion in 3D space. R (or B) labels it as d_1 (or else d'_1). The ES diagrams in Fig. 3 must fulfill my two postulates and the initial conditions (same P, same θ_0). This is achieved by rotating the red and the blue frame with respect to each other. Do not confuse ES diagrams with Minkowski diagrams. In ES diagrams, objects maintain proper length and clocks display proper time. To improve readability, a rocket's width is drawn in d_4 (or d'_4) although it is in the d_2, d_3 plane (or else d'_2, d'_3 plane).




Fig. 3. ES diagrams of two rockets "r" and "b". Observer R (or B) is in the rear end of "r" (or else "b"). **Left:** "r" moves in the d_4 axis. "b" moves in the d'_4 axis. In the 3D space of R, "b" contracts to $L_{b,R}$. **Right:** The ES diagram has been rotated only. In the 3D space of B, "r" contracts to $L_{r,B}$.

We now assume that N rockets " r_i " are launched from P at the same cosmic time θ_0 , where " r_1 " is equal to "r". We also assume: The 4D vector τ_i of " r_i " ($2 \leq i \leq N$) is rotated with respect to τ_{i-1} of " r_{i-1} " by $\pi/2 - \varphi$. This implies that " r_i " recedes from " r_{i-1} " in the 3D space of " r_{i-1} " at the speed v_{3D} . If $N(\pi/2 - \varphi) > \pi/2$, some rockets move backward in d_4 . If one rocket " r_i " rotates by π , it stands still in the 3D space of " r_1 " and its 4D vector τ_i is reversed with respect to the 4D vector τ_1 of " r_1 ". This example shows that ER does not compete with SR. Our assumptions are not valid in SR: There is no "same cosmic time θ_0 " and no 4D vector τ in SR. We can draw all " r_i " in a Minkowski diagram (launched at the same coordinate time), but our example is outside the scope of SR.

Up next, we verify: (1) Rotating the red and the blue frame with respect to each other causes length contraction. (2) The fact that proper time flows in different 4D directions for R and for B causes time dilation. Let $L_{b,R}$ (or $L_{b,B}$) be the length of rocket "b" for observer R (or else B). In a first step, we project "b" in Fig. 3 left to the d_1 axis:

$$\sin^2 \varphi + \cos^2 \varphi = (L_{b,R}/L_{b,B})^2 + (v_{3D}/c)^2 = 1, \quad (8)$$

$$L_{b,R} = \gamma^{-1} L_{b,B} \quad (\text{length contraction}), \quad (9)$$

where $\gamma = (1 - v_{3D}^2/c^2)^{-0.5}$ is the same Lorentz factor as in SR. For R, rocket "b" contracts to $L_{b,R}$. Despite the Euclidean metric, we calculate the same γ as in SR. We now ask: Which distances will R observe in d_4 ? We rotate "b" until it serves as a ruler for R in d_4 . In his 3D space, this ruler contracts to zero: The d_4 axis disappears for R because of length contraction at the speed c . In a second step, we project "b" in Fig. 3 left to the d_4 axis:

$$\sin^2 \varphi + \cos^2 \varphi = (d_{4,B}/d'_{4,B})^2 + (v_{3D}/c)^2 = 1, \quad (10)$$

$$d_{4,B} = \gamma^{-1} d'_{4,B}, \quad (11)$$

where $d_{4,B}$ (or $d'_{4,B}$) is the distance that B moved in d_4 (or else d'_4). With $d'_{4,B} = d_{4,R}$ (R and B cover the same distance in ES but in different 4D directions), we calculate

$$d_{4,R} = \gamma d_{4,B} \quad (\text{time dilation}), \quad (12)$$

where $d_{4,R}$ is the distance that R moved in d_4 . Eqs. (9) and (12) tell us: γ is recovered in ER if we project ES to the axes d_1 and d_4 of an observer. This result is significant: **It tells us that ER predicts the same relativistic effects as SR.** The rockets serve as an example. All other objects are orthogonally projected the same way. For an overview of orthogonal projections, the reader is referred to geometry textbooks [19, 20].

We now transform the proper coordinates of observer R (unprimed) to the ones of B (primed). R cannot measure the proper coordinates of B, and vice versa, but we can always calculate them from ES diagrams. Fig. 3 right tells us how to calculate the 4D motion of R in the proper coordinates of B. The transformation is a 4D rotation by the angle φ .

$$d'_{1,R}(\theta) = d_{4,R}(\theta) \cos \varphi = d_{4,R}(\theta) v_{3D}/c, \quad (13a)$$

$$d'_{2,R}(\theta) = d_{2,R}(\theta), \quad d'_{3,R}(\theta) = d_{3,R}(\theta), \quad (13b)$$

$$d'_{4,R}(\theta) = d_{4,R}(\theta) \sin \varphi = d_{4,R}(\theta) \gamma^{-1}. \quad (13c)$$

Up next, I show that not only the Lorentz factor is recovered in ER but also gravitational time dilation. We return to our two clocks. Clock "r" and Earth move in the d_4 axis of "r" at the speed c (see Fig. 4). Clock "b" accelerates in the 3D space of "r" toward Earth while maintaining the speed c in ES. Because of Eq. (7), all accelerations are transversal in ES. The speed $u_{1,b}$ of "b" in d_1 increases at the expense of its speed $u_{4,b}$ in d_4 .




Fig. 4. ES diagram of two clocks "r" and "b" and Earth. Clock "b" accelerates in the 3D space of "r" toward Earth. The d'_4 axis is curved because it indicates the current 4D motion of "b".

Initially, our two clocks shall be very far away from Earth. Eventually, clock "b" falls freely toward Earth. The kinetic energy of "b" (mass m) in the d_1 axis of "r" is

$$\frac{1}{2} m u_{1,b}^2 = G M m / R, \quad (14)$$

where G is the gravitational constant, M is the mass of Earth, and $R = d_{1,Earth} - d_{1,b}$ is the distance of "b" to Earth in the 3D space of "r". By applying Eq. (7), we get

$$u_{4,b}^2 = c^2 - u_{1,b}^2 = c^2 - 2GM/R. \quad (15)$$

With $u_{4,b} = dd_{4,b}/d\theta$ ("b" moves in the d_4 axis at the speed $u_{4,b}$) and $c = dd_{4,r}/d\theta$ ("r" moves in the d_4 axis at the speed c), we calculate

$$dd_{4,b}^2 = (c^2 - 2GM/R) (dd_{4,r}/c)^2, \quad (16)$$

$$dd_{4,r} = \gamma_{gr} dd_{4,b} \quad (\text{gravitational time dilation}), \quad (17)$$

where $\gamma_{gr} = (1 - 2GM/(Rc^2))^{-0.5}$ is the same dilation factor as in GR. Eq. (17) tells us: γ_{gr} is recovered in ER if we project ES to the d_4 axis of an observer. This result is significant: **It tells us that ER predicts the same gravitational time dilation as GR.** However, there is a big difference: In GR, curved spacetime replaces gravitational fields. In ER, gravitational fields celebrate a comeback. Acceleration rotates an object's τ and curves its worldline in flat ES. "Action at a distance" is not an issue if any variation in field strength also spreads at the speed c . Gravitational waves [21] support the idea of GR that gravity is a feature of spacetime. I invite theorists to show two things: (1) Gravitational waves are also compatible with ER. (2) ER can also be derived from the variation of an action as it can be done for GR [22]. Here I showed that ER yields the same γ and γ_{gr} as SR/GR.

Summary of time dilation: In SR, a uniformly moving clock "b" is slow with respect to "r" in the time axis of "b". In GR, an accelerating clock "b" or else a clock "b" in a more curved spacetime is slow with respect to "r" in the time axis of "b". In ER, a clock "b" is slow with respect to "r" in the time axis of "r" (!) if the 4D vector τ' of "b" differs from the 4D vector τ of "r". Since both γ and γ_{gr} are recovered in ER, the Hafele–Keating experiment [23] supports ER too. GPS works in ER as well as in SR/GR.

Three problems tell us how to read ES diagrams (see Fig. 5). **Problem 1:** Two objects "r" and "b" move through ES at the speed c . "r" moves in d_4 . "b" emits a radio signal at $d'_4 = 1.0$ Ls. The signal recedes radially from "b" in all axes as a function of θ , but it cannot catch up with "r" in the d_4 axis. *Can the radio signal and "r" collide in the 3D space of "r" if they do not collide in ES?* **Problem 2:** A rocket moves along a guide wire. In ES, both objects move at the speed c . The wire moves in d_4 . As the rocket covers distance in d_1 , its speed in d_4 is less than c . *Doesn't the wire escape from the rocket?* **Problem 3:** Earth orbits the sun. In ES, both objects move at the speed c . The sun moves in d_4 . As Earth covers distance in d_1 and d_2 , its speed in d_4 is less than c . *Doesn't the sun escape from Earth's orbit?*




Fig. 5. Three problems. **Left:** In ES, an energy taking a detour (blue/orange arrow) does not collide with an energy moving straight (red arrow). In the 3D space of "r", it does. The circle shows a signal emitted by "b". **Center:** In ES, the wire escapes from the rocket. In the 3D space of the wire, it does not. **Right:** In ES, the sun escapes from Earth's orbit. In the 3D space of the sun, it does not.

The questions in the last paragraph seem to disclose geometric paradoxes in ER. The fallacy lies in the assumption that all four axes d_μ ($\mu = 1, 2, 3, 4$) would be spatial at once. This is not the case. Only three axes of ES are experienced as spatial and one as temporal. We solve all three problems by projecting ES to the 3D space of that object which moves in d_4 at the speed c . In its 3D space, it is always at rest. The radio signal collides with “r” in the 3D space of “r” if there is $d_{i,r} = d_{i,\text{signal}}$ ($i = 1, 2, 3$) at one instant in cosmic time θ . Thus, a collision is possible even if there is $d_{4,r} \neq d_{4,\text{signal}}$. In our example (see Fig. 5 left), the signal collides with “r” once $\theta = 1.6$ s have elapsed since “r” started from the origin. Collisions in 3D space do not show up as collisions in ES. Here is why ES diagrams do not contract physics: **ES diagrams do not show events but each object’s flow of proper time.** The wire does not *spatially* escape from the rocket. The sun does not *spatially* escape from Earth’s orbit. In Fig. 4, Earth does not *spatially* escape from clock “b”.

5. Outlining the Solutions to 15 Fundamental Mysteries

In Sects. 5.1 through 5.15, ER solves 15 mysteries and declares four concepts obsolete. We will focus on mysteries that do not involve gravitational fields (except for Sect. 5.5).

5.1. The Mystery of Time

Proper time τ is what a clock measures. Cosmic time θ is the total distance covered in ES divided by c . Any clock always displays both quantities: its τ and θ . An observed clock’s 4D vector τ' can differ from the observer’s 4D vector τ . If it does, the observed clock is slow with respect to the observer’s clock in his time axis.

5.2. The Mystery of Time’s Arrow

“Time’s arrow” is a synonym of time flowing forward only. Why does time flow forward only? Here is the answer: Covered distance cannot decrease but only increase.

5.3. The Mystery of the Factor c^2 in the Energy Term mc^2

In SR, if forces are absent, the total energy E of an object (mass m) is given by

$$E = \gamma mc^2 = E_{\text{kin},3\text{D}} + mc^2 , \tag{18}$$

where $E_{\text{kin},3\text{D}}$ is its kinetic energy in an observer’s coordinate space and mc^2 is its energy at rest. The term mc^2 can be derived from SR, but SR does not tell us why there is a factor c^2 in the energy of objects that move at a speed less than c . ER is eye-opening: An object is never “at rest”. From its perspective, $E_{\text{kin},3\text{D}}$ is zero and mc^2 is its kinetic energy in d'_4 . The factor c^2 is a hint that it moves through ES at the speed c . In SR, there is also

$$E^2 = p^2 c^2 = p_{3\text{D}}^2 c^2 + m^2 c^4 , \tag{19}$$

where p is the total momentum of an object and $p_{3\text{D}}$ is its momentum in an observer’s coordinate space. Again, ER is eye-opening: From its perspective, $p_{3\text{D}}$ is zero and mc is its momentum in d'_4 . The factor c is a hint that it moves through ES at the speed c .

5.4. The Mystery of Length Contraction and Time Dilation

In SR, length contraction and time dilation can be traced back to Einstein’s instruction for synchronizing clocks. In ER, these relativistic effects are natural effects: They stem from projecting worldlines in ES to the axes d_1 and d_4 of an observer.

5.5. The Mystery of Gravitational Time Dilation

In GR, gravitational time dilation stems from curved spacetime. In ER, this relativistic stems from projecting curved worldlines in ES to the d_4 axis of an observer. Eq. (7) tells us: *If an object accelerates in his proper space, it automatically decelerates in his proper time.* More studies are required to understand other gravitational effects in ER.

5.6. The Mystery of the Cosmic Microwave Background (CMB)

In the inflationary Lambda-CDM model, the Big Bang occurred “everywhere” (space inflated from a singularity). In Sects. 5.6 through 5.12, I outline an ER-based model of cosmology, in which the Big Bang is locatable: It injected a huge amount of energy into ES at an origin O. Cosmic time θ is the total time that has elapsed since the Big Bang. At $\theta = 0$, all energy started moving radially away from O. *The Big Bang was a singularity in providing energy and radial momentum.* Shortly after $\theta = 0$, energy was highly concentrated. While it became less concentrated, plasma particles were created in the projection to any 3D space. Recombination radiation was emitted that we still observe as CMB today [24].

The ER-based model must be able to answer these questions: (1) Why is the CMB so isotropic? (2) Why is the temperature of the CMB so low? (3) Why do we still observe the CMB today? Here are some possible answers: (1) The CMB is so isotropic because it has been scattered equally in the 3D space d_1, d_2, d_3 of Earth. (2) The temperature of the CMB is so low because the plasma particles receded at a very high speed v_{3D} (Doppler redshift, see Sect. 5.11). (3) We still observe the CMB today because the radiation reaches Earth after having covered the same distance in d_1, d_2, d_3 (multiple scattering) as Earth in d_4 .

5.7. The Mystery of the Hubble–Lemaître Law

Earth and a galaxy G recede from the origin O of ES at the speed c (see Fig. 6 left). While doing so, G recedes from the d_4 axis at the speed v_{3D} . Because of the 4D Euclidean geometry, v_{3D} relates to D as c relates to the radius r of an expanding 4D hypersphere. All energy is within this hypersphere. Some energy is within its 3D hypersurface. The 4D motion of energy can change either continuously by a transversal acceleration (scattering, gravitational field) or discontinuously (photon emission, pair production).




Fig. 6. ER-based model of cosmology. The green arcs show parts of a 3D hypersurface. The orange circles show where most of the energy emitted by G or S at the time θ is today. **Left:** G recedes from O at the speed c and from the d_4 axis at the speed v_{3D} . **Right:** If a star S_0 happens to be at the same distance D today at which the supernova of S occurred, S_0 recedes more slowly from d_4 than S.

$$v_{3D} = D c / r = H_{\theta} D, \quad (20)$$

where $H_{\theta} = c/r = 1/\theta$ is the Hubble parameter. If we observe G today at the cosmic time θ_0 , the recession speed v_{3D} and c remain unchanged. Thus, Eq. (20) turns into

$$v_{3D} = D_0 c / r_0 = H_0 D_0, \quad (21)$$

where $H_0 = c/r_0 = 1/\theta_0$ is the Hubble constant, $D_0 = D r_0/r$, and r_0 is today's radius of the 4D hypersphere. I call Eq. (21) the "improved Hubble–Lemaître law" [25, 26]. Cosmologists are aware of θ and H_θ . They are not yet aware that the 4D geometry is Euclidean, that cosmic time θ is absolute, and that v_{3D} is equal to $H_0 D_0$ (not to $H_0 D$). Out of two galaxies, the one farther away recedes faster, but each galaxy maintains its recession speed v_{3D} . The d_4 values of Earth and an energy ΔE (emitted by G at the time θ) never match. Can ΔE and Earth collide in the 3D space of Earth if they do not collide in ES? The answer is the same as for Fig. 5 left: Collisions in 3D space do not show up as collisions in ES. ΔE collides with Earth once ΔE has covered the same distance in d_1 as Earth in d_4 .

5.8. The Mystery of the Flat Universe

An observer's proper space and proper time (his physical reality) are two orthogonal projections from ES. Thus, he experiences two discrete structures: flat space and time.

5.9. The Mystery of Cosmic Inflation

Most cosmologists [27, 28] believe that an inflation of space shortly after the Big Bang explains the isotropic CMB, the flat universe, and large-scale structures. The latter inflated from quantum fluctuations. I just showed that ER explains the first two effects. ER even explains large-scale structures if the impacts of quantum fluctuations have been expanding like the 3D hypersurface. *In ER, cosmic inflation is an obsolete concept.*

5.10. The Mystery of Cosmic Homogeneity (Horizon Problem)

How can the universe be so homogeneous if there are causally disconnected regions? In the Lambda-CDM model, region A at $x_1 = +r_0$ and region B at $x_1 = -r_0$ are causally disconnected unless we postulate a cosmic inflation. Without inflation, information could not have covered $2r_0$ since the Big Bang. In the ER-based model, we use natural concepts: Region A is at $d_1 = +r_0$ (see Fig. 6 left). Region B is at $d_1 = -r_0$ (not shown in Fig. 6 left). For A and for B, their d'_4 axis (equal to Earth's d_1 axis) disappears because of length contraction at the speed c . Since A and B overlap spatially in their 3D space, they are causally connected. Note that their opposite 4D vectors "flow of proper time" do not affect causal connectivity as long as A and B overlap spatially.

5.11. The Mystery of the Hubble Tension

Up next, I explain the 10 percent deviation in the published values of H_0 (known as the "Hubble tension" or the " H_0 tension"). Let us compare CMB measurements (Planck space telescope) with calibrated distance ladder measurements (Hubble space telescope). According to team A [29], there is $H_0 = 67.66 \pm 0.42$ km/s/Mpc. According to team B [30], there is $H_0 = 73.04 \pm 1.04$ km/s/Mpc. Team B made efforts to minimize the error margins in the distance measurements. However, there is a systematic error in team B's calculation of H_0 , which arises from assuming a wrong cause of the redshifts.

We assume that team A's value of H_0 is correct. We simulate the supernova of a star S that occurred at a distance of $D = 400$ Mpc from Earth (see Fig. 6 right). The recession speed v_{3D} of S is calculated from measured redshifts. The redshift parameter $z = \Delta\lambda/\lambda$ tells us how each wavelength λ of the supernova's light is either stretched by an expanding space (team B) or else Doppler-redshifted by receding objects (ER-based model). The supernova occurred at the cosmic time θ (arc called "past"), but we observe it at the cosmic time θ_0 (arc called "present"). While the supernova's light moved the distance D in d_1 , Earth moved the same distance D but in d_4 (first postulate). There is

$$1/H_\theta = r/c = (r_0 - D)/c = 1/H_0 - D/c . \tag{22}$$

For a very short distance of $D = 400$ kpc, Eq. (22) tells us that H_θ deviates from H_0 by only 0.009 percent. When plotting v_{3D} versus D for distances from 0 Mpc to 500 Mpc in steps of 25 Mpc (red points in Fig. 7), the slope of a straight-line fit through the origin

is roughly 10 percent greater than H_0 . Since team B calculates H_0 from relating z to magnitude, which is like plotting v_{3D} versus D , its value of H_0 is roughly 10 percent too high. Team B's value is not correct because, according to Eq. (21), we must plot v_{3D} versus D_0 (!) to get a straight line (blue points in Fig. 7). Ignoring the 4D Euclidean geometry in the distance ladder measurements leads to an overestimation of H_0 . This solves the Hubble tension.




Fig. 7. Hubble diagram of simulated supernovae. The horizontal axis is D for the red points or else D_0 for the blue points. The red points, calculated from Eq. (20), do not yield a straight line because H_θ is not a constant. The blue points, calculated from Eq. (21), yield a straight line.

We cannot measure D_0 . Observable magnitudes relate to D and not to D_0 . Thus, the easiest way to fix the calculation of team B is to rewrite Eq. (21) as

$$v_{3D,0} = D c / r_0 = H_0 D, \quad (23)$$

where $v_{3D,0}$ is today's 3D speed of a star S_0 that happens to be at the same distance D today at which the supernova of S occurred (see Fig. 6 right). I kindly ask team B to recalculate H_0 after converting all v_{3D} to $v_{3D,0}$ by applying Eqs. (22), (23), and (20):

$$H_\theta = H_0 c / (c - H_0 D) = H_0 / (1 - v_{3D,0}/c), \quad (24)$$

$$v_{3D,0} = v_{3D} / (1 + v_{3D}/c). \quad (25)$$

By applying Eq. (25) and plotting $v_{3D,0}$ versus D , we also get a straight line according to Eq. (23). In addition, Fig. 7 tells us: The more high-redshift data are included in team B's calculation, the more the H_0 tension increases. The moment of the supernova is irrelevant to team B's calculation. In the Lambda-CDM model, all that counts is the duration of the light's journey to Earth (z increases during the journey). In the ER-based model, all that counts is the moment of the supernova. Wavelengths are redshifted by the Doppler effect (z is constant during the journey). Space is not expanding. Energy recedes from the location of the Big Bang in ES. *In ER, expanding space is an obsolete concept.*

5.12. The Mystery of Dark Energy

Team B can fix the systematic error in its calculation of H_0 by converting all v_{3D} to $v_{3D,0}$ according to Eq. (25). I now reveal another systematic error, but it is inherent in the Lambda-CDM model. It stems from assuming an accelerating expansion of space and can be fixed only by replacing this model with the ER-based model unless we postulate a dark energy. Most cosmologists [31, 32] believe in an accelerating expansion of space because the calculated recession speeds v_{3D} deviate from a straight line in the Hubble diagram (if v_{3D} is plotted versus D) and the deviations increase with D . An accelerating expansion would indeed stretch each wavelength even further and explain the deviations.

In ER, the cause of the deviations is far less speculative: The longer ago a supernova occurred, the more H_θ deviates from H_0 , and thus the more v_{3D} deviates from $v_{3D,0}$. If a star S_0 happens to be at the same distance of $D = 400$ Mpc today at which the supernova of S occurred, Eq. (25) tells us: S_0 recedes more slowly (27,064 km/s, the shortest arrow in Fig. 6 right) from d_4 than S (29,750 km/s). It does so because of the 4D Euclidean geometry: The 4D vector τ' of S_0 deviates less from τ of Earth than τ'' of S deviates from τ . As long as cosmologists are not aware of ER, they hold a “dark energy” [33] responsible for an accelerating expansion of space. Dark energy has not been confirmed. It is a stopgap for an effect that the Lambda-CDM model cannot explain. Older supernovae recede faster because of a larger H_θ in Eq. (20) and not because of a dark energy.

The Hubble tension and dark energy are solved exactly the same way: In Eq. (21), we must not confuse D_0 with D . Because of Eq. (20) and because of $H_\theta = c/(r_0 - D)$, the recession speed v_{3D} is not proportional to D but to $D/(r_0 - D)$. This is why the red points in Fig. 7 run away from a straight line. Any expansion of space (uniform or else accelerating) is only virtual even if the Nobel Prize in Physics 2011 was given “for the discovery of the accelerating expansion of the Universe through observations of distant supernovae”. This particular prize was given for an illusion that stems from interpreting astronomical observations in the wrong concepts. Most galaxies recede from Earth, but they do so uniformly in a non-expanding space. In ER, dark energy is an obsolete concept.

The Hubble tension and dark energy are solved by taking the 4D Euclidean geometry into account, and the 4D vector τ in particular. These results cast doubt on the Lambda-CDM model. GR itself is correct as long as τ is not crucial, but it is crucial for high-redshift supernovae. Space is not driven by dark energy. Galaxies are driven by their momentum and maintain their recession speed v_{3D} with respect to Earth. Because of various effects (scattering, gravitational field, photon emission, pair production), some energy deviates from a radial motion in ES while maintaining the speed c . Gravitational attraction enables near-by galaxies to move toward our galaxy. Table 1 compares two models of cosmology. Note that “the Universe” (Lambda-CDM model) and “universe” (ER-based model) are not the same thing. Each observer experiences three axes of ES as his universe. Cosmology benefits from ER. In Sects. 5.13 and 5.14, I show that QM also benefits from ER.

Inflationary Lambda-CDM model based on GR	ER-based model of cosmology
The Big Bang was the beginning of the Universe.	The Big Bang was an injection of energy into ES.
The Big Bang occurred “everywhere”.	The Big Bang can be localized (origin O of ES).
There are two competing values of H_0 .	H_0 is approximately 67–68 km/s/Mpc.
The Universe: spacetime and all energy.	Synonyms of universe: proper space, 3D space.
Spacetime is non-Euclidean.	Spacetime is Euclidean.
There is no absolute time.	Cosmic time is absolute.
Shortly after the Big Bang, space was inflating.	There is no inflation of space.
Today, there is an accelerating expansion of space.	There is no expansion of space.
Space is driven by dark energy.	Galaxies are driven by their momentum.
Dark energy has not been confirmed.	There is no dark energy.

Table 1. Comparing two models of cosmology.

5.13. The Mystery of the Wave–Particle Duality

The wave–particle duality was first discussed by Niels Bohr and Werner Heisenberg [34]. It has bothered physicists ever since. In some experiments, objects behave like waves. In others, the same objects behave like particles (known as the “wave–particle duality”). One object cannot be both because a wave’s energy spreads out in space, whereas a particle’s energy is localized in space. We overcome the duality by introducing another natural concept: Pure energy moves as “wavematters” through ES at the speed c . As indicated in Sect. 3, we conceive of wavematters as waves that propagate through and oscillate in ES as a function of the parameter cosmic time θ . In an observer’s view, wavematters reduce to wave packets if not tracked or else to particles if tracked.

In Fig. 8, observer R moves in the d_4 axis at the speed c . Three wavematters WM_1 , WM_2 , and WM_3 move in different 4D directions at the speed c . To improve readability, a wavematter's oscillation is drawn in the d_1, d_4 plane although it can oscillate in any axis that is orthogonal to its propagation axis. WM_1 does not move relative to R. Thus, it is automatically tracked and reduces to a particle (P_1). In the 3D space of R, WM_2 and WM_3 reduce to wave packets (W_2, W_3) if not tracked or else to particles (P_2, P_3) if tracked. In the 3D space of R, W_2 moves at a speed less than c . Thus, W_2 is what Louis de Broglie called a "matter wave" [35]. Erwin Schrödinger formulated his Schrödinger equation to describe matter waves [36]. In the 3D space of R, both W_3 and P_3 move at the speed c . Thus, WM_3 is the only wavematter that reduces for R to an electromagnetic wave packet or else to a photon. Light gives us a good idea of how wavematters move through ES.




Fig. 8. Wavematters. Observer R moves in the d_4 axis. In his 3D space, WM_2 and WM_3 reduce to wave packets (W_2, W_3) if not tracked or else to particles (P_2, P_3) if tracked. P_1 : possibly an atom of R. W_2 : matter wave. P_2 : moving particle. W_3 : electromagnetic wave packet. P_3 : photon.

Three important remarks: (1) "Wavematter" is not just a different word for the wave-particle duality. This new concept tells us where the duality stems from and that the duality is experienced by observers only. It also tells us that "matter waves" and "electromagnetic waves" stem from a common concept. (2) In today's physics, there is no "photon's view". In ER, we can assign a 3D space and a proper time to each wavematter. In its view, its 4D motion disappears because of length contraction at the speed c . In its 3D space, it is always at rest and reduces to a particle. (3) In a particle, a wavematter's energy condenses to mass. Einstein taught that energy and mass are equivalent [37]. Wavematters suggest that, likewise, a wave's polarization and a particle's spin are equivalent.

In double-slit experiments, light creates an interference pattern on a screen if it is not tracked through which slit single portions of energy are passing. The same applies if material objects, such as electrons, are sent through the double-slit [38]. *Here light and matter behave like waves.* In experiments on the photoelectric effect, an electron is released from a metal surface only if the energy of an incoming photon exceeds the binding energy of that electron. To release it, the photon must interact with it. The interaction reveals the position of photon and electron. They are tracked. *Here light and matter behave like particles.* Since an observer automatically tracks all objects that are slow in his 3D space, he classifies all slow objects—and thus all macroscopic objects—as matter. To improve readability, most of my ES diagrams do not show wavematters but how they appear to observers.

5.14. The Mystery of Non-Locality

It was Erwin Schrödinger who coined the word "entanglement" in his comment [39] on the Einstein-Podolsky-Rosen paradox [40]. The three authors argued that QM would not provide a complete description of reality. Schrödinger's neologism does not solve the paradox, but it demonstrates our difficulties in comprehending QM. John Bell [41] showed that QM is incompatible with local hidden-variable theories. Meanwhile, it has been confirmed in several experiments [42-44] that entanglement violates locality in an observer's 3D space. Entanglement has been interpreted as a non-local effect ever since.

Up next, I show that ER is able to “untangle” entanglement. There is no violation of locality in ES, where all four axes are fully symmetric. In Fig. 9, observer R moves in the d_4 axis at the speed c . There are two pairs of entangled wavematters. One pair was created at the point P and moves in opposite directions $\pm d'_4$ (equal to the axes $\pm d_1$ of R) at the speed c . The other pair was created at the point Q and moves in opposite directions $\pm d''_4$ at the speed c . In the 3D space of R, the first pair (green) reduces to two entangled photons. The second pair (blue) reduces to two entangled material objects (for instance, electrons). R has no idea how two entangled objects are able to “communicate” in no time.




Fig. 9. Entanglement. Observer R moves in the d_4 axis at the speed c . Two entangled wavematters (green) reduce to photons. Two entangled wavematters (blue) reduce to electrons. In the photons’ 3D space (or electrons’ 3D space, not shown), the photons (or else electrons) stay together.

In the photons’ view (or electrons’ view), the d'_4 axis (or else the d''_4 axis) disappears because of length contraction at the speed c . Thus, each pair stays together in its respective 3D space. Entangled objects have never been spatially separated in their view, but their proper time flows in opposite 4D directions. This is how two entangled objects are able to communicate in no time. Note that their opposite 4D vectors “flow of proper time” do not affect local communication as long as the twins stay together spatially. There is a “spooky action at a distance” (attributed to Einstein) in an observer’s view only.

The horizon problem and entanglement are solved exactly the same way: *An observed region’s (or an observed object’s) 4D vector τ' and its 3D space can differ from the observer’s 4D vector τ and his 3D space.* All of this is possible but only in ES, where all four axes are fully symmetric. The SO(4) symmetry of ES solves entanglement. It explains the entanglement of photons as well as the entanglement of material objects, such as atoms or electrons [45]. Any measurement on one entangled wavematter will terminate its existence or tilt the axis of its 4D motion. In either case, the twins will not move in opposite 4D directions anymore. The entanglement is destroyed. **In ER, non-locality is an obsolete concept.**

5.15. The Mystery of the Baryon Asymmetry

In the Lambda-CDM model, almost all matter was created shortly after $\theta = 0$, when the temperature was high enough to enable pair production. But this process creates equal amounts of particles and antiparticles, and the process of annihilation annihilates equal amounts of particles and antiparticles. So, why do we observe more baryons than antibaryons (known as the “baryon asymmetry”)? In an observer’s view, wavematters reduce to wave packets or else to particles. Pair production creates particles and antiparticles, which annihilate each other very soon. Thus, there is one source of *long-lived particles* (reduction of wavematters), one source of *short-lived particles* (pair production), but only one source of *short-lived antiparticles* (pair production). This solves the baryon asymmetry.

ER also tells us why an antiparticle’s proper time seems “to flow backward”: Proper time flows in opposite 4D directions for any two wavematters created in pair production. The antiparticle’s 4D vector τ'' is reversed with respect to the particle’s 4D vector τ' . In the antiparticle’s view, its proper time flows forward. Note that galaxies moving in $-d_4$ (not shown in Fig. 6 left) are not made up of antimatter. Only their flow of proper time is reversed with respect to galaxies moving in $+d_4$. Their physical charges are not reversed. ER predicts that any two wavematters created in pair production are entangled. This gives us a chance to falsify ER. All scientific theories must be falsifiable [46].

6. Conclusions

To sum it all up: (1) ER solves 15 mysteries. It is extremely unlikely that 15 solutions in different areas of physics are nothing but 15 coincidences. The Hubble tension is solved quantitatively. (2) Some of the 15 mysteries have already been solved but only by adding obsolete concepts. ER declares four concepts of today’s physics obsolete (cosmic inflation, expanding space, dark energy, non-locality). This is a perfect example of where to apply Occam’s razor. It shaves off all obsolete concepts. Full stop. (3) Because of incompatible concepts, there is no continuous transition between SR/GR and ER. Either scope is limited. We must apply SR/GR whenever we use empirical concepts. We must apply ER whenever the 4D vector τ is crucial (high-redshift supernovae, entanglement).

It was a wise decision to award Albert Einstein the Nobel Prize for his theory of the photoelectric effect [47] and not for SR/GR. I showed that ER penetrates to a deeper level. Einstein—one of the most brilliant physicists ever—failed to realize that the fundamental metric of nature is Euclidean. Einstein sacrificed absolute space and time. ER restores absolute time, but it sacrifices the absolute nature of particles, matter waves, photons, and electromagnetic waves. For the first time ever, mankind understands the nature of time: distance covered in ES divided by c . *The human brain is able to imagine that we move through ES at the speed c .* With that said, conflicts of mankind become all so small.

Is ER a physical or a metaphysical theory? This is a very good question because only in proper coordinates can we access ES, but the proper coordinates of other objects cannot be measured. I now explain why this is fine: We can always calculate these proper coordinates from ES diagrams as I showed in Eqs. (13a–c). Measuring is an observer’s source of knowledge, but ER tells us not to interpret too much into whatever we measure. Measurements are wedded to observers, whose concepts can be obsolete. I was often told that physics is all about observing. I disagree. We cannot observe quarks, can we? Regrettably, physicists have applied empirical concepts—which work well in our everyday life—to the very far and to the very small. This is why cosmology and QM benefit the most from ER. *ER is a physical theory because it solves fundamental mysteries of physics.*

Final remarks: (1) I only touched on gravity. We must not reject ER because gravity is still an issue. GR seems to solve gravity, but GR is incompatible with QM unless we add another speculative concept (quantum gravity). Since ER solves mysteries of QM, it is very likely that in ER quantum gravity is obsolete too. More studies are required to understand gravitational effects in ER. (2) Mysteries often disappear once the symmetry is matched. The symmetry group of natural spacetime is SO(4). (3) The new invariant θ finally puts an end to all discussions about time travel. Does any other theory solve the mystery of time’s arrow as beautifully as ER? (4) Physics does not ask: Why is my reality a projection? Nor does it ask: Why is it a wave function? Projections are far less speculative than postulating four obsolete concepts. (5) It seems that Plato anticipated ER in his *Allegory of the Cave* [48]: Mankind experiences projections and cannot observe any reality beyond.

The primary question behind my theory is: How does all our insight fit together without adding highly speculative concepts? I trust that this very question leads us to the truth. I laid the groundwork for ER and showed how powerful it is. Paradoxes are only virtual. The true pillars of physics are ER, SR/GR (for observers), and QM. Together they describe Mother Nature from the very far to the very small. Introducing a holistic view to physics is probably the most significant achievement of this paper. I showed that SR/GR do not

provide a holistic view. All observers' views taken together do not make a holistic view because they still do not provide absolute time. Physics got stuck in its own concepts. Only in natural concepts does Mother Nature disclose her secrets. Everyone is welcome to solve even more mysteries by describing her in natural concepts.

Acknowledgements: I thank Siegfried W. Stein for his contributions to Sect. 5.11 and to Figs. 3, 5, 6. After several unsuccessful submissions, he decided to withdraw his co-authorship. I thank Matthias Bartelmann, Cornelis Dullemond, Dirk Rischke, Jürgen Struckmeier, and Andreas Wipf for asking questions. I thank all peer reviewers and editors for spending some of their precious time.

Comments: It takes open-minded, courageous editors and peer reviewers to evaluate a theory that heralds a paradigm shift. Whoever adheres to established concepts paralyzes the scientific progress. I did not surrender when top journals rejected my theory. Interestingly, I was never given any solid arguments that would disprove my theory. Rather, I was asked to try a different journal. Were the editors dazzled by the success of SR/GR? Did they underestimate the benefits of ER? I was told that 15 solved mysteries are too much to be trustworthy. I disagree. The natural concepts of ER herald a paradigm shift, and paradigm shifts often solve several mysteries at once. It seems to me that most editors were afraid of considering concepts that are off the mainstream. Even good friends refused to support me. Anyway, each setback inspired me to work out the benefits of ER even better. Finally, I succeeded in disclosing an issue in SR/GR and in providing a holistic view of nature, which shows that Einstein's general relativity is not as general as it seems.

Some physicists are not ready to accept ER because the SO(4) symmetry of ES seems to exclude waves. ER does not exclude waves. In an observer's view, wavematters reduce to wave packets or else to particles. A well-known preprint archive suspended my submission privileges. I was penalized because I disclosed an issue in Einstein's SR and GR. The editor-in-chief of a top journal replied: "Publishing is for experts only." One guest editor could not imagine that the H_0 tension is solved without GR. One editor rejected my paper because I would "demand too much" from the reviewers. I do not blame anyone. Paradigm shifts are always hard to accept. These comments shall encourage young scientists to stand up for promising ideas even if opposing the mainstream is very hard work. Peer reviewers called my theory "unscholarly research", "fake science", and "too simple to be true". *Simplicity and truth are not mutually exclusive. Beauty is when they go hand in hand together.*

Conflict of interest: The author has no conflicts to disclose.

Data availability: The data that support the findings of this study are available within the article.

Funding: No funds, grants, or other support was received.

References

1. Einstein, A.: Zur Elektrodynamik bewegter Körper. *Ann. Phys.* **322**, 891–921 (1905)

2. Einstein, A.: Die Grundlage der allgemeinen Relativitätstheorie. *Ann. Phys.* **354**, 769–822 (1916)

3. Minkowski, H.: Die Grundgleichungen für die elektromagnetischen Vorgänge in bewegten Körpern. *Math. Ann.* **68**, 472–525 (1910)

4. Rossi, B., Hall, D.B.: Variation of the rate of decay of mesotrons with momentum. *Phys. Rev.* **59**, 223–228 (1941)

5. Dyson, F.W., Eddington, A.S., Davidson, C.: A determination of the deflection of light by the sun's gravitational field, from observations made at the total eclipse of May 29, 1919. *Phil. Trans. R. Soc. A* **220**, 291–333 (1920)

6. Ashby, N.: Relativity in the global positioning system. *Living Rev. Relativ.* **6**, 1–42 (2003)

7. Ryder, L.H.: Quantum Field Theory. Cambridge University Press, Cambridge (1985)

8. Newburgh, R.G., Phipps Jr., T.E.: Physical Sciences Research Papers no. 401. United States Air Force (1969)

9. Montanus, H.: Special relativity in an absolute Euclidean space-time. *Phys. Essays* **4**, 350–356 (1991)

10. Montanus, H.: Proper Time as Fourth Coordinate (23 September 2023, ISBN 978-90-829889-4-9). <https://green-bluemath.nl/proper-time-as-fourth-coordinate/>. Accessed 20 March 2025

11. Montanus, J.M.C.: Proper-time formulation of relativistic dynamics. *Found. Phys.* **31**, 1357–1400 (2001)

12. Almeida, J.B.: An alternative to Minkowski space-time. [arXiv:gr-qc/0104029](https://arxiv.org/abs/gr-qc/0104029)

13. Gersten, A.: Euclidean special relativity. *Found. Phys.* **33**, 1237–1251 (2003)

14. Newton, I.: Philosophiæ Naturalis Principia Mathematica. Joseph Streater, London (1687)

15. Kant, I.: Kritik der reinen Vernunft. Hartknoch, Riga (1781)

16. Hudgin, R.H.: Coordinate-free relativity. *Synthese* **24**, 281–297 (1972)

17. Misner, C.W., Thorne, K.S., Wheeler, A.: Gravitation. W.H. Freeman and Company, San Francisco (1973)

18. Wick, G.C.: Properties of Bethe-Salpeter wave functions. *Phys. Rev.* **96**, 1124–1134 (1954) 759

19. Church, A.E., Bartlett, G.M.: Elements of Descriptive Geometry. Part I. Orthographic Projections. American Book Company, New York (1911) 760

20. Nowinski, J.L.: Applications of Functional Analysis in Engineering. Plenum Press, New York (1981) 761

21. Abbott, B.P. et al.: Observation of gravitational waves from a binary black hole merger. *Phys. Rev. Lett.* **116**, 061102 (2016) 762

22. Wald, R.M.: General Relativity. The University of Chicago Press, Chicago (1984) 763

23. Hafele, J.C., Keating, R.E.: Around-the-world atomic clocks: Predicted relativistic time gains. *Science* **177**, 166–168 (1972) 764

24. Penzias, A.A., Wilson, R.W.: A measurement of excess antenna temperature at 4080 Mc/s. *Astrophys. J.* **142**, 419–421 (1965) 765

25. Hubble, E.: A relation between distance and radial velocity among extra-galactic nebulae. *Proc. Natl. Acad. Sci. U.S.A.* **15**, 168–173 (1929) 766

26. Lemaître, G.: Un univers homogène de masse constante et de rayon croissant, rendant compte de la vitesse radiale des nébuleuses extra-galactiques. *Ann. Soc. Sci. Bruxelles A* **47**, 49–59 (1927) 767

27. Linde, A.: Inflation and Quantum Cosmology. Academic Press, Boston (1990) 768

28. Guth, A.H.: The Inflationary Universe. Perseus Books, New York (1997) 769

29. Aghanim, N. et al.: Planck 2018 results. VI. Cosmological parameters. *Astron. Astrophys.* **641**, A6 (2020) 770

30. Riess, A.G. et al.: A comprehensive measurement of the local value of the Hubble constant with 1 km s⁻¹ Mpc⁻¹ uncertainty from the Hubble Space Telescope and the SH0ES team. *Astrophys. J. Lett.* **934**, L7 (2022) 771

31. Perlmutter, S. et al.: Measurements of Ω and Λ from 42 high-redshift supernovae. *Astrophys. J.* **517**, 565–586 (1999) 772

32. Riess, A.G. et al.: Observational evidence from supernovae for an accelerating universe and a cosmological constant. *Astron. J.* **116**, 1009–1038 (1998) 773

33. Turner, M.S.: Dark matter and dark energy in the universe. *arXiv:astro-ph/9811454* 774

34. Heisenberg, W.: Der Teil und das Ganze. Piper, Munich (1969) 775

35. de Broglie, L.: The reinterpretation of wave mechanics. *Found. Phys.* **1**, 5–15 (1970) 776

36. Schrödinger, E.: An undulatory theory of the mechanics of atoms and molecules. *Phys. Rev.* **28**, 1049–1070 (1926) 777

37. Einstein, A.: Ist die Trägheit eines Körpers von seinem Energieinhalt abhängig? *Ann. Phys.* **323**, 639–641 (1905) 778

38. Jönsson, C.: Elektroneninterferenzen an mehreren künstlich hergestellten Feinspalten. *Z. Phys.* **161**, 454–474 (1961) 779

39. Schrödinger, E.: Die gegenwärtige Situation in der Quantenmechanik. *Naturwissenschaften* **23**, 807–812 (1935) 780

40. Einstein, A., Podolsky, B., Rosen, N.: Can quantum-mechanical description of physical reality be considered complete? *Phys. Rev.* **47**, 777–780 (1935) 781

41. Bell, J.S.: On the Einstein Podolsky Rosen paradox. *Physics* **1**, 195–200 (1964) 782

42. Freedman, S.J., Clauser, J.F.: Experimental test of local hidden-variable theories. *Phys. Rev. Lett.* **28**, 938–941 (1972) 783

43. Aspect, A., Dalibard, J., Roger, G.: Experimental test of Bell’s inequalities using time-varying analyzers. *Phys. Rev. Lett.* **49**, 1804–1807 (1982) 784

44. Bouwmeester, D., Pan, J.-W., Mattle, K., Eibl, M., Weinfurter, H., Zeilinger, A.: Experimental quantum teleportation. *Nature* **390**, 575–579 (1997) 785

45. Hensen, B. et al.: Loophole-free Bell inequality violation using electron spins separated by 1.3 kilometres. *Nature* **526**, 682–686 (2015) 786

46. Popper, K.: Logik der Forschung. Julius Springer, Vienna (1935) 787

47. Einstein, A.: Über einen die Erzeugung und Verwandlung des Lichtes betreffenden heuristischen Gesichtspunkt. *Ann. Phys.* **322**, 132–148 (1905) 788

48. Plato: Politeia, 514a 789