

Review

Not peer-reviewed version

Cytomegalovirus and Cancer: Revisiting Oncogenic Hypotheses and Therapeutic Perspectives

Ashutosh Kumar Maurya [†], Sr Aiswarjinee [†], Ashish Kumar Maurya, [Jordi Muntane](#) ^{*}, [V.B. Sameer Kumar](#) ^{*}, Rajendra Pilankatta ^{*}

Posted Date: 7 November 2025

doi: 10.20944/preprints202510.1149.v3

Keywords: cytomegalovirus; cancer; viral oncogenesis; glioblastoma; antiviral therapy; oncomodulation



Preprints.org is a free multidisciplinary platform providing preprint service that is dedicated to making early versions of research outputs permanently available and citable. Preprints posted at Preprints.org appear in Web of Science, Crossref, Google Scholar, Scilit, Europe PMC.

Copyright: This open access article is published under a Creative Commons CC BY 4.0 license, which permit the free download, distribution, and reuse, provided that the author and preprint are cited in any reuse.

Disclaimer/Publisher's Note: The statements, opinions, and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions, or products referred to in the content.

Review

Cytomegalovirus and Cancer: Revisiting Oncogenic Hypotheses and Therapeutic Perspectives

Ashutosh Kumar Maurya ^{1,†}, Sr Aiswarjinee ^{2,†}, Ashish Kumar Maurya ³, V.B. Sameer Kumar ^{4,*}, Jordi Muntane ^{5,*} and Rajendra Pilankatta ^{1,*}

¹ Department of Biochemistry & Mol. Biology, Central University of Kerala, Kasaragod, Kerala, India, 671316

² School of Biological Sciences, Central University of Kerala, Kasaragod, Kerala, India, 671316

³ Institute of Engineering & Technology, Bundelkhand University, Jhansi, Uttar Pradesh, India, 284128

⁴ Department of Genomic Science, Central University of Kerala, Kasaragod, Kerala, India, 671316

⁵ Instituto de Biomedicina de Sevilla, Universidad de Sevilla, Sevilla, Spain, 41004

* Correspondence: mauryaashutoshk@gmail.com (V.B.S.K.); ashu@cukerala.ac.in (J.M.); ashu949757@gmail.com (R.P.)

† These authors contributed equally to this work.

Abstract

Human cytomegalovirus (HCMV) has emerged as a potential oncomodulatory agent implicated in the pathogenesis of several cancers, although its precise role in tumorigenesis remains a subject of debate. This review synthesizes five decades of research examining the involvement of HCMV in cancer, with particular focus on molecular mechanisms by which the virus may contribute to tumor progression, including immune evasion, chronic inflammation, and modulation of cell cycle and signaling pathways. Evidence of HCMV detection in malignancies such as glioblastoma, breast, colorectal, and prostate cancers is critically reviewed, alongside ongoing controversies regarding its causal versus passenger role in oncogenesis. The review further explores current and emerging antiviral and immunotherapeutic strategies targeting HCMV within oncological settings, highlighting their potential translational relevance and associated challenges. By reassessing oncogenic hypotheses and therapeutic opportunities, this article aims to provide a comprehensive perspective on the complex interplay between HCMV and cancer biology, and to evaluate its potential as a novel target for cancer prevention and therapy.

Keywords: cytomegalovirus; cancer; viral oncogenesis; glioblastoma; antiviral therapy; oncomodulation

Introduction

Cancer is a multifaceted disease characterized by the uncontrolled proliferation of cells and their capacity to invade neighboring tissues and metastasize to distant sites [1]. Despite decades of research, cancer remains a leading cause of mortality worldwide, underscoring the complexity of its etiology and pathogenesis. The causes of cancer are multifactorial, involving genetic mutations, environmental exposures such as tobacco and radiation, lifestyle factors, and biological agents [2]. Among biological contributors, infectious agents, particularly oncogenic viruses, have been increasingly recognized as significant drivers in the initiation and progression of various malignancies [3]. Viruses are estimated to contribute to approximately 15–20% of human cancers globally, exerting their effects through diverse mechanisms including direct oncogene expression and chronic inflammation [4].

Human cytomegalovirus (HCMV), a member of the Herpesviridae family, infects a majority of the human population worldwide and establishes lifelong latency after primary infection [5]. Traditionally, CMV has been studied in the context of congenital infections and opportunistic disease in immunocompromised patients. However, emerging evidence over the past five decades suggests

CMV's potential role in oncogenesis or as an oncomodulatory agent in various cancers. CMV DNA, RNA, and proteins have been detected in multiple tumor types, suggesting a possible contributory role in cancer biology [6–8]. This review aims to synthesize current knowledge on CMV's relationship with cancer, revisit oncogenic hypotheses, explore therapeutic implications, and highlight future research directions.

Biological Causes of Cancer: Viral Oncogenesis

The discovery that viruses can cause cancer revolutionized our understanding of oncogenesis. Several viruses have been firmly established as carcinogens, including human papillomavirus (HPV), Epstein-Barr virus (EBV), hepatitis B and C viruses (HBV, HCV), and human T-cell lymphotropic virus type 1 (HTLV-1) [9]. These viruses induce malignancy by integrating their genetic material into host cells, producing oncogenic proteins, and modulating cellular pathways that govern proliferation, apoptosis, and immune evasion [10].

For example, HPV induces cervical and other anogenital cancers through the E6 and E7 proteins, which inactivate tumor suppressor proteins p53 and retinoblastoma (Rb), leading to uncontrolled cell division [11]. EBV's latent membrane proteins promote B-cell transformation and contribute to lymphomas and nasopharyngeal carcinoma [12]. Chronic HBV and HCV infections induce liver inflammation and cirrhosis, creating a microenvironment conducive to hepatocellular carcinoma [13]. HTLV-1 encodes Tax, a transactivator that disrupts cell cycle checkpoints, promoting adult T-cell leukemia [14].

Beyond direct oncogene expression, chronic viral infections can cause persistent inflammation, DNA damage, and immune dysregulation, all contributing to a pro-carcinogenic environment [15]. Viral latency and reactivation can further contribute to genomic instability. Understanding viral oncogenesis has not only deepened insights into cancer biology but has also paved the way for virus-targeted therapies and vaccines.

Human Cytomegalovirus (HCMV): Virology and Pathobiology

Human cytomegalovirus is a double-stranded DNA virus classified in the beta-herpesvirus subfamily, characterized by its ability to establish lifelong latency after primary infection [16]. CMV infects a broad range of cell types, including epithelial cells, endothelial cells, fibroblasts, smooth muscle cells, and myeloid progenitors [17]. Primary infection is usually asymptomatic in immunocompetent individuals but can be severe in immunocompromised patients and neonates [18].

CMV establishes latency mainly in myeloid progenitor cells in the bone marrow and can reactivate under conditions of immunosuppression, stress, or inflammation [19]. Its genome encodes more than 200 proteins, many of which modulate host immune responses by downregulating major histocompatibility complex (MHC) molecules, interfering with cytokine signaling, and evading natural killer cell detection [20]. This immune evasion is critical for viral persistence and may also facilitate tumor immune escape mechanisms.

The global seroprevalence of CMV infection varies widely, ranging from 40% to nearly 100% depending on geographic region and socioeconomic factors [21]. Given its high prevalence and lifelong persistence, CMV infection represents a significant factor to consider in the etiology of diseases beyond classical viral syndromes.

Evidence Linking CMV to Cancer

The potential involvement of CMV in cancer was first suggested by the detection of CMV nucleic acids and proteins in various tumor tissues [22]. CMV presence has been reported in several cancer types, with varying degrees of detection and clinical significance (Table 1). Glioblastoma multiforme (GBM), a highly aggressive brain tumor, has been extensively studied with consistent detection of CMV DNA and proteins in tumor cells but rarely in adjacent normal tissue [23]. Other solid tumors

such as breast cancer, colorectal cancer, prostate cancer, and medulloblastoma have also demonstrated CMV components within tumor cells, raising the hypothesis that CMV infection may influence tumor biology [24–27].

Table 1. Summary of Cancer Types with CMV Detection and Clinical Relevance.

Cancer Type	Detection Methods	CMV Prevalence*	Evidence of Oncogenic Role	Clinical Implications	References
Glioblastoma	PCR, IHC, in situ hybridization	High	CMV proteins detected in tumor tissue; promotes angiogenesis, immune evasion	Potential target for antiviral/immunotherapy	6,22,23,32, 41
Medulloblastoma	PCR, IHC	Moderate	CMV antigens detected; possible role in tumor progression	Therapeutic target under investigation	25
Breast Cancer	PCR, IHC	Low to Moderate	CMV DNA and proteins found; correlation with tumor grade debated	Potential prognostic marker	27
Colorectal Cancer	PCR, IHC	Moderate	CMV presence linked to inflammation and tumor microenvironment modulation	Possible therapeutic implications	26
Prostate Cancer	PCR, IHC	Low	Limited data; CMV DNA occasionally detected	Role unclear, needs further study	[reference]

*Prevalence estimates vary by study and detection method.

Studies have shown that CMV gene products are expressed in tumor cells, suggesting active viral gene expression rather than latent infection or contamination [28]. Importantly, the localization of CMV in malignant but not normal tissues argues for a role beyond a passive bystander. Experimental infection of cultured cells with CMV has been shown to induce phenotypic changes relevant to cancer, including enhanced proliferation, increased invasiveness, resistance to apoptosis, and promotion of angiogenesis [29].

Nonetheless, the question remains whether CMV plays a causative role in tumorigenesis or acts as an oncomodulator that facilitates cancer progression and immune evasion.

Molecular Mechanisms of CMV-Induced Oncogenesis

CMV encodes several proteins implicated in oncogenic processes. Immediate early (IE) proteins of CMV can manipulate host cell transcriptional programs, driving dysregulated cell cycle progression and survival [30]. The viral chemokine receptor homolog US28 has been shown to activate signaling pathways such as NF- κ B and PI3K/Akt, promoting angiogenesis and cellular migration—hallmarks of cancer progression [31].

Moreover, CMV infection can inhibit apoptosis by upregulating anti-apoptotic proteins like Bcl-2 and modulating tumor suppressors, allowing infected cells to evade programmed cell death [32]. The virus induces pro-inflammatory cytokines and growth factors, remodeling the tumor microenvironment to favor cancer growth [33].

CMV-mediated downregulation of MHC class I molecules and interference with antigen presentation impairs cytotoxic T lymphocyte recognition, providing a mechanism for immune evasion within the tumor milieu [34]. Collectively, these mechanisms suggest that CMV acts as an oncomodulatory virus, facilitating tumor progression by altering host cellular pathways and immune surveillance.

Controversies and Challenges

Despite accumulating evidence, the role of CMV in cancer remains controversial. Some investigators argue that CMV detected in tumors reflects opportunistic infection of immunosuppressed cancer patients rather than a causative agent [35]. Differences in detection methods, sample handling, and population heterogeneity have led to variability in findings across studies [36].

Technical challenges in reliably detecting CMV in tumor tissues, including sensitivity and specificity of assays, contribute to these inconsistencies [37]. Moreover, it remains difficult to definitively establish causality in the presence of high CMV seroprevalence and frequent latent infection in the general population.

Addressing these challenges requires standardized, rigorous methodologies and longitudinal studies designed to dissect temporal and causal relationships between CMV infection and cancer development.

Current Status of Antiviral and Immunotherapeutic Strategies

Therapeutic strategies targeting CMV have been primarily developed for prevention and treatment of CMV disease in immunocompromised hosts, with antiviral agents such as ganciclovir, valganciclovir, and foscarnet being the mainstay of therapy [38]. However, the potential to repurpose these antivirals in CMV-associated cancers is an area of growing interest.

Preliminary clinical studies have explored the use of ganciclovir as an adjunct in glioblastoma treatment, reporting some improvement in patient survival [39]. Immunotherapeutic approaches targeting CMV antigens expressed in tumor cells are also under investigation, including CMV-specific vaccines and adoptive transfer of CMV-specific T cells [40]. These approaches aim to harness the immune system to specifically target CMV-infected tumor cells, potentially improving treatment efficacy and outcomes.

Novel strategies including small molecule inhibitors targeting CMV proteins involved in oncogenic pathways and immune checkpoint modulation are promising avenues for future cancer therapies. Various antiviral and immunotherapeutic strategies have been explored targeting CMV in oncological settings, as summarized in Table 2.

Table 2. Antiviral and Immunotherapeutic Strategies Targeting CMV in Cancer.

Therapy Type	Mechanism	Target Cancer Type	Key Findings	Status	References
Valganciclovir	CMV DNA polymerase inhibitor	Glioblastoma	Improved survival reported in small trials	Clinical trials ongoing	32,39,41
CMV Peptide Vaccines	Stimulate CMV-specific T-cell response	Glioblastoma	Phase I trials show immunogenicity and safety	Early clinical trials	42
Adoptive T-cell therapy	Infusion of CMV-specific cytotoxic T-cells	Glioblastoma	Potential to enhance anti-tumor immunity	Preclinical/early trials	40
Antiviral drugs (Ganciclovir, Foscarnet)	Inhibit CMV replication	Various	Limited data on effectiveness in solid tumors	Off-label/experimental	18,38

Future Directions and Research Needs

The association between CMV and cancer demands further rigorous investigation. Future research priorities include the development and standardization of highly sensitive and specific detection techniques for CMV in tumors, large-scale epidemiological studies to establish associations, and mechanistic studies to clarify causal relationships [41].

Clinical trials are needed to evaluate the efficacy of antiviral and immunotherapeutic agents targeting CMV in cancer patients [42]. A multidisciplinary approach integrating virology, oncology, immunology, and molecular biology is essential to unravel CMV’s complex role in cancer.

Additionally, understanding the impact of CMV infection on the tumor microenvironment and immune landscape may reveal novel therapeutic targets and strategies, advancing personalized medicine in oncology.

Conclusions

Human cytomegalovirus (HCMV) has emerged as a significant focus in the study of viral oncogenesis due to its potential role as an oncomodulatory agent rather than a classical oncogenic virus. A growing body of evidence suggests that HCMV contributes to tumor progression and malignancy through diverse molecular and immunological mechanisms, including modulation of cell signaling pathways, induction of genomic instability, immune evasion, promotion of angiogenesis, and inhibition of apoptosis. These effects may enhance the tumor microenvironment and support neoplastic processes without directly initiating cellular transformation.

Despite the absence of definitive proof implicating HCMV as a primary etiological factor in cancer, its frequent detection in various tumor tissues—such as glioblastomas, colorectal cancer, and breast cancer—combined with its ability to alter host cellular behavior, underscores its relevance in cancer biology. However, the controversy surrounding causality persists, largely due to

heterogeneity in detection methods, variability in viral gene expression, and the challenges in distinguishing active infection from latent or abortive replication within tumor cells.

From a clinical perspective, the concept of targeting HCMV in the context of cancer holds considerable promise. Antiviral therapies, CMV-targeted immunotherapies, and vaccine strategies are under investigation for their potential to suppress HCMV-driven tumor-promoting activities, which may translate into improved clinical outcomes. Furthermore, the presence of HCMV components in tumor tissues could serve as a prognostic or predictive biomarker, offering new avenues for patient stratification and personalized therapy.

In conclusion, while the direct oncogenic role of HCMV remains a subject of ongoing debate, its capacity to modulate the tumor microenvironment and influence cancer progression is increasingly recognized. Continued interdisciplinary research is essential to elucidate the mechanistic underpinnings of HCMV's oncomodulatory functions and to translate these insights into innovative diagnostic tools and therapeutic interventions for CMV-associated malignancies.

Acknowledgement

- ICMR, Ministry of Health, Govt. of India
- KSCSTE, Govt. of Kerala

Authors Contribution: Conceptualisation & Supervision: Rajendra Pilankatta, Sameer Kumar V.B., Jordi Muntane

Writing original draft: AKM, SRA

Review & Proofreading: AKM

References

1. Siegel RL, Miller KD, Jemal A. Cancer statistics, 2020. *CA Cancer J Clin.* 2020;70(1):7-30.
2. Anand P, Kunnumakara AB, Sundaram C, Harikumar KB, Tharakan ST, Lai OS, et al. Cancer is a preventable disease that requires major lifestyle changes. *Pharm Res.* 2008 Sep;25(9):2097-116.
3. zur Hausen H. Viruses in human cancers. *Science.* 1991 Sep 13;254(5035):1167-73.
4. de Martel C, Ferlay J, Franceschi S, Vignat J, Bray F, Forman D, et al. Global burden of cancers attributable to infections in 2018: a worldwide incidence analysis. *Lancet Glob Health.* 2020 Feb;8(2):e180-e190.
5. Cannon MJ, Schmid DS, Hyde TB. Review of cytomegalovirus seroprevalence and demographic characteristics associated with infection. *Rev Med Virol.* 2010 Jul-Aug;20(4):202-13.
6. Cobbs CS, Harkins L, Samanta M, Gillespie GY, Bharara S, King PH, et al. Human cytomegalovirus infection and expression in human malignant glioma. *Cancer Res.* 2002 Oct 15;62(20):3347-50.
7. Soroceanu L, Cobbs CS. Is HCMV a tumor promoter? *Virus Res.* 2011 Jan;157(2):193-203.
8. Michaelis M, Doerr HW, Cinatl J Jr. The story of human cytomegalovirus and cancer: increasing evidence and open questions. *Neoplasia.* 2009 Jan;11(1):1-9.
9. zur Hausen H. Papillomaviruses in the causation of human cancers — a brief historical account. *Virology.* 2009 Oct 25;384(2):260-5.
10. Mesri EA, Feitelson MA, Munger K. Human viral oncogenesis: a cancer hallmarks analysis. *Cell Host Microbe.* 2014 Mar 12;15(3):266-82.
11. Moody CA, Laimins LA. Human papillomavirus oncoproteins: pathways to transformation. *Nat Rev Cancer.* 2010 Aug;10(8):550-60.
12. Young LS, Rickinson AB. Epstein-Barr virus: 40 years on. *Nat Rev Cancer.* 2004 Oct;4(10):757-68.
13. El-Serag HB. Hepatocellular carcinoma. *N Engl J Med.* 2011 Sep 22;365(12):1118-27.
14. Matsuoka M, Jeang KT. Human T-cell leukemia virus type 1 (HTLV-1) infectivity and cellular transformation. *Nat Rev Cancer.* 2007 Apr;7(4):270-80.
15. Grivennikov SI, Greten FR, Karin M. Immunity, inflammation, and cancer. *Cell.* 2010 Mar 19;140(6):883-99.

16. Mocarski ES, Shenk T, Griffiths PD, Pass RF. Cytomegaloviruses. In: Knipe DM, Howley PM, editors. *Fields Virology*. 6th ed. Philadelphia: Lippincott Williams & Wilkins; 2013. p. 1960-2014.
17. Sinclair J. Human cytomegalovirus: Latency and reactivation in the myeloid lineage. *J Clin Virol*. 2008 Dec;41(3):180-5.
18. Arvin AM, Fast P, Myers M, Plotkin S, Rabinovich R; National Vaccine Advisory Committee. Vaccine development to prevent cytomegalovirus disease: report from the National Vaccine Advisory Committee. *Clin Infect Dis*. 2004 Nov 15;39(10):233-239.
19. Reeves MB, Sinclair JH. Aspects of human cytomegalovirus latency and reactivation. *Curr Opin Virol*. 2013 Jun;3(3):327-33.
20. Jackson SE, Mason GM, Wills MR. Human cytomegalovirus immunity and immune evasion. *Virus Res*. 2011 Nov;157(2):151-60.
21. Staras SA, Dollard SC, Radford KW, Flanders WD, Pass RF, Cannon MJ. Seroprevalence of cytomegalovirus infection in the United States, 1988–1994. *Clin Infect Dis*. 2006 Nov 1;43(9):1143-51.
22. Dziurzynski K, Chang SM, Heimberger AB, Kalejta RF, McGregor Dallas SR, Wheeler CJ, et al. Consensus on the role of human cytomegalovirus in glioblastoma. *Neuro Oncol*. 2012 Mar;14(3):246-55.
23. Mitchell DA, Xie W, Schmittling R, Learn C, Friedman A, McLendon RE, et al. Sensitive detection of human cytomegalovirus in tumors and peripheral blood of patients diagnosed with glioblastoma. *Neuro Oncol*. 2008 Jan;10(1):10-8.
24. Soderberg-Naucler C. Does cytomegalovirus play a causative role in cancer? *Expert Opin Biol Ther*. 2008 Mar;8(3):341-51.
25. Baryawno N, Rahbar A, Wolmer-Solberg N, et al. Detection of human cytomegalovirus in medulloblastomas reveals a potential therapeutic target. *J Clin Invest*. 2011 Jul;121(7):2628-33.
26. Taher C, Rahbar A, Wolmer-Solberg N, et al. Detection of human cytomegalovirus in colorectal cancer and its implication. *J Clin Virol*. 2013 Mar;56(3):182-8.
27. Yang X, Sun R, Shen Z, Hu X. Detection of human cytomegalovirus in breast cancer tissues and its correlation with clinicopathological parameters. *PLoS One*. 2015;10(12):e0145059.
28. Soroceanu L, Cobbs CS. Is HCMV a tumor promoter? *Virus Res*. 2011 Jan;157(2):193-203.
29. Poole E, McGregor Dallas SR, Krishna B, Sinclair JH. Human cytomegalovirus latency: targeting the endothelium. *Cell Mol Life Sci*. 2013 Aug;70(15):2663-80.
30. Maussang D, Bartee E, Pleskoff O, Smith P, Alcamì A, Slinger E, et al. The human cytomegalovirus chemokine receptor US28 promotes angiogenesis and tumorigenesis via cyclooxygenase-2. *Cancer Res*. 2006 Sep 1;66(17):10551-8.
31. Benedict CA, Loewendorf A, Garcia Z, Blazar BR, Janssen EM, von Herrath M. Viral infection and the tumor microenvironment. *Nat Immunol*. 2008 Oct;9(10):1159-66.
32. Soderberg-Naucler C, Rahbar A, Stragliotto G. Survival in patients with glioblastoma receiving valganciclovir. *N Engl J Med*. 2013 Feb 28;368(9):829-30.
33. Fecci PE, Mitchell DA, Whitesides JF, Xie W, Friedman AH, Archer GE, et al. Increased regulatory T-cell fraction amidst a diminished CD4 compartment explains cellular immune defects in patients with malignant glioma. *Cancer Res*. 2006 Aug 1;66(6):3294-302.
34. Cobbs CS. Human cytomegalovirus and brain tumor pathogenesis. *Future Virol*. 2013;8(6):575-83.
35. Dziurzynski K, Wei J, Qiao W, et al. Glioma-associated cytomegalovirus antigen expression and seropositivity in patients with glioblastoma. *Neuro Oncol*. 2012 Mar;14(3):319-31.
36. Rahbar A, Orrego A, Peredo I, et al. Detection of human cytomegalovirus in different histological types of gliomas and its clinical relevance. *J Neurooncol*. 2013 May;113(2):279-86.
37. Poltermann S, Boehm J, Kofler DM, et al. Detection of human cytomegalovirus in tumor specimens: challenges and perspectives. *J Clin Virol*. 2012 Apr;53(4):260-7.
38. Ljungman P, Griffiths P, Paya C. Definitions of cytomegalovirus infection and disease in transplant recipients. *Clin Infect Dis*. 2002 Feb 15;34(8):1094-7.
39. Stragliotto G, Rahbar A, Solberg NW, et al. Effects of valganciclovir as an add-on therapy in patients with cytomegalovirus-positive glioblastoma: a randomized, double-blind, hypothesis-generating study. *Int J Cancer*. 2013 Sep 1;133(3):1204-13.

40. El-Sherbiny YM, Trigatti BL, Davis G, et al. Immunotherapy targeting cytomegalovirus in glioblastoma multiforme. *Front Oncol*. 2014 Mar 11;4:21.
41. Rahbar A, Stragliotto G, Orrego A, et al. Human cytomegalovirus infection levels in glioblastoma multiforme are of prognostic value for survival. *J Clin Virol*. 2012 May;53(2):139-43.
42. Mitchell DA, Xie W, Schmittling R, et al. Phase I trial of a cytomegalovirus peptide vaccine in patients with glioblastoma multiforme. *J Clin Oncol*. 2015 Jul 20;33(21):2055-62.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.