

Article

Not peer-reviewed version

Gravitational Sensors and the Structure of the Gravitational Field in Six Dimensions of Space and Time

[seyed kazem mousavi](#)*

Posted Date: 18 November 2024

doi: 10.20944/preprints202411.1257.v1

Keywords: gravitational sensors; Möbius coils; gravitational field; six dimensions



Preprints.org is a free multidisciplinary platform providing preprint service that is dedicated to making early versions of research outputs permanently available and citable. Preprints posted at Preprints.org appear in Web of Science, Crossref, Google Scholar, Scilit, Europe PMC.

Copyright: This open access article is published under a Creative Commons CC BY 4.0 license, which permit the free download, distribution, and reuse, provided that the author and preprint are cited in any reuse.

Article

Gravitational Sensors and the Structure of the Gravitational Field in Six Dimensions of Space and Time

Seyed Kazem Mousavi

Shahrekord Science and Technology Park, Iran; kazem.mousavi92@yahoo.com

Abstract: In this article, based on the structure of the gravitational field, the Möbius sensor is introduced to detect the fluctuations of the gravitational field. Knowing the structure of the gravitational field determines the relationship between electromagnetism and gravity. So far, no interaction between electromagnetic force and gravity has been observed. Many experiments have been done to connect electromagnetism and gravity, and all have failed. The gravitational field is a hypercone in six-dimensional space, which contains different density layers. Over time, these layers are rotating and diverging like a Möbius space. Möbius coils record the movement of distortions caused by density changes in the gravitational field in the form of electromagnetic pulses. Based on the findings of this research, the production of anti-gravity and gravity radars is possible.

Keywords: gravitational sensors; Möbius coils; gravitational field; six dimensions

1. Introduction:

Gravitational waves have been predicted and observed by general relativity.[1] Gravitational wave detectors have a very high accuracy for detecting gravitational waves.[2,3] According to the six-dimensional space-time theory, time has two orthogonal dimensions.[4] Gravitational waves affect both dimensions. Electromagnetic waves cause distortions in space and time. However, no interaction between electromagnetic waves and the gravitational field has been observed. In this article, using the properties of Möbius space, a direct connection between electromagnetism and gravity is established. Gravitational field distortions can be detected and measured by Möbius coils. Although the manufactured test sample has high noise and error, it can measure and record changes in the gravitational field. The difference between gravitational waves and gravitational field distortions is their dimension. Gravitational waves oscillate in five dimensions, but gravitational field distortions are four-dimensional. Based on this, antigravity can be developed. This article explores some specifics of antigravity based on the properties of the gravitational field.[5–7]

2. Field Structure:

The gravitational field is a hypercone in five-dimensional space. Figure 1. The hypercone field rotates like a Möbius strip. The field consists of different layers of space-time density. The distance between layers is like the distance between musical notes. Also, the distance between prime numbers in six groups follows this theorem. Also, the eccentricity of the ellipse (density changes) and the distance between prime numbers have a direct relationship with the golden spiral. (2.1) Table 1

$$\begin{aligned} \log_2 \left(\frac{f_2}{f_1} \right) &= c \\ e^\pi + \varphi &= 24.758 \\ \log_{24} \left(\frac{72}{3} \right) &= 1 \quad \sec \left(\sin^{-1} \left(\log_n \left(\frac{s}{k} \right) \right) \right) = \frac{1}{\sqrt{1 - \frac{(\ln(\frac{s}{k}))^2}{(\ln(n))^2}}} \equiv \frac{1}{\sqrt{1 - \frac{(v)^2}{(c)^2}}} \end{aligned}$$

$$\Rightarrow \sec(\sin^{-1}(\text{Log}_n\left(\frac{s}{k}\right)y) = \frac{1}{\sqrt{1+\frac{-y^2(\ln(\frac{s}{k}))^2}{(\ln(n))^2}}}, \text{Log}_{\frac{1}{5}}\left(\frac{72}{360}\right) = 1, \frac{\ln(1)}{\ln(2)} =$$
$$0, \ln(\varphi) \cong \left(\frac{1}{2}\right)^6 \pi^3$$

2.1




Figure 1. The field is rotating in two directions; there is also divergence and curl in the gravitational field.

There are two orthogonal dimensions of time. The gravitational field affects both dimensions.
Figure 2




Figure 2. Any movement in the gravitational field causes distortions.

Mass results, from changes in the density of space over time. Fluctuations in density can lead to the emergence or dissolution of mass.(2.2) eccentricity of the ellipse in one axis causes eccentricity of the ellipse in other axes. Mass is caused by the absence of three-dimensional matter in higher dimensions. Accordingly, an eccentricity of the three-dimensional ellipse in the gravitational field forms the hyperbolic equation of free fall.

$$\sec \left(\sin^{-1} \left(\text{Log}_n \left(\frac{\rho_2}{\rho_1} \right) \right) \left(- \sqrt{\frac{2GM}{r}} \right) = \frac{1}{\sqrt{1 + \frac{-2GM}{rc^2}}} \Rightarrow \ln(n) = c$$
$$G = \left(\frac{\left(\frac{\tan^{-1}(\varphi) - \left(\frac{180}{\pi} \right)}{2\pi} \right)^3 \left(\frac{1}{6} \right) \pi^3}{c} \right)$$

2.2

The different layers of the gravitational field follow groups of prime numbers. Also, these layers have a direct relationship with the wave function. (2.3) Table 1

$$\int_{-\rho}^{+\rho} \int_{-t}^{+t} \int_{-\infty}^{+\infty} |\psi(\rho, t, x)|^2 d\rho dt dx = 1 \quad , \quad |\Psi\rangle = b_1|\tilde{\psi}_1\rangle + b_2|\tilde{\psi}_2\rangle + \dots + b_n|\tilde{\psi}_n\rangle$$
$$|\tilde{\psi}\rangle = \alpha_1|A_1\rangle + \alpha_2|A_2\rangle + \alpha_3|A_3\rangle + \alpha_4|A_4\rangle + \alpha_5|A_5\rangle + \alpha_6|A_6\rangle$$

2.3

Table 1. six group of prime numbers based on The sum of internal digits.

1	2	3	4	5	6	7	8	9
19	11		13	23		43	17	
37	29		31	41		61	53	
73	47		67	59		79	71	
109	83		103	113		97	89	
127	101		139	131		151	107	
163	137		157	149		223	179	
181	173		193	167		241	197	
199	191		211	239		277	233	
271	227		229	257		313	251	
307	263		283	293		331	269	
379	281		337	311		349	359	
397	317		373	347		367	431	
433	353		409	383			449	

A: Gravity sensors:

Figure 3. Natural magnets with opposite poles transmit the weight-to-magnetic field ratio to the Möbius coils inside the core. When a certain mass passes past the sensor, the Möbius capacitors release a weak current in the inductors, the magnets They naturally resist this current and as a result, a pulse is created in the output current.




Figure 4. Back-and-forth movements at different speeds around the sensor can be seen in the output current of the sensor.



Figure 5. The produced sensor example is a set of Möbius inductors and capacitors. The produced sensor sample is a set of Möbius inductors and capacitors. Möbius capacitors are made by special windings based on six groups of prime numbers.

B. Earthquake prediction:

Pulses are generated based on the structure of the gravitational field. These pulses are DC to enter the magnetic coils. Also, antigravity or gravity disturbance can be created based on different groups of prime numbers and their displacement. Accordingly, Möbius coils measure gravitational field disturbances. The intended circuit classifies and separates these disorders into different groups. The Earth often passes through the big distortions in the space-time structure. However, the butterfly

effect of small distortions also in the gravitational field causes earthquakes and fault activity. Figure 6




Figure 6. Circuit of generating, controlling and earthquake prediction.




Figure 7. Pulse for Mobius coil for gravitational distortions. "Pulse for Mobius coil for gravitational distortions. The resonance emitted by the coil modulates the fabric of space-time, creating localized waves capable of bending the trajectory of matter and light.




Figure 8. group two of prime number and pulse for Mobius coil. Gravitational field layers rotate and diverge based on sets of prime numbers. Even the slightest momentum can influence the layers.

By analyzing the current produced in the Mobius coil using FFT, we can determine the impact of prime number groupings on gravitational layers.




Figure 9. Disorders created and their correction.




Figure 10. The rotational motion between the Möbius coils and capacitors is evident, as are the slight differences in the background current.

Conclusion:

This sensor can be very effective in earthquake prediction. It is also possible to design radars based on the operation of this sensor to detect the movement of objects. The production of electric current from the gravitational field and the construction of an anti-gravity engine are important

achievements of this invention. Also Based on the specific atomic structure of cancer cells, gravitational distortions can be used to destroy these cells.

Appreciation: I appreciate L. Razzazi, Helmasadat Mousavi, and all my esteemed professors for their guidance.

References

1. Ghiglieri, J., Schütte-Engel, J., & Speranza, E. (2024). Freezing-in gravitational waves. *Physical Review D*, 109(2), 023538.
2. Torres-Orjuela, A., Huang, S. J., Liang, Z. C., Liu, S., Wang, H. T., Ye, C. Q., ... & Mei, J. (2024). Detection of astrophysical gravitational wave sources by TianQin and LISA. *Science China Physics, Mechanics & Astronomy*, 67(5), 259511.
3. Lan, J., Gui, L., Lang, L., Ma, H., Zhu, S., & Huang, Q. (2024). High-precision Capacitive Displacement Sensor for Gravitational Wave Detection: Sensitive Probe Modeling, Analysis and Optimization. *IEEE Sensors Journal*.
4. Mousavi, S. K. (2024). General Balance in the Six-Dimensions of Space-Time. *Qeios*. doi, 10.https://doi.org/10.32388/QT9EZE
5. Mousavi, S. K., Wolf III, A., & Achimowicz, J. Z. Studying similarities in the laws of nature using simulated anti-gravity coil capacitors based on the Riemann Hypothesis.
6. Mousavi, S. K. (2023). Antigravity in the Six Dimensional Space-Time. *J Phys Chem Biophys*, 13, 362.
7. mousavi, S. K. The Distribution of Prime Numbers Based on the Proof of Riemann's Hypothesis and the Properties of the Numbers 3, 6, and 9. *Preprints 2024*, 2024090541. <https://doi.org/10.20944/preprints202409.0541.v1>

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.