

Review

Mint and Menthol: A Review of Potential Health Benefits and wider Human effects

Russ Best^{1,2}

1. Centre for Sport Science & Human Performance, Waikato Institute of Technology, Hamilton, New Zealand
2. Te Pūkenga, Hamilton, New Zealand

Abstract: Mint and to a lesser extent menthol have been used since antiquity for medicinal purposes. Key components of mint and menthol use such as composition and intake, safety and traditional uses are discussed prior to a review of clinical and human performance outcomes in the areas of digestive and respiratory health; antibacterial and anti-fungal properties, nociception, migraine and headache and emerging evidence regarding COVID 19. Evidence suggests benefit for patients with irritable bowel syndrome and related digestive issues, with analgesic and respiratory effects also noted. Perceptual characteristics relating to thermal comfort and sensation, taste sensitivity and alertness are also considered; these effects are predominantly driven by stimulation of transient receptor potential melastatin 8 (TRPM8) activity resulting in sensations of cooling and freshness, with lesser influence on thirst. Finally, sport performance is considered as a domain that may further elucidate some of the aforementioned underpinning outcomes due to its systemic and dynamic nature, especially when performed in hot environmental conditions.

Keywords: Mint; Menthol; Digestion; Respiration; COVID-19; Sport; Pain

Introduction

Characterisation and mechanisms of action

Mint and menthol have long been known to impart sensations of cool and freshness. Menthol was characterised by German chemist F.L. Alphonse Openheim, first in French in 1861¹⁰⁸ and again in English in 1862¹⁰⁹, as the camphor of mint; as it is analogous to campholic alcohol the name menthol is aptly derived from *Mentha piperita*, the Latin for peppermint. Academic literature dating to 1890 espouses the benefits of menthol for respiratory infections¹¹⁴ and cooling via stimulation of thermoreceptors is first noted in 1896¹³¹. These subjective abilities to impart sensations of cooling and alleviate nasal congestion are excellently reviewed by Ronald Eccles, who summarises menthol's cooling characteristics and associated psychophysiological responses^{39,41,42}.

Both peppermint and menthol stimulate transient receptor potential melastatin 8 (TRPM8) receptors. These are voltage gated ion channels embedded within cell membranes and are especially prevalent in the dorsal and trigeminal ganglia^{69,104}; but are also found in the upper gut, vascular smooth musculature, bladder and male genitalia¹⁰⁵. Upon stimulation, through either a fall in temperature to < 26 °C or application of menthol or eucalyptol, there is a depolarisation and the electric potential of the membrane is altered due to a flux in Ca²⁺ and Na⁺ ions, and subsequent generation of an action potential^{50,51}. If a menthol containing stimulus is applied at a sufficient concentration/intensity, either orally or topically, behavioural, physiological and sensation modifications may occur. Bautista and colleagues¹¹ elegantly demonstrated that in TRPM8 knock-out mice there is a loss of cold and menthol sensitivity down to a temperature of 10°C¹¹ and in doing so elucidated TRPM8's role as the primary detector of environmental cold. It is also noteworthy that menthol stimulates in a manner that is inversely proportional to the thickness of the stratum corneum in the area to which it is applied¹⁴⁸. This explains the use of the

tongue as a tissue of interest in most animal research concerning the absorption and resultant excitation of nerve fibres following menthol application, and the less potent effects observed when menthol is applied topically, especially at low-moderate concentrations.

Composition, intake and kinetics

Peppermint is a naturally occurring hybrid of water mint and spearmint, typically associated with Europe and the Middle East but now globally cultivated. Menthol is a derivative of peppermint and is either extracted as an oil, then frozen and filtered to produce crystals, or synthesised. Of the eight isomers of menthol, the one that occurs naturally and is most commonly consumed is (-)-Menthol. Other arrangements present with lower or no perceptible intensity of freshness ⁷⁰.

Peppermint and menthol are components in a vast array of products, thus intake is remarkably prevalent. Most people are familiar with mint-flavoured mouth rinses, confectionary and herbal teas, with medicinal uses also widespread e.g. as essential oils within creams and gels. Cigarettes are the most controversial method of menthol delivery. A 2017 systematic review investigated the effects of menthol containing cigarettes on smoking initiation, dependence and cessation ¹⁴⁶. Mentholated cigarettes increase smoking initiation, especially in youth populations, encourage greater nicotine dependence and results in lower cessation rates compared to non-mentholated cigarettes ¹⁴⁶. These relationships have led to bans on the sale of menthol cigarettes in Canada, England and the European Union ^{38,79} and a proposed ban in the United States of America ³⁴.

The form of menthol and peppermint administration warrants practicable and pharmacological consideration too. Liquids are likely the most easily administered and transported, but the potential for menthol to attenuate thirst ^{14,15,41} suggests this may not always be the best option. Ice slurries or ice blocks present an appealing combination when physical and perceptual temperature effects are of concern. A hydrogel or gum allows for a small dose of carbohydrate to be mentholated and easily packaged, with greater control over the dose and concentration of menthol compared to the other potential forms outlined and thus has been used as a mode of drug administration ¹¹⁷; although it should be noted that menthol itself is used to enhance transdermal drug delivery due to its penetrating effects ²⁷. The pharmacokinetic effects of modes of administration differ, both with respect to plasma and salivary concentration and urinary excretion rates ^{53,117}. Encapsulated menthol elicits approximately nine fold higher plasma concentrations and eight fold greater urinary excretion rates than peppermint candy or tea ⁵³, when areas under the curve (AUC) and excretion (mg) are expressed as ratios. Importantly, peppermint containing products also demonstrated a greater coefficient of variation in plasma elimination and AUC, compared to menthol capsules, indicating that if we are to consider therapeutic applications of these substances, whilst perhaps being viewed as more natural by patients, whole peppermint products may elicit less consistent and thus potentially non-therapeutic responses compared to menthol application/ingestion.

Safety

Despite being ubiquitously consumed and available in an array of applications, peppermint, and more specifically menthol, can impart systemic toxic effects; this has been demonstrated in animal models and in humans, either by those consuming menthol or involved in its preparation. The first documented case of menthol poisoning noted a cooling sensation from the blood ^{60,123}. Further case studies reveal coma inducement when ingested as peppermint oil ¹⁰³ and excessive consumption of cough lozenges ⁴. Similarly, acute lung injury and oedema can occur when peppermint oil is administered intravenously ¹². The mechanisms underpinning toxicity appear to be hepatotoxicity¹⁰¹ or nephrotoxicity ⁷⁶. Toxicity may still prove fatal when exposure is indirect and of a limited duration i.e. inhalation of peppermint fumes for ~60 min ⁸². It should be noted that serious or fatal cases used doses beyond the recognised upper tolerable limit and in environments

that may have also facilitated a negative outcome e.g. poorly ventilated. Safe doses are related to the form of administration; liquids containing doses of 0.1 – 0.5 g.L⁻¹, sprays of 0.8% and topical gels of 8% have been safely administered ^{85,121,134}. Importantly, menthol may confer heat storage responses when applied topically in high concentrations due to vasoconstrictive effects; likewise menthol or peppermint applications are not intended to replace physiological cooling where exposure to high environmental temperatures or presence of high core body temperature are apparent ⁹.

Traditional uses and inter-individual variation

Peppermint use is historically documented and evident across a wide range of ancient cultures, spanning from Iceland to China, via ancient Egypt ⁸⁹, mainly for culinary and medicinal purposes. Peppermint has traditionally been used to alleviate gastro-intestinal (GI) symptoms, the proposed mechanisms for which are discussed later in this review. Other traditional uses of peppermint include but are not limited to: calmative, anti-tussive, anti-bacterial/fungal, pain reduction, and treatments for headache, migraine or menstrual symptoms ^{89,132}. Further, in traditional Chinese medicine, when applied as an essential oil, peppermint may enhance penetration of other treatments.

The degree to which peppermint or menthol containing treatments are employed may also depend upon cultural preferences and physiological tolerance to either substance. Physiological and cultural differences are two plausible explanations for the emergence of menthol liking thresholds within and between populations. Physiological variation is partly explained by a host of factors, ranging from genetic to systemic. Specifically, genetic factors relating to the expression of TRPM8 receptors ⁹⁸, the sensitivity of the trigeminal nerve ^{48,95,145} and one’s ability to differentiate between trigeminal stimuli ^{29,48} as well as the thickness of the stratum corneum in the area under menthol exposure¹⁴⁸. Cultural preferences may influence menthol concentration within products, and in doing so expose an individual to higher or lower concentrations of menthol acutely, or chronically if one is a habitual consumer, which in itself can alter one’s sensitivity to menthol^{22,69,75,112}. The role and time course of individual habituation to menthol has practical implications for those aiming to assess the effects of peppermint and menthol in health, disease and associated settings. This may mean purposefully withholding menthol containing stimuli from research participants’ diets, or withholding menthol concentrations to deliberately alter physiological or subjective factors pertinent to conditions of interest.

Methods

Relevant database and repository searches (PubMed; Google Scholar; Researchgate) were performed in alignment with the subheadings throughout this review. Where a mechanistic or isolated application is preferred ‘menthol’ was used as a search term, whereas ‘peppermint’ was used for more global topics. Previous reviews’ reference lists were also consulted to inform further reading. Table 1 summarises these texts. Grey literature was not consulted as part of this review.

Table 1: Key reviews pertaining to peppermint and menthol administration as it pertains to health effects and or other human benefit.

Authors	Date	Title	Area(s) reviewed
Barwood <i>et al.</i> , ⁹	2020	Menthol as an Ergogenic Aid for the Tokyo 2021 Olympic Games: An Expert-Led Consensus Statement Using the Modified Delphi Method	Oral and topical application and safety of menthol for sport and exercise performance
Best <i>et al.</i> , ¹⁶	2021	Can Taste be ergogenic?	Effects of peppermint/ menthol and bitter, carbohydrate and capsaicin tastants upon physical performance

Eccles ³⁹	1994	Menthol and related cooling compounds	Overview of classical menthol literature
Eccles ⁴¹	2000	Role of cold receptors and menthol in thirst, the drive to breathe and arousal	Effects of menthol on titular parameters
Eccles <i>et al.</i> , ⁴²	2013	Cold pleasure. Why we like ice drinks, ice-lollies and ice cream	Mechanisms underpinning oral preference for cool/cold
Ford <i>et al.</i> , ⁴⁷	2008	Effect of fibre, antispasmodics, and peppermint oil in the treatment of irritable bowel syndrome: systematic review and meta-analysis	As per title
Jeffries & Waldron ⁶⁷	2018	The effects of menthol on exercise performance & thermal sensation: a meta-analysis	Exercise performance and thermal sensation
Saniasiaya, Islam and Abdullah B ¹²⁰	2020	Prevalence and Characteristics of Taste Disorders in Cases of COVID-19: A Meta-analysis of 29,349 Patients.	Ageusia and anosmia as a result of COVID 19
Stevens & Best ¹³⁴	2017	Menthol: a fresh ergogenic aid for athletic performance	Oral and topical application of menthol for sport and exercise performance

Potential Health Benefits

In the following sub-sections, the effects of oral or topical application of menthol or peppermint are reviewed.

Digestive health

Peppermint is commonly used to treat gastrointestinal symptoms, and has been shown to be particularly effective in the alleviation of irritable bowel syndrome (IBS) symptoms ^{2,47,77}. IBS symptoms may improve within two weeks; children reported feeling ‘better’ or ‘much better’ (71% of population) and remaining participants reporting no difference ⁷⁷ when compared to placebo. Similarly, in their meta-analysis Ford *et al.*,⁴⁷ report a pooled relative risk of IBS symptoms of 0.43 (95% CI: 0.32 to 0.59) compared to placebo interventions. Importantly, this review notes only five adverse reactions from 174 who received peppermint oil. A more recent review by Alanmar *et al.*,² also notes minimal adverse events, that adverse events are typically mild and transitory, and that evidence is generally considered of high quality.

To a lesser extent supplementation has also been shown to reduce nausea ^{83,139}, colonic tension ¹²⁵, and flatulence ⁷⁷. Peppermint may also improve the rate of gastric emptying ⁶³. These findings suggest that the administration peppermint oil, or its natural derivative menthol, may have potential therapeutic benefits for those that suffer with gastrointestinal issues ⁶¹. The mechanism of action is a relaxation of smooth musculature within the GI tract, brought about by antagonism of Ca²⁺ channels following peppermint exposure, which induces a transient blockade, alleviating symptomology.

Respiratory health

Similar to the digestive tract mentioned above, menthol and peppermint also act as smooth muscle relaxants when applied to the respiratory system. Within the upper respiratory tract, application via aspiration, inhalation or ingestion results in sensations of increased nasal patency but this has not been shown to be objectively altered^{24,43,128}. A related sensation is the decrease in the drive to breathe (i.e. ‘air hunger’) following menthol application to the upper respiratory tract^{40,41}. This mirrors effects seen with the application of cold-air to target nasal cold receptors, indicating a use in those suffering with clinical conditions associated with dyspnoea^{106,143}. Effective doses are as low as 11mg of menthol, administered via a lozenge^{43,71}. The lozenge targets multiple mechanisms and sites of action. Initially, by stimulating the major palatine nerve, which is hypothesised to have an

independent role in nasal sensation of airflow¹⁰²; then as a vapour, acting upon cold receptors within the nasal cavity that are served via the trigeminal nerve^{40,68}, and finally providing localised relief due to smooth muscle relaxation.

By the same mechanism, menthol vapour application may exert antitussive effects in the lower respiratory tract^{62,113}. Whilst these effects modulate the cough response lower down the respiratory tract, the mechanism of action appears to be related to TRPM8 containing trigeminal ganglia, as opposed to localised tissues^{113,145}. Relatedly, these effects are not seen with either +(-) menthol (inactive isomer) or by icilin, which also targets TRPM8 and TRPA1 receptors^{28,78,98}. TRPA1 channels are susceptible to causing airway irritation if higher concentrations of menthol are administered⁶². A further potentially adverse effect of menthol is that it increases mucus production, but also minimises mucus clearance due to ciliary movement reductions⁶². In clinical populations suffering from conditions that are associated with coughing e.g. COPD^{72,73,88}, this may be problematic as menthol may provide respiratory relief, but further impair mucus clearance⁶².

As a result of the mechanisms listed above, menthol and peppermint application also increase ventilation (VE; L·min⁻¹) during exercise¹⁰⁰ and have the potential to confer further beneficial effects during activity too. These are discussed subsequently in sub-sections pertaining to thermal comfort and sensation, and sports performance.

Antibacterial and antifungal effects

Peppermint or menthol have the ability to exert anti-bacterial and anti-fungal effects, against a range of common species. The efficacy of these effects are measured using zones of inhibition diameters and minimum inhibitory concentrations, with peppermint or menthol typically applied as either an essential oil or crude extracts; however, some studies have investigated individual constituent compounds (e.g. menthol, menthone, etc.). Studies may also distinguish between parts of the plant, whilst leaves are commonly used, other groups employ either whole plant or leaves and stems approaches. Whilst these methodological differences may not directly affect or be within the control of a medical professional or patient, they are worth considering from product development, efficacy and research perspectives. Readers are directed to tables 7 and 8 in Mahendran & Rahman⁸⁹ for a comprehensive overview of these effects, the scope of which extends beyond the present review.

Nociception, Migraine and Headache

Pain is considered the interpretation of a nociceptive stimulus that has the potential to cause actual or perceived tissue damage, or the perception thereof¹³⁵. Given the likelihood of temperature extremes to inflict tissue damage (cold: frost-bite; heat: burns) and the tendency of evolutionary pressure to produce economical outcomes, pathways associated with pain are also involved in temperature detection and may propagate appropriate behavioural outcomes^{130,135}. More specifically, noxious temperature stimuli are detected by lamina 1 neurons which in turn stimulate the parabrachial nucleus. From here, signals are diverted via the hypothalamus to efferent pathways or continue for further processing to one or more of the anterior cingulate, anterior insula and interoceptive cortices³². The interoceptive cortex appears to be unique to primates, and is stimulated in a graded manner by noxious, temperature, exercise and respiratory stimuli, as well as hunger and thirst^{31,32}. Due to the shared higher-level pathways of these homeostatic stimuli, an afferent to one pathway may confer wider systemic effects e.g. peppermint or menthol.

Topically applied menthol or peppermint have noted analgesic effects, especially when applied following purposefully induced tissue damage e.g. resistance exercise^{56,140,141} or in clinical scenarios such as arthritis or neuropathy related pain^{44,81}. Menthol application (4% cream) may improve muscular recovery (quantified via vertical jump performance; +1-5cm in comparison to placebo or control cream) when applied post-muscle-

damage⁵⁶. In this context is unclear whether menthol facilitates enhanced tissue capabilities, motivational factors, motor unit recruitment, or factors not otherwise stated⁵⁶. The combination of chemical and mechanical stimuli, such as that outlined above, may induce afferent signalling via indirect neuronal pathways, as keratinocytes have been shown to affect local nerve endings either by calcium or adenosine triphosphate release and subsequent signalling^{90,104,145}. Further beneficial mechanisms associated with a reduction in pain may be decreases in arterial blood flow and vasoconstriction of peripheral blood vessels^{140,141}; the latter may lead to a reduction in local skin temperature dependent upon the measurement approach used and the concentration applied, but this is not a true reduction in temperature per se, more an alteration in local blood flow that happens to alter local temperature acutely²².

It is important to note that the effects of peppermint and menthol are not proportional to their concentration for the purposes of pain relief or underpinning mechanisms. The optimal concentration of topical applicants for pain reduction appears to be circa 4%, with higher concentrations capable of inducing pain and a localised heat storage response^{22,56,121,140,141}. These factors are particularly important when considering potential application to migraine. Migraine is thought to have a genetic component that may be expressed in part via TRPM8 receptors⁸⁷. These receptors are densely distributed throughout the trigeminal region, so there is an opportunity for menthol/peppermint application to this region to either combat or induce migraine dependent upon the concentration and frequency of application³⁷. Another noxious effect is the onset of trigeminal-palatine ganglioneuralgia, otherwise known as 'brainfreeze', upon consumption of considerable volumes of cold substances (with or without peppermint/menthol^{13,127}. Given the importance of the trigeminal network in detecting a range of stimuli, menthol and peppermint's abilities to exert effects upon it and the susceptibility of cranial nerves to impairment as a result of COVID-19 infection⁴⁵, investigation into the effects of menthol and peppermint administration in COVID-19 affected individuals warrants consideration, and would be a natural extension upon much of the work mentioned above.

Implications relating to COVID-19

Coronavirus 2019 (COVID-19) has been consistently demonstrated to adversely affect a range of systems, beyond the obvious severe respiratory involvement, potentially for a prolonged period of time exceeding that of acute infection^{1,26,137}. This continuation of symptoms or impairment relative to normal function is deemed long-COVID. The neural system, and the cranial nerves in particular appear to have consistent involvement in symptoms related to COVID-19⁴⁵. Most pertinent to this review are an impairment of individuals' senses of taste and or smell^{93,94,120} and loss of sensitivity to TRP channel agonists such as menthol (TRPM-8) and capsaicin (TRP-V1), which may occur in both hyposmic and anosmic individuals^{48,116}. This is primarily facilitated by infection of the olfactory epithelia support cells and subsequent damage to olfactory neurons^{45,64,120}. Preliminary evidence has also suggested that the alpha variant may lead to loss of brain mass (0.2% - 2%) in areas associated with olfaction relative to non-infected controls³⁶. Likewise, a case study reported the only symptom of COVID-19 being trigeminal neuralgia⁹⁷. The above indicate a mechanistic impairment of olfaction, facilitated by infection of neural structures, as a result of COVID-19. The time course of recovery is unclear. However, the location and severity of infection suggest there is a potential role to use mint and or menthol as targeted recovery tools, through smell training or similar rehabilitation processes, to assess and accelerate recovery of olfaction following infection with COVID-19, provided they are administered safely.

By way of completeness it is important to acknowledge that there appears to be differing effects of COVID-19 in those with spinal cord injury³⁵. Individuals with spinal cord injuries display non-normal thermoregulatory presentation, typically experiencing poikilothermia (resting core temperature ~35.7 °C) and impairment to other thermoregulatory mechanisms³⁵, proportional to the level of injury. These reasons when combined with

mint and menthol's ability to impact thermoregulatory responses via stimulation of TRPM-8 and wider neurological effects suggest application of (topical) menthol in COVID-19 symptomatic individuals with spinal cord injury may interfere with desirable health outcomes.

Thermal comfort and sensation modification

Recently, menthol has been adopted as a perceptual cooling strategy to attenuate symptoms associated with exercising and task performance in the heat, namely thermal comfort and sensation^{9,67}. As per the other stated benefits within this review, the degree of perceptual change is driven by the concentration of the product applied and the thermo-sensitivity of the location(s) to which it is applied^{134,148}. Larger effects are typically seen at sites with the highest density of receptors (e.g. face;¹²¹) and are inversely proportional to stratum corneum thickness^{134,148}. There is documented genetic variation in the allele that codes for the TRPM-8 receptor^{74,87,130}; the extent of which is sufficient to be described by latitude and local temperature, with 88% of Finnish population thought to possess the upstream single nucleotide polymorphism, rs10166942⁷⁴. Clinicians should be aware of this not just for the purposes of thermal perception, but because a related allele may be protective to migraine^{74,87,130}, further highlighting the potential systemic therapeutic application of menthol/peppermint.

Of further interest to clinicians are the decreased sensitivity of TRPM-8 receptors across the lifespan and potential sex differences in response to stimuli. Menthol and peppermint containing compounds will likely display less efficacy in geriatric populations^{49,147}. This has been documented by Waldock and colleagues¹⁴⁷, who demonstrated no perceptual differences compared to control when menthol was applied during daily living tasks at temperatures representative of British Summer (35°C, 50% humidity). This population was responsive to physiological cooling, but may not always feel sufficient perceptual thermal change to apply such strategies. These findings are of concern as the elderly are considered a vulnerable population with regard to global warming induced heat illness^{23,65,96} due to a combination of health conditions, impaired sweat responses and medication use impairing heat resilience^{23,96}. With respect to sex differences, Parton et al.,¹¹¹ noted that thermal sensation was lowered in male and female participants but this reduction only lasted 40% of the trial duration in females, during self-paced exercise; this had behavioural effects with respect to exercise pacing too. Gavel and colleagues⁵² similarly found that females may experience non-perceptually mediated enhancements in performance during a cycling time trial.

Habituation of thermal sensation has been observed when a moderate menthol concentration of 0.2% was applied topically over the course of a week⁵⁷. This habituation response was attributed to a pathway specific to thermal sensation, as it occurred independent of other physiological or perceptual responses⁵⁷. Similarly, habituation to sweet stimuli have been reported⁸⁶, and was attributed to gustative habituation to sweet taste, as opposed to a reduction in pleasure derived from exposure to sweet stimuli, although this response is yet to be observed in oral menthol or peppermint application. This response is absent in an acute menthol stimulus, but given habituation to topical application, it is reasonable to suggest that oral cold receptors can also become habituated to menthol or peppermint stimuli, at appropriate concentrations through a similarly mediated or trigeminal pathway.

Clinicians may be reluctant to employ menthol as an adjunct treatment when symptoms such as dehydration or elevated core temperature are also observed^{9,84}. In severe cases of heat illness, menthol or peppermint application is not recommended. However, in mild cases of heat stress or heat exertion, combining menthol with physiological cooling strategies that directly reduce core temperature and or improve hydration status e.g. ice slurry ingestion, may attenuate thermal sensation and encourage consistent cooling behaviours due to menthol/peppermint's hedonic qualities.

In occupational settings, menthol has been shown to positively influence thermal perception during simulated firefighting, but may lead to earlier increases in core temperature elevation⁸⁵, and unfavourable increases in oxygen consumption¹⁴⁹. Similar to firefighters and military personnel and of relevance to current and future pandemic protocols, access to cooling strategies reduces heat strain symptoms in healthcare workers, when wearing appropriate personal protective equipment^{20,21,80}. To date menthol has not been considered in these settings but may be an appropriate adjunct strategy, provided the task duration does not confer a significant hyperthermic risk in and of itself. In this instance improved thermal comfort and reduced sensation may lead to better task outcomes, which may prove critical. The importance of alterations in thermal perception for sports performance are discussed below.

Other Human Benefits

Alertness

There is a small body of literature assessing peppermint and menthol's ability to affect alertness. Delivery modes have varied from vapour (as previously outlined under Respiratory health) to chewing gum^{3,5,99,115,129}. Both peppermint and menthol odours affects upon reaction time and cognitive tasks have been researched^{5,58,91,99,107,138}, but these effects appear to diminish under repeated trials as does the perceived qualitative characteristics of these odours. This indicates a potentially rapid habituation to menthol containing stimuli, or that a sufficient interval is required to observe repeatable effects¹⁵. Similarly, chewing peppermint/menthol gum improves alertness in healthy participants and upper respiratory tract infection patients (URTI; ¹²⁹), but again there is an habituation to the hedonic component of this exposure. Nasal symptoms were also reduced as a result of chewing gum, suggesting that either menthol (at the dose in chewing gum) or chewing, or the combination thereof, sufficiently stimulates the trigeminal nerve, which is impaired by URTI^{40,129}. When menthol has been administered as a mouth rinse in military personnel performing cognitive tasks in the heat³ increases in brain metabolism, expressed as significant alterations in oxygenated ($p = 0.024$) and deoxygenated ($p = 0.17$) haemoglobin, were observed. Despite these alterations in brain metabolism, cognitive decline did not accompany participants' elevated core temperature, thus the practical implications from these findings remain unclear³.

Taste sensitivity

Individuals with anosmia and ageusia are still capable of experiencing sensations elicited by menthol and peppermint containing products, likely through a combination of chemesthetic and trigeminal pathways^{16,30,48}. Similar effects may also be seen acutely following upper respiratory tract infection⁴⁰, but may be particularly important in documenting the time course of recovery following COVID-19 infection by using return of taste and sensitivity to these compounds post-infection¹⁴⁴. The implications regarding long COVID are unclear at present, but some participants in related trials have reported prolonged impairment of olfactory sensitivity. Polymorphisms in bitter taste receptors have also been considered relevant candidates with respect to COVID mortality, due to extra-oral links with mucosal immunity¹¹⁰. However, these suggestions have not been investigated sufficiently and one research group has used this mechanism to suggest vaccine scepticism¹¹⁰. Whilst menthol or peppermint sensitivity may be a proxy for infection and subsequent recovery in those with low to mild degrees of infection, this system is also affected/impaired by age^{25,30} and may show genetic differences^{74,130} as per thermal perception; thus, clinicians are encouraged to consider taste and related chemosensory sensitivity of secondary importance in those with moderate to severe infection.

Sport and exercise performance

As per the above subsections, menthol can be applied before, during or post-sport or exercise performance as either a topical (gel, spray) or oral (mouth-rinse) agent. The timing and mode of administration likely depend upon the activity in question, this also allows clinicians and sport and exercise scientists to better understand the potential health benefits listed above, as exercise/ sport amplifies many of the metabolic constraints or effects that may be clinically relevant. This is particularly true for respiration, nociception and thermal perception.

Before or during endurance exercise, topical application of menthol has consistently been shown to improve subjective thermal sensations^{6-8,10,55,57} with accompanying increases in sweat rate, skin blood flow and potentially heat storage⁵⁵. This may or may not (positively) influence exercise performance, with effects likely proportional to the strength (i.e. concentration or area to which menthol is applied) or frequency of the menthol application 'signal'. Barwood and colleagues¹⁰ showed that a repeated application of a 0.20% menthol spray, delivered at 20 and 40 min of an exercise bout consisting of 45min fixed work and a time to exhaustion effort (TTE; 70% maximum power), improved TTE. This had previously not been shown following single application by the same research group⁶⁻⁸. This suggests a relatively quick decay of menthol's effects that may be mediated by exercise intensity and the rate of evaporative cooling within the exercise environment e.g. wind-speed¹⁴; these effects are also known to be exaggerated if a topical application contains alcohol⁵⁵.

Oral menthol supplementation exerts temperature dependent effect upon cycling¹¹⁹ and triathlon¹⁴² training performance when athletes are concomitantly physiological cooled. These enhancements were statistically *moderate*¹⁸ when administered before and during exercise. The same research group subsequently challenged these findings¹¹⁸ as when completing a 30km cycling time trial, the combination of pre and percooling with a cold beverage and menthol ice slurry respectively, evoked *trivially* slower performances (3815 ± 455 s) relative to percooling with menthol ice slurry only (3737 ± 522 s). This may be indicative of a trigeminal sensory threshold, whereby the cold stimuli are perceived as too intense when simultaneously targeting physiological and perceptual mechanisms, thus detracting from performance enhancement.

Oral application of menthol as a mouth swill or co-ingested with physiological cooling strategies has been consistently shown to lower thermal sensation^{46,59,66,122}, improve thermal comfort⁵⁴ and increase $\dot{V}E$ ^{100,133}. These effects may improve endurance performance either by improving TTE^{46,66,100} or time trial performance^{133,136}. However, when paired with carbohydrate during endurance exercise, carbohydrate sensing may outweigh any perceptual benefit caused by menthol¹⁴. These effects have not been observed when oral menthol administration takes place during intermittent or high intensity exercise^{19,33,54}. There are no known negative side-effects reported following menthol swilling or ingestion, nor has oral menthol administration been shown worsen performance. The effects of oral application of menthol are thought to last ~10 min^{14,17}. These findings may be of interest in pre or post-operative care where menthol has been administered as ice popsicles to attenuate thirst¹²⁴.

A single paper had shown improvements across a range of physiological markers during exercise following chronic peppermint oil supplementation⁹², however, the magnitude of reported effects warranted scepticism and a replication study debunked these effects¹²⁶. In light of the perceptual similarity and common pharmaceutical pairing with both peppermint and menthol, researchers are advised to consider potential effects of eucalyptol or eucalyptus essential oil use circa-exercise as a model of better understanding potential clinical applications of both agents.

Conclusion

1. Mint and menthol have been used to impart sensations of refreshing and cool for millennia, alongside other purported traditional medicinal effects

2. Mint and menthol are typically safe when consumed in recommended quantities, although there is variability in individuals' sensitivity, predominantly driven by variation in TRPM-8 receptors
3. Peppermint and menthol exert effects across digestive, nociceptive and respiratory systems. There are potential considerations relating to COVID-19, especially in those with spinal cord injuries.
4. Sports performance may reveal further insights into the limits of mint and menthol consumption and application, and advance research into related health outcomes

References:

1. Aiyegbusi OL, Hughes SE, Turner G, et al. Symptoms, complications and management of long COVID: a review. *J Roy Soc Med*. 2021;114(9):428-442. doi:10.1177/01410768211032850
2. Alammar N, Wang L, Saberi B, et al. The impact of peppermint oil on the irritable bowel syndrome: a meta-analysis of the pooled clinical data. Published online January 16, 2019:1-10. doi:10.1186/s12906-018-2409-0
3. Ashworth ET, Cotter JD, Kilding AE. Impact of elevated core temperature on cognition in hot environments within a military context. *Eur J Appl Physiol*. 2021;121(4):1061-1071. doi:10.1007/s00421-020-04591-3
4. Baibars M, Eng S, Shaheen K, Alraiyes AH, Alraiies MC. Menthol toxicity: an unusual cause of coma. *Case Reports Medicine*. 2012;2012:187039. doi:10.1155/2012/187039
5. Barker S, Grayhem P, Koon J, Perkins J, Whalen A, Raudenbush B. Improved Performance on Clerical Tasks Associated with Administration of Peppermint Odor. *Percept Motor Skill*. 2003;97(3):1007-1010. doi:10.2466/pms.2003.97.3.1007
6. Barwood MJ, Corbett J, Thomas K, Twentyman P. Relieving thermal discomfort: Effects of sprayed L-menthol on perception, performance, and time trial cycling in the heat. *Journal of Applied Physiology*. 2015;25:211-218. doi:10.1111/sms.12395
7. Barwood MJ, Corbett J, White D, James J. Early change in thermal perception is not a driver of anticipatory exercise pacing in the heat. *British Journal of Sports Medicine*. 2012;46(13):936-942. doi:10.1136/bjsports-2011-090536
8. Barwood MJ, Corbett J, White DK. Spraying with 0.20% L-menthol does not enhance 5 km running performance in the heat in untrained runners. *The Journal of sports medicine and physical fitness*. 2014;54(5):595-604.
9. Barwood MJ, Gibson OR, Gillis DJ, et al. Menthol as an Ergogenic Aid for the Tokyo 2021 Olympic Games: An Expert-Led Consensus Statement Using the Modified Delphi Method. *Sports Medicine*. Published online July 1, 2020:1-19. doi:10.1007/s40279-020-01313-9
10. Barwood MJ, Kupusarevic J, Goodall S. Enhancement of Exercise Capacity in the Heat With Repeated Menthol-Spray Application. *International journal of sports physiology and performance*. 2019;14(5):644-649. doi:10.1123/ijsp.2018-0561
11. Bautista DM, Siemens J, Glazer JM, et al. The menthol receptor TRPM8 is the principal detector of environmental cold. *Nature*. 2007;448(7150):204-208. doi:10.1038/nature05910
12. Behrends M, Beiderlinden M, Peters J. Acute Lung Injury After Peppermint Oil Injection. *Anesthesia Analgesia*. 2005;101(4):1160-1162. doi:10.1213/01.ane.0000175774.33435.87
13. Best R. MENTHOL MOUTH SWILLING AND ENDURANCE RUNNING PERFORMANCE IN THE HEAT. Published online August 1, 2019.
14. Best R, Crosby S, Berger N, McDonald K. The Effect of Isolated and Combined Application of Menthol and Carbohydrate Mouth Rinses on 40 km Time Trial Performance, Physiological and Perceptual Measures in the Heat. *Nutrients*. 2021;13(12):4309. doi:10.3390/nu13124309

15. Best R, Maulder PS, Berger N. Perceptual and Physiological Responses to Carbohydrate and Menthol Mouth-Swilling Solutions: A Repeated Measures Cross-Over Preliminary Trial. *Beverages*. 2021;7(1):9. doi:10.3390/beverages7010009
16. Best R, McDonald K, Hurst P, Pickering C. Can taste be ergogenic? *Eur J Nutr*. 2021;60(1):45-54. doi:10.1007/s00394-020-02274-5
17. Best R, Naicker R, Maulder P, Berger N. Dilution Method of Menthol Solutions Affects Subsequent Perceptual Thermal Responses during Passive Heat Exposure in Non-Heat Acclimated Participants. *Beverages*. 2021;7(3):62. doi:10.3390/beverages7030062
18. Best R, Payton S, Spears I, Riera F, Berger N. Topical and Ingested Cooling Methodologies for Endurance Exercise Performance in the Heat. *Sports*. 2018;6(1):11-11. doi:10.3390/sports6010011
19. Best R, Temm D, Hucker H, McDonald K. Repeated Menthol Mouth Swilling Affects Neither Strength nor Power Performance. *Sports*. 2020;8(6):90-12. doi:10.3390/sports8060090
20. Bongers CC, Korte JQ de, Catoire M, et al. Infographic. Cooling strategies to attenuate PPE-induced heat strain during the COVID-19 pandemic. *Brit J Sport Med*. 2021;55(1):69-70. doi:10.1136/bjsports-2020-102528
21. Bongers CCWG, Korte JQ de, Zwartkruis M, Levels K, Kingma BRM, Eijsvogels TMH. Heat Strain and Use of Heat Mitigation Strategies among COVID-19 Healthcare Workers Wearing Personal Protective Equipment—A Retrospective Study. *Int J Environ Res Pu*. 2022;19(3):1905. doi:10.3390/ijerph19031905
22. Botonis PG, Geladas ND, Kounalakis SN, Cherouveim ED, Koskolou MD. Effects of menthol application on the skin during prolonged immersion in swimmers and controls. *Journal of Applied Physiology*. 2016;27(12):1560-1568. doi:10.1111/sms.12799
23. Bunker A, Wildenhain J, Vandenberg A, et al. Effects of Air Temperature on Climate-Sensitive Mortality and Morbidity Outcomes in the Elderly; a Systematic Review and Meta-analysis of Epidemiological Evidence. *Ebiomedicine*. 2016;6:258-268. doi:10.1016/j.ebiom.2016.02.034
24. Burrow A, Eccles R, Jones AS. The effects of camphor, eucalyptus and menthol vapour on nasal resistance to airflow and nasal sensation. *Acta Oto-laryngol*. 1983;96(1-2):157-161. doi:10.3109/00016488309132886
25. Cameron EL. Olfactory perception in children. *World Journal of Otorhinolaryngology-Head and Neck Surgery*. 2018;4(1):57-66. doi:10.1016/j.wjorl.2018.02.002
26. Carfi A, Bernabei R, Landi F, Group GAC 19 PACS. Persistent Symptoms in Patients After Acute COVID-19. *Jama*. 2020;324(6):603-605. doi:10.1001/jama.2020.12603
27. Chen L, Ma L, Yang S, et al. A multiscale study of the penetration-enhancing mechanism of menthol. *J Traditional Chin Medical Sci*. 2019;6(4):347-354. doi:10.1016/j.jtcms.2019.10.001
28. Chuang H hu, Neuhauser WM, Julius D. The Super-Cooling Agent Icilin Reveals a Mechanism of Coincidence Detection by a Temperature-Sensitive TRP Channel. *Neuron*. 2004;43(6):859-869. doi:10.1016/j.neuron.2004.08.038
29. Cliff MA, Green BG. Sensory irritation and coolness produced by menthol: Evidence for selective desensitization of irritation. *Physiology & Behavior*. 1994;56(5):1021-1029. doi:10.1016/0031-9384(94)90338-7
30. Cometto-Muñiz JE, Cain WS. Thresholds for odor and nasal pungency. *Physiology & Behavior*. 1990;48(5):719-725. doi:10.1016/0031-9384(90)90217-r
31. Craig ADB. How do you feel--now? The anterior insula and human awareness. *Nature reviews neuroscience*. 2009;10(1):59-70. doi:10.1038/nrn2555
32. Craig ADB. Interoception: the sense of the physiological condition of the body. *Current opinion in neurobiology*. 2003;13(4):500-505. doi:10.1016/s0959-4388(03)00090-4

33. Crosby S, Butcher A, McDonald K, Berger N, Bekker PJ, Best R. Menthol Mouth Rinsing Maintains Relative Power Production during Three-Minute Maximal Cycling Performance in the Heat Compared to Cold Water and Placebo Rinsing. *Int J Environ Res Pu*. 2022;19(6):3527. doi:10.3390/ijerph19063527
34. Dearfield CT, Horn K, Crandell I, Bernat DH. Behavioural intentions in response to a potential menthol cigarette sales ban: a survey examining smokers in Washington, DC public housing. *Bmj Open*. 2022;12(7):e059821. doi:10.1136/bmjopen-2021-059821
35. Dicks MA, Clements ND, Gibbons CR, Verduzco-Gutierrez M, Trbovich M. Atypical presentation of Covid-19 in persons with spinal cord injury. *Spinal Cord Ser Cases*. 2020;6(1):38. doi:10.1038/s41394-020-0289-2
36. Douaud G, Lee S, Alfaro-Almagro F, et al. SARS-CoV-2 is associated with changes in brain structure in UK Biobank. *Nature*. 2022;604(7907):697-707. doi:10.1038/s41586-022-04569-5
37. Dussor G, Cao Y. TRPM8 and Migraine. *Headache J Head Face Pain*. 2016;56(9):1406-1417. doi:10.1111/head.12948
38. East KA, Reid JL, Burkhalter R, et al. Evaluating the Outcomes of the Menthol Cigarette Ban in England by Comparing Menthol Cigarette Smoking Among Youth in England, Canada, and the US, 2018-2020. *Jama Netw Open*. 2022;5(5):e2210029. doi:10.1001/jamanetworkopen.2022.10029
39. Eccles R. Menthol and Related Cooling Compounds. *Journal of Pharmacy and Pharmacology*. 1994;46(8):618-630. doi:10.1111/j.2042-7158.1994.tb03871.x
40. Eccles R. Menthol: Effects on nasal sensation of airflow and the drive to breathe. *Current allergy and asthma reports*. 2003;3(3):210-214. doi:10.1007/s11882-003-0041-6
41. Eccles R. Role of cold receptors and menthol in thirst, the drive to breathe and arousal. *Appetite*. 2000;34(1):29-35. doi:10.1006/appe.1999.0291
42. Eccles R, Du-Plessis L, Dommels Y, Wilkinson JE. Cold pleasure. Why we like ice drinks, ice-lollies and ice cream. *Appetite*. 2013;71(C):357-360. doi:10.1016/j.appet.2013.09.011
43. ECCLES R, MORRIS S, JAWAD MSM. The effects of menthol on reaction time and nasal sensation of airflow in subjects suffering from the common cold. *Clin Otolaryngology Allied Sci*. 1990;15(1):39-42. doi:10.1111/j.1365-2273.1990.tb00430.x
44. Fallon MT, Storey DJ, Krishan A, et al. Cancer treatment-related neuropathic pain: proof of concept study with menthol—a TRPM8 agonist. *Support Care Cancer*. 2015;23(9):2769-2777. doi:10.1007/s00520-015-2642-8
45. Finsterer J, Scorza FA, Scorza CA, Fiorini AC. COVID-19 associated cranial nerve neuropathy: A systematic review. *Bosnian J Basic Med*. 2022;22(1):39-45. doi:10.17305/bjbms.2021.6341
46. Flood TR, Waldron M, Jeffries O. Oral L-menthol reduces thermal sensation, increases work-rate and extends time to exhaustion, in the heat at a fixed rating of perceived exertion. *European Journal of Applied Physiology*. 2017;117(7):1501-1512. doi:10.1007/s00421-017-3645-6
47. Ford AC, Talley NJ, Spiegel BMR, et al. Effect of fibre, antispasmodics, and peppermint oil in the treatment of irritable bowel syndrome: systematic review and meta-analysis. *Bmj*. 2008;337(nov13 2):a2313. doi:10.1136/bmj.a2313
48. Frasnelli J, Albrecht J, Bryant B, Lundström JN. Perception of specific trigeminal chemosensory agonists. *Neuroscience*. 2011;189:377-383. doi:10.1016/j.neuroscience.2011.04.065
49. Frasnelli J, Hummel T. Age-related decline of intranasal trigeminal sensitivity: is it a peripheral event? *Brain Res*. 2003;987(2):201-206. doi:10.1016/s0006-8993(03)03336-5
50. Galeotti N, Mannelli LDC, Mazzanti G, Bartolini A, Ghelardini C. Menthol: a natural analgesic compound. *Neuroscience letters*. 2002;322(3):145-148.

51. Gaudio C, Hao J, Martin-Eauclaire MF, Gabriac M, Delmas P. Menthol pain relief through cumulative inactivation of voltage-gated sodium channels. *Pain*. 2012;153(2):473-484. doi:10.1016/j.pain.2011.11.014
52. Gavel EH, Logan-Sprenger HM, Good J, Jacobs I, Thomas SG. Menthol Mouth Rinsing and Cycling Performance in Females Under Heat Stress. *Int J Sport Physiol*. 2021;16(7):1014-1020. doi:10.1123/ijsp.2020-0414
53. Gelal A, Jacob P, Yu L, Benowitz NL. Disposition kinetics and effects of menthol. *Clinical Pharmacology & Therapeutics*. 1999;66(2):128-135. doi:10.1053/cp.1999.v66.100455001
54. Gibson OR, Wrightson JG, Hayes M. Intermittent sprint performance in the heat is not altered by augmenting thermal perception via L-menthol or capsaicin mouth rinses. *European Journal of Applied Physiology*. 2018;46(Suppl 1):936-12. doi:10.1007/s00421-018-4055-0
55. Gillis DJ, Barwood MJ, Newton PS, House JR, Tipton MJ. The influence of a menthol and ethanol soaked garment on human temperature regulation and perception during exercise and rest in warm, humid conditions. *Journal of Thermal Biology*. 2016;58(C):99-105. doi:10.1016/j.jtherbio.2016.04.009
56. Gillis DJ, Vellante A, Gallo JA, D'Amico AP. Influence of Menthol on Recovery From Exercise-Induced Muscle Damage. *Journal of strength and conditioning research / National Strength & Conditioning Association*. Published online August 29, 2018. doi:10.1519/jsc.0000000000002833
57. Gillis DJ, Weston N, House JR, Tipton MJ. Influence of repeated daily menthol exposure on human temperature regulation and perception. *Physiology & Behavior*. 2015;139:511-518. doi:10.1016/j.physbeh.2014.12.009
58. Goel N, Lao RP. Sleep changes vary by odor perception in young adults. *Biol Psychol*. 2006;71(3):341-349. doi:10.1016/j.biopsycho.2005.07.004
59. Green BG. Menthol modulates oral sensations of warmth and cold. *Physiology & Behavior*. 1985;35(3):427-434.
60. Hensel H, Zotterman Y. The effect of menthol on the thermoreceptors. *Acta Physiologica Scandinavica*. 1951;24(1):27-34. doi:10.1111/j.1748-1716.1951.tb00824.x
61. Holzer P. Transient receptor potential (TRP) channels as drug targets for diseases of the digestive system. *Pharmacology and Therapeutics*. 2011;131(1):142-170. doi:10.1016/j.pharmthera.2011.03.006
62. ilvia G, Tomas B, V. MS, Jana P. Analysis of pathomechanisms involved in side effects of menthol treatment in respiratory diseases. *Open J Mol Integr Physiology*. 2013;03(01):21-26. doi:10.4236/ojmip.2013.31004
63. Inamori M, Akiyama T, Akimoto K, et al. Early effects of peppermint oil on gastric emptying: a crossover study using a continuous real-time ¹³C breath test (BreathID system). *Journal of Gastroenterology*. 2007;42(7):539-542. doi:10.1007/s00535-007-2067-3
64. Jaffal SM, Abbas MA. TRP channels in COVID-19 disease: Potential targets for prevention and treatment. *Chem-biol Interact*. 2021;345:109567-109567. doi:10.1016/j.cbi.2021.109567
65. Jay O, Capon A, Berry P, et al. Reducing the health effects of hot weather and heat extremes: from personal cooling strategies to green cities. *Lancet*. 2021;398(10301):709-724. doi:10.1016/s0140-6736(21)01209-5
66. Jeffries O, Goldsmith M, Waldron M. L-Menthol mouth rinse or ice slurry ingestion during the latter stages of exercise in the heat provide a novel stimulus to enhance performance despite elevation in mean body temperature. *European Journal of Applied Physiology*. 2018;118(11):2435-2442. doi:10.1007/s00421-018-3970-4
67. Jeffries O, Waldron M. The effects of menthol on exercise performance and thermal sensation: A meta-analysis. *Journal of Science and Medicine in Sport*. 2019;22(6):707-715. doi:10.1016/j.jsams.2018.12.002
68. Jones AS, Willatt DJ, Durham LM. Nasal airflow: resistance and sensation. *J Laryngology Otology*. 1989;103(10):909-911. doi:10.1017/s0022215100110485
69. Kalantzis A, Robinson PP, Loescher AR. Effects of capsaicin and menthol on oral thermal sensory thresholds. *Archives of Oral Biology*. 2007;52(2):149-153. doi:10.1016/j.archoralbio.2006.09.001

70. Kamatou GPP, Vermaak I, Viljoen AM, Lawrence BM. Menthol: A simple monoterpene with remarkable biological properties. *Phytochemistry*. 2013;96(C):15-25. doi:10.1016/j.phytochem.2013.08.005
71. Kanezaki M, Ebihara S. Effect of the cooling sensation induced by olfactory stimulation by L-menthol on dyspnoea: a pilot study. *Eur Respir J*. 2017;49(4):1601823. doi:10.1183/13993003.01823-2016
72. Kanezaki M, Terada K, Ebihara S. Effect of Olfactory Stimulation by L-Menthol on Laboratory-Induced Dyspnea in COPD. *Chest*. 2020;157(6):1455-1465. doi:10.1016/j.chest.2019.12.028
73. Kanezaki M, Terada K, Ebihara S. l-Menthol – a new treatment for breathlessness? *Curr Opin Support Pa*. 2021;15(4):233-238. doi:10.1097/spc.0000000000000569
74. Key FM, Abdul-Aziz MA, Mundry R, et al. Human local adaptation of the TRPM8 cold receptor along a latitudinal cline. Gojoberi T, ed. *PLOS Genetics*. 2018;14(5):e1007298-22. doi:10.1371/journal.pgen.1007298
75. Klein AH, Carstens MI, Zannotto KL, et al. Self- and cross-desensitization of oral irritation by menthol and cinnamaldehyde (CA) via peripheral interactions at trigeminal sensory neurons. *Chemical Senses*. 2011;36(2):199-208. doi:10.1093/chemse/bjq115
76. Kligler B, Chaudhary S. Peppermint oil. *Am Fam Physician*. 2007;75(7):1027-1030.
77. Kline RM, Kline JJ, J DP, Barbero GJ. Enteric-coated, pH-dependent peppermint oil capsules for the treatment of irritable bowel syndrome in children. *The Journal of pediatrics*. 2001;138(1):125-128.
78. Knowlton WM, Bifolck-Fisher A, Bautista DM, McKemy DD. TRPM8, but not TRPA1, is required for neural and behavioral responses to acute noxious cold temperatures and cold-mimetics in vivo. *Pain*. 2010;150(2):340-350. doi:10.1016/j.pain.2010.05.021
79. Kopa PN, Pawliczak R. Menthol additives to tobacco products. Reasons for withdrawing mentholated cigarettes in European Union on 20th may 2020 according to tobacco products directive (2014/40/EU). *Toxicol Mech Method*. 2020;30(8):1-7. doi:10.1080/15376516.2020.1805662
80. Korte JQ de, Bongers CCWG, Catoire M, Kingma BRM, Eijsvogels TMH. Cooling vests alleviate perceptual heat strain perceived by COVID-19 nurses. *Temp*. 2021;9(1):1-11. doi:10.1080/23328940.2020.1868386
81. Kraemer WJ, Ratamess NA, Maresh CM, et al. A cetylated fatty acid topical cream with menthol reduces pain and improves functional performance in individuals with arthritis. *J Strength Cond Res*. 2005;19(2):475-480. doi:10.1519/r-505059.1
82. Kumar A, Baitha U, Aggarwal P, Jamshed N. A fatal case of menthol poisoning. *International Journal of Applied and Basic Medical Research*. 2016;6(2):137-5. doi:10.4103/2229-516x.179015
83. Lane B, Cannella K, Bowen C, et al. Examination of the Effectiveness of Peppermint Aromatherapy on Nausea in Women Post C-Section. *Journal of Holistic Nursing*. 2012;30(2):90-104. doi:10.1177/0898010111423419
84. Lee JKW, Tan B, Ogden HB, Chapman S, Sawka MN. Exertional heat stroke: nutritional considerations. *Exp Physiol*. 2022;107(10):1122-1135. doi:10.1113/ep090149
85. Lee JY, Nakao K, Bakri I, Tochihara Y. Body regional influences of L-menthol application on the alleviation of heat strain while wearing firefighter's protective clothing. *European Journal of Applied Physiology*. 2012;112(6):2171-2183. doi:10.1007/s00421-011-2192-9
86. Leterme A, Brun L, Dittmar A, Robin O. Autonomic nervous system responses to sweet taste: Evidence for habituation rather than pleasure. *Physiology & Behavior*. 2008;93(4-5):994-999. doi:10.1016/j.physbeh.2008.01.005
87. Ling YH, Chen SP, Fann CSJ, Wang SJ, Wang YF. TRPM8 genetic variant is associated with chronic migraine and allodynia. *J Headache Pain*. 2019;20(1):115. doi:10.1186/s10194-019-1064-2
88. Liss HP, Grant BJB. The Effect of Nasal Flow on Breathlessness in Patients with Chronic Obstructive Pulmonary Disease. *Am Rev Respir Dis*. 1988;137(6):1285-1288. doi:10.1164/ajrccm/137.6.1285

89. Mahendran G, Rahman L. Ethnomedicinal, phytochemical and pharmacological updates on Peppermint (*Mentha × piperita* L.)—A review. *Phytother Res.* 2020;34(9):2088-2139. doi:10.1002/ptr.6664
90. Mahieu F, Owsianik G, Verbert L, et al. TRPM8-independent Menthol-induced Ca²⁺ Release from Endoplasmic Reticulum and Golgi. *Journal of Biological Chemistry.* 2007;282(5):3325-3336.
91. Meamarbashi A. Instant effects of peppermint essential oil on the physiological parameters and exercise performance. *Avicenna journal of phytomedicine.* 2014;4(1):72-78.
92. Meamarbashi A, Rajabi A. The effects of peppermint on exercise performance. *Journal of the International Society of Sports Nutrition.* 2013;10(1):1-1. doi:10.1186/1550-2783-10-15
93. Mermelstein S. Acute anosmia from COVID-19 infection. *Pract Neurology.* 2020;20(4):343-344. doi:10.1136/practneurol-2020-002583
94. Messlinger K, Neuhuber W, May A. Activation of the trigeminal system as a likely target of SARS-CoV-2 may contribute to anosmia in COVID-19. *Cephalalgia.* 2022;42(2):176-180. doi:10.1177/03331024211036665
95. Michlig S, Merlini JM, Beaumont M, et al. Effects of TRP channel agonist ingestion on metabolism and autonomic nervous system in a randomized clinical trial of healthy subjects. *Nature.* Published online January 28, 2016:1-12. doi:10.1038/srep20795
96. Millyard A, Layden JD, Pyne DB, Edwards AM, Bloxham SR. Impairments to Thermoregulation in the Elderly During Heat Exposure Events. *Gerontology Geriatric Medicine.* 2020;6:2333721420932432. doi:10.1177/2333721420932432
97. Molina-Gil J, González-Fernández L, García-Cabo C. Trigeminal neuralgia as the sole neurological manifestation of COVID-19: A case report. *Headache J Head Face Pain.* 2021;61(3):560-562. doi:10.1111/head.14075
98. Morgan K, Sadofsky LR, Crow C, Morice AH. Human TRPM8 and TRPA1 pain channels, including a gene variant with increased sensitivity to agonists (TRPA1 R797T), exhibit differential regulation by SRC-tyrosine kinase inhibitor. *Bioscience reports.* 2014;34(4):469-478. doi:10.1042/bsr20140061
99. MOSS M, HEWITT S, MOSS L, WESNES K. MODULATION OF COGNITIVE PERFORMANCE AND MOOD BY AROMAS OF PEPPERMINT AND YLANG-YLANG. *Int J Neurosci.* 2008;118(1):59-77. doi:10.1080/00207450601042094
100. Mündel T, Jones DA. The effects of swilling an l(-)-menthol solution during exercise in the heat. *European Journal of Applied Physiology.* 2009;109(1):59-65. doi:10.1007/s00421-009-1180-9
101. Nair B. Final report on the safety assessment of *Mentha Piperita* (Peppermint) Oil, *Mentha Piperita* (Peppermint) Leaf Extract, *Mentha Piperita* (Peppermint) Leaf, and *Mentha Piperita* (Peppermint) Leaf Water. *Int J Toxicol.* 2001;20 Suppl 3:61-73.
102. Naito K, Komori M, Kondo Y, Takeuchi M, Iwata S. The effect of l-menthol stimulation of the major palatine nerve on subjective and objective nasal patency. *Auris Nasus Larynx.* 1997;24(2):159-162. doi:10.1016/s0385-8146(96)00005-3
103. Nath S, Pandey C, Roy D. A near fatal case of high dose peppermint oil ingestion- Lessons learnt. *Indian J Anaesth.* 2012;56(6):582. doi:10.4103/0019-5049.104585
104. Nazıroğlu M, Özgül C. Effects of Antagonists and Heat on TRPM8 Channel Currents in Dorsal Root Ganglion Neuron Activated by Nociceptive Cold Stress and Menthol. *Neurochemical Research.* 2011;37(2):314-320. doi:10.1007/s11064-011-0614-z
105. Nilius B, Owsianik G. The transient receptor potential family of ion channels. *Genome biology.* 2011;12(3):218. doi:10.1186/gb-2011-12-3-218

106. Nishino T, Tagaito Y, Sakurai Y. Nasal Inhalation of l-menthol Reduces Respiratory Discomfort Associated with Loaded Breathing. *American Journal of Respiratory and Critical Care Medicine*. 1997;156(1):309-313. doi:10.1164/ajrccm.156.1.9609059
107. Norrish MIK, Dwyer KL. Preliminary investigation of the effect of peppermint oil on an objective measure of daytime sleepiness. *Int J Psychophysiol*. 2005;55(3):291-298. doi:10.1016/j.ijpsycho.2004.08.004
108. Oppenheim A. Note sur le camphre de menthe. *Journal of the Chemical Society*. 1861;53:379-380. <https://gallica.bnf.fr/ark:/12148/bpt6k3010v/f379.item.langEN>
109. Oppenheim A. V.—On the camphor of peppermint. *Journal of the Chemical Society*. 1862;15(0):24-29. doi:10.1039/js8621500024
110. Parsa S, Mogharab V, Ebrahimi M, et al. COVID-19 as a worldwide selective event and bitter taste receptor polymorphisms: An ecological correlational study. *Int J Biol Macromol*. 2021;177:204-210. doi:10.1016/j.ijbiomac.2021.02.070
111. Parton AJ, Waldron M, Clifford T, Jeffries O. Thermo-behavioural responses to orally applied L-menthol exhibit sex-specific differences during exercise in a hot environment. *Physiol Behav*. Published online 2020:113250. doi:10.1016/j.physbeh.2020.113250
112. Patel T, Ishiuiji Y, Yosipovitch G. Menthol: A refreshing look at this ancient compound. *Journal of the American Academy of Dermatology*. 2007;57(5):873-878. doi:10.1016/j.jaad.2007.04.008
113. Plevkova J, Kollarik M, Poliacsek I, et al. The role of trigeminal nasal TRPM8-expressing afferent neurons in the antitussive effects of menthol. *J Appl Physiol*. 2013;115(2):268-274. doi:10.1152/japplphysiol.01144.2012
114. Potter FH. THE USE OF MENTHOL IN DISEASES OF THE UPPER AIR-PASSAGES.: Read in the Section of Laryngology and Otology, at the Fortieth Annual Meeting of the *Journal of the American Medical Association*. 1890;14(5):147-149.
115. Raudenbush B, Corley N, Eppich W. Enhancing athletic performance through the administration of peppermint odor. *Journal of Sport and Exercise Psychology*. 2001;23(2):156-160. doi:10.1123/jsep.23.2.156
116. Reed DR, Knaapila A. Genetics of Taste and Smell. In: Vol 94. Genes and Obesity. Elsevier; 2010:213-240. doi:10.1016/b978-0-12-375003-7.00008-x
117. Rezaeinia H, Ghorani B, Emadzadeh B, Mohebbi M. Prolonged-release of menthol through a superhydrophilic multilayered structure of balangu (*Lallemantia royleana*)-gelatin nanofibers. *Mater Sci Eng C*. 2020;115:111115. doi:10.1016/j.msec.2020.111115
118. Riera F, Trong T, Rinaldi K, Hue O. Precooling does not Enhance the Effect on Performance of Midcooling with Ice-Slush/Menthol. *International journal of sports medicine*. 2016;37(13):1025-1031. doi:10.1055/s-0042-107597
119. Riera F, Trong TT, Sinnapah S, Hue O. Physical and Perceptual Cooling with Beverages to Increase Cycle Performance in a Tropical Climate. Hayashi N, ed. *PLoS ONE*. 2014;9(8):e103718-7. doi:10.1371/journal.pone.0103718
120. Saniasiaya J, Islam MA, Abdullah B. Prevalence and Characteristics of Taste Disorders in Cases of COVID-19: A Meta-analysis of 29,349 Patients. *Otolaryngology Head Neck Surg*. 2020;165(1):33-42. doi:10.1177/0194599820981018
121. Schlader ZJ, Simmons SE, Stannard SR, Mündel T. The independent roles of temperature and thermal perception in the control of human thermoregulatory behavior. *Physiology & Behavior*. 2011;103(2):217-224. doi:10.1016/j.physbeh.2011.02.002
122. Schlader ZJ, Stannard SR, Mündel T. Evidence for thermoregulatory behavior during self-paced exercise in the heat. *Journal of Thermal Biology*. 2011;36(7):390-396. doi:10.1016/j.jtherbio.2011.07.002

123. Schwenkenbecher, Inagaki. Ueber den Wasserwechsel des fiebernden Menschen. *Archiv Für Exp Pathologie Und Pharmakologie*. 1906;54(3):168-195. doi:10.1007/bf01838763
124. Serato VM, Fonseca LF, Birolim MM, Rossetto EG, Mai LD, Garcia AKA. Package of menthol measures for thirst relief: a randomized clinical study. *Revista Brasileira De Enfermagem*. 2019;72(3):600-608. doi:10.1590/0034-7167-2018-0057
125. Shavakhi A, Ardestani SK, Taki M, Goli M, Keshteli AH. Premedication with peppermint oil capsules in colonoscopy: a double blind placebo-controlled randomized trial study. *Acta gastro-enterologica Belgica*. 2012;75(3):349-353.
126. Shepherd K, Peart DJ. Aerobic capacity is not improved following 10-day supplementation with peppermint essential oil. *Applied Physiology, Nutrition, and Metabolism*. 2017;42(5):558-561. doi:10.1139/apnm-2016-0603
127. Siegel R, Laursen PB. Keeping Your Cool. *Sports Medicine*. 2012;42(2):89-98. doi:10.2165/11596870-000000000-00000
128. Sloan A, Cort SCD, Eccles R. Prolongation of breath-hold time following treatment with an L-menthol lozenge in healthy man. *The Journal of Physiology*. 473:53.
129. Smith AP, Boden C. Effects of Chewing Menthol Gum on the Alertness of Healthy Volunteers and Those with an Upper Respiratory Tract Illness. *Stress and Health*. 2013;29(2):138-142. doi:10.1002/smi.2437
130. Soeda M, Ohka S, Nishizawa D, et al. Cold pain sensitivity is associated with single-nucleotide polymorphisms of PAR2 / F2RL1 and TRPM8. *Mol Pain*. 2021;17:174480692110020. doi:10.1177/17448069211002009
131. Somers LS. the use of menthol in pharyngitis. *The Laryngoscope*. 1896;1(2):78-82. <https://twin.sci-hub.tw/5658/9d36f7854875e8d7e1adb1314514e2bc/somers1896.pdf>
132. Spirling LI, Daniels IR. Botanical perspectives on health Peppermint: more than just an after-dinner mint. *J Royal Soc Promot Heal*. 2001;121(1):62-63. doi:10.1177/146642400112100113
133. Stevens CJ, Bennett KJM, Sculley DV, Callister R, Taylor L, Dascombe BJ. A comparison of mixed-method cooling interventions on pre-loaded running performance in the heat. *The Journal of Strength & Conditioning Research*. Published online June 2016:1-28. doi:10.1519/jsc.0000000000001532
134. Stevens CJ, Best R. Menthol: A Fresh Ergogenic Aid for Athletic Performance. *Sports Medicine*. 2017;47(6):1035-1042. doi:10.1007/s40279-016-0652-4
135. Stevens CJ, Mauger AR, Hassmèn P, Taylor L. Endurance Performance is Influenced by Perceptions of Pain and Temperature: Theory, Applications and Safety Considerations. *Sports Medicine*. Published online December 21, 2017:1-14. doi:10.1007/s40279-017-0852-6
136. Stevens CJ, Thoseby B, Sculley DV, Callister R, Taylor L, Dascombe BJ. Running performance and thermal sensation in the heat are improved with menthol mouth rinse but not ice slurry ingestion. *Scandinavian Journal of Medicine and Science in Sports*. 2016;26(10):1209-1216. doi:10.1111/sms.12555
137. Sykes DL, Holdsworth L, Jawad N, Gunasekera P, Morice AH, Crooks MG. Post-COVID-19 Symptom Burden: What is Long-COVID and How Should We Manage It? *Lung*. 2021;199(2):113-119. doi:10.1007/s00408-021-00423-z
138. Tang Q, Guo G, Zhang Z, Zhang B, Wu Y. Olfactory Facilitation of Takeover Performance in Highly Automated Driving. *Hum Factors*. 2020;63(4):553-564. doi:10.1177/0018720819893137
139. Tate S. Peppermint oil: a treatment for postoperative nausea. *Journal of advanced nursing*. 1997;26(3):543-549.
140. Topp R, Ledford ER, Jacks DE. Topical Menthol, Ice, Peripheral Blood Flow, and Perceived Discomfort. *Journal of Athletic Training*. 2013;48(2):220-225. doi:10.4085/1062-6050-48.1.19
141. Topp R, Winchester LJ, Schilero J, Jacks D. Effect of topical menthol on ipsilateral and contralateral superficial blood flow following a bout of maximum voluntary muscle contraction. *International journal of sports physical therapy*. 2011;6(2):83-91.

-
142. Trong TT, Riera F, Rinaldi K, Briki W, Hue O. Ingestion of a cold temperature/menthol beverage increases outdoor exercise performance in a hot, humid environment. Romanovsky AA, ed. *PLoS ONE*. 2015;10(4):e0123815. doi:10.1371/journal.pone.0123815
 143. Tsutsumi Y, Momma H, Ebihara S, Nagatomi R. L-menthol administration facilitates breathing comfort during exhaustive endurance running and improves running capacity in well-trained runners: A randomized crossover study. *Eur J Sport Sci*. Published online 2022:1-25. doi:10.1080/17461391.2022.2115404
 144. Valussi M, Antonelli M, Donelli D, Firenzuoli F. Appropriate use of essential oils and their components in the management of upper respiratory tract symptoms in patients with COVID-19. *J Herb Med*. 2021;28:100451-100451. doi:10.1016/j.hermed.2021.100451
 145. Viana F. Chemosensory Properties of the Trigeminal System. *ACS Chemical Neuroscience*. 2011;2(1):38-50. doi:10.1021/cn100102c
 146. Villanti AC, Collins LK, Niaura RS, Gagosian SY, Abrams DB. Menthol cigarettes and the public health standard: a systematic review. *Bmc Public Health*. 2017;17(1):983. doi:10.1186/s12889-017-4987-z
 147. Waldock KAM, Hayes M, Watt PW, Maxwell NS. The elderly's physiological and perceptual responses to cooling during simulated activities of daily living in UK summer climatic conditions. *Public Health*. 2021;193:1-9. doi:10.1016/j.puhe.2021.01.016
 148. Watson HR, Hems R, Rowsell DG, Spring DJ. New compounds with the menthol cooling effect. *Journal of the Society of Cosmetic Chemists*. 1978;29:185-200.
 149. Zhang Y, Balilionis G, Casaru CM, et al. Effect of Menthol on Respiratory and Perceptual Responses to Exercise in Firefighter Protective Gear. *Montenegrin Journal of Sports Science and Medicine*. 4(2):29-34.