

Review

Trends in Computer-Aided Diagnosis Using Deep Learning Techniques: A Review of Recent Studies on Algorithm Development

Bosede Iyiade Edwards ^{1,2*}, Nosiba Hisham Osman Khougali ^{1,3} and Adrian David Cheok ^{1,2}

¹ Imagineering Institute, Nusajaya, Johor. Malaysia; bosede, nosiba, adrian@imagineeringinstitute.org

² City, University of London. United Kingdom

³ Universiti Teknologi Malaysia, Skudai, Johor. Malaysia

* Correspondence: bosede@imagineeringinstitute.org; Tel.: +601-8769-9318

Academic Editor: name

Received: date; Accepted: date; Published: date

Abstract: With recent focus on deep neural network architectures for development of algorithms for computer-aided diagnosis (CAD), we provide a review of studies within the last 3 years (2015-2017) reported in selected top journals and conferences. 29 studies that met our inclusion criteria were reviewed to identify trends in this field and to inform future development. Studies have focused mostly on cancer-related diseases within internal medicine while diseases within gender-/age-focused fields like gynaecology/pediatrics have not received much focus. All reviewed studies employed image datasets, mostly sourced from publicly available databases (55.2%) and few based on data from human subjects (31%) and non-medical datasets (13.8%), while CNN architecture was employed in most (70%) of the studies. Confirmation of the effect of data manipulation on quality of output and adoption of multi-class rather than binary classification also require more focus. Future studies should leverage collaborations with medical experts to aid future with actual clinical testing with reporting based on some generally applicable index to enable comparison. Our next steps on plans for CAD development for osteoarthritis (OA), with plans to consider multi-class classification and comparison across deep learning approaches and unsupervised architectures were also highlighted.

Keywords: computer-aided diagnosis; CAD algorithms; deep neural networks; medical diagnosis; review

1. Introduction and Background

Growth in advanced computational techniques, including machine learning, has lent great support to predictive modelling which supports pattern recognition, with application in several fields including medicine, sales and marketing, etc. Algorithms modelled after human neural architecture, that is, Artificial Neural Networks (ANN), later emerged, with Deep Neural Network (DNN)-based algorithms gaining popularity in recent times across several fields including medicine where developments in disease diagnosis is on the rise [1]. Deep learning algorithms are adaptive systems that have shown great effectiveness in feature classification for low- to high-level features. They have found application in many popular systems like Google, Instagram, Pinterest, and Facebook. Their effectiveness lies in the multiple layers hidden between the input and output layers, which enables the modeling of complex, non-linear relationships. Their application in medical diagnosis supports the development of several diagnostic algorithms in the last couple of years and within various medical fields [2,3]. Considering that such systems are relatively new and there are already several studies done within the short period of its emergence, identify trends in the field is crucial to future works. Though some studies have reported on review of studies within deep learning [1,4], extensive work is scarce on trends within the medical field and so are those that

highlight important gaps or employ systematic approaches. We focus on the most recent work to identify areas requiring attention in terms of development and other key issues for future consideration and to assist us and other researchers and/or developers in the proper channeling of future efforts in useful projects.

2. Significance of the Review

The future of every job, including medical diagnosis, will be depending a lot on algorithm-based solutions. Thus, the faster the progress in various fields of medicine, the earlier we can arrive at solving the problems of easy access, on-time attention and more affordable medical services, especially among poor populations. This review focus on areas where work on development of CAD had been focused, and highlights areas where such is lacking, so that neglected fields can benefit from similar developments in the future. Other than this, the review highlights effective methodologies to aid in the design of such algorithms with higher accuracy and precision. Future systems can then address the limitations of existing ones. In addition, when properly focused, reviews can bring together related studies conducted in various domains, across global regions and by different groups of researchers who otherwise may not have any contact, thereby helping to highlight state-of-the art, as well as address frivolous claims that may not be totally true.

3. Objectives of the Review

Availability of equipment and dearth of medical experts indicated by as low as a 1:3500 physician-patient ratio in some countries [5] are among key healthcare issues in many developing nations. With poverty level complicating these issues, CAD underscores the potential benefits of technology-mediated medical services and efforts at developing more CAD algorithms can ensure that global health goals are achieved quickly. In addition to supporting early detection, accurate and efficient diagnosis, CAD algorithms can also serve as effective instructional systems. This review therefore focuses on identifying i) trends within this field, by capturing the fields of medicine focused by work on CAD development and those that have received less focus; types of data employed in the CAD developments; and deep learning architectures or methodologies engaged in these works and their significance; ii) main findings/results reported, their significance, suggestions regarding limitations and future work and iii) conclusions regarding trends within DNN-based development. These conclusions are intended to guide our fourth objective, to be captured in iv) next steps.

4. Related Work

Machine Learning (ML) refers to the ability of machines to take data as input, and teach themselves how to make decisions based on these data through defined procedures or processes referred to as algorithms. These algorithms are often categorized as being supervised (learning based on a definite or known goal or output), or unsupervised (no output is defined). ML is based on pattern recognition and has been employed in many fields including fraud detection, translation, information retrieval, facial recognition, classification of DNA sequences, handwriting recognition, and many others. In medicine, ML has been applied for various purposes including image annotation, registration, computer-aided diagnosis (CAD), and guided therapy. In recent times, new algorithms like deep learning are beginning to gain popularity in disease diagnosis by medical imaging and developments have been reported in several studies [6–8].

4.1. Artificial Neural Networks

ANNs are artificial models of human brain decision-making power [9]. The general scheme is composed of three main parts: the input layer and the output layer, with one or many hidden layers between them. The number of neurons in a layer being a function of system complexity. The input layer provides information on the conditions for which the network is being trained and each neuron represents an independent variable related to the expected output. The number of neurons in the output layer is a function of the intended use of the output. Data fed to the neurons in the input layer

is transferred to the hidden layer where they undergo some complex mathematical computation and then transferred to neurons in the next layer, and the next, until the result is finally transferred to the output layer. Several complex mathematical computations go into determining the optimum network architecture for a system.

In ANNs, learning is based on the training algorithm, a computational rule that forms the basis on which the network learns to approximate the transfer function, f , between an input and a corresponding output vector. The network 'learns' from 'examples' provided by a combination of inputs and outputs in a training database, that is, the information or features that indicates what the network learns; for example, symptoms/results of laboratory analysis and the diagnostic decisions (outputs) in medical diagnosis. Between these layers are the hidden layers responsible for the complex processing of the input data, the basis on which the ANN architecture is regarded as a black box [10]. With linear problems, one hidden layer is sufficient to address the required processing; but, with complex problems, more layers will be required [9] and the number of neurons in each layer must be estimated to achieve optimum network architecture. This 'best fit' value is determined by several methods; one method uses estimates of a regression plot of the training stopping/error function (MSE) and the number of nodes in the hidden layer, the optimal value being the lowest error (MSE) value achieved as shown in the 'MSE vs hidden layers' plot for training (a) and testing (b) in Figure 1 [11].




Figure 1: Mean Error of Training (a) and Testing (b).

4.2. Deep Neural Networks

Deep Neural Networks (DNN) are based on deep learning, which has gained popularity in general data analysis and was listed among the top technology breakthroughs of 2013 [12]. Neural networks have great applicability in the handling of noisy datasets or those with missing variables. One disadvantage however lies in their longer training times requirement. Deep architectures are generally based on neural networks with multiple layers of stacked neurons that allows the back-propagation of a signal. Convolutional Neural Networks (CNN) have been exceptionally prevalent and have gained more popularity than others. Two of the commonest deep learning architectures [1] include systems based on unsupervised training and those based on supervised training. Unsupervised systems use layer-by-layer pre-training of DNNs, with supervised finetuning of the network; Deep Belief Networks (DBNs), Stacked Auto-Encoders (SAEs) and Restricted Boltzmann Machines (RBMs) which are essentially SAEs in nature are examples. Supervised systems are based on supervised end-to-end training of an entire DNN. Examples are Recurrent Neural Networks (RNNs) and Convolutional Neural Networks (CNNs); CNNs being, in recent times, the most well-

known architecture within image processing. AlexNet [13,14] is the most well-known, general classification CNN architecture.

CNNs are ANN models of human visual cortex [15]. They are among the commonest deep learning architectures, in the same group as RNNs and DBNs and are state-of-the-art within the field of computer vision. CNNs can learn both local and global structures in images, hence, their usefulness as demonstrated in real world applications and in big data tasks related to pattern recognition. CNNs have shown exceptional performance in difficult image classification problems, displaying capabilities that surpassed those of human experts in some domains [16]. They have proven useful in CAD and have been applied in feature extraction from diverse image datasets. It applies equal weights in the convolutional layers and thus require less memory and attains higher processing speed. CNNs do not depend on prior knowledge because they learn the features which are then applied for object classification. They are also less dependent on hand-engineered features. CNNs consists of four layers including the sub-sampling layer (max-pooling), Rectified Linear Unit Layer (ReLU), spatial convolutional layer, and a fully-connected layer. Considering the challenge of manual image interpretation, human limitations and large inter-grader variability, medical diagnosis can benefit immensely from CAD approaches like CNN.

4.3. Computer-Aided Diagnosis

CAD underscores the benefits of technology-aided disease detection in delivering accuracy that compares with or surpasses those by human professionals. While the target of CAD may not be to replace human doctors, its capabilities can extend those of humans by assisting them to make more accurate diagnostic decisions in addition to addressing expert scarcity in various world regions or medical fields. Several algorithms already exist within CAD; popular ones include Support Vector Machines (SVMs), Fuzzy Logic (FL), Decision Trees (DT), k-Nearest Neighbors (k-NN), Neural Networks (NN) and more recently, the deep learning algorithms. SVMs are clustering, supervised learning algorithms. FL operates within the domain of ‘computer understanding of natural language’ is based on ‘degrees of truth’ rather than the true-false or zero-one (0, 1) binary/Boolean logic of modern computing, thereby, being a closer representation of human cognitive abilities. DTs are non-linear classifiers; they employ flow-chart or tree-like model of decisions and their possible outcomes, they attempt to capture important factors including unexpected consequences. In k-NN, classification is based on closest training cases; estimations of the probability of an event is based on information regarding such occurrence in a similar case based on the training data.

5. Methodology

We employed a systematic approach in our study based on its ability to support reproducibility and focus on a specific area for in-depth review rather than just the general overview approach in unsystematic reviews. Systematic reviews focus on a definite approach to selection, review and evaluation of studies for answering specific research questions. Considering the vast amount of work that have been done in the development of CAD algorithms, it is impractical to conduct a review that captures every study there is. In addition, other studies have considered general reviews; for example, see [1] provided a comprehensive review of studies that employed deep learning in medical image analysis, identifying studies per application area within image classification, object detection, segmentation, registration, and other related tasks. For our study, we considered a tighter selection of articles that reflects the focus of our study, which includes: i) most recent studies, ii) employed DNN, and iii) focused on CAD development. We applied the search strings ‘diagnosis medical algorithm’, ‘deep neural network diagnosis medical algorithm’, ‘diagnosis algorithm’, ‘diagnosis algorithm medical’, ‘diagnosis medical algorithm deep neural network’ and ‘deep neural network algorithm diagnosis medical’ for identifying relevant articles in selected databases. Final samples for our study were selected based on three inclusion/exclusion criteria including being published within 2015-2017 (based on popularization of deep learning in 2015), study reports on deep learning approaches for CAD algorithm development and reports information on procedure, training and methodology, with findings clearly laid out.

Noting that research articles are deposited in several repositories, some of which are not well-known, and the impracticality of reviewing every possible study that falls within the group in focus, we sampled articles from top medical journals/conferences related to neural network and medicine with purposeful selection of few articles that meet the first and second criteria. Based on these criteria, we sampled from top 10 databases as provided by OMICS International (2017) in April-May, 2017 (Note: OMICS' lists are updated regularly). The full list of articles reviewed is provided in Appendix A (Table A1). Over 600 articles were returned from our initial search; however, only 67 met our basic criteria on abstract screening. Further screening and full content filtering based on the inclusion criteria and objectives yielded a total of 29 papers which were reviewed and the findings reported in this paper.

For this study, we focused on identifying among other things: (i) the field of medicine covered, including the type of patient (gender, age-group, etc.) where applicable, while noting that a study can hardly be focused on a single field (e.g. a study on breast cancer, with ultrasound data combines oncology, mammography, and radiology). (ii) Data information; including the type and size of data employed and for which part of the work (feature extraction, training, etc.) where possible, as well as the source (simulated, real clinical data, medical/non-medical data). (iii) Methodology employed, including the procedure for CAD development; we aim to identify what architecture(s) is/are used in the different stages of the work. (iv) Key issues noted in the results of the study; including accuracy/precision reported, and limitations of the techniques used. (v) Suggestions for future work noted; for integration with our findings to draw conclusions that can inform future developments, system upgrade, and research studies.

6. Results and Discussion

In this section, we address each of the six objectives identified regarding the study. Each sub-section addresses an objective while sub-sub-sections address separate concepts captured in the sub-section.

6.1. Distribution of Studies, the fields of medicine focused and those that have received less focus

In this sub-section, we address the first objective, hence, we focus on the distribution of studies to capture the year of publication, the medical field or disease focused, the type and source(s) of data employed in the CAD developments and the methodologies engaged in the studies, with a focus on the deep learning architecture and their significance.

6.1.1. Distribution of studies by year

Based on the year of publication, studies were distributed across the years 2014-2017 (2014 studies are among the few purposely selected ones) with most studies (40%) in 2016 as shown in Figure 2. This distribution reflects the recent focus within this area and the popularization of deep learning techniques from 2015 seeing many articles published in 2016. There is however, indication that several studies may become available before the end of 2017.




Figure 2: Distribution of Studies by Year

6.1.2. Distribution of studies by Medical Field

In terms of disease or field of medicine focused, we identified studies summarized into 9, including 8 specified medical fields and others (including unspecified diseases and general applications) as shown in Figure 3. The studies were focused within 3 main areas including cardiology [4], internal medicine [9], and oncology [7]. Cancer-related diseases (skin, breast, etc.) and fields captured within internal medicine have the highest number of studies, with the latter covering mostly interstitial lung disease and lymph node diseases.




Figure 3: Distribution of Studies by Disease or Medical Field Focused

While it is almost impossible to capture every disease specialty within medicine due to diverse classification approaches across global regions, we considered classifications that capture patient’s age and gender as central issues in medicine and thus, worthy of attention. We therefore examined studies for focus on paediatrics, internal medicine, and geriatrics as sub-specialities within age-based classifications, and obstetrics, gynaecology and mid-wifery for gender-based classifications. Based on

this, we noted that most of the studies reported fall within internal medicine, that is, diseases of younger adults as opposed to those of older adults, whose ailments, are usually complicated by sarcopenia and frailty [17] as shown in Figure 3. Development that focuses on populations of younger persons (pediatrics) was only one and none for older adults (geriatrics), in the reviewed studies, highlighting a huge gap within two major global populations. Further details on fields captured within internal medicine is shown in Figure 4.




Figure 4: Distribution of Studies within Internal Medicine

There is obviously no specialized field of medicine that focuses on men’s diseases; whereas obstetrics and gynaecology are devoted to the diseases of women, indicating their importance to global medical practice. In our review, apart from cancer-related fields like mammography, diseases of women have not been the focus of CAD algorithm developments. In addition, apart from heart- and lung-related diseases, diseases of other internal organs, including male and female reproductive organs, the digestive system, circulatory system, and bones and joints have not received extensive focus in terms of algorithm developments.

6.1.3. Types and Sources of data employed in the CAD developments

One of the most striking things noted in the review is that only image datasets (MRIs, x-rays, CT-scans, HRCT images, and ultrasound) were employed in the studies; highlighting the current focus of deep learning applications within medical imaging. This necessitated the use of imaging techniques in the studies. We also noted that three types of data sources were employed in the projects as shown in Figure 5. Data from human subjects [18] were small while public medical datasets [19–22] were relatively larger in size. Some of the studies [23–25] also engaged non-medical image datasets for algorithm training. This appears to be a recent approach to system training that attempts to by-pass the limitation caused by non-availability or inaccessibility of medical data, especially by researcher-developers who in many cases are not health professionals. However, fine details on how this works were not provided in the studies, though it was suggested that this might be a novel attempt that could yield great benefits, but it requires further validation.

6.1.4. Deep learning architectures or methodologies engaged in the studies and their significance

We noted the use of CNN techniques [19] either alone or in combination with other approaches like least squares-SVM [26], ELM [27], random forests [28], adaboost [29], etc. This is not very surprising, since data are mostly image datasets. Distribution of studies by deep learning technique is shown in Figure 6. In some of the studies, the same datasets were divided into training and testing

260 datasets, while in some, one dataset is used for training and another for testing. This is the case in
261 studies that employed non-medical image datasets [24,30–32]. In such cases, methodologies are





Figure 5. Distribution of Study by Source of Dataset.

262 mostly domain-transfer CNN.

263 Figure 6: Distribution of Studies by Deep Learning Architecture Employed



264 6.2. Main findings noted in the studies reported and the significance for future works

265 We were interested in a general overview of the quality of results in terms of the data size, type
266 or quality, hence, we mapped deep learning techniques employed with the dataset used and the
267 quality of result. We also identified the quality indicator employed for reporting in each study.
268 Though it is difficult to make a conclusion on the comparative effectiveness of different methods (or

a combination of methods) due to different reporting indices, we made the following general observations which might help in future studies.

6.2.1. Methodology

A total of 12 different techniques were identifiable in the studies, with nine [9] being CNN or in combination with CNN. They include CNNs, Deep CNN, Customized CNN; domain-transfer CNN (DT-CNN), CNN + Support Vector Machines (SVM); DT-CNN + Sparse Spatial Pyramid; CNN + GIST (Generalized Search Tree), CNN + Adaboost + SVM + Random Forests (RFs); Extreme Learning Machines (ELM); SVM + RF; Least-squares SVM; CNN + Pattern Histogram; Lib linear SVM Classifier; Siamese DNN; and Deep Belief Network (DBN). In most of the studies, CNN, was employed either as the only approach, or in combination with other techniques.

6.2.2. Quality Indicators

Quality indicators noted in the articles reviewed were diverse: accuracy, mean class accuracy, performance accuracy, margin accuracy, average time for network computation, average absolute error [33], sensitivity and specificity [34], error rate, Jaccard index [32], error score [19], Area Under Curve, precision, percent performance [35], and F1 score [36] among others. It appears there are no fixed standard or agreed upon indices for reporting these types of studies. It may help for all work to report quality achieved based on some fixed standard to aid comparison across approaches. This might offer a lot of leverage for future works in deciding on methods. Quality metrics employed in the reviewed studies are described below [37,38].

- Diagnostic Accuracy describes how close a measure is to the true /standard value and it can be described using other indicators like sensitivity, AUC, specificity, etc.
- Sensitivity and specificity refers to how well a system or test accurately classifies a healthy/disease condition. It is measured based on how many disease conditions are classified as healthy (False Positives) and how many healthy conditions are classified as disease (False Negatives). It can also be reported as correct classification of healthy conditions as healthy (True Positives) and diseased as diseased (True Negatives).
- Area Under Curve (AUC) is the area under the ROC curve which is a plot of specificity (x-axis) against sensitivity (y-axis). The AUC can take values up to 1.0 (best). Values <0.5 are not acceptable. The closer the AUC is to 1.0, the better the specificity and sensitivity.
- Precision is a class agreement between the positive labels and the data labels provided by the classifier to give estimation of the predicted value of the class label based on the desired class calculated.
- F1 Score describes a relationship between the test data positive labels and those provided by the classifier. It provides a measure of the accuracy of the test considering the recall (r) "sensitivity" and the precision (p) values to calculate the score.
- Jaccard Index is a statistical measure to compare the sample set similarity and diversity; it is used to identify the similarity between procedures' pairs.
- Error Score/Rate is the average of the classification error per-class; it refers to as the False Acceptance Rate or the False Rejection Rate.
- Performance evaluates the performance of the system or the classification task based on the overall matrix measurements results by testing the classes which are recognized correctly.

6.2.3. Effect of Different Metrics Employed

The type of image, (2D/3D) appears to influence quality achieved; for example, we noted that 70,000 3D images achieved a higher accuracy (99.9%) than 215,000 2D images [25]. We also noted that authors reported generally higher quality metrics for hybrid approaches than single ones. Ahn et al. [19] employed a combination of DT-CNN and Sparse Spatial Pyramid and reported an error score

that ranked second among 13 techniques. Bar et al. [24] also achieved AUC up 0.94 with their CNN-GIST combination. Similarly, Saraf and Tofighi [18] achieved an accuracy of up to 96.85% by combining SVM and CNN. Single method approaches (CNN and DBN) like Miki et al. [39], Sharma et al. [30] and Alcantara [31], reported comparatively lower metrics.

6.2.4. Classification Approaches

Many of the algorithms focused on binary classification which appears to support higher accuracy and precision than multi-stage classification. For example, 89.60% vs 62.07% for binary vs multi-class approach was reported by Alcantara et al [31]. However, real-life medical diagnosis is not a mere identification of the presence or absence (binary classification) of a disease, but, a multi-stage classification that can identify levels of severity to support proper treatment. Hence, multi-class approaches are more accurate simulations of real-life medical diagnosis, suggesting the need for future studies to focus on improving the accuracy of these types of classifications.

6.2.5. Effect of Data Manipulation

Data cleaning (e.g. de-noising) is a standard practice in pre-processing of data prior to data-mining procedures. It assumes ‘dirtiness’ of raw data and its inability to provide useful or accurate information. The findings of Acharya, Fujita, and Shu Lih, et al. [34] appear to negate this; they reported an average accuracy of 93.53% with noise removal and 95.22% without noise removal. Miki, Muramatsu and Hayashi et al. [39] on their part noted an increased accuracy of 5% with data augmentation. These observations suggest the need for more studies to highlight issues within data manipulation.

6.2.6. Significance of Data Type/Source

Real patient data, image data from public databases and non-medical or natural image data were the 3 types of data noted. The use of non-medical/natural image datasets was noted by the users as a novel approach that can address the challenge of data scarcity while at the same time yielding useful results in terms of classification accuracy [24]. However, we noted that the use of real patient datasets yielded good results despite the small sizes employed [18,29,40,41]. The implication is that better results are possible with larger data sizes compared with the use of public medical datasets or natural image datasets.

6.2.7. Training Mode

We consider it worthy of note that every article reviewed employed supervised learning techniques for training the algorithms. At a time when the greater benefits of unsupervised learning is being highlighted, it is noteworthy that none of the studies employed unsupervised learning. Vaidhya’s presentation [42] highlights the advantages of unsupervised learning in medical imaging especially when compared with the need and cost of ‘strong, pixel-level annotations’ for several images that may run into millions required for very accurate image-based classifications. He described the application of ‘Stacked De-noising Auto-Encoders’ (SDAEs) for brain tumor segmentation from MRI which achieved results comparable to that based on 100% supervised CNNs. Though we did not find studies that reported results based on separate supervised and/or semi-supervised and/or unsupervised deep learning in the same project and on the same datasets, we believe that such studies might shed the much-needed light on the comparative effectiveness of these techniques.

6.2.8. Suggestions regarding limitations of the studies and future work

Several limitations including the use of retrospective and non-clinical data in about 70% of the studies, trial with only one type of data, one disease, and testing by developers in simulated settings in most cases, are some of the limitations reported in the studies. The necessity of assessing the usefulness of the algorithms for applications in point-of-care solutions was suggested by Luong et al

(2016) while trial with other techniques, data and diseases are recommended in studies employing novel approaches (Miki et al., 2017b; Wang et al., 2015). The need to establish generalizability of findings across different diseases was also noted, though, [21] and [43] reported the greater effectiveness of dedicated systems over multi-purpose ones. [31] noted deployment on mobiles as a means that might represent the ultimate usefulness of these systems for supporting self-diagnosis and timely access, especially, in poor populations. Other suggestions include the use of DT-CNNs with lower layers pre-trained on generic data and deeper (semantic) layers fine-tuned for specific image types and further tuning of algorithm trained with non-medical data with real data. [22] also suggested the use of ensemble teacher for labeling unlabelled samples to augment training set of student model to address the problem of limited annotated data. Overall, the need for larger datasets with more real patients, better features and more robust classifiers, and datasets and results made available to serve as public assets and reference point for future studies [29] cannot be over-emphasized.

6.3. Conclusions regarding the general trend within DNN-based development of CAD algorithms, and directions for future work

The review highlighted important issues that require focus in future works including the scarcity of studies within some fields of medicine, like obstetrics, gynaecology, paediatrics geriatrics, psychiatry, and musculoskeletal disorders. Images datasets employed in all the studies, informed the focus on CNN approaches with supervised learning. Future studies should examine the efficacy of non-image data, for the development of useful applications within fields like mental health where clinical diagnosis remains an almost uncertain procedure complicated by comorbidity. Quality indicators reported are diverse, making comparison across studies difficult; we suggest that some generally applicable index, should always be reported. More focus should be placed on multi-class approaches while efforts are made to improve quality of results. More studies to confirm the effect of data manipulation on quality of output are required in addition to availability of large, real clinical data and direct collaboration between medical experts, hospitals, relevant researchers and machine learning experts to achieve better results. Finally, regarding our submission on the significance of reviews to clarify claims that may not be completely true, we noted that Suzuki et al. [32], in their report claimed that their ‘study is the first demonstration of DCNNs for detecting the masses in mammographic images’; however, we found a similar work by [44], in which they also employed deep CNN and which was reported in a MICCAI conference paper in October, 2015.

6.4. Next Steps

In our follow-up work, we will be addressing some of the findings reported in this paper. Due to the complications of working within paediatrics field and the certification requirements of medical data handling, we will be focusing on a CAD development project for a common geriatric ailment, osteoarthritis (OA), associated with ageing. We will be considering focus on multi-class classification and a comparison of various deep learning approaches using the same data in addition to the possibilities of comparison across supervised and unsupervised learning approaches.

Conflicts of Interest: The authors declare no conflict of interest.

Appendix A

408

409

Table A1. Information on Deep Learning Architecture and Dataset, Summary of Result and Quality Indicator for Studies Reviewed

Year	Author & Title	Method & Dataset	Result Reported with Precision Metric
2016	Gulshan, et al., 2016. Development and Validation of a Deep Learning Algorithm for Detection of Diabetic Retinopathy in Retinal Fundus Photographs.	DCNN ; Training: 128,175 retinal images, graded 3 to 7 times for retinopathy, macular edema, & image gradability by 54 US licensed and senior resident ophthalmologists. Validation: 2 data sets, graded by at least 7 US board-certified ophthalmologists	Evaluation of algorithm with adult sufferers shows high sensitivity and specificity
2016	Luong, C., et al., 2016. Automatic Quality Assessment of Echo Apical 4 - chamber Images Using Computer.	DCNN ; Randomly fetched end-systolic apical 4-chamber images 6, 916 images (manually graded by 1 observer for image quality; score 0=bad to 5=good). Training: 80% data; Testing: 20%.	Absolute error of model compared with manual scoring was 0.68±0.58; 91% of images obtain a score diff <1. Intra-obs variability show high agreement; within subject SD=0.65 (κ = 0.80). Average time for network computation of image quality score =10ms.
2017	Wang, Xiaosong, et al. "Unsupervised Joint Mining of Deep Features and Image Labels for Large-scale Radiology Image Categorization and Scene Recognition."	Deep CNN ; 215,786, 2D key-images and the associated radiology reports of 61,845 unique patients.	Significantly better image categorization with model; clustering accuracy =75.3%, compared to the state-of-the-art supervised classification accuracy of 81.0% (when both are based on the VGG-VD model and categorized on the MIT indoor scene dataset)
2017	Wang, et al., 2017. Unsupervised Joint Mining of Deep Features and Image Labels for Large-scale Radiology Image Categorization and Scene Recognition.	CNN ; 70,000 audio segments from 26 patients; 5 methods tested: i) original spectrum ii)RASTA-PLP power spectrum, iii)RASTA-PLP cepstrum, iv)12th order PLP power spectrum without RASTA and v)12th order PLP cepstrum without RASTA.	RASTA-PLP spectrum is the best method to encode audio signals; average accuracy =0.9965 in 200 iterations on test batches and a F1-score = 0.9768 on samples re-sampled from the test set
2016	Ribeiro, et al., 2016. Colonic polyp classification with convolutional neural networks.	DNN ; 100 images (256×256) from 62 patients with high-definition (HD) endoscope with i-scan. Images from HD video frame regions form database (2classes of 25 healthy images from 18 patients and 75 abnormal images from 56 patients)	Superior performance compared to state-of-the-art feature extraction techniques
2017	Wang, et al., 2017. A multi-resolution approach for spinal metastasis detection using deep Siamese neural networks.	Siamese Deep Neural Networks ; Detection performance based on 26 cases. Sagittal MRI images of the spines from 14 males and 12 females, (58 ± 14 years; mean ± SD)	Method correctly detected 100% spinal metastatic lesions; produced only 0.40 False Positives (FPs) /case. At a True Positive (TP) rate of 90%, aggregation reduces FPs from 0.375 FPs/case to 0.207 FPs/case (44.8% reduction)
2017	Pang, et al., 2017. A novel end-to-end classifier using domain transferred deep convolutional neural networks for biomedical images.	DT-CNN ; Image data from many public databases: NEMA-CT database, TCIA-CT database and OASIS-MRI database	Technique overrides limitations of traditional approaches including: the need for manual design of feature space; effective feature vector classifier or segment specific detection object and image patches, large training datasets, computing resources and waiting time for training a perfect deep model
2017	Rajendra et al., 2017. Application of Deep Convolutional Neural	DCNN ; Two sets of ECG beat with 651 samples each (250 samples before	Average accuracy of 93.53% (with noise removal) & 95.22% (without noise removal. (2) Accuracy ,

	Network for Automated Detection of Myocardial Infarction Using ECG Signals.	R-peaks detection and 400 samples after R-peaks detection)	sensitivity & specificity of 93.53%, 93.71%, & 92.83% respectively for ECG beats with noise
2017	Miki, Yuma, et al. 2017. "Classification of teeth in cone-beam CT using deep convolutional neural network."	DCNN ; 52 CT volumes randomly divided into 42 training and 10 test cases, ROIs obtained from training cases used for training the CNN. To examine sampling effect, 3 cycles of sampling was done with training and testing repeated	AlexNet network architecture provided in the Caffe framework used for study. Average classification accuracy =88.8%; with data augmentation, classification accuracy increased by 5%.
2017	Sharma, et al. "Deep convolutional neural networks for automatic classification of gastric carcinoma using whole slide images in digital histopathology."	DCNN ; Cancer detection: 21,000 images from each slide (AlexNet), resulting in 231,000 images. Necrosis detection: 47,130 images	Classification accuracy = 0.6990 (cancer classification); =0.8144 for necrosis detection
2014	Li, et al. "Identifying informative risk factors and predicting bone disease progression via deep belief networks."	Deep Belief Networks (DBNs) ; Variety of well-trained DBN models applied; they inherit the ability to pinpoint underlying causes of disease to assess risk of a patient developing a target disease; discriminating between patients with & without the disease for the purpose of selecting risk factors of the disease.	Proposed method can be efficiently used to select the informative RFs and can successfully predict the progression of osteoporosis.
2017	Alcantara, et al., 2017. Improving Tuberculosis Diagnostics Using Deep Learning and Mobile Health Technologies among Resource-Poor Communities in Peru. Smart Heal.	DCNN ; 4701 images (453 normal-patients without TB & 4248 abnormal (patients with diff types of TB). Training data from ImageNet. Expt 1: binary categorization of X-ray into normal/abnormal by GoogleNet model room caffe. 4701 images from dataset for finetuning & testing.	89.6% accuracy for binary classification (normal/abnormal) and 62.07% of accuracy for multi-class classification
2016	Ahn, et al., 2016. "X-ray image classification using domain transferred convolutional neural networks and local sparse spatial pyramid."	DT-CNN+Sparse Spatial Pyramid Training:12677 images; Testing: 1733 images; Public dataset from (IRMA) database	Error score ranked 2 nd out of 13 methods
2015	Bar, et al., 2015. "Chest pathology detection using deep learning with non-medical training."	CNN AND GIST ; Training: non-medical dataset; Testing: 433 (443) frontal chest x-ray images	AUC 0.87-0.94 for pathologies; 1st demo DL with ImageNet (non-medical image database)
2015	Carneiro, et al. 2015 "Automatic detection of necrosis, normoxia and hypoxia in tumors from multimodal cytological images."	Adaboost, SVM, RF, CNN ; 16 images; Training=8, Validation=4 Testing=4; allowing a 4-fold cross validation testing of methodology	87% precision ; best result (validation) with Adaboost
2015	Chen, et al. "Standard plane localization in fetal ultrasound via domain transferred deep neural networks."	DT-CNN ; Training: ImageNet (non-medical) data; 11942 expert-annotated fetal images from 300 videos; TESTING: 219 videos with 8718 images on 219 pregnant women	DT-CNN outperformed R-CNN; AUC (DT-CNN) =0.93, R-CNN=0.9, RVD=0.8,

2017	Christodoulidis, Stergios, et al. "Multisource Transfer Learning With Convolutional Neural Networks for Lung Pattern Analysis."	DT-CNN ; Training: 40, 872 images; Testing: 109 HRCT scans of ILDs; Manual annotations of 17 lung patterns with clinical parameters from ILD patients; 26 HRCT scans of ILDs	Performance increase above previous system=2%; Multitask learning =0.8631, Compressed 8-layer CNN 0.8751, Ensemble of CNNs =0.8817
2015	Chyzhyk, Darya, Alexandre Savio, and Manuel Graña. "Computer aided diagnosis of schizophrenia on resting state fMRI data by ensembles of ELM."	ELM for CAD ; SVM+RF for feature extraction; 72 patient images and 75 healthy controls (ages: 18-65) from COBRE's raw anatomical & fMRI data	Classification cross-validation results achieved near 90% accuracy
2015	van Ginneken, et al., 2015. "Off-the-shelf convolutional neural network features for pulmonary nodule detection in computed tomography scans."	DT-CNN ; 865 scans (public LIDC dataset); 865 CT scans with 1,147 pulmonary nodules, & 3,271 excluded doubtful lesions; 4096 features from 2D sagittal, coronal & axial patches for each nodule candidate classified linear SVM	CAD: Max sensitivity =78%; CAD + OverFeat: Av. sensitivity=71%; Off-the-shelf CNN performance less than for dedicated systems; combined approach perform better than either approach alone
2016	Bhattacharyya, et al. "A novel approach for automated detection of focal EEG signals using empirical wavelet transform."	Least-squares-SVM classifier 50 pairs of focal and non-focal EEG signals	Max. sensitivity =88%; Accuracy =90%, specificity =92% compared with previous system (750 pairs of signals): Max. Accuracy =2.53%, sensitivity =81.60% & specificity =83.46%
2016	Li, et al. "HEp-2 specimen classification via deep CNNs and pattern histogram."	CNNs + pattern histogram 2 public datasets: ICPR 2014 Task-2 (252 specimens of 1388×1040 pixels each in greyscale, categorised into seven patterns) and ICPR 2012 (28 specimens of immunofluorescence images categorised into five patterns)	a) Leave-1-specimen-out: Mean class accuracy, MCA = 93.87% (1 st 6 classes); =80.46% (all classes) b) Linear-SVM for training & testing; MCA =85.62%; Accuracy (MS) =53.33%. Compared with state-of-the-art (93.87% vs 96.03% for a). 53.33% vs 53.33% for b)
2014	Li, et al. "Medical image classification with convolutional neural network."	Customized CNN ; 16,220 image patches from 92 HRCT image sets from 113 HRCT images, with 2062 2D annotated ROIs, TRAINING: 10 groups; TESTING: 1 of the 10 groups for testing with 9 for training data. 10 testing sessions	Customized CNN: best classification performance; Comparison with 3 approaches: (i) SIFT feature +SVM; (ii) rotation-invariant LBP feature with three resolutions + SVM; and (iii) unsupervised feature learning with RBM +SVM.
2016	Shin, et al. "Deep convolutional neural networks for computer-aided detection: CNN architectures, dataset characteristics and transfer learning."	CNN architectures ; 388 mediastinal LNs (public dataset) labelled by radiologists in 90 patient CT scans; 595 abdominal LNs in 86 patient CT scans; 905 image slices from 120 patients, with 6 lung tissue type annotations; randomly-sampled 2.5D views in CT for LN detection; 2D CT slices for ILD detection	First 5-fold cross-validation classification results on predicting axial CT slices with ILD categories
2016	Meng, et al. "A deep tongue image features analysis model for medical application."	Unsupervised feature learning for training a weighted LIB LINEAR SVM classifier 315 raw tongue image samples (48 normal, 267 abnormal) diagnosed by clinicians Training: Unbiased convolutional kernels with randomly selected 40 normal and 44 abnormal samples	More accurate model of classification but lower precision compared with single features; Performance accuracy (LL-SVM) =91.14% (5.6% above best models); precision : 8-20%; Sensitivity =4.8% (below best performances), specificity =15% (superior to other methods)
2016	Moradi, et al. "A hybrid learning approach for	Pre-trained CNN + SVM ; Cardiac CT from 75 patients (with hundreds of	Conv1: margin0 accuracy =72.3%; margin1 accuracy =96.2%; Combined

	semantic labeling of cardiac CT slices and recognition of body position."	2D axial slices, slice spacing ranging 0.8-2mm). Experienced radiologist (PP) labeled 1 slice for each patient as the best representative of each level, when that level was available in the series. Total 595 labeled 2D images generated.	feature: margin1 accuracy=98.8%, and margin0 accuracy =91.7%; hybrid approach shows higher accuracy
2017	Lopez, et al. "Skin lesion classification from dermoscopic images using deep learning techniques."	CNN + pattern histogram; Benign/malignant images pre-partitioned into sets of 900 training images and 379 test images; Dermofit Image dataset of 1,300 high quality skin lesion images collected across 10 different classes. Dermnet skin disease atlas with website support that contains over 23,000 skin images separated into 23 classes Existing CNN architecture used to: (i) train CNN from scratch; (ii) DT-CNN for features extraction (iii) Fine-tuning of CNNs	i. Training vs testing; Loss/Accuracy/ Sensitivity/Precision i) Training from scratch: 0.5637/71.87%/0.7087/0.6990 vs 0.6743/66.00%/0.5799/0.6777 ii) ConvNet as feature extractor: 0.120/95.95%/0.9621/ 0.9560 vs 1.0306/68.67%/ 0.3311/0.4958 iii) Fine-tuning the ConvNet: 0.4891/76.88%/0.6903/ 0.8259 vs 0.4337/81.33%/ 0.7866/ 0.7974 Summary: 78.66% sensitivity & 79.74% precision are significantly higher than the current state of the art on this dataset (50.7% and 63.7%, respectively) Best testing accuracy obtained with 52 most challenging images in the dataset rather than all images. Jaccard index (similarity coefficient score) compared for similarity & diversity in data samples; useful for calculating accuracy by measuring similarity between segmented image (obtained through algorithm) & the ground truth image
2016	Sabouri and Hamid, 2016. "Lesion border detection using deep learning."	3-layer CNN; Training dataset: 480 lesion & 1200 background images; divided into 50×50 patches & labelled as lesion or background	Training and testing; Accuracies of CNN on the 5 runs: Run1=96.858; Run2=96.857 Run3=96.854 Run4=96.863 Run5=96.8588; Overall Mean or Summary Accuracy of testing data: up to 96.85%
2016	Sarraf, and Ghassem. 2016. "Deep learning-based pipeline to recognize Alzheimer's disease using fMRI data."	3-layer CNN; 28 Alzheimer sufferers, 15 normal subjects (24 female and 19 male); mean age 74.9 5.7 years selected from the ADNI dbase, data divided into: training (60%), validation (20%), & testing (20%); epochs set to 30, batch size 64, total 126,990 iterations. LeNet trained by 270,900 samples and validated & tested by 90,300 images in 5-fold cross-validations on NVIDIA GPU Cloud Computing	
2016	Suzuki, et al. 2016. "Mass detection using deep convolutional neural network for mammographic computer-aided diagnosis."	CNN + SVM; Initial Training: 1.2 million non-medical images, (ImageNet) to classify 1,000 classes; subsequent training: 1,656 regions of interest (ROI) in mammographic image; Testing: 198 mammographic images including 99 mass images and 99 normal images.	Sensitivity of the mass detection was 89.9% and the false positive was 19.2%.

References

1. Litjens G, Kooi T, Bejnordi BE, Setio AAA, Ciompi F, Ghafoorian M, et al. A Survey on Deep Learning in Medical Image Analysis. *arXiv*. 2017;1702.05747(February):1–34.
2. Kantarjian H, Yu PP. Artificial Intelligence, Big Data, and Cancer. *JAMA Oncol*. 2015;1(5):573.
3. Wang Z, Qu Q, Yu G, Kang Y. Breast tumor detection in double views mammography based on extreme learning machine. *Neural Comput Appl*. 2016;27(1):227–40.
4. Lee J-G, Jun S, Cho Y-W, Lee H, Kim GB, Seo JB, et al. Deep Learning in Medical Imaging: General Overview. *Korean J Radiol*. 2017;18(4):570.
5. Vo A, Brooks B, Farr R, Raimer B. Benefits of Telemedicine in Remote Communities & Use of mobile and Wireless Platforms in Healthcare. University of Texas Medical Branch. Texas: University of Texas Medical Branch (UTMB Health); 2011.
6. Ding S, Zhang N, Zhang X, Wu F. Twin support vector machine: theory, algorithm and applications. *Neural Comput Appl*. 2016;(March):1–12.
7. Campbell JP, Ataer-Cansizoglu E, Bolon-Canedo V, Bozkurt A, Erdogmus D, Kalpathy-Cramer J, et al. Expert Diagnosis of Plus Disease in Retinopathy of Prematurity From Computer-Based Image Analysis. *JAMA Ophthalmol*. 2016;134(6):651.
8. Lu L, Shin H, Roth HR, Gao M, Lu L, Member S, et al. Deep Convolutional Neural Networks for Computer-Aided Detection: CNN Architectures , Dataset Characteristics and Transfer Learning Deep Convolutional Neural Networks for Computer-Aided Detection: CNN Architectures , Dataset Characteristics and Transfer. *IEEE Trans Med Imaging*. 2016;35(5):1285–98.
9. Karsoliya S. Approximating Number of Hidden layer neurons in Multiple Hidden Layer BPNN Architecture. *Int J Eng Trends Technol*. 2012;3(6):714–7.
10. Sussillo D, Barak O. Opening the black box: low-dimensional dynamics in high-dimensional recurrent neural networks. *Neural Comput*. 2013;25(3):626–49.
11. Alice M. Selecting the number of neurons in the hidden layer of a neural network. R-Bloggers. 2017.
12. Greenspan H, Ginneken B van, Summers RM. Guest Editorial Deep Learning in Medical Imaging: Overview and Future Promise of an Exciting New Technique. *IEEE Trans Med Imaging*. 2016;35(5):1153–9.
13. Yu W, Yang K, Bai Y, Xiao T, Yao H, Rui Y. Visualizing and Comparing AlexNet and VGG using Deconvolutional Layers. *Int Conf Mach Learn*. 2016;48.
14. Ballester P, Araujo RM. On the Performance of GoogLeNet and AlexNet Applied to Sketches. *Proc 30th Conf Artif Intell (AAAI 2016)*. 2016;1124–8.
15. Li Q, Cai W, Wang X, Zhou Y, Feng DD, Chen M. Medical Image Classification with Convolutional Neural Network. *13th Int Conf Control Autom Robot Vis*. 2014;2014(December):844–8.
16. Sermanet P, LeCun Y. Traffic sign recognition with multi-scale Convolutional Networks. 2011 *Int Jt Conf Neural Networks*. 2011;2809–13.
17. Finucane TE. How is geriatrics different from general internal medicine? *Geriatr Gerontol Int*. 2004;4(4).
18. Sarraf S, Tofighi G. Deep Learning-based Pipeline to Recognize Alzheimer ’ s Disease using fMRI Data. In: *Future Technologies Conference (FTC) 2016* 6-7 December, San Franscisco, United States. San Franscisco: IEEE; 2016. p. 816–20.
19. Ahn E, Kumar A, Kim J, Li C, Feng D, Fulham M. X-ray Image Classification Using Domain Transferred Convolutional Neural Networks and Local Sparse Spatial Pyramid. In: *IEEE 13th International Symposium on Biomedical Imaging (ISBI)*, 13-16 April 2016. Prague, Czech Republic: IEEE; 2016. p. 855–8.

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

20.

21.

22.

23.

24.

25.

26.

27.

28.

29.

30.

31.

32.

33.

34.

35.

Li H, Huang H, Zheng W, Xie X, Zhang J. HEp-2 Specimen Classification via Deep CNNs and Pattern Histogram. In: 2016 23rd *International Conference on Pattern Recognition (ICPR)* Cancún Center, Cancún, México, December 4-8, 2016. Cancún, México: IEEE; 2016. p. 2145–9.

Ginneken B van, Setio AAA, Jacobs C, Ciompi F. Off-the-Shelf Convolutional Neural Network Features for Pulmonary Nodule Detection in Computed Tomography Scans. *IEEE 12th International Symposium on Biomedical Imaging (ISBI)*, New York, NY, 2015, pp. 286-9. doi: 10.1109/ISBI.2015.7163869.

Christodoulidis S, Anthimopoulos M, Ebner L, Christe A, Mougiakakou S. Multisource Transfer Learning with Convolutional Neural Networks for Lung Pattern Analysis. *IEEE J Biomed Heal Informatics*. 2017;21(1):76–84.

Krizhevsky A, Sutskever I, Hinton GE. ImageNet Classification with Deep Convolutional Neural Networks. *Adv Neural Inf Process Syst*. 2012;1–9.

Bar Y, Diamant I, Wolf L, Greenspan H. Chest Pathology Detection using Deep Learning with Non-Medical Training. In: 2015 *IEEE 12th International Symposium on Biomedical Imaging (ISBI)*, 16-19 April 2015. Tel Aviv: IEEE; 2015. p. 1–8.

Wang X, Lu L, Shin H, Kim L, Bagheri M, Nogues I, et al. Unsupervised Joint Mining of Deep Features and Image Labels for Large-scale Radiology Image Categorization and Scene Recognition. In: 2017 *IEEE Winter Conference on Applications of Computer Vision*. IEEE Computer Society; 2017. p. 998–1007.

Bhattacharyya A, Sharma M, Pachori RB, Sircar P, Acharya UR. A novel approach for automated detection of focal EEG signals using empirical wavelet transform. *Neural Comput Appl*. 2016;1–11.

Chyzyhyk D, Savio A, Graña M. Computer aided diagnosis of schizophrenia on resting state fMRI data by ensembles of ELM. *Neural Networks*. 2015;68:23–33.

Narula S, Shameer K, Salem Omar AM, Dudley JT, Sengupta PP. Machine-Learning Algorithms to Automate Morphological and Functional Assessments in 2D Echocardiography. *J Am Coll Cardiol*. 2016;68(21):2287–95.

Carneiro G, Peng T, Bayer C. Automatic Detection of Necrosis , Normoxia and Hypoxia in Tumors from Multimodal Cytological Images. *Int Conf Image Process*. 2015;2:2–6.

Sharma H, Zerbeb N, Klempert I, Hellwich O, Hufnagl P. Deep convolutional neural networks for automatic classification of gastric carcinoma using whole slide images in digital histopathology. *Comput Med Imaging Graph*. 2017;In Press.

Alcantara MF, Cao Y, Liu C, Liu B, Brunette MJ, Zhang N, et al. Improving Tuberculosis Diagnostics Using Deep Learning and Mobile Health Technologies among Resource-Poor Communities in Peru. *Smart Heal*. 2017;(April).

Suzuki S, Zhang X, Homma N, Ichiji K, Sugita N, Kawasumi Y, et al. Mass Detection Using Deep Convolutional Neural Network for Mammographic Computer-Aided Diagnosis. In: *Proceedings of the SICE Annual Conference 2016* September 20-23, 2016. Tsukuba, Japan: SICE; 2016. p. 1382–6.

Luong C, Abdi A, Jue J, Gin K, Fleming S, Abolmaesumi P, et al. Automatic Quality Assessment of Echo Apical 4 - chamber Images Using Computer. *Circulation*. 2016;134(1):5–7.

Rajendra Acharya U, Fujita H, Shu Lih O, Hagiwara Y, Hong Tan J, Adam M. Application of Deep Convolutional Neural Network for Automated Detection of Myocardial Infarction Using ECG Signals Application of Deep Convolutional Neural Network for Auto- mated Detection of Myocardial Infarction Using ECG Signals. *Inf Sci (Ny)*. 2017;1–18.

Chen H, Ni D, Qin J, Li S, Yang X, Wang T, et al. Standard Plane Localization in Fetal Ultrasound via

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

Domain Transferred Deep Neural Networks. *IEEE J Biomed Heal Informatics*. 2015;19(5):1627–36.

36. Wang H, Liu J, You M, Li G. Audio Signals Encoding for Cough Classification Using Convolutional Neural Networks : A Comparative Study. 2015 *IEEE Int Conf Bioinforma Biomed*. 2015;442–5.

37. Simundić A-M. Types of variables and distributions. *Acta Med Croatica*. 2006;60 Suppl 1:17–35.

38. Pfeffer A, Ruttenberg B, Kellogg L, Howard M, Call C, O ’connor A, et al. Artificial Intelligence Based Malware Analysis. Preprint.

39. Miki Y, Muramatsu C, Hayashi T, Zhou X, Hara T, Katsumata A, et al. Classification of teeth in cone-beam CT using deep convolutional neural network. *Comput Biol Med*. 2017;80:24–9.

40. Meng D, Cao G, Duan Y, Zhu M, Tu L, Xu J, et al. A Deep Tongue Image Features Analysis Model for Medical Application. 2016 *IEEE Int Conf Bioinforma Biomed*. 2016;(978):1918–22.

41. Moradi M, Gur Y, Wang H, Prasanna P, Syeda-Mahmood T. A Hybrid Learning Approach for Semantic Labeling of Cardiac CT Slices and Recognition of Body Position. *IEEE 13th Int Symp Biomed Imaging (ISBI)*, 13-16 April 2016. 2016;1418–21.

42. Vaidhya K. *Unsupervised and Semi-Supervised Deep Learning for Medical Imaging*. Anthill Inside. Madras, India: Predible Health; 2017.

43. Li Q, Zhou R hua, Liu J, Lin J, Ma EL, Liang P, et al. Pre-training evaluation and feedback improved skills retention of basic life support in medical students. *Resuscitation*. 2013;84(9):1724–1278.

44. Dhungel N, Carneiro G, Bradley AP. Automated Mass Detection from Mammograms using Deep Learning and Random Forest. 2015 *Int Conf Digit Image Comput Tech Appl*. 2015;1–8.