

Smenamide A analogues. Synthesis and biological activity on multiple myeloma cells.

Alessia Caso ^{1,§}, Iaria Laurenzana ^{2,§}, Daniela Lamorte ², Stefania Trino ², Germana Esposito ¹, Vincenzo Piccialli ^{3,*}, and Valeria Costantino ^{1*}

¹ Department of Pharmacy, University of Naples Federico II, 80131 Napoli, Italy; alessia.caso@unina.it; germana.esposito@unina.it.

² Laboratory of Pre-Clinical and Translational Research, IRCCS – Referral Cancer Center of Basilicata, Rionero in Vulture (PZ), Italy; ilaria.laurenzana@crob.it.

³ Department of Chemical Sciences, University of Naples Federico II, via Cintia 4, 80126 Naples, Italy;

Supplementary Material




Figure S1. ^1H NMR spectrum of compound **16** (CDCl_3 , 400 MHz).




Figure S2. ¹³C NMR spectrum of compound 16 (CDCl₃, 100 MHz).




Figure S3. ^1H NMR spectrum of compound 8 (CDCl_3 , 400 MHz).




Figure S4. ^{13}C NMR spectrum of compound 8 (CDCl₃, 100 MHz).




Figure S5. ¹H NMR spectrum of compound 10 (CDCl₃, 400 MHz).




Figure S6. ^{13}C NMR spectrum of compound **10** (CDCl₃, 100 MHz).




Figure S7. ¹H NMR spectrum of compound **11** (CDCl₃, 400 MHz).




Figure S8. ^{13}C NMR spectrum of compound **11** (CDCl₃, 100 MHz).




Figure S9. ¹H NMR spectrum of compound **12** (CDCl₃, 400 MHz).




Figure S10. ¹³C NMR spectrum of compound **12** (CDCl₃, 100 MHz).




Figure S11. ^1H NMR spectrum of compound **22** (CDCl₃, 400 MHz).




Figure S12. ^{13}C NMR spectrum of compound **22** (CDCl₃, 100 MHz).




Figure S13. ¹H NMR spectrum of compound **14** (CDCl₃, 400 MHz).




Figure S14. ¹³C NMR spectrum of compound **14** (CDCl₃, 100 MHz).




Figure S15. ^1H NMR spectrum of compound **15** (CDCl₃, 400 MHz).




Figure S15. ¹³C NMR spectrum of compound **15** (CDCl₃, 100 MHz).