
## 3-(3,5-difluorophenyl)-1-phenyl-1*H*-pyrazole-4-carbaldehyde


## Naveen Kumar<sup>1,2</sup>, Swamy Sreenivasa<sup>2,\*</sup> Vasantha Kumar<sup>1</sup> and Nadigar Revansiddappa Mohan<sup>3</sup>

- <sup>1</sup> Department of Chemistry, Sri Dharmasthala Manjunatheshwara College (Autonomous), Ujire, Karnataka, INDIA
- <sup>2</sup> Department Studies and Research in Organic Chemistry, Tumkur University, Tumkur, Karnataka, INDIA
- <sup>2</sup> Department of Chemistry, Shridevi Post Graduate Centre, Sira Road, Tumkur-52106, Karnataka, INDIA


- SUPPLEMENTARY MATERIAL -




**Figure S1.** FT- IR spectra of 3-(3,5-difluorophenyl)-1-phenyl-1H-pyrazole-4-carbaldehyde (2)



**Figure S2.** Mass spectra of 3-(3,5-difluorophenyl)-1-phenyl-1H-pyrazole-4-carbaldehyde **(2)** in positive ionization mode (ESI).



**Figure S3.** <sup>1</sup>H NMR (400 MHz, DMSO) spectra of 3-(3,5-difluorophenyl)-1-phenyl-1H-pyrazole-4-carbaldehyde (2)



**Figure S4.** <sup>13</sup>C NMR (100 MHz, DMSO) spectra of 3-(3,5-difluorophenyl)-1-phenyl-1H-pyrazole-4-carbaldehyde (2)