Supplementary Materials

Angucycline Glycosides from an Intertidal Sediments Strain *Streptomyces* sp. and Their Cytotoxic Activity against Hepatoma Carcinoma Cells

Aihong Peng[1,2], Xinying Qu[1], Fangyuan Liu[1], Xia Li[1], Erwei Li[2,*] and Weidong Xie[1,*]

[1] Department of Pharmacy, College of Marine Science, Shandong University at Weihai, Weihai 264209, China; e-mails: 1357139326@qq.com (A.P.); 1156665986@qq.com (X.Q.); 461762904@qq.com (F.L.); xiali@sdu.edu.cn (X.L.)
[2] State Key Laboratory of Mycology, Institute of Microbiology, Chinese Academy of Sciences, Beijing 100101, China

* Correspondence: wdxie@sdu.edu.cn (W.X.); liew@im.ac.cn (E.L.); Tel.: +86-631-568-8303 (W.X.); +86-10-6480-6141 (E.L.)

Contents

Figure S1. HR-ESI-MS of saquayamycin B (**4**).



Figure S2. ^{1}H-NMR spectrum (500 MHz, acetone-d_6) of saquayamycin B (**4**).



Figure S3. ^{13}C-NMR spectrum (125 MHz, acetone-d_6) of saquayamycin B (**4**).



Figure S4. DEPT-135 spectrum (125 MHz, acetone-d_6) of saquayamycin B (**4**).



Figure S5. HMQC spectrum (500 MHz, acetone-d_6) of saquayamycin B (**4**).



Figure S6. HMBC spectrum (500 MHz, acetone-d_6) of saquayamycin B (**4**).



Figure S7. ^{1}H-^{1}H COSY spectrum (500 MHz, acetone-d_6) of saquayamycin B (**4**).



Figure S8. NOESY spectrum (500 MHz, acetone-d_6) of saquayamycin B (**4**).



Figure S9. HR-ESI-MS of **1**.



Figure S10. ^{1}H-NMR spectrum (500 MHz, DMSO-d_6) of **1**.



Figure S11. ^{13}C-NMR spectrum (125 MHz, DMSO-d_6) of **1**.



Figure S12. HMQC spectrum (500 MHz, DMSO-d_6) of **1**.



Figure S13. HMBC spectrum (500 MHz, DMSO-d_6) of **1**.



Figure S14. ^{1}H-^{1}H COSY spectrum (500 MHz, DMSO-d_6) of **1**.



Figure S15. NOESY spectrum (500 MHz, DMSO-d_6) of **1**.



Figure S16. HR-ESI-MS of **2**.



Figure S17. ^{1}H-NMR spectrum (500 MHz, DMSO-d_6) of **2**.



Figure S18. ^{13}C-NMR spectrum (125 MHz, DMSO-d_6) of **2**.



Figure S19. HMQC spectrum (500 MHz, DMSO-d_6) of **2**.



Figure S20. HMBC spectrum (500 MHz, DMSO-d_6) of **2**.



Figure S21. ^{1}H-^{1}H COSY spectrum (500 MHz, DMSO-d_6) of **2**.



Figure S22. NOESY spectrum (500 MHz, DMSO-d_6) of **2**.



Figure S23. HR-ESI-MS of **3**.



Figure S24. ^{1}H-NMR spectrum (500 MHz, acetone-d_6) of **3**.



Figure S25. ^{13}C-NMR spectrum (125 MHz, acetone-d_6) of **3**.



Figure S26. HMQC spectrum (500 MHz, acetone-d_6) of **3**.



Figure S27. HMBC spectrum (500 MHz, acetone-d_6) of **3**.



Figure S28. ^{1}H-^{1}H COSY spectrum (500 MHz, acetone-d_6) of **3**.



Figure S29. NOESY spectrum (500 MHz, acetone-d_6) of **3**.