

# SUPPLEMENTARY MATERIALS

## Specificity of *Escherichia coli* heat-labile enterotoxin investigated by single-site mutagenesis

Julie Elisabeth Heggelund <sup>1,#a</sup>, Joel Benjamin Heim <sup>1</sup>, Gregor Bajc <sup>2</sup>, Vesna Hodnik <sup>2,3</sup>, Gregor Anderluh <sup>2,3</sup> and Ute Krengel <sup>1,\*</sup>

<sup>1</sup> Department of Chemistry, University of Oslo, Postbox 1033 Blindern, Oslo, Norway; [j.e.heggelund@farmasi.uio.no](mailto:j.e.heggelund@farmasi.uio.no); [j.b.heim@kjemi.uio.no](mailto:j.b.heim@kjemi.uio.no)

<sup>#a</sup> Current address: Department of Pharmacy, University of Oslo, Postbox 1068 Blindern, Oslo, Norway

<sup>2</sup> Department of Biology, Biotechnical Faculty, University of Ljubljana, Jamnikarjeva 101, 1000 Ljubljana, Slovenia; [matej.butala@bf.uni-lj.si](mailto:matej.butala@bf.uni-lj.si); [vesna.hodnik@ki.si](mailto:vesna.hodnik@ki.si)

<sup>3</sup> The National Institute of Chemistry, Hajdrihova 19, 1000 Ljubljana, Slovenia; [gregor.anderluh@ki.si](mailto:gregor.anderluh@ki.si)

\* Correspondence: [ute.krengel@kjemi.uio.no](mailto:ute.krengel@kjemi.uio.no); Tel.: +47 22855461

## Circular Dichroism




Figure S1. Circular dichroism of pLTB and hLTB variants discussed in the paper, showing that they are folded.