

Article

Data Driven Approach for Eye Disease Classification with Machine Learning

Sadaf Malik ¹, Nadia Kanwal ^{1,2*}, Mamoona Naveed Asghar ², Mohammad Ali A. Sadiq ^{3,4}, Irfan Karamat ^{3,4} and Martin Fluery ⁵

¹ Department of Computer Science, Lahore College for Women University, Lahore, Pakistan; sadaf.it6692@gmail.com

² Software Research Institute, Athlone Institute of Technology, Ireland; nkanwal@ait.ie, masghar@ait.ie

³ Institute of Ophthalmology, Mayo Hospital, King Edward Medical University, Lahore

⁴ The Eye Associates, 2 Zafar Ali Road, Lahore, sadiq.maa@gmail.com, drirfankaramat@gmail.com

⁵ School of Computer Science and Electronic Engineering, University of Essex, UK; fleury.martin55@gmail.com

* Correspondence: nkanwal@ait.ie

Abstract: Medical health systems have been concentrating on artificial intelligence techniques for speedy diagnosis. However, the recording of health data in a standard form still requires attention so that machine learning can be more accurate and reliable by considering multiple parameters. The aim of this study is to develop a general framework for recording diagnostic data in an international standard format to facilitate auto-prediction of eye diseases. Efforts were made to ensure error-free data entry by developing a user-friendly interface. Furthermore, different machine learning algorithms were used to analyze patient data based on multiple parameters, including age, illness history, and clinical observations. This data was formatted according to structured hierarchies designed by medical experts, whereas diagnosis was made as per the ICD-10 coding developed by the American Academy of Ophthalmology. Furthermore, the system is designed to evolve through self-learning by adding new classifications for both diagnosis and symptoms. The classification results from tree-based methods demonstrated that the proposed framework performs satisfactorily given a sufficient amount of data. The random forest and decision tree algorithms predicted more accurately as compared to neural networks and the naïve Bayes algorithm owing to structured data arrangement.

Keywords: Machine Learning, Classification, Framework, Eye diseases, ICD codes

1. Introduction

Artificial intelligence (AI) plays an important role in assisting medical experts with early disease diagnosis. There are a large number of AI-based disease detection and classification systems combining medical test results and domain knowledge. However, correlating the actual symptoms and clinical observations with the corresponding diseases is missing in most of these systems. This is perhaps owing to the variety of observation recording methods by medical experts. For example, some use symbols for diagnosis, whereas others give textual description; hence, there is no standard method. Therefore, this data should be manually converted into a standard format so that machines can use it for analysis. This limits the size of data used in any analytical study, which is the main cause of current gaps in human-knowledge-based diagnosis and machine-intelligence-based predictions.

Commonly, ophthalmic diseases are not life threatening; however, progress over time can have significant impact on the patient's life. Physical examinations are performed using ophthalmological instruments, and a comprehensive interpretation is used for diagnosis. Therefore, any machine-based solution should concurrently consider observations, symptoms, and standardized test results for predictions. Furthermore, the use of a standard description for clinical data and medical test results can be the key to success. The first step toward this is the use of health records in electronic form.

Maintaining patient information as digital data has several potential benefits including rapid retrieval along with timely data transmission among multiple medical experts [1]. Moreover, the use of standard taxonomies for patient data recording can further improve its quality, accuracy, and consistency.

This study focuses on developing a general framework for the standardized recording of patient symptoms and clinical observations, thus assisting medical experts in keeping up with the exponential development of medical knowledge from clinical trials and logical advancements in the field [1]. Similarly, medical cases solved in the past may greatly contribute to the training of machine-learning agents for accurate diagnosis [2]. This is also important because machine-learning algorithms can analyze a large number of parameters required for diagnosis more effectively than humans. Accordingly, intelligent agents, using a carefully designed multi-agent-based classification model, can outperform humans by efficiently analyzing all parameters along with previous information [3].

The rest of the paper is organized as follows. In Section 2, existing machine-based solutions for medical diagnosis are briefly described. In Section 3, the proposed methods for data modeling and pre-processing are explained, as well as the framework designed for analyzing and predicting eye diseases. In Section 4, the results are described, and the paper is concluded in Section 5.

2. Related Work

A large amount of research has been conducted on developing medical expert systems to automate diagnostic processes [4–8]. These expert systems can produce accurate responses based on pre-defined rules; however, the use of static rules results in restricted learning, and therefore failure to respond to new situations. With the advancement in machine learning algorithms, the focus shifted toward machine learning through training data. Hence, almost all medical fields are now experiencing rapid growth in machine-based research activities, in particular ophthalmology. A brief review of related work will now be provided.

In [7,9–12], textual and numeric data was used for certain eye problems, namely, dry eye diseases, refractive error, esotropic eyes, and progression in glaucomatous visual field defects. Moreover, probabilistic classifiers such as naïve Bayes and support vector machines were used. In 2011, research on cataract disease was conducted by the Electronic Medical Records and Genomics Network. ICD-9 (International Classification of Diseases) [13] codes and current procedural terminology codes were used for cataract diagnosis in patients without surgery. Furthermore, natural language processing (NLP) and intelligent character recognition (ICR) were the machine-learning techniques used to identify cataract cases and their type. Specifically, written documents were scanned, and after ICR and NLP were performed, they were used in the diagnosis process [14,15]. In 2014, a study was conducted to analyze clinical data for finding the relationship between signs and diagnosis of dry eyes disease [16]. The dataset was obtained from 344 patients, and the analysis was based on independent component analysis (ICA) and Pearson correlations. The highest correlations were found between conjunctiva and corneal staining. Furthermore, each component of the ICA mixing matrix exhibited minimal residual information. Consequently, no consistent relationship was found among the most frequently used signs and symptoms.

Moreover, a number of studies focused on analyzing image data for direct conversion into diagnostic data. The most common disease leading to blindness is glaucoma [17], for which image-based detection was relatively more efficient than for other diseases. In [18–21], algorithms were used for the detection of abnormal retina along with the classification of a normal retina. Furthermore, multiple diagnostic images of the retina were used along with patient clinical records. In [22], a survey of various computer-based ocular disease identification methods was presented. Multilayer perceptron, support vector machines, and linear and quadratic discriminant classifiers were found to be more successful in identifying different eye problems.

The most common but dangerous eye disease is currently glaucoma. Optical coherence tomography (OCT) images are used for its diagnosis, and therefore they should be classified for computer-aided glaucoma detection [17,23–28]. Similarly, in [29], imaging data was used for identifying

intraocular lenses and refractive surgery. EyeView was used to optimize vision quality. Furthermore, computing solutions have been presented for identifying specific eye diseases such as age-related macular degradation [30], for the auto-detection of a diabetic retina [31,32], and for automatic localization of the optic disc using image classification with support vector machines [33].

Moreover, to predict cataract, visual quality was determined using contrast sensitivity [29]. Fageeri et al. [12] diagnosed refractive error based on the spherical, cylindrical, and axis values of wearing glasses. The model was based on decision tree, naïve Bayes, and support vector machine classification algorithms, and used four classes of patients suffering from hyperopia astigmatism, myopia (nearsightedness), myopia astigmatism, and hyperopia (farsightedness). The analysis was conducted using the Waikato environment for knowledge analysis, and the proposed model was used for disease classification and for determining the relationship between symptoms and diagnosis with accuracy up to 98.75%. In [34], a gene network was designed to define disease expression involving the determinants corresponding to nodes.

3. Proposed Methodology

The literature review demonstrated that almost all existing studies are disease based, and thus the algorithms developed or used were tested for specific eye diseases, e.g., glaucoma disease prediction in [9] and refractive error classification in [35]. Accordingly, no general solution is available. This is primarily due to the lack of standardization in recording medical information, a major difficulty that has hindered general automated solutions. A critical challenge in applying machine-learning methods to data obtained by multiple experts is inconsistencies owing to differences in expression style/vocabulary for disease description and diagnosis. Hence, a standardized framework is required to facilitate direct data entry by experts as efficiently as possible, which in turn may facilitate classification, as shown in the results section.

3.1. Data Modeling

To resolve the ambiguity caused by variations in medical language for representing the same concepts, controlled terminologies have been established, ensuring effective communication across health care entities and information systems. These terminologies map synonyms of medical terms to a common concept so that similar objects can be grouped together, thereby providing the infrastructure to support powerful features such as retrospective data analysis, prospective clinical trials, and evidence-based practice [1]. Various standards in medical terminologies are available, such as the 10th version of International Classification of Diseases (ICD-10), Systematized Nomenclature of Medicine, Clinical Terms, and Medical Entities Dictionary [1].

In ophthalmology, multiple factors are considered, such as illness history (including general health information), anterior eye examination (through a slit lamp), and posterior segment examination (through a specialized lens). Therefore, data from slit lamp examination and posterior segment examination are combined for diagnosis, as shown in Figure 1. ICD-10 [13] is also based on structured hierarchies for eye-related disease diagnosis. Therefore, these examinations were used for AI-based learning and were arranged in a hierarchical structure similar to the physician decision tree shown in Figure 2. After rigorous analysis and discussion with experts, the most suitable hierarchical structures of ICD-10 coding for eye diseases were adopted. Diagnosis consisted of multiple levels, according to the existing eye problem. There were six levels at maximum involved in the definition of any symptom. However, for flexibility, less than six hierarchical levels were required for cases where the disease is at a premature stage. Therefore, in the proposed framework, the definition of a symptom varies according to the situation. An example of a symptom identified from slit examination can be seen below.

Cornea → Endothelium → KPs → Fine → Site → Generalized

Moreover, recording data in this form is impossible during the examination, as the doctor cannot ignore the patient while writing down all required elements of a symptom. Therefore, a highly efficient method is required to ensure accurate data entry, and hence an interface for web applications was




Figure 1. Eye disease diagnosis mechanism




Figure 2. ICD-10 physician decision tree for diabetic retinopathy [36]




Figure 3. Data entry of symptoms through selection: A symptom is added for the cornea of the right eye shown in the sign pane on the right side of the screen; if a symptom cannot be found, “Others” is the option where new symptoms can be added




Figure 4. Data entry of diagnosis through search engine: The initial letters of the diagnosis are entered, and the system automatically suggests the related diagnosis, thus reducing the effort in typing or selecting multiple hierarchies.

Table 2. Dataset description

Dataset	Number of Attributes	Number of Instances
Ophthalmology data: Symptoms and Diagnosis	10	3025

Data recording does not end there. For machine-learning algorithms, searching is the most important step, and the characters in a symptom are difficult to match efficiently and accurately. Furthermore, the selection order results in false matches. If, for example, lid swelling is selected as the first symptom, followed by three other symptoms, but some other expert selects the symptoms in different order, the machine considers that two separate eye problems are defined. Therefore, symptoms are stored as ordered numeric codes. Table 1 describes different symptoms and their corresponding codes recorded for a patient. Mathematically, the numbers 452111 and 452 are considered far apart, but in the proposed system, they belong to the same hierarchy and should thus be grouped together. Therefore, to unify coding, zeros are appended to the symptom code so that all codes contain six digits, i.e., 452111 and 452000 for the aforementioned case. The absence of a symptom is represented by six zeros.

3.2. Data Collection and Description

The dataset used in the present study was composed of real-time data on which data mining techniques and classification algorithms were applied. Professional doctors directly recorded the data for research and development, and confidentiality was ensured. Table 2 shows the size and description of the dataset. There are 10 attributes, namely, age, gender, complaint, VA (left eye), VA (right eye), pinhole (left eye), pin hole (right eye), slit lamp exam, posterior segment exam, and diagnosis. Among these, only age is numeric, whereas all others are nominal, and diagnosis is a class attribute with nominal values.

3.3. Data Pre-processing

In order that machine learning be performed in accordance with medical rules, pre-processing is required that involves data cleaning and normalization, noisy data filtering, and handling of missing values [35]. It is important to mention that data pre-processing highly affects the performance of machine-learning algorithms, and if not performed properly, it may produce biased output [37]. The Weka knowledge analysis tool provides various pre-processing and transformation algorithms.

Feature selection and extraction are aimed at a more robust machine-learning process by identifying and removing irrelevant attributes from the dataset to reduce dimensionality and improve performance. However, ignoring a small symptom may have serious consequences. Fortunately, following standard taxonomies eliminates unnecessary data, and therefore no feature is ignored in analysis and diagnosis.

Missing values may adversely affect machine learning. In this study, two techniques were used for handling missing values, namely, deletion of records with more than 60% missing values, and a two-step diagnostic method using segmentation, which will be explained later.

3.4. Methods

Weka [38] was used for model implementation by data classification algorithms. The Weka workbench is a combination of various machine-learning algorithms and data pre-processing filters, whereby existing complex learning algorithms can be applied to new datasets. As in most related studies, a 10-fold cross-validation method was used in the classification algorithms. Different

classification algorithms were used, namely, decision tree, random forest, naïve Bayes, and neural networks. The neural network and naïve Bayes algorithms have been reported to be better medical classifiers; however, in this study, the data was stored as a hierarchical structure, and therefore tree-based methods were expected to exhibit better performance.

3.5. Model Description

The proposed model is based on real-time patient data from electronic health records. It uses multiple examinations and analyzes patient records from various perspectives, as medical experts do.

Figure 5 shows the entire process in detail. Initially, the visual function test is used to start the diagnostic process. If the visual acuity of a patient is observed to be perfect (i.e., measured to be 20/20 or 6/6), then there is no vision problem; however, the patient may have some allergic eye disorders. Thus, the first decision will be made on the basis of visual acuity. If it is not perfect, then the pinhole value is considered. If pinhole vision improves to 20/20 or 6/6 according to selected scales, then the patient will be prescribed glasses, and the diagnosis, according to ICD-10, will be pediatric/strabismus → refractive error. More specifically, the diagnosis will be myopia for nearsightedness and hypermetropia for longsightedness. If pinhole vision is not improved to perfect values, then slit lamp posterior segment examination will be performed to reach a diagnosis. A Java code on the MyEclipse tool was developed that decides on the basis of visual acuity and pinhole values whether the patient requires further investigation or not.

If the problem is not refractive error, then the slit lamp posterior segment examination will facilitate the prediction of the predefined diagnosis class. In this step, missing values are removed from the dataset. If the diagnosis is refractive error, then the anterior and posterior segment examination attributes will remain empty. Therefore, by removing those instances, complete data is passed to the classification module. Thus, after the first step, the data is divided into two parts: one for patients with refractive error, and the other for all other diseases.

Another goal is to add general health data (illness history) as a contributing attribute for automatic disease classification. Accordingly, keyword selection was performed based on frequently presented complaints, such as decreased vision and watering eyes. It was observed that patients do not generally know or understand medical terms; therefore, they always use ordinary words to describe their problem, such as itching, watering, or frequent blinking. Moreover, experts should be aware of other medical conditions, such as diabetes, hypertension, migraine, or uveitis. Therefore, it is more convenient to compile a keyword list of history/health data and store it as the complaint attribute value.

Data from the slit lamp exam is in the form of structured hierarchies written as textual values. The record of a single patient may contain one or multiple symptoms originating in the same or different parts of the eye. To handle this, a multi-label data mechanism is used for arranging multiple symptoms. In addition to symptoms from the slit lamp examination, there is another vital diagnostic test based on symptoms from the posterior eye segment that identifies disorders in macula, retina, or the optic nerve. The machine-learning algorithm will then use the behavior learned from previous records available in the database and compare the current combination of slit lamp/external exam symptoms and posterior segment symptoms with those in the database to give an accurate diagnosis on the basis of all input attributes. Diagnosis is also in the form standard taxonomies defined by ICD-10 and maintained by the World Health Organization. Thereby, machine learning algorithms are used for decision making at various stages, and they use their learning capabilities for the prognosis of eye diseases. Most of the data considered in this study was either in numeric or nominal/textual form.

Furthermore, classification algorithms were applied to classify given instances into one of the classes taken from ICD-10. The performance of each classifier was analyzed according to the number of correctly classified instances [35] and is discussed in the next section.




Figure 5. Framework for the prediction of eye diseases: Data is collected, and its analysis is used for disease prediction by comparison with expert diagnosis for correct classification. Four different algorithms were used to authenticate the predicted results

4. Results

A step-wise decision system generates the classification results presented in Tables 3 and 4. The performance of the classification algorithms was evaluated using several statistical measures, namely, kappa statistics, root mean squared error (RMSE), accuracy, precision, recall, and the area under the curve (AUC) of receiver operating characteristics (ROC) graphs.

Table 3. Comparison of four different classifiers using statistical measures, the results are average of 74 classes (diseases) classification

Test Statistics	Decision Tree	Naïve Bayes	Random Forest	Neural Network
Correctly Classified Instances	85.81%	81.53%	86.63%	85.98%
Incorrectly Classified Instances	14.18%	18.47%	13.36%	14.02%
Kappa Statistics	0.84	0.79	0.85	0.81
Mean Absolute Error	0.029	0.038	0.0233	0.0779
Root Mean Squared Error	0.1204	0.1481	0.106	0.1857
Relative Absolute Error	19.69%	25.80%	15.81%	36.81%
Root Relative Squared Error	44.38%	54.55%	39.05%	57.25%

More than one measure are usually considered when classifiers are compared because one measure, e.g., accuracy, considers only correct predictions, whereas others, e.g., RMSE, consider only false predictions. However, some measures consider both correct and false predictions, e.g., precision and recall, but with different proportion. Therefore, most of the commonly used performance measures were considered. As expected, tree-based methods performed better than probability-based methods (Naïve Bayes). The kappa statistics demonstrated that both the decision tree and random forest algorithms performed better than the neural network. Similarly, according to the values of precision, recall, and the F-measure, the random forest algorithm performed well. Conventionally, precision, recall, and ROC are considered graphical measures, where curves are drawn to display the performance of an algorithm. For ROC curves, the true positive rate (TPR) is drawn against the false positive rate (FPR). However, to demonstrate the performance of the entire framework for predicting different classes (diseases), these performance measures for each class are shown in Figures 6 and 8. Precision is a measure of relevance, whereas recall is the fraction of retrieved relevant instances over the total number of relevant instances (obtained usually in the range 0—1); therefore, high values for both measures indicate better performance. Similarly, FPR is the fraction of wrong true predictions,

Table 4. Comparison of Classification Algorithms. The measures are average result produced for classifying 74 classes (diseases)

Performance Measures	Decision Tree	Naïve Bayes	Random Forest	Neural Network
Accuracy(%)	85.81	81.53	86.63	85.98
Precision	0.874	0.816	0.889	0.857
Recall	0.858	0.815	0.866	0.86
F-Measure	0.85	0.809	0.861	0.856
Computation time(seconds)	0.11	0.05	6.3	5.7

Table 5. 52 different diagnosis (classes for classification) for which the data was recorded by medical experts. The list has been sorted in alphabetic order for understandability.

S.No	Diagnosis	S.No	Diagnosis
1	Conjunctiva → Acute atopic conjunctivitis	27	Glaucoma → Primary open-angle glaucoma
2	Conjunctiva → Adenoviral conjunctivitis	28	Glaucoma → Steroid responder
3	Conjunctiva → Chronic allergic conjunctivitis, unspecified	29	Glaucoma → Unspecified primary angle-closure glaucoma
4	Conjunctiva → Conjunctival hemorrhage	30	Lens → Phakic → Opacity → Cortical
5	Conjunctiva → Pingueculum	31	Lens → Phakic → Opacity → Cortical → Incipient
6	Conjunctiva → Viral conjunctivitis, unspecified	32	Lens → Phakic → Opacity → Cortical → Incipient → Vascular
7	Cornea → Corneal Edema/Opacity/ Degeneration → Bullous keratopathy	33	Lens → Phakic → Opacity → Nuclear → Grade 2
8	Cornea → Corneal Edema/Opacity/Degeneration → Keratoconus, stable	34	Lens → Phakic → Opacity → Sub-capsular → Anterior
9	Cornea → Keratitis → Exposure keratoconjunctivitis	35	Lens → Phakic → Opacity → Sub-capsular → Posterior
10	General Diagnosis → Bacterial conjunctivitis	36	Lens → Pseudoexfoliation
11	General Diagnosis → Blepharitis	37	Lens → Pseudo-phakic
12	General Diagnosis → Corneal Tear	38	Lens → Pseudo-phakic → Posterior Capsule → Opaque
13	General Diagnosis → Epithelial abrasion	39	Pediatric/Strabismus → Amblyopia → Strabismic
14	General Diagnosis → Incomplete PVD	40	Pediatric/Strabismus → Exotropia → Unspecified
15	General Diagnosis → Inferior oblique overaction-2	41	Pediatric/Strabismus → Eyelids → Chalazion
16	General Diagnosis → Leber Congenital Amourosis	42	Pediatric/Strabismus → Refractive
17	General Diagnosis → Lid fat deposits, upper and lower	43	Pediatric/Strabismus → Refractive → Astigmatism, irregular
18	General Diagnosis → Neovascular glaucoma	44	Pediatric/Strabismus → Refractive → Myopia
19	General Diagnosis → Normal eye exam	45	Pediatric/Strabismus → Strabismus → Other mechanical
20	General Diagnosis → Orthopic assessment	46	Retina → Degeneration of Macula and Posterior Pole → Central serous chorioretinopathy
21	General Diagnosis → Retinoblastoma	47	Retina → Degeneration of Vitreous body → Vitreous Hemorrhage
22	General Diagnosis → Sjorgen syndrome	48	Retina → Diabetes mellitus Type 1 → Without mention of complication
23	General Diagnosis → Stye	49	Retina → Hereditary Retinal Dystrophies → Pigmentary (eg. retinitis pigmentosa)
24	General Diagnosis → Uveitis	50	Retina → Other retinal disorders → Hypertensive retinopathy
25	Glaucoma → Acute angle-closure glaucoma attack	51	Retina → Other retinal disorders → Other non-diabetic proliferative retinopathy
26	Glaucoma → Open angle with borderline findings, high risk	52	Retina → Retinal Detachments

and TPR or sensitivity is the fraction of correct classifications (for a classifier). TPR and FPR also range between 0 and 1, and high TPR and low FPR reflect good performance. Figure 8 shows that the random forest algorithm yields high TPR for more classes (diseases) compared to the decision tree and naïve Bayes algorithms. Although the FPR of the naïve Bayes algorithm has the lowest value, its TPR is also low for a number of classes.

4.1. Hierarchical Prediction Accuracy

In Section 3.1, the data modeling was described, in which the diagnosis was also stored in a hierarchical structure, and it was suggested that the classification could be performed at each level. For example, the diagnosis for Keratoconjunctivitis, generated by the system, is as follows:

Cornea → Keratitis → Neurotrophic keratoconjunctivitis

Here "Cornea" represents a first-level diagnosis, "Cornea → Keratitis" represent second-level diagnoses, whereas complete diagnosis will be considered "Cornea → Keratitis → Neurotrophic keratoconjunctivitis". To relate data frequency and to verify system reliability by prediction level, accuracies were calculated. This was important because in case of a rare disease, the system should be able to give a reliable diagnosis.

For example, if machine-learning algorithms are unable to give a complete diagnosis (e.g., *Cornea → Keratitis → Neurotrophic keratoconjunctivitis*), a second-level diagnosis, namely, *Cornea → Keratitis*, should be given, or at least a first-level diagnosis, i.e., *Cornea*. The advantage of this scheme is that if the system is unable to give a complete diagnosis, then it should at least specify a direction or the part of the eye in which the issue may exist, that is, partial but accurate diagnosis.

Performance measures for all classifiers are shown in Table 6. The random forest algorithm outperformed all others, followed by the decision tree and the neural network algorithms. However, accuracy dropped for second-level and complete diagnosis. This is obviously owing to the relatively




Figure 6. Precision analysis of classification algorithms for 52 classes (diseases) shown in Table 5. Precision and recall values decrease from the outermost (value 1) to the innermost circle (value 0). The curves lying on the outermost circle represent better classification results, such as those by the decision tree and random forest algorithms.




Figure 7. Accuracy of classification algorithms

Table 6. Accuracy (%) for classification output at different levels of diagnosis

Diagnosis Level	Decision Tree	Naïve Bayes	Random Forest	Neural Network
Level 1	90.79	87.21	91.57	89.12
Level 2	87.14	84.76	89.82	87.46
Complete Diagnosis	85.81	81.53	86.63	85.98

low frequency of the data available for complete diagnosis. This demonstrates that the proposed framework is quite effective with data of sufficient frequency.

4.2. Discussion

The proposed framework was aimed at collecting structured diagnostic data for the prediction of eye diseases by considering all possible symptoms of the anterior and posterior eye segments. Therefore, it was not evaluated for a specific disease; rather, all eye diseases mentioned in ICD-10 were predicted. Most of the current frameworks are designed for a specific eye disease, e.g., refractive error, retinal detachment, or diabetic retinopathy. By contrast, the purpose of this model is to develop a framework that can handle any type of data and predict all types of eye diseases based on standard symptom taxonomies. However, comparing it with the data mining framework for the prediction of fatty liver disease in [39], where a number of classifiers were used, tree-based methods yielded the highest accuracy, as shown in Table 7. Furthermore, as in [34], the proposed method facilitated the identification of the correlations between attributes related to specific diseases by combining the observations related to different eye segments into one symptom. Recently published work for heart failure identification from unstructured data [40] exhibits good accuracy, although NLP techniques were used to first convert unstructured data into structured data that was subsequently fed into classification algorithms. The accuracy they achieved using the decision tree and naïve Bayes




Figure 8. TPR and FPR of classification algorithms for 52 classes (diseases) shown in Table 5. TPR is drawn as horizontal bars, whereas FPR is drawn on a circular scale. Although the naïve Bayes algorithm exhibits the smallest FPR, its TPR is also low for a number of classes. However, the decision tree and random forest algorithms exhibit better overall performance, with maximum horizontal bars approaching the maximum value of 1.

Table 7. Performance comparison

Reference	Purpose	Performance
[7]	Expert system for eye diseases using if-else rules	positive response from patients
[10]	Pattern recognition in data	sensitivity 89–94% & specificity 37–42%
[39]	classification of liver disease using unstructured data	accuracy 93.3 %
[40]	Heart failure identification using unstructured data	accuracy 92%
Proposed method	eye disease classification using structured data	accuracy 93.5 %

algorithms is significantly higher than that by the random forest and neural network algorithms, but the results are based on only 14 patients' data. Therefore, reliability is questionable. In the present study, a substantially larger number of classes, hence more data, were considered, as compared to other studies. The comparison of the proposed method with existing solutions (shown in Table 7) demonstrated that this framework is capable of predicting eye diseases as accurately as analogous specialized frameworks presented for other medical diagnoses.

The results demonstrated that classification by tree algorithms had better prediction accuracy. This is because data was arranged in hierarchical structure, and therefore the decision tree and random forest algorithms made better predictions using step-by-step analysis of pruned trees. Moreover, tree algorithms had lower error rate than other algorithms. The neural network algorithm also performed well owing to the multiple hidden layers involved. The results by the naïve Bayes classifier were not as good as by the others.

5. Conclusion

A general framework for improved classification of eye diseases was presented. It is based on symptoms recorded in the form of standard taxonomies directly by the medical experts. It can incorporate anterior and posterior segment signs along with general health data to correlate a disease with symptoms. Furthermore, a two-step diagnostic process was designed in which patient data related to refractive error was filtered out before analysis by machine-learning algorithms. Different classification algorithms were used, namely, decision tree, random forest, naïve Bayes, and artificial neural network algorithms. Tree-based methods performed better than the artificial neural network. Furthermore, efficiency and accuracy were demonstrated to be positively correlated with the amount of available data. According to ICD-10 (used for diagnostic data), the highest accuracy was achieved for first-level diagnosis owing to a sufficiently large amount of data followed by second- and third-level diagnosis. Although the random forest algorithm appeared to be better than the artificial neural network, its execution time was slightly longer than that of the decision tree algorithm. However, as computer technology is advancing, this is expected to be resolved in the near future. Finally, the user interface developed for data recording is unique and has been greatly admired for its ease of use.

In the future, image-based test results will be directly translated into the symptom hierarchy for better disease prediction. Furthermore, nearest neighbor classification methods can also be used by converting codes into numerical data.

1. Hwang, J.C.; Alexander, C.Y.; Casper, D.S.; Starren, J.; Cimino, J.J.; Chiang, M.F. Representation of ophthalmology concepts by electronic systems: intercoder agreement among physicians using controlled terminologies. *Ophthalmology* **2006**, *113*, 511–519.
2. Kononenko, I. Machine learning for medical diagnosis: history, state of the art and perspective. *Artificial Intelligence in medicine* **2001**, *23*, 89–109.
3. Huang, M.J.; Chen, M.Y.; Lee, S.C. Integrating data mining with case-based reasoning for chronic diseases prognosis and diagnosis. *Expert systems with applications* **2007**, *32*, 856–867.
4. Saito, K.; Nakano, R. Medical diagnostic expert system based on PDP model. Proceedings of IEEE international conference on neural networks, 1988, pp. 255–262.
5. Liao, S.H. Expert system methodologies and applications—a decade review from 1995 to 2004. *Expert systems with applications* **2005**, *28*, 93–103.
6. Polat, K.; Güneş, S. An expert system approach based on principal component analysis and adaptive neuro-fuzzy inference system to diagnosis of diabetes disease. *Digital Signal Processing* **2007**, *17*, 702–710.
7. Naser, S.S.A.; Ola, A.Z.A. AN EXPERT SYSTEM FOR DIAGNOSING EYE DISEASES USING CLIPS. *Journal of Theoretical & Applied Information Technology* **2008**, *4*.
8. Agrawal, P.; Madaan, V.; Kumar, V. Fuzzy rule-based medical expert system to identify the disorders of eyes, ENT and liver. *International Journal of Advanced Intelligence Paradigms* **2015**, *7*, 352–367.
9. Sample, P.A.; Boden, C.; Zhang, Z.; Pascual, J.; Lee, T.W.; Zangwill, L.M.; Weinreb, R.N.; Crowston, J.G.; Hoffmann, E.M.; Medeiros, F.A.; others. Unsupervised machine learning with independent component analysis to identify areas of progression in glaucomatous visual fields. *Investigative ophthalmology & visual science* **2005**, *46*, 3684–3692.
10. Imberman, S.P.; Ludwig, I.; Zelikovitz, S. Using Decision Trees to Find Patterns in an Ophthalmology Dataset. FLAIRS Conference, 2011.
11. Arbelaez, M.C.; Versaci, F.; Vestri, G.; Barboni, P.; Savini, G. Use of a support vector machine for keratoconus and subclinical keratoconus detection by topographic and tomographic data. *Ophthalmology* **2012**, *119*, 2231–2238.
12. Fageeri, S.O.; Ahmed, S.M.M.; Almubarak, S.A.; Mu'azu, A.A. Eye refractive error classification using machine learning techniques. Communication, Control, Computing and Electronics Engineering (ICCCCEE), 2017 International Conference on. IEEE, 2017, pp. 1–6.
13. Organization, W.H. International Classification of Diseases (ICD). http://www.who.int/classifications/icd/ICD10Volume2_en_2010.pdf. Accessed: 2017-01-01.
14. Waudby, C.J.; Berg, R.L.; Linneman, J.G.; Rasmussen, L.V.; Peissig, P.L.; Chen, L.; McCarty, C.A. Cataract research using electronic health records. *BMC ophthalmology* **2011**, *11*, 32.
15. Peissig, P.L.; Rasmussen, L.V.; Berg, R.L.; Linneman, J.G.; McCarty, C.A.; Waudby, C.; Chen, L.; Denny, J.C.; Wilke, R.A.; Pathak, J.; others. Importance of multi-modal approaches to effectively identify cataract cases from electronic health records. *Journal of the American Medical Informatics Association* **2012**, *19*, 225–234.
16. Sullivan, B.D.; Crews, L.A.; Messmer, E.M.; Foulks, G.N.; Nichols, K.K.; Baenninger, P.; Geerling, G.; Figueiredo, F.; Lemp, M.A. Correlations between commonly used objective signs and symptoms for the diagnosis of dry eye disease: clinical implications. *Acta ophthalmologica* **2014**, *92*, 161–166.
17. An, G.; Omodaka, K.; Tsuda, S.; Shiga, Y.; Takada, N.; Kikawa, T.; Nakazawa, T.; Yokota, H.; Akiba, M. Comparison of machine-learning classification models for glaucoma management. *Journal of healthcare engineering* **2018**, 2018.
18. Quellec, G.; Lamard, M.; Erginay, A.; Chabouis, A.; Massin, P.; Cochener, B.; Cazuguel, G. Automatic detection of referral patients due to retinal pathologies through data mining. *Medical image analysis* **2016**, *29*, 47–64.
19. Burgansky-Eliash, Z.; Wollstein, G.; Chu, T.; Ramsey, J.D.; Glymour, C.; Noecker, R.J.; Ishikawa, H.; Schuman, J.S. Optical coherence tomography machine learning classifiers for glaucoma detection: a preliminary study. *Investigative ophthalmology & visual science* **2005**, *46*, 4147–4152.
20. Huang, M.L.; Chen, H.Y. Development and comparison of automated classifiers for glaucoma diagnosis using Stratus optical coherence tomography. *Investigative ophthalmology & visual science* **2005**, *46*, 4121–4129.
21. ODSTRČILÍK, P.I.J. Analysis of retinal image data to support glaucoma diagnosis. *Thesis* **2014**.

22. Zhang, Z.; Srivastava, R.; Liu, H.; Chen, X.; Duan, L.; Wong, D.W.K.; Kwoh, C.K.; Wong, T.Y.; Liu, J. A survey on computer aided diagnosis for ocular diseases. *BMC medical informatics and decision making* **2014**, *14*, 80.
23. Chan, K.; Lee, T.W.; Sample, P.A.; Goldbaum, M.H.; Weinreb, R.N.; Sejnowski, T.J. Comparison of machine learning and traditional classifiers in glaucoma diagnosis. *IEEE Transactions on Biomedical Engineering* **2002**, *49*, 963–974.
24. Bock, R.; Meier, J.; Michelson, G.; Nyul, L.G.; Hornegger, J. Classifying glaucoma with image-based features from fundus photographs. Joint Pattern Recognition Symposium. Springer, 2007, pp. 355–364.
25. Treigys, P.; Šaltenis, V. Neural network as an ophthalmologic disease classifier. *Information technology and control* **2007**, *36*.
26. Park, S.B.; Sung, K.R.; Kang, S.Y.; Kim, K.R.; Kook, M.S. Comparison of glaucoma diagnostic capabilities of Cirrus HD and Stratus optical coherence tomography. *Archives of Ophthalmology* **2009**, *127*, 1603–1609.
27. Mookiah, M.R.K.; Acharya, U.R.; Lim, C.M.; Petznick, A.; Suri, J.S. Data mining technique for automated diagnosis of glaucoma using higher order spectra and wavelet energy features. *Knowledge-Based Systems* **2012**, *33*, 73–82.
28. Nongpiur, M.E.; Haaland, B.A.; Friedman, D.S.; Perera, S.A.; He, M.; Foo, L.L.; Baskaran, M.; Sakata, L.M.; Wong, T.Y.; Aung, T. Classification algorithms based on anterior segment optical coherence tomography measurements for detection of angle closure. *Ophthalmology* **2013**, *120*, 48–54.
29. Ginsburg, A.P. Contrast sensitivity: determining the visual quality and function of cataract, intraocular lenses and refractive surgery. *Current opinion in ophthalmology* **2006**, *17*, 19–26.
30. Brilliant, M.H.; Vaziri, K.; Connor, T.B.; Schwartz, S.G.; Carroll, J.J.; McCarty, C.A.; Schrodi, S.J.; Hebring, S.J.; Kishor, K.S.; Flynn, H.W.; others. Mining retrospective data for virtual prospective drug repurposing: l-DOPA and age-related macular degeneration. *The American journal of medicine* **2016**, *129*, 292–298.
31. Fadzil, M.A.; Izhar, L.I.; Nugroho, H.; Nugroho, H.A. Analysis of retinal fundus images for grading of diabetic retinopathy severity. *Medical & biological engineering & computing* **2011**, *49*, 693–700.
32. Osareh, A.; Mirmehdi, M.; Thomas, B.; Markham, R. Automated identification of diabetic retinal exudates in digital colour images. *British Journal of Ophthalmology* **2003**, *87*, 1220–1223.
33. Farooq, U.; Sattar, N.Y. Improved automatic localization of optic disc in Retinal Fundus using image enhancement techniques and SVM. Control System, Computing and Engineering (ICCSCE), 2015 IEEE International Conference on. IEEE, 2015, pp. 532–537.
34. Loscalzo, J.; Kohane, I.; Barabasi, A.L. Human disease classification in the postgenomic era: a complex systems approach to human pathobiology. *Molecular systems biology* **2007**, *3*, 124.
35. Fageeri, S.O.; Ahmed, S.M.M.; Almubarak, S.A.; Mu'azu, A.A. Eye refractive error classification using machine learning techniques. Communication, Control, Computing and Electronics Engineering (ICCCCE), 2017 International Conference on. IEEE, 2017, pp. 1–6.
36. of Ophthalmology, A.A. ICD-10 Physician Tree. <https://www.aao.org/assets/8810b98c-6158-444e-883e-c4629df941d3/635672059826530000/persons-with-diabetes-icd-10-physician-decision-tree-pdf?inline=1>. Accessed: 2017-01-01.
37. Bowd, C.; Hao, J.; Tavares, I.M.; Medeiros, F.A.; Zangwill, L.M.; Lee, T.W.; Sample, P.A.; Weinreb, R.N.; Goldbaum, M.H. Bayesian machine learning classifiers for combining structural and functional measurements to classify healthy and glaucomatous eyes. *Investigative ophthalmology & visual science* **2008**, *49*, 945–953.
38. Chimieski, B.F.; Fagundes, R.D.R. Association and classification data mining algorithms comparison over medical datasets. *Journal of health informatics* **2013**, *5*.
39. Acharya, U.R.; Sree, S.V.; Ribeiro, R.; Krishnamurthi, G.; Marinho, R.T.; Sanches, J.; Suri, J.S. Data mining framework for fatty liver disease classification in ultrasound: a hybrid feature extraction paradigm. *Medical physics* **2012**, *39*, 4255–4264.
40. Saqlain, M.; Hussain, W.; Saqib, N.A.; Khan, M.A. Identification of Heart Failure by Using Unstructured Data of Cardiac Patients. Parallel Processing Workshops (ICPPW), 2016 45th International Conference on. IEEE, 2016, pp. 426–431.