

Supplementary Table 1 Summary of data in individual clinics that contributed to this study.

	Miyaura Clinic	Yokota Clinic	Hotta Clinic	Terada-Manjuu Clinic	Kondo Clinic	Yasui Clinic	Ajino-moto Clinic	Toyama Red Cross Hospital	Osaka Gyomei-kan Hospital	Asahi Osaka Clinic	Total
Remarkably effective	1	1	8	5	13	5	9	0	2	0	44
Effective	3	6	17	6	13	8	5	0	8	6	72
Partially effective	0	0	2	3	3	1	1	0	2	1	13
Not effective	0	3	0	0	5	1	2	4	3	1	19
Total	4	10	27	14	34	15	17	4	15	8	148
Protocol Approval Date	07/May/ 1978	08/May/ 1978	31/Jan/ 1978	01/June/ 1978	25/Jan/ 1978	02/Apr/ 1978	01/May/ 1978	16/May/ 1978	30/Jan/ 1978	16/May/ 1978	
Duration of evaluation	May 1978	May-June 1978	Jan- June 1978	June 1978	Jan- Mar 1978	Apr- June 1978	May- June 1978	May 1978	Jan- Mar 1978	May- July 1978	
Contributing Clinical Dr.s*	Dr. Toshiro Miyaura	Dr. Chikara Yokota	Dr. Yoshihiro Hotta Dr. Tetsuji Suyama	Dr.s Nariaki Hashihira, Katsumi Morita, Tatsu Suematsu	Dr. Hirofumi Suzuki	Dr. Takeyoshi Yasui	Dr. Masami-chi Narita	Dr. Takakazu Tsuneta	Dr. Takeyoshi Yasui, Dr. Iwao Yamaguchi	Dr. Michio Okimura, Dr. Kishio Ito	

*No doctors had any financial interests to declare in this survey. Taiko Pharmaceutical Co., Ltd. contracted with hospitals.

Score sheet (translated into English)

	Participant No.						
	Age	years old	Sex	M · F			
Diagnosis							
Chief complaint							
Prescription							

Cure

Date	first contact d m	d m	d m	d m	improvement
fecal score	1. mucoid 2. water like 3. mixed 4. loose 5. normal	# + -			
number of passage	times/day	times/day	times/day	times/day	# + -
abdominal pains	# + -	# + -	# + -	# + -	# + -
bloating sensation	# + -	# + -	# + -	# + -	# + -
nausea	# + -	# + -	# + -	# + -	# + -
torpor	# + -	# + -	# + -	# + -	# + -
cephalalgia	# + -	# + -	# + -	# + -	# + -
thirst	# + -	# + -	# + -	# + -	# + -
body temperature	°C	°C	°C	°C	# + -

adverse effects				
judgement	remarkable	effective	partial	no effect