

Article

Arm Motion Classification Using Time Series Analysis of the Spectrogram Frequency Envelopes

Zhengxin Zeng¹ , Moeness G. Amin² and Tao Shan¹

¹ School of Information and Electronics, Beijing Institute of Technology, Beijing 100081, China; 3120140293@bit.edu.cn (Z.Z.); shantao@bit.edu.cn (T.S.)

² Center for Advanced Communications, Villanova University, Villanova, PA 19085, USA; moeness.amin@villanova.edu (M.A.)

Abstract: Hand and arm gesture recognition using radio frequency (RF) sensing modality proves valuable in man-machine interface and smart environment. In this paper, we use time series analysis method for accurately measuring the similarity of the micro-Doppler (MD) signatures between the training and test data, thus providing improved gesture classification. We characterize the MD signatures by the maximum instantaneous Doppler frequencies depicted in the spectrograms. In particular, we apply the dynamic time warping (DTW) method and compare its performance with that of the long short-term memory (LSTM) network. Both methods take into account the values as well as the temporal evolution and trends of time series data. It is shown that the DTW method achieves high gesture classification rates and is robust to time misalignment.

Keywords: arm motion recognition; micro-doppler signature; time series analysis; dynamic time warping; long short-term memory

1. Introduction

Propelled by successes in discriminating between different human activities, radar has been recently employed for automatic hand gesture recognition for interactive intelligent devices [1–6]. This recognition proves important in contactless close-range hand-held or arm-worn devices, such as cell phones and watches. The most recent project on hand gesture recognition, Soli, by Google for touchless interactions with radar embedded in a rest band is a testament of this emerging technology [3]. In general, automatic hand or arm gesture recognition, through the use of RF sensors, is important to smart environment. It is poised to make homes more user friendly and most efficient by identifying different motions for controlling instrument and household appliances. The same technology can greatly benefit the physically challenged who might be wheelchair confined or bed-ridden patients. The goal is to enable these individuals to be self-supported and independently functioning.

Arm motions assume different kinematics than those of hands, especially in terms of speed and time duration. Compared to hand gesture, arm gesture recognition can be more suitable for contactless man-machine interaction with longer range separation, e.g., the case of commanding appliances, like TV, from a distant couch. The larger radar cross-sections of the arms, vis-a-vis hands, permit more remote interactive positions in an indoor setting. Further, the ability of using hand gestures for device control can sometimes be hindered by cognitive impairments such the Parkinson disease which induces strong hand tremor.

The nature and mechanism of arm motions are dictated by its elongated bone structure defined by the humerus which extends from the shoulder to the elbow and the radius and ulna that extend from elbow to hands. Because of such structure, arm motions, excluding hands, can be accurately simulated by two connected rods. In this respect, the instantaneous Doppler frequency of any point on the upper

arm can be discerned from any other point in the same region. The same can be said for the forearm. This is different from hand motions which involve different and flexible motions of the palm and the fingers, and it is certainly distinct from body motions which yield intricate MD signature [7–15].

Recent work in automatic arm motion recognition using the maximum instantaneous Doppler frequencies, i.e., the frequency envelope of the MD signature of the data spectrogram, as features followed by the nearest neighbour (NN) classifier provided classification rates reaching close to 97% [16]. In this work, the feature vector consists of the augmented positive frequency and negative frequency envelopes. The corresponding classification performance outperformed data driven feature extraction, such as principal component analysis (PCA) and provided similar results to convolutional neural network (CNN). Since the NN classifier applies distance metrics to measure closeness of the test data to training data, shuffling the envelope values of all test and training data will not change the classification results. In this respect, the frequency envelope values rather than the actual shape of the envelope are used in classification.

In this paper, and towards improving on the results in [17], we employ features which capture the MD signature envelope behavior as well as evolution characteristics. The envelope represents the maximum instantaneous Doppler frequencies, and thus, is considered as a time-series. Time series analysis appears in many application domains, including speech recognition, handwriting recognition, weather readings and financial recordings [18–20]. We consider two common time series recognition methods, namely, the NN-DTW (NN classifier with the DTW distance) [21–24] method and the LSTM method [25–28]. The former is a conventional machine learning (ML) technique that utilizes the DTW distance which is a sum-measure over a parametrization and has nonlinear warping capability. It has been proven effective in time series recognition [29–31]. The latter is a deep learning tool which is more appropriate for time series than CNN. It has a memory of the useful temporal evolution information during the training process. It is shown that the DTW-based NN classifier outperforms those based on L1 distance norm and the LSTM method, and achieves an average classification rate above 99%. Both time series analysis methods are robust to time misalignment. Similar to [17], our feature vector includes the augmented positive and negative frequency envelopes. But, we also augment these two envelopes with a vector of their differences which captures the synchronization information of the two envelopes. It is noted that no repetitive motions are considered and, in a way, the gesture classification is applied to a single arm motion cycle [32].

The remainder of this paper is organized as follows. In Section 2, we discuss the time-frequency signal representations and the power burst curve. Section 3 describes a method to extract the MD signature envelopes. Section 4 discusses two time series analysis methods, namely, the dynamic time warping method and the long short-term memory. Section 5 describes the radar data collection and pre-processing of arm motions. Section 6 presents the gesture recognition accuracy of the two time series analysis methods and also discusses the robustness to time shift. The paper is concluded in Section 7.

2. Radar MD Signature Representation

2.1. Time-frequency Representations

The radar back-scattering signal from arms in motion can be analyzed by its MD signature. The MD signature is a time-frequency representation (TFR) which reveals the received signal local frequency behavior. A number of TFR methods could be used to represent the MD signature. The spectrogram is a commonly employed TFR which predicates on linear time-frequency analysis. For a discrete-time signal $s(n)$ of length N , the spectrogram can be obtained by taking the short-time Fourier transform (STFT) of the data and computing the magnitude square,

$$S(n, k) = \left| \sum_{m=0}^{L-1} s(n+m)h(m)e^{-j2\pi\frac{mk}{N}} \right|^2 \quad (1)$$

where $n = 1, \dots, N$ is the time index, $k = 1, \dots, K$ is the discrete frequency index, and L is the length of the window function $h(\cdot)$. An example of the spectrogram, scaled to 0 dB, is illustrated in Figure 1. The sliding window $h(\cdot)$ is rectangular with length $L = 2048$ (0.16 s), and K is set to 4096. We consider the MD signal as a deterministic signal rather than a stochastic process, and do not assume an underlying frequency modulated signal model that calls for optimum parameter estimation [33,34].




Figure 1. An example of spectrogram.

83

84 2.2. Power Burst Curve (PBC)

In real-time processing, the received signal is typically a long time sequence signal that may contain multiple and consecutive arm motions. Finding the onset and offset times of arm motion becomes necessary to determine the individual motion boundaries and time span. These times can be obtained from the PBC [35,36] which measures the signal energy in the spectrogram within specific frequency bands. In particular, we compute

$$S(n) = \sum_{k_1=K_{N1}}^{K_{N2}} |S(n, k_1)|^2 + \sum_{k_1=K_{P1}}^{K_{P2}} |S(n, k_1)|^2 \quad (2)$$

85 In the problem considered, the negative frequency indices K_{N1} and K_{N2} are set to -500Hz to -20Hz ,
 86 whereas the indices for positive frequencies are set to $K_{P1} = 20\text{Hz}$ and $K_{P2} = 500\text{Hz}$. The frequency
 87 band around the zero Doppler bin between -20Hz and 20Hz affects the accuracy of the result and,
 88 therefore, is not considered. The resulting PBC is indicated by the blue curve in Figure 2 for the
 89 example spectrogram in Figure 1.

In order to avoid false breach of the motion signature, the original PBC curve is smoothed by a moving average filter of length P . The filtered PBC, $S_f(n)$, is represented by

$$S_f(n) = \frac{1}{P} \sum_{j=0}^{P-1} S(n-j) \quad (3)$$

and is shown in Figure 2 by the red curve. The threshold, T , determines the beginning and the end of each motion, and is computed by

$$T = S_{f\min} + \alpha \cdot (S_{f\max} - S_{f\min}) \quad (4)$$

where α depends on the noise floor and is empirically chosen from the range $[0.01, 0.2]$. $S_{f_{\min}}$ and $S_{f_{\max}}$, respectively, represent the minimum and maximum values of $S_f(n)$. In this paper, α is set to 0.1, which means 10% over the minima. The threshold is indicated by a yellow line shown in Figure 2. The onset time of each motion is determined as the time index at which the filtered PBC exceeds the threshold, whereas the offset time corresponds to the time index at which the filtered PBC falls below the threshold.




Figure 2. An example of the PBC method.

3. Extraction of the Maximum Instantaneous Doppler Frequency Signature

The arm has a bone structure which makes it more rigid than the hands. For example, the motion of any point on the upper arm, which is the part from the shoulder to the elbow, can be discerned from any other point in the same part. This property motivates us to use the maximum instantaneous Doppler frequencies as principal features. These features represent the positive and negative frequency envelopes in the spectrograms and attempt to capture, among other things, the maximum Doppler frequencies, the time-duration of the arm motion event and its bandwidth, and the relative portion of the motion towards and away from the radar. In this respect, the envelopes can accurately characterize different arm motions. An energy-based thresholding algorithm discussed in [17,35] can be applied to extract the envelopes. First, the maximum positive and negative Doppler frequencies are determined by computing the effective bandwidth of each motion from the spectrogram. Second, the positive frequency and negative frequency parts of a spectrogram are used to generate the positive envelope and negative envelope, respectively. The corresponding energies of the two parts, denoted as $E_U(n)$ and $E_L(n)$, are computed separately as,

$$E_U(n) = \sum_{k=1}^{\frac{K}{2}} S(n, k)^2, E_L(n) = \sum_{k=\frac{K}{2}+1}^K S(n, k)^2 \quad (5)$$

Figure 3 shows the resulting positive energy and negative energy of the example considered. These energies are then scaled to define the respective thresholds, T_U and T_L ,

$$T_U(n) = E_U(n) \cdot \sigma_U, T_L(n) = E_L(n) \cdot \sigma_L \quad (6)$$

where σ_U and σ_L represent the scale factors, both are less than 1. These scalars can be chosen empirically, but an effective way for their selections is to maintain the ratio of the energy to the threshold values constant over all time samples. This constant ratio can be found by time locating the maximum positive

Doppler frequency and computing the corresponding energy at this location. In this example, $t_i = 2.54s$, $f_j = 340Hz$ and $A(t_i, f_j) = 320$, where (t_i, f_j) and $A(t_i, f_j)$ represent the location of the maximum positive Doppler frequency and its strength, respectively. The corresponding scale factor can be found by $\sigma_U = A(t_i, f_j) / E_U(t_i)$. Once the threshold is computed, the positive frequency envelope is then provided by locating the Doppler frequency at each time instant for which the spectrogram assumes the first higher or equal value to the threshold. This frequency, in essence, represents the effective maximum instantaneous Doppler frequency. Similar procedure can be followed for the negative frequency envelope. The positive frequency envelope, $e_U(n)$, and negative frequency envelope, $e_L(n)$, are concatenated to form the feature vector $e = [e_U, e_L]$. The extracted frequency envelopes of the example considered is plotted in Figure 4.




Figure 3. The energy of the positive and negative spectrogram.




Figure 4. The extracted envelopes from the spectrogram.

4. Time Series Analysis Methods

The extracted maximum instantaneous Doppler frequencies are considered as a time series. To measure the similarity between two time series, the traditional L1 and L2 distance methods do not take into account the temporal or evolutionary behavior of the series. We seek similarity measure that accounts for these properties and is robust to time shift and scaling. To fully exploit the characteristics of the maximum instantaneous Doppler frequencies, two time series analysis methods are presented, namely the DTW method and the LSTM method. The DTW method is a well established distance measure which permits time and scale misalignments. A NN classifier can be applied in conjunction with the DTW [29,37]. On the other hand, the unique design structure of the LSTM allows the network to exhibit temporal dynamic behavior and as such, is cognizant of past input samples. It has already achieved a great success in handwriting recognition and speech recognition [38,39].

4.1. Dynamic Time Warping Method

The NN classifier is applied to the MD signature feature vector to discriminate among six arm motions. The DTW distance is one of the principal methods used to calculate the similarity between two motion time series which may vary in time or speed. For instance, similarities in walking patterns could be detected using DTW, even if one person walks faster than the other, or if there are accelerations and decelerations during the course of an observation.

Suppose $X = (x_1, x_2, \dots, x_i, \dots, x_n)$ and $Y = (y_1, y_2, \dots, y_j, \dots, y_n)$ are two time series representing the maximum instantaneous Doppler frequencies, an n -by- n distance matrix D is then formed, where the (i, j) matrix element represents the distance $D(x_i, y_j)$ between $x_i \in X$ and $y_j \in Y$ (the distance $D(x_i, y_j)$ is typically computed by the L1 or L2 norm). Each element also corresponds to

an alignment between $x_i \in X$ and $y_j \in Y$. A warping path, W , finds a path in the distance matrix D [21,40,41],

$$W = w_1, w_2, \dots, w_l, \dots, w_L, n \leq L \leq 2n - 1 \quad (7)$$

where each w_l corresponds to an element $(i, j)_l$. The warping path is typically restricted by the following three constraints [21,40,41].

- Boundary conditions: The beginning and end of the path are $w_1 = (1, 1)$ and $w_L = (n, n)$ respectively.
- Monotonicity: Given $w_{l1} = (a, b)$ and $w_{l2} = (c, d)$ where $a \leq c$, we have $b \leq d$.
- Continuity: Given $w_l = (a, b)$ and $w_{l+1} = (c, d)$, we have $c - a \leq 1, d - b \leq 1$.

When the distance matrix D is computed by L2 norm, the diagonal line in the Figure 5 represents the Euclidean path which is just one case of all possible paths. The DTW is the path that satisfies the above restrictions, and also has the minimum warping cost, as illustrated in Figure 5 and given by,

$$D_{DTW}(X, Y) = \min \sum_{l=1}^L |w_l| \quad (8)$$

The applied NN classifier is among the most commonly used classifiers in pattern recognition. It is a




Figure 5. An example of dynamic time warping path.

simple ML classification algorithm, where for each test sample, the algorithm calculates the distance to all training samples. The DTW distance is chosen as the distance metric due to its better performance in time series analysis compared with conventional L1 and L2 distances. The classification is performed by assigning the label of the closest training sample based on the resulting DTW distance.

4.2. Long Short-Term Memory

The CNN and recurrent neural network (RNN) are two common deep learning tools. The former performs well in spatial-distributed data processing, which is mainly used for image classification with the predefined size data. On the other hand, RNN can recognize the time information, and it is more commonly used in speech recognition and natural language processing. Since we cast the feature as time series, we opt to use the RNN to analyze the temporal information embedded in the data.

However, the conventional RNN suffers from long-term memory. The LSTM is an alternative RNN architecture which can overcome this shortcoming. The details explanation of LSTM can be found in [25–28].




Figure 6. Diagram of the LSTM network.

The diagram in Figure 6 illustrates the architecture of the employed LSTM network. The input layer inputs the time series data into the network, and the LSTM layer learns temporal information from the input. The fully connected layer combines all features learned by LSTM layers for classification. Therefore, the output size is equal to the number of classes. The softmax layer normalizes the output of the former layer to be used as the classification probabilities.




Figure 7. Details of the LSTM layer.

At any given time, the input data X_{input} is two-dimensional. Along each dimension, a time series of length N , representing the maximum positive and negative instantaneous Doppler frequencies, is considered. That is,

$$X_{input} = \begin{bmatrix} X_1 & X_2 & \cdots & X_t & \cdots & X_N \end{bmatrix} = \begin{bmatrix} e_{U1} & e_{U2} & \cdots & e_{Ut} & \cdots & e_{UN} \\ e_{L1} & e_{L2} & \cdots & e_{Lt} & \cdots & e_{LN} \end{bmatrix} \quad (9)$$

where X_t is the two dimensional input vector containing the maximum positive and negative Doppler frequencies at time t . Figure 7 shows the details of the LSTM layer. Each LSTM block contains three gates to control the flow of the information, namely the forget gate, the input gate and the output gate. The hidden state h_t and the cell state c_t of the LSTM layer at time t can be obtained by following equations [25]:

$$\begin{aligned} f_t &= \sigma(W_f x_t + R_f h_{t-1} + b_f) \\ i_t &= \sigma(W_i x_t + R_i h_{t-1} + b_i) \\ g_t &= \tanh(W_g x_t + R_g h_{t-1} + b_g) \\ o_t &= \sigma(W_o x_t + R_o h_{t-1} + b_o) \\ c_t &= f_t \odot c_{t-1} + i_t \odot g_t \\ h_t &= o_t \odot \tanh(c_t) \end{aligned} \quad (10)$$

where f_t is the forget gate, i_t is the input gate, g_t is the cell candidate, o_t is the output gate. The W , R and b are the input weights, recurrent weights and bias, respectively, with the subscripts corresponding to different gates. The W_f , R_f and b_f are the parameters of the forget gate, the W_i , R_i and b_i are the parameters of the input gate, the W_g , R_g and b_g are the parameters of the cell candidate, and the W_o , R_o and b_o are the parameters of the output gate. The σ and $\tanh(\cdot)$ represent the sigmoid activation function and hyperbolic tangent activation function, respectively. The \odot denotes the Hadamard product.

The difference between the conventional RNN and the LSTM network is that the LSTM has three gates to regulate the flow of the information, which also leads to its long-term memory. The forget gate f_t can learn what information is relevant in the time sequence, and decide to keep or forget accordingly. The previous hidden state h_{t-1} and the current input x_t are passed through a sigmoid function, and the smaller the output value, the more information from the previous cell state c_{t-1} is forgotten. The candidate g_t is the output by a \tanh function to compress the inputs, and the input gate i_t is applied to control how much information of the candidate is added in the updated cell state. The cell state c_t itself can be updated by the previous cell state c_{t-1} , the forget gate f_t , the input gate i_t and candidate g_t . The output gates o_t decide how much information to output. The hidden state h_t can be obtained by the update cell state c_t and output gate o_t , which is also the output of the LSTM block at time t .

5. Arm Motion Experiments




Figure 8. Illustration of experiment setup.

The system in the experiments utilizes one K-band portable radar sensor from Ancortek company with one transmitter and one receiver. It generates a continuous wave (CW) with the carrier frequency 25 GHz and the sampling rate is 12.8 kHz, respectively.

The data analyzed in this paper was collected in the Radar Imaging Lab at the Center for Advanced Communications, Villanova University. The radar was fixed at the edge of a table. The vertical distance between radar and the participant was approximately three meters. During the experiments, the participants were in sitting position, and the body remained fixed as much as possible. In order to mimic typical people behavior, the arms always rested down at a table or chair arm level at the initiation and conclusion of each arm motion. Different orientation angle and speed of the arm motion are also considered. As shown in Figure 8, five different orientation angles, $0, \pm 10^\circ, \pm 20^\circ$, are chosen, and the participant was always facing the radar at different angles. Since speed of the arm motion varies from person to person and is also influenced by age, we took into account both the normal

speed and slow speed arm motions. The normal speed is more natural and relatively fast, whereas the slow speed arm motion is about 30% slower than the normal.

The six arm motions were conducted as depicted in Figure 9, i.e. (a) Pushing arms and pulling back, (b) Crossing arms and opening, (c) Crossing arms, (d) Rolling arms, (e) Stop sign, and (f) Pushing arms and opening. In “pushing,” both arms moved towards the radar, whereas the “pulling” is an opposite motion in which the arms moved away from the radar. The “pushing” is followed by “pulling” immediately with a very short pause or almost no pause between them. The motion of “crossing arms” describes crossing the arms from a wide stretch. Six people were invited to participate the experiment, including four men and two women. Each arm motion was recorded over 40 seconds to generate one data segment. The normal arm motion and slow arm motion were both recorded twice at each angle. Each segment contained 12 or 13 individual same arm motion, and the PBC was applied to determine the onset and offset times of each individual motion. A 5 second time window was utilized to extract every individual motion from the long time sequence. As such, repetitive motions and the associated duty cycles were not considered as features and were not part of the classifications. In total, we generated 1913 samples for six arm motions.




Figure 9. Illustrations of 6 different arm motions. (a) Pushing arms and pulling back, (b) Crossing arms and opening, (c) Crossing arms, (d) Rolling arms, (e) Stop sign, (f) Pushing arms and opening.

Among the six arm motions, we chose the most discriminative arm motion as an “attention” motion for signaling the radar to begin as well as to end. Without the “attention” motion, the radar remains passive with no interactions with human. Among all arm motions, “Pushing arms and pulling back” and “Pushing and open arms” assume the highest accuracy. However, the former motion can be confused with common arm motions such as reaching for a cup or glasses on table. Thus, “Pushing and open arms” was chosen as the “attention” motion.

The spectrograms for six arm motions with normal speed at zero angle are obtained by performing the STFT, and are shown in Figure 10. Through the envelope extraction method, the corresponding envelopes are also plotted in Figure 11. The yellow curves and the red curves in the figure are the maximum positive and negative envelopes, respectively. It is clear that the envelopes can well enclose the local power distributions. It is also evident that the MD characteristics of the spectrograms are




Figure 10. Spectrograms of 6 different arm motions. (a) Pushing arms and pulling back, (b) Crossing arms and opening, (c) Crossing arms, (d) Rolling arms, (e) Stop sign, (f) Pushing arms and opening.




Figure 11. Spectrograms and corresponding envelopes. (a) Pushing arms and pulling back, (b) Crossing arms and opening, (c) Crossing arms, (d) Rolling arms, (e) Stop sign, (f) Pushing arms and opening.

in agreement and consistent with each arm motion kinematics [16]. For example, in “Pushing arms and pulling back,” the arms push forward directly which generates positive frequencies, whereas the “pulling” phase has negative frequencies. At the initiation of the arm motion, “Crossing arms and opening,” the two arms move slightly back, resting on table or chair arms, in the ready position. This causes negative frequency at the beginning. The motion itself can be decomposed into two phases. In the “crossing” phase, the arms move closer to the radar at the beginning which causes positive frequencies, then move away from the radar which induces negative frequencies. The “open” phase is the opposite motion of “crossing” phase, which also produces positive frequencies first and then negative frequencies. At the conclusion of the arm motion, the arms rest down causing positive frequencies at the end of the spectrogram. The motion “Crossing arms” only contains the first phase of the motion “Crossing arms and opening,” and has the same respective MD signature. The two arms of “Rolling arms” perform exactly the opposite movements, as one arm moves forward along a circular trajectory, while the other moves backwards. So, the MD has simultaneously positive and negative frequencies. In one motion cycle, the right arm experiences three phases, moving forward, moving backward and moving forward again. The left arm always performs the opposite motion to the right arm. For the motion, “Stop sign,” the arm moves backwards which only causes negative frequencies. The last arm motion, “Pushing arms and opening” includes the pushing, which has positive frequencies, and the opening, which has negative frequencies.

Figure 12 is an example of the “attention” motion with different velocities at 0° . The time period of the normal motion is shorter than that of the slow motion, and the speed is faster which causes higher Doppler frequencies. The main characteristics and behaviors, however, remain unchanged. Figure 13 shows the “attention” motion with the normal speed at different orientation angles. As the angle increases, the energy becomes lower owing to the dB drop in the antenna beam.




Figure 12. The “attention” motion with different velocities at 0° . (a) Slow motion, (b) normal motion.




Figure 13. The “attention” motion with normal speed at different orientation angles. (a) The “attention” motion at 0° , (b) The “attention” motion at 10° , (c) The “attention” motion at 20° .




Figure 14. Alignment by the DTW with time shift.

6. Simulation

In the previous sections, we discussed the extraction of the maximum instantaneous Doppler frequency signatures and two different time series analysis methods. In this section, the extracted features are regarded as a sequence that is input to both methods. The classification accuracy is used to evaluate the performance of the two ML methods, and all the classification results are obtained through 500 Monte Carlo trials. In each trial, we randomly select 70% of the data segments for training and 30% for testing. All experiments were performed on Intel(R) Core(TM) i7-3770 CPU with 16 GB of memory.

6.1. The classification accuracy of the DTW method

The DTW distance is robust to time misalignments and time scaling. Figure 14 shows two envelopes of the same motion class, but with a large misalignment in time. Although similar in shape, the L2 distance, which only accounts for the corresponding samples in the two time series, yields a high error norm. By applying the DTW distance, the two time series can be aligned well and the effect of the misalignments is significantly reduced. Similarly, two time series with different time scaling can also be aligned in value. Figure 15 shows the alignment of the envelopes of two members of the same motion class but with different speeds. In essence, by applying the DTW method, the two time series which belong to the same motion class assume small distance and high similarity, which reduces the probability of misclassification.




Figure 15. Alignment by the DTW with different speeds.

In our previous work [16,17], each of the original extracted envelope feature contained 2000 samples for both positive and negative Doppler frequencies, and was directly inputted into the

NN classifier with L1 distance measure, achieving an overall accuracy 97.17% [16]. Considering the real-time processing and to avoid high computations of DTW dealing with long time series, we downsampled the envelopes to 200 samples. Figure 16 shows one example of the frequency envelope before and after downsampling. It is evident that the main characteristics of the envelope are maintained when downsampled. To further examine the impact of downsampling on the NN classifier, the downsampled features are put into the NN classifier with L1 distance. This resulted in classification accuracy of 97.13% [16], which is nearly the same as when using the entire sequence. The corresponding confusion matrix is given in Table 1.




Figure 16. An example of the envelope feature before and after downsampling.




Figure 17. Accuracy of the LSTM method with a different output size.

Table 1. Confusion matrix yielded by NN-L1 classifier.

	a	b	c	d	e	f
a	98.92%	0	0.02%	0.01%	1.04%	0.01%
b	0.03%	95.28%	2.62%	0.03%	0.45%	1.59%
c	1.12%	0.24%	95.74%	0.14%	2.28%	0.48%
d	2.82%	0	0.59%	95.78%	0.81%	0
e	2.58%	0	0.82%	0	96.60%	0
f	0.60%	0.01%	0.05%	0	0.56%	98.78%

Table 2. Confusion matrix yielded by NN-DTW classifier.

	a	b	c	d	e	f
a	96.96%	0	0.02%	0	2.79%	0.23%
b	0.03%	98.70%	0.71%	0.07%	0	0.45%
c	0.28%	0.38%	97.87%	0	1.39%	0.08%
d	1.02%	0	1.42%	96.82%	0.59%	0.15%
e	0.17%	0	0.48%	0	99.09%	0.26%
f	0.13%	0	0.04%	0	0.69%	98.14%

Since the arm motion recognition accuracy based on the original and the downsampled envelopes is unchanged, we opted to use the downsampled envelope features as the input to the NN-DTW classifier. The result is an overall accuracy of 98.20%, with the confusion matrix shown in Table 2. It took about 0.2 s to classify each test sample with the downsampled data using the DTW distance which makes it suitable for real time processing. By comparing these two confusion matrices, the accuracy of motions (b), (c), (d) and (e) improves by 1% to 3%, whereas motion (a) dropped by 2%. There is 1% overall improvement.

Since we concatenated the positive and negative envelopes to form a long vector, the relation between the time occurrences of the corresponding samples is not captured in the concatenated vector and is not paid attention to by the DTW method. Thus, we move to also include the vector of the two envelope differences as a feature. The new feature vector is then $e_{new} = [e_U, e_L, e_U - e_L]$, and includes the differences between the positive and negative envelopes. A remarkably higher average classification rate of 99.12% is achieved. The confusion matrix is shown in Table 3. All motions are classified with an accuracy over 98.50%, especially, the motion (c), (d) and (e) have an accuracy higher than 99%.

Table 3. Confusion matrix yielded by NN-DTW classifier with new feature vector.

	a	b	c	d	e	f
a	98.50%	0	0.01%	0	1.45%	0.04%
b	0.11%	98.80%	0.55%	0.01%	0	0.53%
c	0.26%	0.29%	99.10%	0	0.31%	0.04%
d	0.66%	0	0.15%	99.15%	0.03%	0
e	0.01%	0	1.01%	0	98.97%	0.01%
f	0.02%	0	0.01%	0	0.32%	99.65%

6.2. The classification accuracy of the LSTM method

The structure of the LSTM method, described in Section 4.2, is applied. The input data is the maximum instantaneous Doppler frequencies. The output of the LSTM layer is the last sequence, and its size is determined by trial and error. During the training process, the number of batch is set to 10, and the maximum epochs is 200. An epoch is an iteration over the entire training samples. The optimisation solver is the stochastic gradient descent with momentum optimizer, and the learning rate is the constant value 0.001. The training accuracy and the loss of the training during the training process is plotted in Figure 18 and Figure 19. The arm motion recognition results with different output sizes are shown in Figure 17. The highest accuracy of 96.67% was achieved with the outputsize 400. The confusion matrix is given in Table 4.

Table 4. Confusion matrix yielded by the LSTM method.

	a	b	c	d	e	f
a	95.77%	0	0.59%	1.73%	1.49%	0.42%
b	0	98.38%	0.40%	0	0	1.22%
c	0.89%	2.02%	93.22%	1.37%	2.02%	0.48%
d	2.02%	0.06%	0.84%	96.97%	0.11%	0
e	1.31%	0	1.94%	0.44%	96.12%	0.19%
f	0.25%	0.63%	0.13%	0	0	98.99%

6.3. Analysis the classification accuracy with time misalignment

The NN classifier with the L1 distance only considers the frequency envelope values individually, whereas the DTW distance takes into account the temporal information. Thus, it is expected that the NN classifier with DTW distance can achieve a better performance. The onset and offset times of each motion are obtained by the PBC, and used to center the individual motion in the middle of the spectrograms. Since the time span and speed of each motion may vary, misalignments can occur within the same class. To validate the DTW method robustness to time misalignment, each test envelope feature was shifted to the left or right within $[0, T_{shift}]$, where T_{shift} is the maximum time shift. This time shift process is not included in the training data, which means the classifier has no knowledge about the time shift during the training. The recognition accuracy based on NN-L1 and NN-DTW classifier with different maximum time shifts is plot in Figure 20. With the maximum time shift of 0.5 s,




Figure 18. The training accuracy of the LSTM network.




Figure 19. The training loss of the LSTM network.

the accuracy based on NN-L1 classifier dropped by 15.06 %, whereas the NN-DTW based method only dropped by 0.33%. We also consider the affect of the time misalignment on the LSTM method. From Figure 20, it is clear that the recognition accuracy is maintained and is unchanged with different time shifts. This demonstrated that both the NN-DTW method and the LSTM method are robust to time misalignment.

7. Conclusion

In this paper, we considered a time series analysis method for effective automatic arm motion recognition based on radar MD signature envelopes. No range or angle information was incorporated in the classifications. Taking advantage of the Doppler continuity of the arm motion, the PBC was used to determine the individual motion boundaries from long time series. The positive and negative frequency envelopes of the data spectrogram are then extracted by an energy-based thresholding




Figure 20. Recognition accuracy with time shift.

algorithm. The feature vector is the augmented positive and negative frequency envelopes, and their differences. The augmented feature vector was provided to the NN classifier based on the DTW distance, which is more suitable to describe the similarity between time series in lieu of the L1 and L2 distance measures. The LSTM, a time series analysis method commonly used in ML, was also presented for comparison. The experimental results showed that the NN classifier based on the DTW distance achieves close to 99 percent classification rate which is superior to both existing classifiers based on L1 distance and the LSTM method by an overall 2% improvement. It was also shown that the DTW and LSTM methods are robust to the time shift of the signal.

8. Acknowledgments

The work of Z.Z. was performed while he was a Visiting Scholar at the Center for Advanced Communications, Villanova University.

Author Contributions: Conceptualization, Zhengxin Zeng and Moeness Amin; Formal analysis, Zhengxin Zeng; Methodology, Zhengxin Zeng and Moeness Amin; Validation, Zhengxin Zeng; Writing – original draft, Zhengxin Zeng and Moeness Amin; Writing – review & editing, Moeness Amin and Tao Shan.

Conflicts of Interest: The authors declare no conflict of interest.

Abbreviations

The following abbreviations are used in this manuscript:

RF	Radio frequency
MD	Micro-Doppler
DTW	Dynamic time warping
LSTM	Long short-term memory
PCA	Principal component analysis
TFR	Time-frequency representation
STFT	Short-time Fourier transform
PBC	Power burst curve
NN	Nearest neighbour
NN-DTW	NN classifier with the DTW distance)
STFT	Short-time Fourier transform
PBC	Power burst curve
CW	Continuous wave
ML	Machine learning
CNN	Convolutional neural network
RNN	Recurrent neural network

References

1. Li, G.; Zhang, R.; Ritchie, M.; Griffiths, H. Sparsity-driven micro-Doppler feature extraction for dynamic hand gesture recognition. *IEEE Transactions on Aerospace and Electronic Systems* **2018**, *54*, 655–665.
2. Kim, Y.; Toomajian, B. Hand gesture recognition using micro-Doppler signatures with convolutional neural network. *IEEE Access* **2016**, *4*, 7125–7130.
3. Wang, S.; Song, J.; Lien, J.; Poupyrev, I.; Hilliges, O. Interacting with Soli: Exploring fine-grained dynamic gesture recognition in the radio-frequency spectrum. *Proceedings of the 29th Annual Symposium on User Interface Software and Technology*; , 2016.
4. Skaria, S.; Al-Hourani, A.; Lech, M.; Evans, R.J. Hand-gesture recognition using two-Antenna Doppler radar with deep convolutional neural networks. *IEEE Sensors Journal* **2019**, *19*, 3041–3048.
5. Zhang, S.; Li, G.; Ritchie, M.; Fioranelli, F.; Griffiths, H. Dynamic hand gesture classification based on radar micro-Doppler signatures. *2016 CIE International Conference on Radar (RADAR)*; , 2016.
6. Amin, M.G.; Zeng, Z.; Shan, T. Hand gesture recognition based on radar micro-Doppler signature envelopes. *2019 IEEE Radar Conference*; , 2019.
7. Amin, M. *Radar for Indoor Monitoring: Detection, Classification, and Assessment*; CRC Press, 2017.

8. Amin, M.G.; Zhang, Y.D.; Ahmad, F.; Ho, K.D. Radar signal processing for elderly fall detection: The future for in-home monitoring. *IEEE Signal Processing Magazine* **2016**, *33*, 71–80.
9. Seifert, A.K.; Zoubir, A.M.; Amin, M.G. Detection of gait asymmetry using indoor Doppler radar. 2019 IEEE Radar Conference; , 2019.
10. Van Dorp, P.; Groen, F. Feature-based human motion parameter estimation with radar. *IET Radar, Sonar & Navigation* **2008**, *2*, 135–145.
11. Kim, Y.; Ha, S.; Kwon, J. Human detection using Doppler radar based on physical characteristics of targets. *IEEE Geoscience and Remote Sensing Letters* **2015**, *12*, 289–293.
12. Mobasseri, B.G.; Amin, M.G. A time-frequency classifier for human gait recognition. *Proc.SPIE*; , 2009; Vol. 7306.
13. Gurbuz, S.Z.; Clemente, C.; Balleri, A.; Soraghan, J.J. Micro-Doppler-based in-home aided and unaided walking recognition with multiple radar and sonar systems. *IET Radar, Sonar & Navigation* **2016**, *11*, 107–115.
14. Jokanovic, B.; Amin, M.; Ahmad, F. Radar fall motion detection using deep learning. 2016 IEEE radar conference (RadarConf); , 2016.
15. Gurbuz, S.Z.; Amin, M.G. Radar-Based Human-Motion Recognition With Deep Learning: Promising applications for indoor monitoring. *IEEE Signal Processing Magazine* **2019**, *36*, 16–28.
16. Zeng, Z.; Amin, M.; Shan, T. Automatic arm motion recognition based on radar micro-Doppler signature envelopes. *arXiv preprint arXiv:1910.11176* **2019**.
17. Amin, M.; Zeng, Z.; Shan, T. Automatic arm motion recognition using radar for smart home technologies. 2019 International Radar Conference (RADAR); , 2019.
18. Cui, Y.; Shi, J.; Wang, Z. Complex rotation quantum dynamic neural networks (CRQDNN) using Complex Quantum Neuron (CQN): Applications to time series prediction. *Neural Networks* **2015**, *71*, 11–26.
19. Kadous, M.W. *Temporal classification: Extending the classification paradigm to multivariate time series*; University of New South Wales Kensington, 2002.
20. Sharabiani, A.; Darabi, H.; Rezaei, A.; Harford, S.; Johnson, H.; Karim, F. Efficient classification of long time series by 3-d dynamic time warping. *IEEE Transactions on Systems, Man, and Cybernetics: Systems* **2017**, *47*, 2688–2703.
21. Efrat, A.; Fan, Q.; Venkatasubramanian, S. Curve Matching, Time Warping, and Light Fields: New Algorithms for Computing Similarity between Curves. *Journal of Mathematical Imaging and Vision* **2007**, *27*, 203–216.
22. Buchin, K.; Buchin, M.; Wenk, C. Computing the Fréchet distance between simple polygons in polynomial time. *Symposium on Computational Geometry*; , 2006.
23. Alt, H.; Godau, M. Computing the Fréchet distance between two polygonal curves. *International Journal of Computational Geometry & Applications* **1995**, *5*, 75–91.
24. Munich, M.E.; Perona, P. Continuous dynamic time warping for translation-invariant curve alignment with applications to signature verification. *Proceedings of the Seventh IEEE International Conference on Computer Vision*; , 1999.
25. Hochreiter, S.; Schmidhuber, J. Long short-term memory. *Neural computation* **1997**, *9*, 1735–1780.
26. Welhenge, A.M.; Taparugssanagorn, A. Human activity classification using long short-term memory network. *Signal, Image and Video Processing* **2019**, *13*, 651–656.
27. Loukas, C.; Fioranelli, F.; Le Kernec, J.; Yang, S. Activity classification using raw range and I & Q radar data with long short term memory layers. 2018 IEEE 16th Intl Conf on Dependable, Autonomic and Secure Computing, 16th Intl Conf on Pervasive Intelligence and Computing, 4th Intl Conf on Big Data Intelligence and Computing and Cyber Science and Technology Congress (DASC/PiCom/DataCom/CyberSciTech); , 2018; pp. 441–445.
28. Klarenbeek, G.; Harmanny, R.; Cifola, L. Multi-target human gait classification using LSTM recurrent neural networks applied to micro-Doppler. 2017 European Radar Conference (EURAD); , 2017; pp. 167–170.
29. Gudmundsson, S.; Runarsson, T.P.; Sigurdsson, S. Support vector machines and dynamic time warping for time series. 2008 IEEE International Joint Conference on Neural Networks (IEEE World Congress on Computational Intelligence); , 2008.

30. Niennattrakul, V.; Ratanamahatana, C.A. On clustering multimedia time series data using k-means and dynamic time warping. 2007 International Conference on Multimedia and Ubiquitous Engineering (MUE'07); , 2007; pp. 733–738.
31. Yu, F.; Dong, K.; Chen, F.; Jiang, Y.; Zeng, W. Clustering time series with granular dynamic time warping method. 2007 IEEE International Conference on Granular Computing (GRC 2007); , 2007; pp. 393–393.
32. Tan, B.; Woodbridge, K.; Chetty, K. A real-time high resolution passive WiFi Doppler-radar and its applications. 2014 International Radar Conference; , 2014; pp. 1–6.
33. Amin, M. Time-Frequency Spectrum Analysis and Estimation for Nonstationary Random-Processes. Time-Frequency Signal Analysis: Methods and Applications; , 1992.
34. Cirillo, L.; Zoubir, A.; Amin, M. Parameter estimation for locally linear FM signals using a time-frequency Hough transform. *IEEE Transactions on Signal Processing* **2008**, *56*, 4162–4175.
35. Erol, B.; Amin, M.G.; Boashash, B. Range-Doppler radar sensor fusion for fall detection. Radar Conference (RadarConf); , 2017.
36. Amin, M.G.; Ravisankar, A.; Guendel, R.G. RF sensing for continuous monitoring of human activities for home consumer applications. Big Data: Learning, Analytics, and Applications; , 2019.
37. Ding, H.; Trajcevski, G.; Scheuermann, P.; Wang, X.; Keogh, E. Querying and mining of time series data: experimental comparison of representations and distance measures. *Proceedings of the VLDB Endowment* **2008**, *1*, 1542–1552.
38. Graves, A.; Liwicki, M.; Fernández, S.; Bertolami, R.; Bunke, H.; Schmidhuber, J. A novel connectionist system for unconstrained handwriting recognition. *IEEE transactions on pattern analysis and machine intelligence* **2008**, *31*, 855–868.
39. Graves, A.; Mohamed, A.r.; Hinton, G. Speech recognition with deep recurrent neural networks. 2013 IEEE international conference on acoustics, speech and signal processing. IEEE, 2013, pp. 6645–6649.
40. Berndt, D.J.; Clifford, J. Using dynamic time warping to find patterns in time series. KDD workshop; , 1994.
41. Müller, M., Dynamic Time Warping. In *Information Retrieval for Music and Motion*; Springer, 2007; pp. 69–84. doi:10.1007/978-3-540-74048-3_4.