

Rethinking climate, climate change, and their relationship with water

Demetris Koutsoyiannis

Department of Water Resources and Environmental Engineering, School of Civil Engineering,
National Technical University of Athens, 157 80 Athens, Greece
Correspondence: dk@itia.ntua.gr

Abstract: We revisit the notion of climate, along with its historical evolution, tracing the origin of the modern concerns about climate. The notion (and the scientific term) of climate has been established during the Greek antiquity in a geographical context and it acquired its statistical content (average weather) in modern times, after meteorological measurements had become common. Yet the modern definitions of climate are seriously affected by the wrong perception of the previous two centuries that climate should regularly be constant, unless an external agent acted. Therefore, we attempt to give a more rigorous definition of climate, consistent with the modern body of stochastics. We illustrate the definition by real-world data, which also exemplify the large climatic variability. Given this variability, the term “climate change” turns out to be scientifically unjustified. Specifically, it is a pleonasm as climate, like weather, has been ever changing. Indeed, a historical investigation reveals that the aim in using that term is not scientific but political. Within the political aims, water issues have been greatly promoted by projecting future catastrophes while reversing the true roles and causality directions. For this reason, we provide arguments that water is the main element that drives climate and not the opposite.

Keywords: climate; climate change; water; hydrology; climatology.

Each definition is a piece of secret ripped from Nature by the human spirit.
Nikolai Luzin (from [1])

1. Introduction

As concerns about climate become all the more widespread in the society, it is useful to revisit the notion of climate in scientific terms, along with its historical evolution and the very origin of the concerns per se. Water issues have been central among the climate concerns and thus it is useful to clarify the relationship of climate and water. As will be detailed in Section 2, the notion (and the scientific term) of climate has been established in ancient Greece in a geographical context, while it acquired a statistical content (average weather) in modern times, after meteorological measurements had become common. Yet the modern definitions of climate, which are discussed in Section 3, are deficient as they are affected by a wrong perception of the 19th and 20th centuries that the climate at a certain place should regularly be constant, unless an external agent acted. For this reason, in Section 4 we attempt to give a more rigorous and consistent definition of climate, based on stochastics. We illustrate the definition by real-world data, which also exemplify the large variability of climate. Given this variability, the term *climate change* turns out to be scientifically unjustified. Specifically, it is a pleonasm as the climate, like weather, has been ever changing. Indeed, the analysis in Section 6 reveals that the objective of using that term is not scientific but political.

Concerning, in particular, the relationship of climate and water, the analysis of Section 5 shows that water is the main element that drives climate, rather than just being affected by climate as commonly thought. This demands a more active role of hydrologists in climate research, replacing the current passive role in studying climate impacts.

To faithfully follow the development of the ideas about climate from the antiquity to modern science, we examine and quote several historical and modern texts. While the

subject of this paper looks general and its content perhaps trivial, the investigations performed, the information given and the synthesis thereof are mostly new.

2. History of the notion of climate

Although the historian Herodotus (Ἡρόδοτος; c. 484 – c. 425 BC) is perhaps the first who describes different climates of some areas on Earth in a geographical context, it is Aristotle (Figure 1) who, a century later, put the notion of climate in a scientific context. In his famous book *Meteorologica* he describes the climates on Earth in connection with latitude but he uses a different term, *crasis* (κρᾶσις), literally meaning mixing, blending of things which form a compound, temperament.

The term *climate* (κλίμα, plural κλίματα) was coined as a geographical term by the astronomer Hipparchus (Figure 1) in his Commentary on Aratus (Ἰππάρχου τῶν Ἀράτου καὶ Εὐδόξου φαινομένων ἐξηγήσεως [2]). Hipparchus is also known in climatology for his discovery and calculation of *precession of the equinoxes* (μετάπτωσης ἰσημεριῶν) by studying measurements on several stars. In the 20th century, this precession would be found to be related to the climate of the Earth and constitutes one of the so-called *Milankovitch cycles*. The term *climate* originates from the verb κλίνειν, meaning ‘to incline’ and originally denoted the angle of inclination of the celestial sphere and the terrestrial latitude characterized by this angle [2].

Hipparchus’s *Table of Climates* is described by Strabo the Geographer (Στράβων; 64 or 63 BC – c. 24 AD), from whom it becomes clear that the *Climata* of that Table are just latitudes of several cities, from 16° to 58°N (for a reconstruction of the Table see Shcheglov [2]). However, Strabo himself uses the term climate with a meaning close to the modern one. Furthermore Strabo, defined the five climatic zones, one *torrid*, two *temperate* and two *frigid*, as we use them to date (see also Appendix A).



Figure 1. (left) Aristotle (Ἀριστοτέλης; 384–322 BC), Greek philosopher of the Classical period, founder of the Lyceum and the Peripatetic school of philosophy. **(right)** Hipparchus of Nicaea (Ἰππάρχος ὁ Νικαεύς; c. 190 – c. 120 BC), Greek astronomer, geographer and mathematician founder of trigonometry and discoverer of the precession of the equinoxes, depicted in the back facet of a coin of the Roman period. (Image sources: [3]).

The term climate was used with the ancient Greek geographical meaning until at least 1700 as imprinted in a dictionary of that era (see Appendix A). In contemporary times, a search on old books [4] reveals that the term *climatology* appears after 1800. With the increased collection of meteorological measurements, the term climate acquired a statistical character as the average weather. Indeed, the geographer A.J. Herbertson (1907; [5]) in his book entitled “*Outlines of Physiography, an Introduction to the Study of the Earth*”,

gave the following definition of climate, based on, but also distinguishing it from, weather:

By climate we mean the average weather as ascertained by many years' observations. Climate also takes into account the extreme weather experienced during that period. Climate is what on an average we may expect, weather is what we actually get.

Thus, Herbertson appears to be the father of the famous quotation “*climate is what we expect, weather is what we get*”, often attributed to Mark Twain. (What Twain has actually written, attributing it to an anonymous student, is “*Climate lasts all the time and weather only a few days*” [6]).

Herbertson also defined climatic regions of the world based on statistics of temperature and rainfall distribution, a work that was influential for the famous and most widely used climate classification by Köppen (1918; [7-11]). This includes six main zones and eleven climates which are on the same general scale as Herbertson's [12]. Herbertson's definition has been kept virtually without essential changes until now; for example, Lamb (1972; [13]) states:

Climate is the sum total of the weather experienced at a place in the course of the year and over the years. It comprises not only those conditions that can obviously 'near average' or 'normal' but also the extremes and all the variations.

A recent update of Earth's climate types is shown in Figure 2, while the distribution of land area, population and gross domestic product by climate zone is given in Table 1, from where it is evident that humans have prosperously inhabited areas of virtually all diverse climates.




Figure 2. Updated world map of the Köppen climate classification, with the climate type groups appearing in the legend defined as: A-Tropical, B-Arid, C-Temperate, D-Cold, E-Polar (Source: [14-15]).

Table 1. Distribution of land area, population and gross domestic product (GDP) by climate zone (Source: [16]).

Symbol	Description of climate type	% area	% population	% GDP
Af	Tropical rainforest	4.0	4.4	2.8
Am	Tropical monsoon	0.8	2.4	1.0
Aw	Tropical savanna	10.8	17.5	6.6
BW	Arid, desert	17.3	6.2	3.6
BS	Semi-arid (steppe)	12.3	11.8	6.5
Cs	Temperate with a dry summer	2.2	4.3	9.1
Cf	Temperate without a dry season	7.7	19.5	43.7
Cw	Temperate with a dry winter	4.3	16.0	7.0
Df	Continental without a dry season	22.9	5.8	11.0
Dw	Continental with a dry winter	6.4	5.3	3.4
E	Polar	4.0	0.0	-
H	Highland*	7.3	6.8	5.3
Total		100.0	100.0	100.0

* The Highland climate type, not being part of Köppen's original or revised classification depicted in Figure 2 but added by Finch and Trewartha [17], refers to highland areas (with altitude usually of more than 1500 m), namely the Cascades, Sierra Nevadas and Rockies of North America, the Andes of South America, the Himalayas and adjacent ranges and the Tibet Plateau of Asia, the eastern highlands of Africa, and the central portions of Borneo and New Guinea.

3. Modern definitions of climate

Since the early 20th century, Herbertson's definition of climate [5] is followed with slight amendments, which do not change the meaning. Here we quote a few of them referring to climate per se as well as with the tightly connected concept of the *climate system*:

- (1) By the USA National Weather Service [18]:

Climate – The composite or generally prevailing weather conditions of a region, throughout the year, averaged over a series of years.

- (2) By the Climate Prediction Center of the National Weather Service [19]; notice that the Center refers to Herbertson's quotation as if it were an *old saying*:

Climate – The average of weather over at least a 30-year period. Note that the climate taken over different periods of time (30 years, 1000 years) may be different. The old saying is climate is what we expect and weather is what we get.

- (3) By the American Meteorological Society [20]:

Climate – The slowly varying aspects of the atmosphere–hydrosphere–land surface system. It is typically characterized in terms of suitable averages of the climate system over periods of a month or more, taking into consideration the variability in time of these averaged quantities. Climatic classifications include the spatial variation of these time-averaged variables. Beginning with the view of local climate as little more than the annual course of long-term averages of surface temperature and precipitation, the concept of climate has broadened and evolved in recent decades in response to the increased understanding of the underlying processes that determine climate and its variability.

In turn, the American Meteorological Society defines the concept of the climate system as:

The system, consisting of the atmosphere, hydrosphere, lithosphere, and biosphere, determining the earth's climate as the result of mutual interactions and responses to external influences (forcing). Physical, chemical, and biological processes are involved in the interactions among the components of the climate system.

- (4) By the World Meteorological Organization (WMO) [21]:

C0850 climate – Synthesis of weather conditions in a given area, characterized by long-term statistics (mean values, variances, probabilities of extreme values, etc.) of the meteorological elements in that area.

C0900 climate system – System consisting of the atmosphere, the hydrosphere (comprising the liquid water distributed on and beneath the Earth's surface, as well as the cryosphere, i.e. the snow and ice on and beneath the surface), the surface lithosphere (comprising the rock, soil and sediment of the Earth's surface), and the biosphere (comprising Earth's plant and animal life and man), which, under the effects of the solar radiation received by the Earth, determines the climate of the Earth. Although climate essentially relates to the varying states of the atmosphere only, the other parts of the climate system also have a significant role in forming climate, through their interactions with the atmosphere.

(5) By the Intergovernmental Panel on Climate Change (IPCC) [22]:

Climate – Climate in a narrow sense is usually defined as the average weather, or more rigorously, as the statistical description in terms of the mean and variability of relevant quantities over a period of time ranging from months to thousands or millions of years. The classical period for averaging these variables is 30 years, as defined by the World Meteorological Organization. The relevant quantities are most often surface variables such as temperature, precipitation and wind. Climate in a wider sense is the state, including a statistical description, of the climate system.

While the above definitions are “community property”, for completeness, we also quote in Appendix B definitions of individuals, taken from celebrated books.

A useful observation is that all definitions use the term “average”. Thus, by its definition, climate is a statistical concept.

By scrutinizing the definitions, several questions may arise. A first is: Why “at least a 30-year period”? Is there anything special with the 30 years? It appears that this reflects a historical belief that 30 years are enough to smooth out “random” weather components and establish a constant mean. In turn, this reflects a perception of a constant climate – and a hope that 30 years would be enough for a climatic quantity to stabilize to a constant value. It can be conjectured that the number 30 stems from the central limit theorem and in particular the common (but not quite right) belief that the sampling distribution of the mean is normal for sample sizes over 30 (e.g. [23]). Such a perception roughly harmonizes with classical statistics of independent events. This perception is further reflected in the term *anomaly* (from the Greek *ανωμαλία*, meaning abnormality), commonly used in climatology to express the difference from the mean. Thus, the dominant idea is that a constant climate would be the norm and a deviation from the norm would be an abnormality, perhaps caused by an external agent. However, such belief is incorrect and inconsistent with the reality of an ever-changing climate. This has already been pointed out almost 50 years ago by Lamb [24]:

the view, regarded as scientific, which was widely taught in the earlier part of this century, that climate was essentially constant apart from random fluctuations from year to year was at variance with the attitudes and experience of most earlier generations. It has also had to be abandoned in face of the significant changes in many parts of the world that occurred between 1900 and 1950 and other changes since.

Clearly however, even the later generations were not able to get rid of this “view regarded as scientific”, which remains dominant.

A second question inspired by Climate Prediction Center's definition (point 2 above) is: Why the climate taken over 30 or 1000 years is different? The obvious reply is: Because different 30-year periods have different climate. This contradicts the tacit belief of constancy and harmonizes with the perception of an ever-changing climate. With the latter perception, Herbertson's idea that “climate is what we expect, weather is what we get” can be reformulated as “weather is what we get immediately, climate is what we get if you keep expecting for a long time” [25].

As many of the above definitions refer to *weather*, it is useful to clarify its meaning, noting that it represents a popular notion, often used with respect to its effects upon life and human activities, rather than a rigorous scientific one. Interestingly, in its colloquial use in Greek and Romance (Neo-Latin) languages, *weather* is almost indistinguishable from *time* (Greek: καιρός; Italian: tempo; French: temps, météo; Spanish: tiempo, clima; Portuguese: tempo, clima). On the other hand, in English and Greek, *weather* refers to short-scale variations in the atmosphere and is distinguished from *climate*; note however that in colloquial Spanish and Portuguese there is no such distinction. In scientific terms, the definition given by the WMO [21] is this:

W0410 weather – State of the atmosphere at a particular time, as defined by the various meteorological elements.

4. Toward a rigorous definition of climate

Based on the above discussion, Koutsoyiannis [26] attempted to give a definition of climate in a hierarchical manner (avoiding circular logic) starting from the concept of climate system, as follows:

Climatic system is the system consisting of the atmosphere, the hydrosphere (including its solid phase—the cryosphere), the lithosphere and the biosphere, which mutually interact and respond to external influences and particularly those determining the solar radiation reaching the Earth, such as the solar activity, the Earth’s motion and the volcanic activity.

Climatic processes are the physical, chemical and biological processes, which are produced by the interactions and responses of the climate system components through flows of energy and mass, and chemical and biological reactions.

Climate is a collection of climatic processes at a specified area, stochastically characterized for a range of time scales.

It is stressed that the stochastic characterization, appearing in the proposed definition, does not refuse the existence of physical dynamical laws and causal relationships among the elements of climate, nor does it equate climate with dice. It is most surprising that, one and a half century after the explanation of entropy within the probability theory and the establishment of statistical thermophysics, many still confuse stochastics with pure randomness and distinguish physics from stochastics or statistics.

The notion of stochastic characterization collectively encompasses all related concepts of the scientific areas of probability, statistics and stochastic processes. Since climate is not static but dynamic (and by now the evidence that climate has ever been changing is overwhelming), it is better to think of it as a stochastic concept. In stochastics *change*, and hence *time*, have a hypostasis that is typically absent in statistics. The direct analogy is dynamics vs. statics.

Naturally, the stochastic characterization includes the statistics used in other definitions, such as averages, variability, extremes, etc. However, there is a big difference of our definition from standard definitions. By not distinguishing whether “average” or “mean” refer to the true mean or the temporal mean, the latter definitions are affected by ambiguity. The common interpretation is that they refer to the true (or ensemble) mean of the probabilistic vocabulary, in which case the mean is a number, a constant.

However, in our definition climate is represented as a time average, is depending on the time scale of averaging and keeps depending on time per se, as also happens with weather. A time average of a stochastic process (originally defined in continuous or discrete time) is not a number but a stochastic process per se. Thus, both instantaneous processes (or discrete time processes at time scales pertinent to weather) and climatic processes are stochastic processes distinguished only by the time scale of discretization. If the time scale is small (e.g., hourly or daily) or tends to zero (instantaneous process) then we speak about weather – and this harmonizes with the definition by WMO [21], which is kept unchanged here. If the time scale is large, greater than the annual, then we have the

climate. In this respect climate is a macroscopization of weather by removing the details through averaging.

We recall that a stochastic process $\underline{x}(t)$ at continuous time t is a family of stochastic (random) variables \underline{x} indexed by time t . (Note that underlined symbols denote stochastic variables or stochastic processes.) Formally, it is defined by means of its n th order distribution function for an arbitrary natural number n :

$$F(x_1, x_2, \dots, x_n; t_1, t_2, \dots, t_n) := P\{\underline{x}(t_1) \leq x_1, \underline{x}(t_2) \leq x_2, \dots, \underline{x}(t_n) \leq x_n\} \quad (1)$$

In application, since a process is never observed or simulated in continuous time but in discrete times, usually assumed to be equidistant with temporal resolution D , i.e., $t_\tau = \tau D$, for an integer τ , we use a discrete time representation of the process, i.e.,

$$\underline{x}_\tau := \frac{1}{D} \int_{(\tau-1)D}^{\tau D} \underline{x}(t) dt \quad (2)$$

We further define the cumulative process of $\underline{x}(t)$ or \underline{x}_τ , for discrete time scale κ or a continuous one $k := \kappa D$, as:

$$\underline{X}(k) \equiv \underline{X}_\kappa := \underline{x}_1 + \underline{x}_2 + \dots + \underline{x}_\kappa = \int_0^{\kappa D} \underline{x}(t) dt \quad (3)$$

The time average of the original process \underline{x}_τ for discrete time scale κ is

$$\underline{x}_\tau^{(\kappa)} := \frac{\underline{x}_{(\tau-1)\kappa+1} + \underline{x}_{(\tau-1)\kappa+2} + \dots + \underline{x}_{\tau\kappa}}{\kappa} = \frac{\underline{X}_{\tau\kappa} - \underline{X}_{(\tau-1)\kappa}}{\kappa} \quad (4)$$

We also recall that a stochastic process is a model, an abstract mathematical construction, a family of stochastic variables (behaving like functions or sets) rather than a sequence of numbers. However, a *realization* x_τ of a stochastic process \underline{x}_τ is a sequence of numbers and is called a time series. A time series can be formed either by observation of the process being modelled or synthesized by implementing the model, i.e., the stochastic process. In the former case we can only have a *single* time series as nature does not repeat itself. In the latter case we can have an ensemble of time series with as many members as we wish, obtained by repetitive model runs.

The mathematical operations of the above equations can also be performed on the time series x_τ instead of the stochastic process \underline{x}_τ and in this case the results (e.g., $x_\tau^{(\kappa)}$) are numbers. These can be used to illustrate the concepts we discuss, e.g., by plotting $x_\tau^{(\kappa)}$ vs. τ . Note that the stochastic process $\underline{x}_\tau^{(\kappa)}$ cannot be plotted because it is not composed of numbers.

For our illustration, we choose the process of precipitation because (a) together with temperature, it is one of the two key processes used for climate classification and (b) its variability is much higher than temperature and its behaviour on extremes much more interesting. Furthermore, as a location for our illustration we choose Bologna, Italy (44.50°N, 11.35°E, 53.0 m) because it has one of the longest daily records of rainfall and temperature worldwide and thus enables insights on the evolution of climate. The time series of observations is available online in the frame of the Global Historical Climatology Network – Daily (GHCN-Daily, [27]). It is uninterrupted for the period 1813-2007, 195 years in total. For the most recent period, 2008-2018 daily data are provided by another online data repository [28].

When $k := \kappa D$ is small, the process $\underline{x}_\tau^{(\kappa)}$ represents weather. Illustration of the evolution of weather at hourly and daily scale is given in Figure 3. Conversely, when k is large, $\underline{x}_\tau^{(\kappa)}$ represents climate as illustrated in Figure 4 (upper panel) for $k = 10$ and 30 years.




Figure 3. Evolution of precipitation in Bologna, as a weather element, seen at (**upper**) hourly time scale for six months and (**lower**) daily time scale for six years (the orange rectangle is the time domain of the upper graph).

Apparently, as seen in Figure 4, the variability decreases as the time scale increases but it never becomes zero. This is the case even for time scales of millions of years [29]. The variability is quantified by the variance of the process:

$$\gamma_\kappa := \text{var}[\underline{x}_\tau^{(\kappa)}] \quad (5)$$

Clearly, this is a function of the time scale κ which is termed the climacogram of the process, from the Greek climax ($\kappa\lambda\acute{\iota}\mu\alpha\varsigma$, meaning scale) [30].

For sufficiently large κ (theoretically as $\kappa \rightarrow \infty$), we may approximate the climacogram as:

$$\gamma_\kappa \propto \kappa^{2H-2} \quad (6)$$

where H is termed the *Hurst parameter*. The theoretical validity of such (power-type) behaviour of a process was implied by Kolmogorov (1940 [31,32]). The quantity $2H - 2$ is visualized as the slope of the double logarithmic plot of the climacogram for large time scales. In a random process, $H = 1/2$, while in most natural processes $1/2 \leq H \leq 1$, as first observed by Hurst in 1951 [33]. This natural behaviour is known as (long-term) *persistence* or *Hurst-Kolmogorov (HK) dynamics*. A high value of H (approaching 1) indicates enhanced presence of patterns, enhanced change and enhanced uncertainty (e.g. in future predictions). A low value of H (approaching 0) indicates enhanced fluctuation or *antipersistence*.

The climacogram of the precipitation in Bologna is depicted in Figure 5, which reflects the variability on a continuum of time scale referring to both weather and climate.




Figure 4. (upper) Evolution of average daily precipitation in Bologna, as a climatic element, seen at the annual and the climatic time scales of 10 and 30 years; **(lower)** as in upper panel but for a time window of the three summer months, JAS.




Figure 5. Climacogram of precipitation in Bologna; both hourly and daily data have been used to estimate the empirical climacogram. FHK stands for filtered Hurst-Kolmogorov process and has the mathematical expression of Equation (7) with fitted parameters $H = 0.95$, $M = 0.05$, $\alpha = 16.4$ h, $\lambda_1 = 0.000864$ mm/h and $\lambda_2 = 1.506$ mm/h.

The theoretical model fitted to the empirical climacogram of Figure 5, termed the filtered Hurst-Kolmogorov process of Cauchy-Dagum type (FHK-CD; [26,34]), has the mathematical expression:

$$\gamma(k) = \lambda_1 \left(1 + \frac{k}{\alpha}\right)^{2H-2} + \lambda_2 \left(1 - \left(1 + \frac{\alpha}{k}\right)^{-2M}\right) \quad (7)$$

In addition to the Hurst parameter H , which characterizes the *global scaling* behaviour, when $k \rightarrow \infty$ (pertinent to the climate), the model includes a second scaling exponent M characterizing the *local scaling* or *smoothness* or *fractal behaviour* when $k \rightarrow 0$ (pertinent to the weather). Furthermore, the model includes a time scale parameter α and two state scale parameters λ_1 and λ_2 . The large Hurst parameter estimated ($H = 0.95$) implies large estimation bias at large climatic scales, which was considered in the fitting of the model and shown in Figure 5.

The climacogram of the simple yet familiar case, in which the process is white noise, is also plotted in Figure 5. This would imply rapid increase of climatic variability and would be consistent with the idea of a stable climate. And it can be conjectured that it is the white noise paradigm that misled climatologists to form the idea of a stable climate that needs an external agent to change. However, the real climate is not white noise. As seen in Figure 5 the white noise model entails a reduction of variability of three orders of magnitude when we move from the hourly time scale to that of a couple of months. However, in the real climate we need a 100-year climatic scale to achieve this reduction.

As geophysical processes are affected by the double periodicity, daily and annual, related to Earth's motion, it is a common requirement in several applications to study a specified window of time for each year (e.g., one or more adjacent months), or even a specific part of the day (e.g., some morning hours in a certain month). It is easy then to specify an indication function $I(t)$, taking the value 1 whenever t belongs to the specified time window, and 0 otherwise. Assuming that a temporal resolution of $D = 1$ year and denoting $D_w := \int_0^D I(t) dt$ the length of the window, we define the windowed process at the annual time scale as:

$$\underline{w}_\tau := \frac{1}{D_w} \int_{(\tau-1)D}^{\tau D} \underline{x}(t) I(t) dt \quad (8)$$

We can then define the discrete time process at any climatic time scale $\kappa > 1$, i.e., $\underline{w}_\tau^{(\kappa)}$, by applying (4). An illustration of this idea is provided in the lower panel of Figure 4 for the precipitation in Bologna during the summer months of July-September.

Furthermore, when we are interested about extremes of a certain process, we can replace the time averaging operation with taking the maximum or minimum, i.e.:

$$\underline{y}_\tau^{(\kappa)} := \max(\underline{x}_{(\tau-1)\kappa+1}, \underline{x}_{(\tau-1)\kappa+2}, \dots, \underline{x}_{\tau\kappa}), \quad \underline{z}_\tau^{(\kappa)} := \min(\underline{x}_{(\tau-1)\kappa+1}, \underline{x}_{(\tau-1)\kappa+2}, \dots, \underline{x}_{\tau\kappa}) \quad (9)$$

Assuming that the time scale is greater than annual, the stochastic processes $\underline{y}_\tau^{(\kappa)}$ and $\underline{z}_\tau^{(\kappa)}$ are climatic. Illustration of $\underline{y}_\tau^{(\kappa)}$ for the precipitation in Bologna is given in Figure 6. This can also be combined with windowing on a specific season as also shown in the same figure.

To define another interesting case of a climatic stochastic process, let us consider a specific probability referring to the marginal distribution of \underline{x}_τ (or \underline{w}_τ if we consider a subperiod of the year), such as $\Pi := P\{\underline{x}_\tau \leq c\}$, where c is a constant. This Π is a regular variable taking on a particular value, rather than a stochastic variable. However, if we estimate it from a particular time series which is a realization of \underline{x}_τ , then the estimates change for different τ , so that they can be represented as a family of stochastic variables $\underline{\pi}_\tau$, or else a stochastic process. If then we average this process at any climatic time scale $\kappa > 1$, i.e., $\underline{\pi}_\tau^{(\kappa)}$, by applying (4), then we get a climatic stochastic process.




Figure 6. (upper) Evolution of the maximum daily precipitation in Bologna, as a climatic element, seen at the annual and the climatic time scales of 10 and 30 years; **(middle)** as in the upper panel but for the maximum two-daily precipitation; **(lower)** as in upper panel but for a time window of the three summer months, JAS.

For the rainfall process, if we set the threshold $c = 0$, we obtain the probability dry, which provides a way to study the low extremes as the process $z_{\tau}^{(\kappa)}$ in precipitation is zero by identity. Illustration is provided in Figure 7 for the probability dry in Bologna.




Figure 7. Evolution of the empirical probability dry of daily precipitation (relative frequency of days without precipitation) in Bologna, as a climatic element, seen at the annual and the climatic time scales of 10 and 30 years.

In all climatic processes illustrated, the climatic variability is omnipresent. Further illustration of that variability is provided, for the 30-year climatic scale, in Table 2 for all processes that are used for the Köppen climate classification, including those referring to temperature, whose time series of observations are equally long as in precipitation. We may observe that the 30-year climatic value of annual precipitation has varied from 536.4 mm (1813-38) to 798.7 mm (1869-98), a ratio of 1:1.5. No monotonic trend appears in the climatic values of precipitation. In temperature there also appear fluctuations, but with a warming trend in the most recent years. Interestingly however, this warming is mostly a result of increasing of the lowest temperatures (milder winters).

Table 2. Climatic time series of temperature and precipitation in Bologna that are used for the Köppen climate classification.

Statistic	1813-38	1839-68	1869-98	1899-1928	1929-58	1969-88	1989-2018
Temperature, annual (°C)	13.9	13.4	13.7	13.8	14.0	13.8	15.3
Temperature, hot half-year (°C)*	20.9	20.4	20.5	20.3	21.1	20.2	21.8
Temperature, cold half-year (°C)	6.8	6.3	6.8	7.3	7.0	7.3	8.7
Temperature, hottest month (°C)	25.4	24.8	25.3	24.6	25.5	24.5	26.2
Temperature, coldest month (°C)	1.4	1.3	1.7	2.8	2.0	2.6	4.4
Number of months with temperature >10 °C	7	7	7	7	7	7	8
Precipitation, annual (mm)	536.4	646.4	798.7	598.4	628.0	750.1	767.2
Precipitation, hot half-year (mm)	265.7	318.4	378.8	281.8	276.1	351.3	365.5
Precipitation, cold half-year (mm)	270.7	328.0	420.0	316.7	351.8	398.8	401.7
Precipitation, driest month of hot half-year* (mm)	30.2	34.0	40.9	26.0	32.9	46.5	40.1
Precipitation, wettest month of hot half-year (mm)	62.4	74.1	84.3	62.5	66.1	65.2	76.6
Precipitation, driest month of cold half-year* (mm)	30.1	27.9	40.0	30.9	44.6	47.3	40.2
Precipitation, wettest month of cold half-year (mm)	60.7	87.4	114.2	74.9	90.3	86.7	88.4
Köppen climate type	Cfa	Cfa	Cfa	Cfa	Cfa	Cfa	Cfa

* The hot half-year is defined as the six-month period of ONDJFM and the cold half-year as that of AMJJAS

Despite the significant climatic fluctuations, the Köppen climate type of Bologna remains the same through all seven 30-year climatic periods, i.e., Cfa (temperate without a dry season and with hot summer).

5. Climate and water

As stated in the WMO's definition of climate quoted above, the typical use of the term *climate* refers to the atmosphere only, leaving out the other parts of the climate system. However, since the climatic system includes the hydrosphere, there is no reason to exclude the hydrological processes from the climatic processes. Therefore, our definition includes them. Nevertheless, to give more emphasis on the inclusion of hydrological processes, the term *hydroclimatic* is often used, which gives additional clarity, but is rather a redundancy as the hydrosphere is already included in the climate system.

The established idea is that the hydrology of an area, including the water balance and hydrological extremes, is affected unidirectionally by climate. This idea is further expanded to establish a linear causality sequence of the type: human CO₂ emissions → increasing concentration of atmospheric CO₂ → increasing temperature → changes in hydrological processes and water balance. This is evident in the popular practice of studying the so-called *climate change impacts* on hydrological processes. However, this is a naïve idea that does not correspond to physical reality. For water is the most crucial element determining climate (e.g. [35,36]), or as put by Poyet [37], “Water is the main player”. We list epigrammatically some of the reasons justifying it:

- *Abundance.* The climate is generated by the everlasting turbulent motion of two fluids, water and air. The water in the oceans amounts to 1.34×10^9 Gt [38], not considering the additional quantities stored in the soil, ground and glaciers, which generally are not in turbulent motion, and neglecting the much smaller quantities of liquid water on land. For comparison the mass of air in the atmosphere is 5.14×10^6 Gt (of which 12 500 Gt is water vapour) [39], i.e., 260 times smaller than the mass of water in motion.
- *Heat storage.* Water's specific heat (or heat capacity) is 4218 and 2106 J kg⁻¹ K⁻¹ for the liquid and solid phase, respectively, and 1463 and 1924 J kg⁻¹ K⁻¹ for the gaseous phase for constant volume and constant pressure, respectively [40]. These figures are considerably smaller than the specific heat of dry air (707 and 1004 J kg⁻¹ K⁻¹ for the gaseous phase for constant volume and constant pressure, respectively) as well as of the dry soil (typically 800 J kg⁻¹ K⁻¹). As a result of its high heat capacity and abundance, water is the element that determines the heat storage and hence the climate of the Earth. For example, in the last forty years, accumulated heat in the land and atmosphere combined is estimated to be a small percentage of about 5% of that accumulated in the oceans (Box 1.1 in [22]). For the same reason, water has been called the *climatic thermostat* of the Earth [41].
- *Heat exchange.* For the average temperature of Earth, the specific latent heat of water evaporation (calculated from [42]; Eq. 40) is 2.47 MJ/kg, much higher than in other common substances. Also, the specific latent heat of ice melt (solid water fusion) is 0.334 MJ/kg, again higher than in other common substances. Combined with the fact that water abounds on Earth in all three phases, these high values of phase change energy make water the thermodynamic regulator of climate. In particular, the heat exchange by evaporation (and hence the latent heat transfer from the Earth's surface to the atmosphere) is the Earth's natural locomotive, with the total energy involved in the hydrological cycle being 1290 ZJ/year, corresponding to an energy flux density of 80 W/m² [36]. Compared to the human energy production (0.612 ZJ/year for 2014), the total energy of the natural locomotive is 2100 times higher than that of the human locomotive [36].
- *Shortwave radiation regulation.* An interesting property of water is the dramatic differences, among the different phases and formations, in the reflecting properties of the incoming sunlight, or else the albedo. Thus, the albedo of liquid water is only 5%

near the equator (but increases up to 76% near the poles for winter months [43]), while for ice it is 32-38%, and increases further to 45% for old snow and up to 85% for fresh snow. Even though water vapour is transparent to shortwave, the water has a huge effect in the radiation properties of the atmosphere through the clouds. The albedo of clouds varies on even larger ranges, from 10% to more than 80% [44], depending on drop sizes, liquid water or ice content, thickness of the cloud, and sun-ray's angle. The importance of the albedo can be understood by this example: For the incoming solar radiation of 341 W/m^2 [45], a tiny change of 1‰ in the albedo due to differences in the presence of water formations (snow, ice, clouds) will result in an "imbalance" of 0.34 W/m^2 . This is of the same order or magnitude of the average imbalance (net absorbed energy) of the Earth in the last 50 years, allegedly attributed to the increase of the CO_2 concentration (see calculations in Appendix C). Note that in the single year 2010 the global albedo has actually varied between 0.28 and 0.31 on a monthly basis [46], i.e., by 3%, or 30 times more than our hypothetical change of 1‰ of our example.

- *Longwave radiation regulation.* Even though in the common perception it is the carbon dioxide (CO_2) that determines the greenhouse effect of the Earth, current studies (Schmidt et al. [47]) attribute only 19% of the longwave radiation absorption to CO_2 against 75% of water vapour and clouds, or a ratio of 1:4. According to other estimations, the importance of CO_2 as a greenhouse gas is even lower and that of water higher [37]. Another misconception, common in non-experts, is that the atmospheric CO_2 is the product of human emissions, while in fact the latter contribute by only 3.8% to the global carbon cycle [48]. Water, as a universal solvent, plays a crucial role for the presence of CO_2 in the hydrosphere and the atmosphere. This role is described by the Henry's law [49], according to which the increase of water temperature results in decreasing solubility of CO_2 in water and hence CO_2 degassing from the ocean. To this natural process we should add the fact that the increase of temperature (T) results in increased respiration of the biosphere on land and sea. Based on such considerations and using reliable instrumental measurements of global T and CO_2 concentration, covering the time interval 1980–2019, a recent study [50] has found that, in the relationship of CO_2 and temperature, the dominant causality direction is $T \rightarrow \text{CO}_2$, rather than the other way round, despite the latter being the common perception.
- *Large-scale fluctuations.* The rhythm of coupled ocean–atmosphere fluctuations, such as ENSO, AMO, and IPO significantly influences the variability of global mean annual temperature [51].
- *Anthropogenic effects.* Human interventions on water bodies may have much more substantial effects on the entire Earth than the infamous fossil fuel burning and the resulting CO_2 emissions. For example, considering the sea level rise, the most prominent anthropogenic signal is the increased (and unsustainable) exploitation of groundwater, which transfers to the sea huge masses of water earlier stored in land [36].

For all these reasons, while it makes sense to view atmospheric phenomena as the cause of hydrological ones when the time scale is small (time scales of weather) the opposite is the case when the time scale is large (climatic time scales). Hopefully, this could be assimilated by hydrologists who in climate studies have currently delimited their own role to "climate impactologists", taking as input the climate model outputs and producing results for the future of water on Earth as if the inputs were credible. However, as a result of the "cart before the horse" approach, which confuses or reverses roles and causality directions, those inputs are not credible. As shown in a series of publications, the climate model outputs are irrelevant to reality and thus not hydrologically useful for all time scales, from sub-annual to climatic, and for a variety of spatial scales, local [52-53], sub-continental [54-56], continental and global [36].

6. The term “climate change”

According to our proposal in Section 4—and given that the term *process* means *change* (as clearly stated by Kolmogorov [57,58], who introduced it in the scientific vocabulary), climate is changing by definition. Thus, there is no need to define or use the term *climate change*. Change occurs at all scales [29], and there is nothing particular in any specific one, like the commonly assumed 30-year scale. By studying long observation series of atmospheric and hydrological processes, one would see that the only characteristic scale with clear physical meaning is the annual—beyond that there is no objective “border scale” that would support a different definition of climate. The above definition includes all scales beyond the annual, thus leaving out the smaller scales (e.g., of several minutes or days) to be associated to weather.

Hence, in scientific terms, the content of the term *climate change* is almost equivalent to that of *weather change* or even *time change* (climate is changing as is weather and time).

Actually, the term *climate change*, which appeared in literature only after the 1970s (Figure 8), serves non-scientific purposes [59]. Quoting Vít Klemeš (from [60]) “the term ‘climate change’ is a misleading popular slogan”.

Even according to the IPCC’s [22] definition, the meaning of *climate change* is ambiguous:

Climate change refers to a change in the state of the climate that can be identified (e.g., by using statistical tests) by changes in the mean and/or the variability of its properties, and that persists for an extended period, typically decades or longer. Climate change may be due to natural internal processes or external forcings such as modulations of the solar cycles, volcanic eruptions and persistent anthropogenic changes in the composition of the atmosphere or in land use.

Note that the Framework Convention on Climate Change (UNFCCC), in its Article 1, defines climate change as: ‘a change of climate which is attributed directly or indirectly to human activity that alters the composition of the global atmosphere and which is in addition to natural climate variability observed over comparable time periods’. The UNFCCC thus makes a distinction between climate change attributable to human activities altering the atmospheric composition, and climate variability attributable to natural causes.




Figure 8. Evolution of the frequency of appearance of the term “climate change” in the millions of books archived by Google Books. The neutral term “good day” is used as a reference for comparison (and it appears that after 1990 “climate change” became more important than “good day”).

The fact that *climate change* is a political, rather than a scientifically sound term is highlighted by several observations. One is the large number of the USA congressional hearings on climate change (Figure 9). Also, the earliest item in the Google Books collection, which includes the term “climate change” in its title is a cold-war report by CIA [61] referring to USSR (Figure 10). Interestingly, in it climate change is meant as the cooling of the Northern Hemisphere since 1940. Specifically, the report states “the drought and

subsequent famine in the Sahelian zone of North Africa during the late 1960s and early 1970s has focused world attention on the implication of climate change. According to evidence gathered by climatologists, the Northern Hemisphere has been cooling since the mid-1940s”.




Figure 9. Annual number of USA Congressional Hearings on climate change, whose description contains either of the phrases “climate”, “greenhouse” and “global warming”; the first instance appears in 1976 (data source: [62]; data coverage: 1946-2018).

It is also quite insightful in this respect to consult the Address to the Sixth Special Session of the United Nations General Assembly in April 1974 ([63] and Figure 10) by Henry Kissinger, the then Secretary of State and also National Security Advisor of the USA. Here he introduces climate change as an urgent problem and calls for immediate international action (a call that would become pretty regular thereafter):

man-made disasters, have been threatened by a natural one: the possibility of climatic changes in the monsoon belt and perhaps throughout the world. The implications for global food and population policies are ominous. The United States proposes that the International Council of Scientific Unions and the World Meteorological Organization; urgently investigate this problem and offer guidelines for immediate international action.

And indeed, the World Meteorological Organization responded swiftly within a month with a report of its Secretary General entitled “Environmental Pollution and Other Environmental Questions – Implications of Possible Climatic Changes” [64,65]. This was followed by several actions and events by diverse American and international organizations, which concluded with the establishment of IPCC in 1988, fourteen years after Kissinger’s talk [66].

Interestingly, the same year 1974, the Rockefeller Foundation (RF, whose Kissinger was a distinguished attaché) announced perhaps the first in history conference whose title included the term “climate change”. The announcement was included in the RF report of 1974 in this way [67]:

Climate Change, Food Production, and Interstate Conflict. This interdisciplinary conference, organized jointly by RF officers from Conflict in International Relations, Quality of the Environment, and Conquest of Hunger programs, will bring together climatologists, scientists concerned with food production and others with experience with national public policy, and foundation representatives to examine the future implications of the global cooling trend now under way and its effects on world food production. Countries to be represented include the United States, Canada, the United Kingdom, and India.





Figure 10. (Left) The earliest item in the Google Books collection, which includes the term “Climate Change” it is title [61]. (Right) Kissinger’s (1974) Address to the Sixth Special Session of the United Nations General Assembly [63] with the inset showing the most interesting quotation about “climatic changes”.

The same RF report is revealing in terms of the methods used by the RF to promote its agendas, including that of climate change:

Several science editors were asked to participate in Foundation meetings on climate change, food production and interstate conflict, genetic resistance in plants to pests, and aquaculture. Stories appeared subsequently on the front page of The New York Times, and the Associated Press carried substantial stories which were widely used. In each instance, the writers were introduced to our program officers and encouraged to use them as resource people. (Officers are now, in fact, being called on by journalists, particularly in areas of current high news interest such as food production, population problems, environmental issues, and the arts.)

In next year’s RF report [68] the same text of the conference announcement is repeated with a few differences, i.e., the future tense is changed to past tense, the phrase “the global cooling trend now under way” is changed to “the global cooling trend now currently underway” and the countries represented also included the Soviet Union, Japan and Germany. And indeed, the scheduled conference was held in June 1975 in Bellagio (located on Lake Como, Italy, where the Bellagio Center of RF is hosted) and, according to Hare [69], it “led to the publication in 1976 of a report called Climatic Change, Food Production and Interstate Conflict, which reached the desk of Henry Kissinger, then the U.S. Secretary of State.”

A fascinating characteristic evident in all documents of this early period before the establishment of IPCC, is that their authors are not confident whether climate change is natural or anthropogenic (see, e.g., the quotation by Kissinger above) or that their climate alert was about global cooling or global warming. Indeed, the answer was not categorical and in fact did not matter. What did matter was the alert per se. And it did not take much time to reverse the global cooling threat in the climate change agenda (see the quotation in the RF reports above) to global warming.

As the climate change is a political issue, it is better to trace its development through a general-audience, rather than scientific, magazines. Thus, this reversal becomes evident by reviewing news articles in the Time Magazine:

- In 1974, an article entitled “Another Ice Age?” [70] stated:

when meteorologists take an average of temperatures around the globe they find that the atmosphere has been growing gradually cooler for the past three decades. The trend shows no indication of reversing.

- In 1976, an article entitled “Environment: The World's Climate: Unpredictable” [71] stated:

Climatologists still disagree on whether earth's long-range outlook is another ice age, which could bring mass starvation and fuel shortages, or a warming trend, which could melt the polar icecaps and flood coastal cities.

- In 1987, the front cover of the issue of 19 October announced “The Heat is On” and an article with the same title [72], mostly devoted to the depletion of ozone, also asserted:

Potentially more damaging than ozone depletion, and far harder to control, is the greenhouse effect, caused in large part by carbon dioxide (CO₂). The effect of CO₂ in the atmosphere is comparable to the glass of a greenhouse: it lets the warming rays of the sun in but keeps excess heat from reradiating back into space. Indeed, man-made contributions to the greenhouse effect, mainly CO₂ that is generated by the burning of fossil fuels, may be hastening a global warming trend that could raise average temperatures between 2 degrees F and 8 degrees F by the year 2050.

- In 1989, less than a month after the establishment of the IPCC [66], the front cover of the issue of 2 January declared the “Endangered Earth” and the accompanying story [73] contained the following text, since then repeated myriad times (possibly re-phrased but essentially with the same meaning):

What would happen if nothing were done about the earth's imperiled state? According to computer projections, the accumulation of CO₂ in the atmosphere could drive up the planet's average temperature 3 degrees F to 9 degrees F by the middle of the next century. That could cause the oceans to rise by several feet, flooding coastal areas and ruining huge tracts of farmland through salinization. Changing weather patterns could make huge areas infertile or uninhabitable, touching off refugee movements unprecedented in history.

- In 1992, the Earth salvation begun with the cover of Time's issue of 1 June declaring “Coming Together to Save the Earth” [74].

By now there is overwhelming evidence that “climate change” is a slogan in a political agenda (cf. World Economic Forum's *The Great Reset* [75], mixing climate change and Covid-19 to support the necessity for a *great reset*; Harari's *Homo Sapiens* [76] advocating the idea of a New Global Empire to “solve” the problem of “accumulation of greenhouse gases”; the joint report by the US National Intelligence Council & EU Institute for Security Studies for Global Governance [77,78]; the Rockefeller Brothers Fund's report *Change – Global Warming* [79]; and everyday news stories about diverse politico-ideological activist groups “fighting” climate change). Assuming that we have democracy, and freedom of opinion and speech, agreement or disagreement with any political agenda is any citizen's inalienable right. On the other hand, political agendas do not belong to the domain of science. History teaches that mixing up science with societal aspects such as politics (cf. Eugenics and Lysenkoism) or religion (cf. Giordano Bruno and Galileo) has had tragic results both for science and society. And such mixing up has been admitted and commended by scientists who are proponents of the climate change agenda [59].

7. Discussion and Conclusions

Traditionally, hydrology has given emphasis on the information contained in data from observations and measurements, and followed an inductive scientific approach in order to make predictions. The predictions are of probabilistic character, based on the data and using stochastics. They have constituted the successful basis for engineering design and water management. Climatology has traditionally followed a similar path, by analysing long series of meteorological data. Both disciplines have been developed around the canon “in data we trust”. Models have been regarded useful only if they were consistent with observations.

The reverse canon, giving more importance to models even if they disagree with observations, is epistemologically problematic. However, it becomes all the more widespread, particularly within climate research, as it better serves the set climate objectives and facilitates awarding of research grants. Nevertheless, this approach is not brand new, as exemplified by the following story [26,80]. In October 1941, Hitler’s meteorologist Franz Baur issued a prediction that the next winter in Russia would be mild. However, that winter, which marked the Battle of Moscow as the first major Soviet counteroffensive of the war was committed, turned out to be one of the coldest in record. When reports by the military staff about the severe winter were communicated to Baur, his response was “the observations must be wrong”.

The culture of working on “virtual reality” and trusting more models than reality has been very common in so-called “climate science” but has also affected hydrology. This has been the most severe impact of “climate change” on hydrology [81]. However, a warning about this problem has been issued very early by Lamb [24]:

The many ingenious formulations of theory of climate in terms of global mathematical models are likely to prove fallacious in one or another way unless and until equal attention is paid to establishing the past record of climatic behaviour and assimilating the lessons from it.

A most important lesson from the past record is that climate has ever been changing. This has also been pointed out by Lamb [24], as quoted in Section 2, and stressed by other climatologists, such as Peixoto and Oort [82]:

We know that climate has undergone many changes in the past and that it will continue to change in the future. In other words, the climate is always evolving and it must be regarded as a living entity. Thus we should avoid the misleading concept of the constant nature of climate.

Despite all these, the current definitions of climate do not highlight its non-static nature. Rather, they imply a static climate, as already analysed (Section 3). Hopefully, the definition proposed and illustrated here (Section 4) could be useful to dispel this fallacy. By dispelling the fallacy, the term “climate change” would hopefully disappear from the scientific vocabulary and remain where it exactly belongs, i.e., the political vocabulary (Section 6). Dispelling another set of fallacies about the relationship of water and climate, also investigated here (Section 5) could be equally useful.

Supplementary Materials: Not applicable.

Author Contributions: Not applicable.

Funding: This research received no external funding but was motivated by the scientific curiosity of the author.

Data Availability Statement: Not applicable.

Acknowledgments: I thank the guest editors Andreas N. Angelakis and Stavros Alexandris for the invitation to write this paper.

Conflicts of Interest: The author declares no conflicts of interest.

Appendix A: Ancient and early modern quotations about climate

Herodotus described the different climates of some areas but without penetrating into the nature of climate, for which he has not even proposed a particular term, but calls οὐρανὸς meaning *heaven*. He further connects the climate with human ethics and behaviours, sometimes adding elements, possibly by imagination, which are difficult to believe. In the following passages, he describes the climates of Egypt and Scythia, a region of Central Eurasia, west, east and north of the Caspian Sea (*The Histories*, 2.35 and 4.28, respectively):

Αἰγύπτιοι ἅμα τῷ οὐρανῷ τῷ κατὰ σφέας ἐόντι ἑτεροίῳ καὶ τῷ ποταμῷ φύσιν ἀλλοίην παρεχομένῳ ἢ οἱ ἄλλοι ποταμοί, τὰ πολλὰ πάντα ἔμπαλιν τοῖσι ἄλλοις ἀνθρώποισι ἐστήσαντο ἥθεά τε καὶ νόμους.

(The Egyptians in agreement with their climate, which is unlike any other, and with the river, which shows a nature different from all other rivers, established for themselves manners and customs in a way opposite to other men in almost all matters – English translation by G.C. Macaulay, 1890).

δυσχεῖμερος δὲ αὕτη ἡ καταλεχθεῖσα πᾶσα χώρα [Σκυθία] οὕτω δὴ τι ἐστί, ἔνθα τοὺς μὲν ὀκτῶ τῶν μηνῶν ἀφόρητος οἶος γίνεται κρυμός, ἐν τοῖσι ὕδωρ ἐκχέας πηλὸν οὐ ποιήσεις, πῦρ δὲ ἀνακαίων ποιήσεις πηλόν: ἡ δὲ θάλασσα πηγνυται καὶ ὁ Βόσπορος πᾶς ὁ Κιμμέριος, καὶ ἐπὶ τοῦ κρυστάλλου οἱ ἐντὸς τάφρου Σκύθαι κατοικημένοι στρατεύονται καὶ τὰς ἀμάξας ἐπελαύνουσι πέρην ἐς τοὺς Σίνδους. οὕτω μὲν δὴ τοὺς ὀκτῶ μῆνας διατελεῖ χειμῶν ἑών, τοὺς δ' ἐπιλοιπούς τέσσερας ψύχεα αὐτόθι ἐστί. κεχώρισται δὲ οὗτος ὁ χειμῶν τοὺς τρόπους πᾶσι τοῖσι ἐν ἄλλοις χωρίοις γινομένοις χειμῶσι, ἐν τῷ τὴν μὲν ὥραιην οὐκ ὕει λόγον ἄξιον οὐδέν, τὸ δὲ θέρος ὕων οὐκ ἀνιεῖ: βρονταὶ τε ἥμος τῇ ἄλλῃ γίνονται, τηνικαῦτα μὲν οὐ γίνονται, θέρεος δὲ ἀμφιλαφές: ἦν δὲ χειμῶνος βροντὴ γένηται, ὥς τέρας νενόμισται θωμάζεσθαι. ὥς δὲ καὶ ἦν σεισμὸς γένηται ἦν τε θέρεος ἦν τε χειμῶνος ἐν τῇ Σκυθικῇ, τέρας νενόμισται. ἵπποι δὲ ἀνεχόμενοι φέρουσι τὸν χειμῶνα τοῦτον, ἡμίονοι δὲ οὐδὲ ὄνοι οὐκ ἀνέχονται ἀρχήν: τῇ δὲ ἄλλῃ ἵπποι μὲν ἐν κρυμῷ ἐστεῶτες ἀποσφακελίζουσι, ὄνοι δὲ καὶ ἡμίονοι ἀνέχονται.

(This whole land [Scythia] which has been described is so exceedingly severe in climate, that for eight months of the year there is frost so hard as to be intolerable; and during these if you pour out water you will not be able to make mud, but only if you kindle a fire can you make it; and the sea is frozen and the whole of the Kimmerian Bosphorus, so that the Scythians who are settled within the trench make expeditions and drive their waggons over into the country of the Sindians. Thus it continues to be winter for eight months, and even for the remaining four it is cold in those parts. This winter is distinguished in its character from all the winters which come in other parts of the world; for in it there is no rain to speak of at the usual season for rain, whereas in summer it rains continually; and thunder does not come at the time when it comes in other countries, but is very frequent, in the summer; and if thunder comes in winter, it is marvelled at as a prodigy: just so, if an earthquake happens, whether in summer or in winter, it is accounted a prodigy in Scythia. Horses are able to endure this winter, but neither mules nor asses can endure it at all, whereas in other countries horses if they stand in frost lose their limbs by mortification, while asses and mules endure it – ibid.)

Aristotle in his *Meteorologica* (362b.17) describes the relationship of climate with latitude:

ὁ τε γὰρ λόγος δείκνυσιν ὅτι ἐπὶ πλάτος μὲν [τὴν οἰκουμένην] ὥρισταί, τὸ δὲ κύκλῳ συνάπτειν ἐνδέχεται διὰ τὴν κρᾶσιν, -οὐ γὰρ ὑπερβάλλει τὰ καύματα καὶ τὸ ψυχρὸς κατὰ μῆκος, ἀλλ' ἐπὶ πλάτος, ὥστ' εἰ μή που κωλύει θαλάττης πληθος, ἅπαν εἶναι πορεύσιμον, — καὶ κατὰ τὰ φαινόμενα περὶ τε τοὺς πλοῦς καὶ τὰς πορείας.

(theoretical calculation shows that [inhabited Earth] is limited in breadth, but could as far as climate is concerned, extend round the Earth in a continuous belt; for it is not difference of longitude but of latitude that brings great variation of temperature, and if were not for the ocean which prevent it, the complete circuit could be made. And the facts known to us from

journeys by sea and land also confirm the conclusion; - English translation by H.D.P. Lee, Harvard University Press, Cambridge, Mass. USA, 1952).

Strabo in his *Geography* (1.1) uses the term climate, no longer identifying it with the latitude but linking it to the temperature:

πάντες, ὅσοι τόπων ιδιότητας λέγειν ἐπιχειροῦσιν, οἰκείως προσάπτονται καὶ τῶν οὐρανίων καὶ γεωμετρίας, σχήματα καὶ μεγέθη καὶ ἀποστήματα καὶ **κλίματα** δηλοῦντες καὶ θάλην καὶ ψύχην καὶ ἀπλῶς τὴν τοῦ περιέχοντος φύσιν.
(Every one who undertakes to give an accurate description of a place, should be particular to add its astronomical and geometrical relations, explaining carefully its extent, distance, degrees of latitude, and 'climate' — the heat, cold, and temperature of the atmosphere. – English translation by H.C. Hamilton, and W. Falconer, M.A., 1903)

In *Geography* (2.3), Strabo defines the five climatic zones on Earth that are used even today. Notice that the Aristotelian term *crasis* (κρᾶσις) survives through the term εὐκρατοί (temperate) zones, a term that is still in use in modern Greek:

αὕτη δὲ τῷ εἰς τὰς [πέντε] ζώνας μερισμῷ λαμβάνει τὴν οἰκείαν διάκρισιν: αἱ τε γὰρ κατεψυγμέναι δύο τὴν ἔλλειψιν τοῦ θάλπους ὑπαγορεύουσιν εἰς μίαν τοῦ περιέχοντος φύσιν συναγόμεναι, αἱ τε **εὐκρατοί** παραπλησίως εἰς μίαν τὴν μεσότητα ἄγονται, εἰς δὲ τὴν λοιπὴν ἢ λοιπὴ μία καὶ διακεκαυμένη.
(In the division into [five] zones, each of these is correctly distinguished. The two frigid zones indicate the want of heat, being alike in the temperature of their atmosphere; the temperate zones possess a moderate heat, and the remaining, or torrid zone, is remarkable for its excess of heat. – English translation by H.C. Hamilton, and W. Falconer, M.A., 1903).

The following definition that appears in Moxon (1700) does not differ substantially from the ancient Greek definitions:

Climate, From the Greek word Clima. of the same signification; it is a portion of the Earth or Heaven contained between two Parallels. And for distinction of Places, and different temperature of the Air, according to their situation; the whole Globe of Earth is divided into 24 Northern, and 24 Southern Climates, according to the half-hourly encreasing of the longest days; for under the Equator we call the first Climate: from thence as far as the Latitude extends, under which the longest day is half an hour more than under the Equator, viz. 12 hours and an half, is the second Climate: where it is encreased a whole hour, the third Climate: and so each Northerly and Southerly Climate respectively hath its longest day half an hour longer than the former Climate, till in the last Climate North and South, the Sun Sets not for half a year together, but moves Circularly above the Horizon.

Appendix B: Definitions of climate in modern books

The definition of climate by the landmark book on climate by Lamb [13] has been already quoted in Section 2. However, this definition appears to be inconsistent with Lamb's [24] observation of an ever-changing climate, also quoted above (Section 3). By scrutinizing books related to climate we may see a diversity of definitions, some complying with the Community definitions given in Section 3, but some other being different.

We first quote the definitions of climate given in the most influential books about climate, as quantified by the fact that they received several thousands of citations (according to Google Scholar). Thus, according to the book *Tree Rings and Climate* by Fritts [83],

Climate may be defined simply as an expression of meteorological phenomena representing weather occurring over a long period of time. It includes processes of exchange of energy and mass between the earth and the atmosphere. [...] The aggregate of climatic conditions expressed as means, variance and extremes for a region over a period of many years is referred to as the macroclimate. The data used to describe the macroclimate are often based either upon 30 or more years of observation from a single station or upon the average of several measurements from stations at diverse locations within a particular region.

Furthermore, the book asserts that macroclimate's spatial and temporal domain are regional and many years, respectively, and also uses the notions of *climatic state* and *microclimate*, with spatial domains regional and local, respectively, and temporal domain one month to a number of years and minutes to years, respectively. Interestingly the microclimate's definition makes it similar to weather, which is asserted to have a time domain of minutes to dates.

In another celebrated book by Von Storch and Zwiers [84], entitled *Statistical Analysis in Climate Research*, climate is defined this way:

Description of the climate consisted primarily of estimates of its mean state and estimates of its variability about that state, such as its standard deviations and other simple measures of variability.[...] The main purpose of this description is to define 'normals' and 'normal deviations,' which are eventually displayed as maps.

Yet another celebrated book, *The Climate Near the Ground* by Geiger, Aron and Todhunter [85] adopts the definition by Linacre [86] who, in turn, presents it as "a consensus of sixteen published definitions" without naming them. The latter definition reads:

Climate is the synthesis of atmospheric conditions characteristic of a particular place in the long term. It is expressed by means of averages of the various elements of weather, and also the probabilities of other conditions, including extreme events.

Interestingly, by looking at Table 1-1 of the book by Geiger et al., one sees that they assign values of what they call "primary time scale" to different instances of climate, disagree with the common definitions of climate including their own. Namely, they specify the primary time scale for microclimate to < 10 s and even for the macroclimate they give a time scale between 10^5 and 10^6 s, i.e., 1 to 12 d.

A similar situation is met in the book *Boundary Layer Climates*, by Oke [87], who, without providing a particular definition of climate, makes it clear (in his Figure 1.1) that he refers to time scales between 1 and 10^5 s (1 s to 1 d), which would normally be regarded as the time scale of weather rather than of climate.

A final quotation from a highly cited book on climate, namely *Physics of Climate* by Peixoto and Oort [82], is quite useful:

We will regard the climate in a very broad sense in terms of the mean physical state of the climatic system. The climate can then be defined as a set of averaged quantities completed with higher moment statistics (such as variances, covariances, correlations, etc.) that characterize the structure and behavior of the atmosphere, hydrosphere, and cryosphere over a period of time. This definition of climate includes the more narrow traditional concept of climate based on the mean atmospheric conditions at the earth's surface.

For completeness, it is useful to also review books on atmospheric science. Thus, in their highly cited book *Atmospheric Science*, Wallace and Hobbs [88] define climate thus:

the long term statistical properties of the atmosphere [...] constitute climate (for example, mean values and range of variability of various measurable quantities, such as temperature, and the frequencies of various events, such as rain or high winds, as a function of geographical location, season and time of day).

Likewise, Andrews [89] in his book *An Introduction to Atmospheric Physics* states:

The word climate refers to the state of the atmosphere longer time scales, typically averaged over several years or more. The understanding of climate and climate change does not necessarily require a complete understanding of every weather event; conversely there physical processes operating on long time scales, that are unimportant for weather prediction but crucial for climate prediction. (An example is heat transport from deep ocean which may vary on decadal or longer time scales.)

Finally, in his book *Essentials of Meteorology: An Invitation to the Atmosphere*, Ahrens [90] defines climate as follows:

If we measure and observe these weather elements over a specified interval of time, say, for many years, we would obtain the “average weather” or the climate of a particular region. Climate, therefore, represents the accumulation of daily and seasonal weather events (the average range of weather) over a long period of time. The concept of climate is much more than this, for it also includes the extremes of weather—the heat waves of summer and the cold spells of winter—that occur in a particular region. The frequency of these extremes is what helps us distinguish among climates that have similar averages.

Appendix C: Rough calculation of Earth’s energy imbalance

According to [48], the increase of heat stored on the oceans in the last 50 years, measured at a 10-year climatic scale, is 277 ZJ of 5.5 ZJ/year. According to what is presented in Section 5, to account for the heat stored in the atmosphere and land, we should increase this value by about 5% and thus, we round it to 6 ZJ/year (an applied increase of 8%). By converting ZJ to J and year to s, and dividing with the area of the Earth ($5.101 \times 10^{14} \text{ m}^2$) we find a value of Earth’s radiative imbalance of 0.37 W/m^2 . We note though that Trenberth et al. [45] give the net absorbed energy at 0.9 W/m^2 (2.4 times higher) but even assuming the latter value, we would conclude that it corresponds to a decrease of albedo by 2.5‰.

References

1. Graham, L.; Kantor, J.-M., *Naming Infinity: A True Story of Religious Mysticism and Mathematical Creativity*, Harvard University Press, 2009.
2. Shcheglov, D. Hipparchus’ table of climata and Ptolemy’s geography. *Orbis Terrarum*, **2007**, 9.
3. Visconti, E.Q. *Planches de l’Iconographie Grecque*, De l’Imprimerie de P. Didot l’Aîné, Paris, 58 plates (engravings), https://archive.org/details/gri_33125010850713/, 1817.
4. Google Books Ngram Viewer, <https://books.google.com/ngrams/graph?content=climatology>
5. Herbertson, A.J. *Outlines of Physiography, an Introduction to the Study of the Earth*, Arnold, London, UK, 1907.
6. The Climate Is What You Expect; The Weather Is What You Get, Available online: <https://quoteinvestigator.com/2012/06/24/climate-vs-weather/>.
7. Köppen, W. *Klassifikation der Klima nach Temperatur, Niederschlag und Jahreslauf*. Petermanns Mitt, 64, 1918.
8. Köppen, W. *Die Klimate der Erde. Grundriss der Klimakunde*, Walter de Gruyter, Berlin, 1923.
9. Köppen, W. *Grundriss der Klimakunde*, Walter de Gruyter, Berlin, 1931
10. Köppen, W. Das geographische System der Klimate. In: *Handbuch der Klimatologie*, Köppen W.; Geiger R. (eds), Gebrüder Borntraeger, Berlin, pp. 1–44, 1936.
11. Geiger, R.; Pohl W. Eine neue Wandkarte der Klimagebiete der Erde nach W. Köppens Klassifikation (A New Wall Map of the Climatic Regions of the World According to W. Köppen’s Classification), *Erdkunde* **1954**, 8, 58–61, <https://www.jstor.org/stable/25636021>.
12. Stamp, L.D. Major natural regions: Herbertson after fifty years. *Geography* **1957**, 42, 201–216.
13. Lamb, H.H. *Climate: Past, Present, and Future*, Vol. 1: *Fundamentals and Climate Now*, Methuen, London, UK., 1972.
14. Peel, M.C.; Finlayson, B.L.; McMahon, T.A. Updated world map of the Köppen-Geiger climate classification, University of Melbourne, 2016, [https://commons.wikimedia.org/wiki/File:World_K%C3%B6ppen_Classification_\(with_authors\).svg](https://commons.wikimedia.org/wiki/File:World_K%C3%B6ppen_Classification_(with_authors).svg)
15. Peel, M.C.; Finlayson, B.L.; McMahon, T.A. Updated world map of the Köppen-Geiger climate classification. *Hydrol. Earth Syst. Sci.* **2007**, 11, 1633–1644, doi: 10.5194/hess-11-1633-2007.
16. Mellinger, A.D.; Sachs, J.D.; Gallup J.L. *Climate, Water Navigability, and Economic Development*, CID Working Paper Series 1999.24, Harvard University, Cambridge, MA, 1999, <https://dash.harvard.edu/handle/1/39403786>.
17. Finch, V.C.; Trewartha, G.T. *Elements of Geography Physical and Cultural*, McGraw-Hill, New York, 1936.
18. National Weather Service Glossary. Available online: <https://w1.weather.gov/glossary/index.php?letter=c>.
19. Climate Glossary by the Climate Prediction Center of the National Weather Service. Available online: <https://www.cpc.ncep.noaa.gov/products/outreach/glossary.shtml#C>.
20. Glossary of Meteorology by the American Meteorological Society. Available online: <http://glossary.ametsoc.org/wiki/Climate>.
21. World Meteorological Organization (WMO). *International Meteorological Vocabulary*, WMO, No. 182, Geneva, Switzerland, 1992, https://library.wmo.int/doc_num.php?explnum_id=4712.
22. Intergovernmental Panel on Climate Change (IPCC) *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* [ed. by Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley], Cambridge University Press, Cambridge, UK, and New York, NY, USA, 2013

-
23. Hoffman, J.I. *Biostatistics for medical and biomedical practitioners*, Academic Press, London, UK, 2015.
 24. Lamb, H.H. *Climate: Past, Present, and Future*, Vol. 2: *Climatic History and the Future*, Methuen, London, UK, 1977.
 25. Koutsoyiannis, D. Hurst-Kolmogorov dynamics and uncertainty. *Journal of the American Water Resources Association* **2011**, *47*, 481–495.
 26. Koutsoyiannis, D. *Stochastics of Hydroclimatic Extremes - A Cool Look at Risk*, 330 pages, Edition 0, National Technical University of Athens, Athens, 2020, <http://www.itia.ntua.gr/en/docinfo/2000/>.
 27. GHCN Version 3. Available online: <https://climexp.knmi.nl/gdcnprcp.cgi?WMO=ITE00100550> 2019-02-17).
 28. Dext3r of ARPA Emilia Romagna, Rete di monitoraggio RIRER. Available online: <http://www.smr.arpa.emr.it/dext3r/> (accessed on 2019-02-17)
 29. Koutsoyiannis, D. Hydrology and Change. *Hydrological Sciences Journal* **2013**, *58*, 1177–1197, doi: 10.1080/02626667.2013.804626.
 30. Koutsoyiannis, D. A random walk on water, *Hydrology and Earth System Sciences* **2010**, *14*, 585–601, doi: 10.5194/hess-14-585-2010.
 31. Kolmogorov, A.N. Wiener'sche Spiralen und einige andere interessante Kurven im Hilbertschen Raum. *Dokl. Akad. Nauk SSSR* **1940**, *26*, 115–118.
 32. Kolmogorov, A.N. Wiener spirals and some other interesting curves in a Hilbert space. In *Selected Works of A. N. Kolmogorov – Vol. 1, Mathematics and Mechanics*, Tikhomirov, V. M. ed., Kluwer, Dordrecht, The Netherlands, pp. 303–307, 1991.
 33. Hurst, H.E. Long term storage capacities of reservoirs. *Trans. Am. Soc. Civil Eng.* **1951**, *116*, 776–808.
 34. Koutsoyiannis, D. Entropy production in stochastics, *Entropy* **2017**, *19*, 581, doi: 10.3390/e19110581.
 35. Koutsoyiannis, D.; Montanari, A.; Lins, H.F.; Cohn, T.A. Climate, hydrology and freshwater: towards an interactive incorporation of hydrological experience into climate research—DISCUSSION of “The implications of projected climate change for freshwater resources and their management”. *Hydrological Sciences Journal* **2009**, *54*, 394–405, doi: 10.1623/hysj.54.2.394.
 36. Koutsoyiannis, D. Revisiting the global hydrological cycle: is it intensifying?. *Hydrology and Earth System Sciences* **2020**, *24*, 3899–3932, doi: 10.5194/hess-24-3899-2020.
 37. Poyet, P. *The Rational Climate e-Book: Cooler is Riskier*, The Sorry State of Climate Science and Policies, 450 pp., e-ISBN 978-99957-1-929-6, 2021.
 38. Koutsoyiannis, D.; Xanthopoulos, T. *Engineering Hydrology*, Edition 3, 418 pages (in Greek), doi: 10.13140/RG.2.1.4856.0888, National Technical University of Athens, Athens, 1999.
 39. Trenberth, K.E.; Guillemot, C.J. The total mass of the atmosphere. *J. Geophys. Res.* **1994**, *99*, 23, 079–23,088, doi: 10.1029/94JD02043.
 40. Koutsoyiannis, D. Lecture notes on Hydrometeorology - Part 1, Edition 2, 157 pages, National Technical University of Athens, Athens, 2000, <http://www.itia.ntua.gr/116/>.
 41. Eagleson, P.S. The role of water in climate. *Proceedings of the American Philosophical Society* **2000**, *144*, 1, 33–38.
 42. Koutsoyiannis, D. Clausius-Clapeyron equation and saturation vapour pressure: simple theory reconciled with practice. *Eur. J. Phys.* **2012**, *33*, 295–305, doi: 10.1088/0143-0807/33/2/295.
 43. Cogley, J.G. The albedo of water as a function of latitude. *Monthly Weather Review* **1979**, *107*, 775–781.
 44. Han, Q.; Rossow, W.B.; Chou, J.; Welch, R.M. Global survey of the relationships of cloud albedo and liquid water path with droplet size using ISCCP. *Journal of Climate* **1998**, *11*, 1516–1528, doi: 10.1175/1520-0442(1998)011<1516:GSOTRO>2.0.CO;2.
 45. Trenberth, K.E.; Fasullo, J.T.; Kiehl, J. Earth's global energy budget, *B. Am. Meteorol. Soc.* **2009**, *90*, 311–324, doi: 10.1175/2008BAMS2634.1.
 46. Loeb, N.G.; Wielicki, B.A., Earth's radiation budget. In: *Encyclopedia of Atmospheric Sciences*, North, G.R.; Pyle, J.A.; Zhang, F., eds. Vol 5, 67–76, 2014, <https://books.google.gr/books?id=8lpzAwAAQBAJ&pg=RA4-PA72>.
 47. Schmidt, G.A.; Ruedy, R.A.; Miller, R.L.; Lacis, A.A. Attribution of the present-day total greenhouse effect. *J. Geophys. Res.* **2010**, *115*, D20106.
 48. Koutsoyiannis, D. Climate of the past and present, and its hydrological relevance, School for Young Scientists “Modelling and forecasting of river flows and managing hydrological risks: Towards a new generation of methods”, 2020, Russian Academy of Sciences, Moscow, 2020, doi: 10.13140/RG.2.2.20826.77761.
 49. Weiss, R. Carbon dioxide in water and seawater: The solubility of a non-ideal gas. *Mar. Chem.* **1974**, *2*, 203–215.
 50. Koutsoyiannis, D.; Kundzewicz, Z.W. Atmospheric Temperature and CO₂: Hen-Or-Egg Causality? *Sci* **2020**, *2*, 83. doi: 10.3390/sci2040083.
 51. Kundzewicz, Z.W.; Pinskiwar, I.; Koutsoyiannis, D. Variability of global mean annual temperature is significantly influenced by the rhythm of ocean-atmosphere oscillations. *Sci. Total Environ.* **2020**, *747*, 141256.
 52. Koutsoyiannis, D.; Efstratiadis, A.; Mamassis, N.; Christofides, A. On the credibility of climate predictions, *Hydrological Sciences Journal* **2008**, *53*, 671–684, doi: 10.1623/hysj.53.4.671.
 53. Tsaknias, D.; Bouziotas, D.; Koutsoyiannis, D.; Statistical comparison of observed temperature and rainfall extremes with climate model outputs in the Mediterranean region, ResearchGate, 2016, doi: 10.13140/RG.2.2.11993.93281.
 54. Anagnostopoulos, G.G.; Koutsoyiannis, D.; Christofides, A.; Efstratiadis, A.; Mamassis, N. A comparison of local and aggregated climate model outputs with observed data, *Hydrological Sciences Journal* **2010**, *55*, 1094–1110, doi: 10.1080/02626667.2010.513518.

-
55. Koutsoyiannis, D.; Christofides, A.; Efstratiadis, A.; Anagnostopoulos, G.G.; Mamassis, N. Scientific dialogue on climate: is it giving black eyes or opening closed eyes? Reply to "A black eye for the Hydrological Sciences Journal" by D. Huard, *Hydrological Sciences Journal* **2011**, 56, 1334–1339, doi: 10.1080/02626667.2011.610759.
 56. Tyralis, H.; Koutsoyiannis, D. On the prediction of persistent processes using the output of deterministic models, *Hydrological Sciences Journal* **2017**, 62, 2083–2102, doi: 10.1080/02626667.2017.1361535.
 57. Kolmogorov, A.N. Über die analytischen Methoden in der Wahrscheinlichkeitsrechnung. *Math. Ann.* **1931**, 104, 415–458.
 58. Kolmogorov, A.N. On analytical methods in probability theory, In: *Selected Works of A. N. Kolmogorov - Volume 2, Probability Theory and Mathematical Statistics*, ed. by A.N. Shiryayev, Kluwer, Dordrecht, The Netherlands, 62–108, 1992.
 59. Koutsoyiannis, D. Rebuttal to review comments on "Revisiting global hydrological cycle: Is it intensifying?" (Interactive comment on "Revisiting global hydrological cycle: Is it intensifying?" by Demetris Koutsoyiannis). *Hydrol. Earth Syst. Sci. Discuss.* **2020**, doi: 10.5194/hess-2020-120-AC1, <https://www.hydrol-earth-syst-sci-discuss.net/hess-2020-120/hess-2020-120-AC1-supplement.pdf>.
 60. Koutsoyiannis, D. Vít Klemes (1932–2010), 2011; <https://motls.blogspot.com/2011/03/vit-klemes-1932-2010.html>.
 61. CIA (Central Intelligence Agency), *USSR: The Impact of Recent Climate Change on Grain Production*. Report ER 76-10577 U, Washington, DC, 1976, <https://books.google.gr/books?id=fMaRQs4PkBoC>.
 62. The Comparative Agendas Project, Available online: https://www.comparativeagendas.net/datasets_codebooks.
 63. Kissinger, H.A. Address to the Sixth Special Session of the United Nations General Assembly. News Release by United States, Department of State. Office of Media Services, 1974, <https://books.google.gr/books?id=JDwVh5IK3dMC&pg=RA1-PA1>, <http://www.jstor.org/stable/2706310> (accessed on January 11, 2021).
 64. Baler, W. The challenge to agricultural meteorology, *WMO Bulletin* **1974** (October), XXIII (4), 221–224, https://library.wmo.int/doc_num.php?explnum_id=6621.
 65. Lewin, B., *Searching for the Catastrophe Signal: The Origins of the Intergovernmental Panel on Climate Change*. Global Warming Policy Foundation, 2017.
 66. UN General Assembly. United Nations General Assembly Resolution 43/53: Protection of Global Climate for Present and Future Generations of Mankind. A/RES/43/53, In: *International Legal Materials*, 28, p.1326, 1988 <https://www.ipcc.ch/site/assets/uploads/2019/02/UNGA43-53.pdf>.
 67. The Rockefeller Foundation, *Presidents Review & Annual Report 1974*, The Rockefeller Foundation, New York, USA, 1974, <https://www.rockefellerfoundation.org/wp-content/uploads/Annual-Report-1974-1.pdf>.
 68. The Rockefeller Foundation, *Presidents Review & Annual Report 1975*, The Rockefeller Foundation, New York, USA, 1975, <https://www.rockefellerfoundation.org/wp-content/uploads/Annual-Report-1975-1.pdf>.
 69. Hare, F.K. Changing climate and human response: The impact of recent events on climatology. *Geoforum* **1984**, 15.3, 383–394.
 70. Anonymous, Another Ice Age?, *Time*, June 24, 1974, <http://content.time.com/time/magazine/article/0,9171,944914,00.html>.
 71. Anonymous, Environment: The World's Climate: Unpredictable, *Time*, 9 August 1976, <http://content.time.com/time/subscriber/article/0,33009,914494,00.html>.
 72. Lemonick, M.D. The Heat Is On – Chemical wastes spewed into the air threaten the earth's climate, *Time*, 19 Oct., 1987, <http://content.time.com/time/magazine/article/0,9171,965776,00.html>.
 73. Sancton, T.H., Planet of the year: What on Earth are we doing?, *Time*, 2 Jan. 1989, <http://content.time.com/time/subscriber/printout/0,8816,956627,00.html>.
 74. *Time*, 1 June 1992 cover, <http://content.time.com/time/covers/0,16641,19920601,00.html>.
 75. Schwab, K.; Malleret, T. *The Great Reset*, World Economic Forum, Geneva, 2020.
 76. Harari, Y.N. *Sapiens: A Brief History of Humankind*, Random House, 2014, <https://books.google.gr/books?id=FmyBAwAAQBAJ>.
 77. US National Intelligence Council, *Global Governance 2025: at a Critical Juncture*, 2010, <https://www.dni.gov/files/documents/Global%20Trends%2025%20Global%20Governance.pdf>.
 78. EU Institute for Security Studies, *Global Governance 2025: at a Critical Juncture*, 2010, <https://www.iss.europa.eu/content/global-governance-2025-critical-juncture>.
 79. Rockefeller Brothers Fund, *Change – Global Warming*, 2005 Annual Report, 2005, https://www.rbf.org/sites/default/files/2005_Annual_Review.pdf.
 80. Neumann, J.; Flohn, H. Great historical events that were significantly affected by the weather: Part 8, Germany's war on the Soviet Union, 1941–45. I. Long-range weather forecasts for 1941–42 and climatological studies. *Bulletin of the American Meteorological Society* **1987**, 68, 620–630.
 81. Koutsoyiannis, D. Climate change impacts on hydrological science: How the climate change agenda has lowered the scientific level of hydrology (Plenary talk), 13th International Conference on Hydroinformatics (HIC 2018), Palermo, Italy, 2018, doi: 10.13140/RG.2.2.12249.42084.
 82. Peixoto, J.P.; Oort, A.H. *Physics of Climate*, American Institute of Physics, USA, 1992, 520 pp. 1992.
 83. Fritts, H. *Tree Rings and Climate*, Academic Press, 1976.
 84. Von Storch, H.; Zwiers, F.W. *Statistical Analysis in Climate Research*, Cambridge University Press, Cambridge, UK, 2004.
 85. Geiger, R.; Aron, R.H.; Todhunter, P. *The Climate Near the Ground*, Rowman & Littlefield, 2009.
 86. Linacre, E. *Climate Data and Resources: A Reference and Guide*, Psychology Press, 1992.

-
87. Oke, T.R., *Boundary Layer Climates*, 2nd ed., Routledge, London, 1987.
 88. Wallace, J.W.; Hobbs, P.V. *Atmospheric Science, An Introductory Survey*, Academic Press, San Diego, Ca., 1977.
 89. Andrews, D.G. *An Introduction to Atmospheric Physics*, Cambridge University Press, Cambridge, UK, 2000.
 90. Ahrens, C.D., *Essentials of Meteorology: An Invitation to the Atmosphere*, 6th ed., Brooks/Cole, Belmont, CA, USA, 2010.