

Review

Goat milk: compositional, technological, nutritional, and therapeutic aspects

Ahmed R. A. Hammam ^{1,2,*}, Saleh M. Salman ^{3,4}, Mohamed S. Elfaruk ^{1,5} and Khalid A. Alsaleem ^{1,6}

¹ Dairy and Food Science Department, South Dakota State University, Brookings, South Dakota 57007, USA; ahmed.hammam@sdstate.edu; khalid.alsaleem@sdstate.edu; mohamed.elfaruk@sdstate.edu

² Dairy Science Department, Faculty of Agriculture, Assiut University, Assiut 71526, Egypt

³ Department of Animal Science, University of Connecticut, Storrs, Connecticut 06269, USA; saleh.salman@uconn.edu

⁴ Animal Science Department, Faculty of Agriculture, Assiut University, Assiut 71526, Egypt

⁵ Medical Technology College, Nalut University, Nalut 00218, Libya

⁶ Department of Food Science and Human Nutrition, College of Agriculture and Veterinary Medicine, Qassim University, Buraydah 51452, Saudi Arabia

* Correspondence: ahmed.hammam@sdstate.edu; Tel.: +1605-592-6864

Abstract: Since the 1980s, a growing interest in goat milk was noticed due to the nutritional values and health benefits of this milk, which resulted in increasing goat populations and milk production worldwide. This comprehensive review elaborates on goat milk composition compared to other types of milk. It is also an overview of goat milk production, properties, nourishment-value, applications in dairy products, and potential health benefits. Goat milk composition and its characteristics are slightly different from other types of milk and can be utilized to manufacture many dairy products. Fresh goat milk and goat milk products (e.g., yogurt and kefir) were found to provide various potential health benefits, such as anti-inflammatory, prevent cardiovascular disease, anti-diabetic and antihypertensive, strengthen bones, boost immunity, and improve metabolism.

Keywords: Goat population; Goat milk; Milk production; Milk composition; Goat cheese; Therapeutic properties

1. Introduction

Milk and meat are the two main reasons for raising goats. The Food and Agriculture Organization (FAO) reported that the number of goats has skyrocketed from 350 million to over 1 billion during the last 60 years (Figure 1) where China has the largest herd worldwide [1].




Figure 1. World goat populations (♦) and milk production (●) during the last 60 years. Source: FAO (1961-2018)

The majority of goats occupy large pastoral lands in Africa and Asia (Figure 2). Goat milk is mainly utilized for human nourishment in many places in Asia, Africa, Mediterranean countries, and Middle Eastern countries. All these regions have something in common in which their economies are rapidly developing and have an exploding population to feed. Thus, animal protein has paramount importance in such regions. For the same reasons, goat milk is utilized nowadays in South and North America, Europe, and Oceania. Various research has shown that all the essential nutrients found in cow milk exist in goat milk, such as protein, fat, mineral, and lactose [2,3]. Approximately 49% of the world goat milk production is produced in India, Sudan, Bangladesh, and Pakistan [1]. Goat milk can be consumed fresh, or it is utilized to manufacture one of the common traditional dairy products, such as Panner cheese in India [4], goat cheese and butter in Bangladesh [5], and Gibna Beida cheese in Sudan [6,7]. The surplus amount from goat milk is dried and exported to other countries with a deficiency in goat milk production.




Figure 2. Distribution of goat populations in different regions around the world during the last 60 years. Source: FAO (1961-2018)

Fresh goat milk and goat yogurt have been utilized to treat several diseases [8,9]. Goat milk and its products have promising health benefits besides their nutritional values. Recently, research in goat milk and its products found promising results in the medical applications, such as anti-carcinogenic [10], antidiabetic [11], and antihypertensive [12]. Furthermore, goat milk enhanced the metabolism [13,14], and the immunity [15,16].

The goat milk did not attract many researchers and consumers at the beginning of the 1970s [17]. Previous papers reviewed the composition and application of goat milk in the manufacture of different dairy products [3,17–19]. Therefore this review aims to elaborate the present data and information on goat milk production and composition, goat milk characteristics, nutritional value, applications in dairy products, and its contribution to the health benefits.

2. Historical overview

Many studies were focused on goat milk due to the unique characteristics and significant health benefits of the milk. A historical overview of selected milestones for goat milk is illustrated in Table 1. The goat milk was consumed since the beginning of domestication and was proved that it had been used in making cheese since 3200 BP when discovered in an Egyptian tomb [20]. Dalebrook published the first goat milk study in 1902 that concentrated on the health benefits of goat milk when it was fed up to infants [21]. A few years later, it was discovered that goat milk could rarely form a cream layer as compared to cow milk [22]. In 1921, this issue was solved by Schultz and Chandler when they recognized that the diameter of 91% of goat milk fat globules was $<4\ \mu\text{m}$ [23]. Sooner after, it was reported that the globulin in goat milk colostrum can transfer the immune bodies from mother to young goats [24].

Table 1. Selected scientific and commercial milestones in goat milk production and applications.

Year	Milestone	Reference
1902	First published work on goat milk. It concentrated on studying the risks and benefits of feed infants on goat milk.	[21]
1914	First discovered goat milk rarely can form a layer of cream on the surface	[22]
1921	Firs found 91% of goat milk fat globules were <4 µm in diameter	[23]
1937	First found a correlation between globulins in goat milk and immune bodies	[24]
1951	Studied the diet effect in goats and found higher amount of vitamin B12 colostrum and milk during the first week postpartum	[25]
1953	First found the growth of rats is slow when they fed up with goat milk as compared to cow milk	[26]
1968	Found that goat milk was poor in folic acid, vitamins B12 and B6 when it was fed up to infants	[27,28]
1980	Goat milk products attracted a huge interest due to their health benefits and nutritional values	[29]
2001	First evidence of lessen allergies by consuming goat milk	[30]

The diet effect in goats was studied in 1951 and was found that goat colostrum and goat milk had a higher amount of vitamin B12 during the first week postpartum [25]. A couple of years later, Elvehjem found that feeding rats with goat milk led to slow growth of rats as compared to cow milk [26]. In 1968, it was recognized that goat milk was deficient in folic acid, vitamins B12 and B6 when it was fed to infants [27,28]. Subsequently, goat milk attracted many people to study its health benefits, nutritional values, functional characteristics [29]. It has been reported that goat milk assisted to lessen some food allergies [30]. Goat milk has unique characteristics and a wide range of applications; as a result, many studies are nowadays investigating different aspects of goat milk.

3. Goat milk production

In 1961, the world produced of goat milk was about 7.0 million metric tons (MMT) (Figure 1), representing 2.0% of 344.2 MMT overall milk production produced from cow, buffalo, goat, sheep, and camel. Goat milk production is not comparable to cow milk, which is about 2.2% goat milk compared to 81.0% cow milk of the world milk production [1]. In 2018, goat milk production elevated to approximately 18.7 MMT representing 2.2% of the overall milk production (843.0 MMT) in the world [1]. The trend of goat’s population in the world is shown in Figure 1 and Figure 2. The goat populations increased significantly from approximately 350 million to more than 1 billion heads during the last 60 years, which is about a 200 % increase compared to a 21.6 % increase in sheep populations during the same period [1]. The interest in goat milk is not only because of accepting goat milk as a food source but also due to the medical, nutritional, biological, and immunological applications of goat milk [31–33]. As a result, goat milk is nowadays one of the new trends in functional foods in many developed countries in Asia, Africa, Mediterranean countries, and Middle Eastern countries, as well as in South and North America, Europe, and Oceania (Figure 2).

The growth in goat milk production is also reflected in spreading the knowledge of goat milk around the world, which led to increase the utilization of goat milk and its products in nutritional or medical purposes. Moreover, it is an essential food to protect poor people and farmers from malnutrition. Additionally, goat milk is suitable for people who are suffering from gastrointestinal manifestations [34,35]. Besides those advantages, the cost of raising goats is less because they require less space as compared to cows. The average daily milk production for goats is ranged from 2 and 5.5 kg during the lactation period [36], and this depends on different factors, such as breed, feeding, lactation stage,

and environment. Morand-Fehr et al. (1991) reported that milk production decreased from 2.1 to 1.7 kg/day when the goats have fasted for 24 hours. This study also showed that when the level of intake (roughage: hay) changed from 593: 1222 g/day to 1389: 669 g/day the milk production increased from 2.69 to 3.21 kg/day, respectively. Consequently, the factors that affect goat milk production can also result in substantial variations in the composition of the milk.

4. Goat milk composition

The mean values of goat milk composition are 3.3% protein, 4.0% fat, 4.3% lactose, 0.8% ash, and 12.6% total solids. The milk produced from different animals has the same essential components (Figure 3). Both cow and goat milk are similar and contain a high amount of protein and minerals, while lactose is less relative to human milk [10,38,39].




Figure 3. Mean composition of goat, cow, camel, buffalo, and human milk. Adopted from [10,38]

Goat milk composition was found to be less stable relative to cow milk. The composition of goat milk is markedly varied during the lactation stage [40] due to the above-mentioned factors that affected goat milk production [41]. Morand-Fehr et al. (1991) found that the fat (3.1%) and protein (2.7%) content elevated to 3.6 and 3.9%, respectively, when the goats have fasted for 24 hours. This study also reported that changing the level of intake (roughage: hay) from 593: 1222 g/day to 1389: 669 g/day led to a slight decrease in the fat content from 2.68 to 2.59%, respectively. The changes in milk composition could result in variations in the quality and consistency of the products that manufacture from goat milk.

Figure 4 illustrates the trend of goat milk composition during 10 months of lactation. The highest values for solids, protein, and fat were obtained at the beginning of the lactation stage or after parturition (approximately 23.2, 17.4, 7.3, and 5.9%, respectively) and then these values become stable after 1 month [42,43]. However, the average lactose content was low (3.0%) after parturition and then soared to approximately 4.7% after one month of lactation to be stable during the rest of the season (Figure 4). Chen et al. (2014) reported a similar trend in cow milk composition. Approximately 70% of the protein content in goat milk is casein (insoluble in water), and 25% is whey protein (soluble in water), while 5% is fat-soluble milk fat globule membrane protein [45,46]. It has been reported that the goat milk has lower α s1-casein and lactose as compared to cow milk which allows β -LG and lactose to be digested easily with less allergenic [32,47,48].




Figure 4. Mean composition of goat milk during 10 months of lactation. 0 month= composition of colostrums goat milk through the first three days after parturition. Adopted from [42,43]

5. Goat milk properties

Goat milk is a white opaque liquid because goats have high efficiency in converting beta-carotene pigment (responsible for the yellowish color) to colorless vitamin A. The components in goat milk (such as protein, lipid, mineral, and vitamins) have unique characteristics and significant role in human nutrition relative to other milk [49]. The physio-chemical merits of goat milk have been deliberated in different researches [50,51]. They informed that goat milk has an elevated viscosity (2.12 Cp) and acidity (0.23%) as compared to cow milk (2.0 Cp and 0.18% viscosity and acidity, respectively). However, the density (1.029-1.039), refractive index (1.45), surface tension (52.0 dynes/cm), conductivity (0.0043-0.0139 $\mu\text{S}/\text{cm}$), and freezing point (0.54-0.57 below 0 °C) of goat milk are in the range of cow milk values [50,51].

Furthermore, there are differences between the goat and cow milk in the diameter of fat globules; thus, the diameter of fat globules is around 2.7 μm in goat milk and 3.5 μm in cow milk [52]. As a result, homogenization is not required in goat milk, which means processing cost can be lower in goat milk as compared to cow milk. Additionally, the small sizes of fat globules in goat milk result in a smooth texture in dairy products [53].

6. Goat milk dairy products

Goat milk is widely utilized in manufacturing many dairy products due to its high digestible, hypoallergenic, and nutritional characteristics [45,54]. Goat milk is used to make cheese, yogurt, butter, ice cream, and infant formula in some countries [55]. The composition of different products made from goat milk is shown in Figure 5.




Figure 5. Mean composition (%) of commercial U.S. goat milk products. Adopted from [56]

FM= Fluid milk; EM= Evaporated milk; PM= Powdered milk; PY= Plain yogurt, BY= Blueberry yogurt; PSC= Plain soft cheese; HSC= Herb soft cheese; CC= Cheddar cheese; BC= Blue cheese

6. 1. Cheese

Goat cheese is the most valuable product made from goat milk because it has more shelf-life. It was first originated in Egypt by the Ancient Egyptians and discovered recently in a 3,200 year-old BP tomb [20]. The U.S. Department of Agriculture has described more than 400 types of goat cheese named under different names and made from goat milk only or a mix of goat milk with cow, ewe, or buffalo milk [41,56]. The total production of goat cheese in the world was more than 500,000 tons in 2014 (Figure 6) [1]. The goat milk is utilized to manufacture many types of soft cheese (namely, Gibna Beida in Sudan, Karish and Domiati cheeses in Egypt, Feta cheese in Egypt and Greece, and Camembert cheeses in France) and hard cheeses (including Chevrotin cheese in France, Ras cheese in Egypt, Kefalotili cheese in Greece, and Manchego cheese in Spain) made from raw or pasteurized milk especially in the Mediterranean countries [57–59]. The developed countries are commonly producing many kinds of traditional goat cheese.




Figure 6. World goat cheese production (tons) during the last 50 years. FAO (1961-2014)

As mentioned previously, goat milk composition over the season can change due to many factors, thus affecting the consistency and quality of its dairy products. This variation in goat milk composition on the yield and sensory quality of semi-hard cheese and hard cheese was examined in a research study. The consistency of flavor, body and texture, and total sensory scores of those cheeses were maintained during 8, 16, and 24 weeks of aging [40]. As a result, goat milk can be successfully utilized in making cheese with no much variability in the characteristics of the cheese.

6. 2. Yogurt

Yogurt is also considered one of the main dairy products in the markets and is commonly made from cow milk. The yogurt production has significantly elevated from 1.6 billion kg in 2008 to over 2 billion kg in 2018 in the US [60–62]. Yogurt is manufactured by adding lactic acid bacteria to skim, low-fat, or whole goat milk for fermentation. Loewenstein et al. (1980) reported that goat yogurt has low firmness or softer and less viscous as compared to the yogurt made from cow milk due to the low content of α s1-casein and small fat globules in goat milk [63]. In addition, goat milk yogurt often does not provide the typical flavor of cow milk yogurt during the lactation period. It has been found that the acetaldehyde in yogurt made from goat milk obtained after 2-3 weeks and 8 months of parturition was lower (6 and 9 ppm respectively) as compared to 18 ppm in cow milk. However, this study found that diacetyl and acetoin were similar in yogurt made from goat and cow milk [64].

6. 3. Beverages

There are only a few research papers on the manufacture of beverages from goat milk [54,65,66]. Goat milk can be utilized to produce low-fat milk by standardizing the fat and solids to 2% and 12.5%, respectively. The composition of fluid milk is shown in Figure 5. Goat milk is susceptible to off-flavor which could lead to variations in the flavor of processed goat milk [67]. However, sterilization and drying can be applied to goat milk to produce fluid milk for consumption during the wintertime with no much variation in the composition and flavor of this milk [65].

6. 4. Other products

There are numerous applications for goat milk to be utilized in manufacturing different dairy products. Goat milk can be utilized to manufacture whey protein concentrate

[68], powdered goat milk (whole milk, skim milk, and baby formula), fermented milk such as Kefir [69,70], evaporated goat milk [56,65], fat-rich products [71], and frozen products [3].

7. Therapeutic benefits of goat milk

The consumption of goat milk has elevated recently because it is easily digested, and this, in turn, makes goat milk and its products attractive and recommended for children, adults, and elderly people [10]. As well, goat milk has potential health benefits, such as anti-inflammatory, anti-hypertensive, anti-diabetic, boost immunity system, and strengthen bones [10,72].

7. 1. Anti-inflammatory properties

Goat milk is a good alternative to infants with intolerance to cow milk because it has lower lactose content and higher quantities of short chains, medium chains, mono, and polyunsaturated fatty acids, and goat milk is more digestible relative to cow milk [73]. Goat milk and its products have unique characteristics against intestinal inflammation. Some investigations have studied the anti-inflammatory and anti-allergic properties of goat milk [8,9,73]. Jirillo and Magrone (2014) reported that goat milk is a suitable dietary supplement for people with inflammatory and allergic disorders. Another study reported that goat milk and goat yogurt can be effective at lessening or preventing inflammatory bowel diseases [8]. Lara-Villoslada et al. (2006) found that oligosaccharides isolated from goat milk reduce intestinal inflammation in rats and provide more favorable intestinal microbiota. These results have shown that goat milk and its products have promising applications to relieve inflammatory diseases.

7. 2. Cardiovascular disease

Goat milk or its products might help to treat or minimize different cardiovascular diseases. Goat milk fat is easily digested due to its higher content of short-chain fatty acids which is more beneficial [74]. It has been reported that the consumption of goat milk led to a plummet in the plasma cholesterol concentration and plasma triglyceride concentration [75]. This could lead to balancing the cholesterol and balancing the essential fatty acids in the human body, so it could prevent atherosclerosis, stroke, heart attack, and other coronary disorders [74].

Goat milk is also a good source of potassium [76] which could reduce blood pressure because potassium acts as a vasodilator that relieves blood vessels and mitigates tension on the cardiovascular system. Additionally, the high calcium content in goat milk has a positive effect on colon cancer, blood clotting, and blood pressure [76]. Moreover, the high magnesium content (20.0 mg/100 mL in goat milk) is favorable to the heart, which is serving to keep a regular heartbeat, prohibiting the formation of blood clots and raising good cholesterol levels [76].

7. 3. Antidiabetic and anti-hypertensive

Goat milk or its products have promising applications as anti-diabetic and antihypertensive. The effect of kefir made from goat milk has been studied to determine the improvement of pancreatic β -cells in diabetic rats [11]. Kefir was made from a blend of goat milk and soy milk in that study. It was reported that a mixture of kefir and soy milk can be utilized as anti-diabetic through reducing plasma glucose, elevating in glutathione peroxidase activity, and enhancing pancreatic β -cells [11].

Ibrahim et al. (2017) reported that goat milk whey and casein could inhibit the angiotensin-converting enzyme that has a significant role in blood pressure regulation by producing the vasoconstrictor angiotensin II. This study concluded that goat milk could act as antihypertensive bioactive peptides and inhibition of associated disorders.

7. 4. Strengthen bones

Goat milk and its products are good sources of calcium. The calcium content in goat milk 129.1 mg/100 mL [76]. Calcium is well-known for its role in maintaining the strength and density of bones as referred to as bone mineralization that could prevent osteoporosis. Furthermore, it has been informed that α s2-casein of goat milk and goat yogurt repaired the collagen structure in the femur trabecular bone [77] that provides strength and structure for the bones.

7. 5. Nutrient uptake and metabolism efficiency

Metabolism efficiency could be positively affected by goat milk and its products. The digestion and nutrients efficiency of some goat milk components have been studied on rats [13,78]. The digestion of goat milk fat is high relative to cow milk due to its higher content of medium-chain triglycerides [78]. The nutritive application of protein and magnesium of goat milk has been studied in rats [13]. The consumption of goat milk resulted in higher nutritive utilization of goat protein. Furthermore, the digestibility of magnesium in rats was high [13]. Moreover, the effect of goat milk on the digestion of calcium and iron was investigated [14]. This study inferred that goat milk could elevate the uptake of calcium and iron in our digestive tract. This could have a positive impact on anemia and other deficiencies in individuals. As a result, goat milk could be able to provide more nutrients as it passes through our system and result in less stress effect on our digestive system. Alferez et al. (2001) suggested that goat milk should be included in the diet to help people who have malabsorption disorders.

7. 6. Boosts immunity

It has been reported that the immunoglobulin of goat milk colostrums produced after parturition has a significant role in passive immune transfer to newborn goat kids [15,16]. Consequently, goat milk colostrum could be recommended for individuals who suffer low immunity to empower their immunology system. Goat milk has 40% more selenium than cow milk. Only human milk has more significant selenium levels which exceed 60% compared to cow milk [79]. It has been found that there is a correlation between vitamin E and selenium. Thus, these two components can positively enhance the immune system [80,81]. As a result, human and goat milk have promising applications to improve the immune system because of their high selenium content.

8. Conclusions

This review discussed goat milk composition, production, properties, nourishment value, its applications in dairy products, and potential health benefits. The production of goat milk is elevating nowadays due to the nutritional and health benefits of this milk. Numerous factors affect the variations in goat milk production and composition, such as breed, feeding, lactation stage, and environment. Different dairy products were manufactured successfully from goat milk, including cheese and yogurt. Moreover, fresh goat milk and fermented goat milk have potential health benefits because of the bioactive substances in these products. Further work is needed to produce dairy products from goat milk during the lactation stage and investigate the consistency in flavor and characteristics of these products. Future work is required to verify the health benefits of goat milk.

Author Contributions: Conceptualization, ARAH., SMS., MSE. and KAA.; Methodology, ARAH., SMS., MSE. and KAA.; Validation, ARAH., SMS., MSE. and KAA.; Formal Analysis, ARAH., SMS., MSE. and KAA.; Investigation, ARAH., SMS., MSE. and KAA.; Resources, ARAH., SMS., MSE. and KAA.; Data Curation, ARAH., SMS., MSE. and KAA.; Writing-Original Draft Preparation, ARAH., SMS., MSE. and KAA.; Writing-Review & Editing, ARAH., SMS., MSE. and KAA.; Visualization, ARAH., SMS., MSE. and KAA.; Supervision, ARAH., SMS., MSE. and KAA.; Project Administration, ARAH., SMS., MSE. and KAA.; Funding Acquisition, ARAH., SMS., MSE. and KAA. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. FAO Food and Agriculture Organization of the United Nations (FAO) statistical database 2018.
2. Prajapati, D.B.; Kapadiya, D.B.; Jain, A.K.; Mehta, B.M.; Darji, V.B.; Aparnathi, K.D. Comparison of Surti goat milk with cow and buffalo milk for physicochemical characteristics, selected processing-related parameters and activity of selected enzymes. *Vet. World* **2017**, *10*, 477–484, doi:10.14202/vetworld.2017.477-484.
3. Loewenstein, M.; Speck, S.J.; Barnhart, H.M.; Frank, J.F. Research on Goat Milk Products: A Review. *J. Dairy Sci.* **1980**, *63*, 1631–1648, doi:10.3168/jds.S0022-0302(80)83126-2.
4. Agnihotri, M.K.; Pal, U.K. Quality and shelf-life of goat milk Paneer in refrigerated storage. *Small Rumin. Res.* **1996**, *20*, 75–81, doi:10.1016/0921-4488(95)00778-4.
5. Haenlein, G.F.. Goat milk in human nutrition. *Small Rumin. Res.* **2004**, *51*, 155–163, doi:10.1016/j.smallrumres.2003.08.010.
6. Abd El-Salam, M.H.; Alichanidis, E. Cheese varieties ripened in brine. In *Major Cheese Groups*; Fox, P.F., McSweeney, P.L.H., Cogan, T.M., Guinee Physics and Microbiology, T.P.B.T.-C.C., Eds.; Academic Press, 2004; Vol. 2, pp. 227–249 ISBN 1874-558X.
7. Sepe, L.; Argüello, A. Recent advances in dairy goat products. *Asian-Australasian J. Anim. Sci.* **2019**, *32*, 1306–1320, doi:10.5713/ajas.19.0487.
8. Assis, P.O.A. de; Guerra, G.C.B.; Araújo, D.F. de S.; Araújo Júnior, R.F. de; Machado, T.A.D.G.; Araújo, A.A. de; Lima, T.A.S. de; Garcia, H.E.M.; Queiroga, R. de C.R. do E. Intestinal anti-inflammatory activity of goat milk and goat yoghurt in the acetic acid model of rat colitis. *Int. Dairy J.* **2016**, *56*, 45–54, doi:10.1016/j.idairyj.2015.11.002.
9. Lara-Villoslada, F.; Debras, E.; Nieto, A.; Concha, A.; Gálvez, J.; López-Huertas, E.; Boza, J.; Obled, C.; Xaus, J. Oligosaccharides isolated from goat milk reduce intestinal inflammation in a rat model of dextran sodium sulfate-induced colitis. *Clin. Nutr.* **2006**, *25*, 477–488, doi:10.1016/j.clnu.2005.11.004.
10. Lima, M.J.R.; Teixeira-Lemos, E.; Oliveira, J.; Teixeira-Lemos, L.P.; Monteiro, A.M.C.; Costa, J.M. Nutritional and Health Profile of Goat Products: Focus on Health Benefits of Goat Milk. In *Goat Science*; Teixeira-Lemos, E., Ed.; InTech: Rijeka, 2018; p. Ch. 10 ISBN 978-1-78923-203-5.
11. Nurliyani; Harmayani, E.; Sunarti Antidiabetic Potential of Kefir Combination from Goat Milk and Soy Milk in Rats Induced with Streptozotocin-Nicotinamide. *Korean J. Food Sci. Anim. Resour.* **2015**, *35*, 847–858, doi:10.5851/kosfa.2015.35.6.847.
12. Ibrahim, H.R.; Ahmed, A.S.; Miyata, T. Novel angiotensin-converting enzyme inhibitory peptides from caseins and whey proteins of goat milk. *J. Adv. Res.* **2017**, *8*, 63–71, doi:10.1016/j.jare.2016.12.002.
13. Lopez-Aliaga, I.; Alferez, M.J.M.; Barrionuevo, M.; Nestares, T.; Sanz Sampelayo, M.R.; Campos, M.S. Study of Nutritive Utilization of Protein and Magnesium in Rats with Resection of the Distal Small Intestine. Beneficial Effect of Goat Milk. *J. Dairy Sci.* **2003**, *86*, 2958–2966, doi:10.3168/jds.S0022-0302(03)73893-4.
14. López Aliaga, I.; Alferez, M.J.M.; Barrionuevo, M.; Lisbona, F.; Campos, M.S. Influence of goat and cow milk on the digestive and metabolic utilization of calcium and iron. *J. Physiol. Biochem.* **2000**, *56*, 201–208, doi:10.1007/BF03179787.
15. Rodríguez, C.; Castro, N.; Capote, J.; Morales-delaNuez, A.; Moreno-Indias, I.; Sánchez-Macías, D.; Argüello, A. Effect of colostrum immunoglobulin concentration on immunity in Majorera goat kids. *J. Dairy Sci.* **2009**, *92*, 1696–1701, doi:10.3168/jds.2008-1586.
16. Castro, N.; Capote, J.; Álvarez, S.; Argüello, A. Effects of Lyophilized Colostrum and Different Colostrum Feeding Regimens on Passive Transfer of Immunoglobulin G in Majorera Goat Kids. *J. Dairy Sci.* **2005**, *88*,

- 3650–3654, doi:10.3168/jds.S0022-0302(05)73050-2.
17. Clark, S.; Mora García, M.B. A 100-Year Review: Advances in goat milk research. *J. Dairy Sci.* **2017**, *100*, 10026–10044, doi:10.3168/jds.2017-13287.
18. Skeie, S.B. Quality aspects of goat milk for cheese production in Norway: A review. *Small Rumin. Res.* **2014**, *122*, 10–17, doi:10.1016/j.smallrumres.2014.07.012.
19. García, V.; Rovira, S.; Boutuial, K.; López, M.B. Improvements in goat milk quality: A review. *Small Rumin. Res.* **2014**, *121*, 51–57, doi:10.1016/j.smallrumres.2013.12.034.
20. Greco, E.; El-Aguizy, O.; Ali, M.F.; Foti, S.; Cunsolo, V.; Saletti, R.; Ciliberto, E. Proteomic Analyses on an Ancient Egyptian Cheese and Biomolecular Evidence of Brucellosis. *Anal. Chem.* **2018**, *90*, 9673–9676, doi:10.1021/acs.analchem.8b02535.
21. Dalebrook, J. FEEDING ON GOAT'S MILK. *Lancet* **1902**, *159*, 334, doi:10.1016/S0140-6736(01)80976-4.
22. Edmunds, W. GOATS' MILK. *Lancet* **1914**, *183*, 422, doi:10.1016/S0140-6736(00)53197-3.
23. Schultz, E.W.; Chandler, L.R. The size of fat globules in goat's milk. *J. Biol. Chem.* **1921**, *46*, 133–134.
24. Bergman, A.J.; Turner, C.W. The Composition of the Colostrum of the Dairy Goat. *J. Dairy Sci.* **1937**, *20*, 37–45, doi:10.3168/jds.S0022-0302(37)95658-3.
25. Harper, A.E.; Richard, R.M.; Collins, R.A. The influence of dietary cobalt upon the vitamin B12 content of Ewe's milk. *Arch. Biochem. Biophys.* **1951**, *31*, 328–329, doi:10.1016/0003-9861(51)90224-X.
26. Elvehjem, C.A. What is New in the Nutritive Value of Milk. *J. Dairy Sci.* **1953**, *36*, 1264–1266, doi:10.3168/jds.S0022-0302(53)91629-4.
27. Parkash, S.; Jenness, R. The composition and characteristics of goat's milk: A review. In Proceedings of the Dairy Sci. Abstr; 1968; Vol. 30, pp. 67–87.
28. Ford, J.E.; Scott, K.J. The folic acid activity of some milk foods for babies. *J. Dairy Res.* **1968**, *35*, 85–90, doi:10.1017/S0022029900018811.
29. Jenness, R. Composition and Characteristics of Goat Milk: Review 1968–1979. *J. Dairy Sci.* **1980**, *63*, 1605–1630, doi:10.3168/jds.S0022-0302(80)83125-0.
30. Haenlein, G.F.W. Past, Present, and Future Perspectives of Small Ruminant Dairy Research. *J. Dairy Sci.* **2001**, *84*, 2097–2115, doi:10.3168/jds.S0022-0302(01)74655-3.
31. Park, Y.W.; Haenlein, G.F.W. Therapeutic and Hypoallergenic Values of Goat Milk and Implication of Food Allergy. In *Handbook of Milk of Non-Bovine Mammals*; Wiley Online Books; Blackwell Publishing Professional: Ames, Iowa, USA, 2006; pp. 121–135 ISBN 9780470999738.
32. Bevilacqua, C.; Martin, P.; Candalh, C.; Fauquant, J.; Piot, M.; Roucayrol, A.-M.; Pilla, F.; Heyman, M. Goats' milk of defective α s1-casein genotype decreases intestinal and systemic sensitization to β -lactoglobulin in guinea pigs. *J. Dairy Res.* **2001**, *68*, 217–227, doi:10.1017/S0022029901004861.
33. Jandal, J.M. Comparative aspects of goat and sheep milk. *Small Rumin. Res.* **1996**, *22*, 177–185, doi:10.1016/S0921-4488(96)00880-2.
34. Alférez, M.J.; Rivas, E.; Díaz-Castro, J.; Hijano, S.; Nestares, T.; Moreno, M.; Campos, M.S.; Serrano-Reina, J.A.; López-Aliaga, I. Folic acid supplemented goat milk has beneficial effects on hepatic physiology, haematological status and antioxidant defence during chronic Fe repletion. *J. Dairy Res.* **2015**, *82*, 86–94, doi:10.1017/S0022029914000624.
35. Carvalho, E.B.; Maga, E.A.; Quetz, J.S.; Lima, I.F.; Magalhães, H.Y.; Rodrigues, F.A.; Silva, A.V.; Prata, M.M.; Cavalcante, P.A.; Havt, A.; et al. Goat milk with and without increased concentrations of lysozyme improves repair of intestinal cell damage induced by enteroaggregative *Escherichia coli*. *BMC Gastroenterol.* **2012**, *12*, 106, doi:10.1186/1471-230X-12-106.
36. Min, B.R.; Hart, S.P.; Sahlu, T.; Satter, L.D. The Effect of Diets on Milk Production and Composition, and on

- Lactation Curves in Pastured Dairy Goats. *J. Dairy Sci.* **2005**, *88*, 2604–2615, doi:10.3168/jds.S0022-0302(05)72937-4.
37. Morand-Fehr, P.; Bas, P.; Blanchart, G.; Daccord, R.; Giger-Reverdin, S.; Gihad, E.A.; Hadjipanayiotou, M.; Mowlem, A.; Remeuf, F.; Sauvant, D. Influence of feeding on goat milk composition and technological characteristics. In *Goat nutrition*; Morand-Fehr, P., Ed.; Pudoc Wageningen, The Netherlands, 1991; Vol. 46, pp. 209–224.
 38. Soliman, G.Z.A. Comparison of chemical and mineral content of milk from human, cow, buffalo, camel and goat in Egypt. *Egypt. J. Hosp. Med.* **2005**, *21*, 116–130, doi:https://dx.doi.org/10.12816/ejhm.2005.18054.
 39. El-Hatmi, H.E.-H. Comparison of composition and whey protein fractions of human, camel, donkey, goat and cow milk. *Mljekarstvo* **2015**, *65*, 159–167, doi:10.15567/mljekarstvo.2015.0302.
 40. Fekadu, B.; Soryal, K.; Zeng, S.; Hekken, D. Van; Bah, B.; Villaquiran, M. Changes in goat milk composition during lactation and their effect on yield and quality of hard and semi-hard cheeses. *Small Rumin. Res.* **2005**, *59*, 55–63, doi:10.1016/j.smallrumres.2004.12.003.
 41. Park, Y.W. Nutrient Profiles of Commercial Goat Milk Cheeses Manufactured in the United States. *J. Dairy Sci.* **1990**, *73*, 3059–3067, doi:10.3168/jds.S0022-0302(90)78993-X.
 42. Masmas, A.; Heddal, A.; Hamed, F. Comparison of Chemical Composition and Physico- Chemical Characteristics of Shami Goat Colostrum and Milk. *Arab J. Arid Environ.* **2011**, *4*, 124–133.
 43. Kljajevic, N. V; Tomasevic, I.B.; Miloradovic, Z.N.; Nedeljkovic, A.; Miocinovic, J.B.; Jovanovic, S.T. Seasonal variations of Saanen goat milk composition and the impact of climatic conditions. *J. Food Sci. Technol.* **2018**, *55*, 299–303, doi:10.1007/s13197-017-2938-4.
 44. Chen, B.; Lewis, M.J.; Grandison, A.S. Effect of seasonal variation on the composition and properties of raw milk destined for processing in the UK. *Food Chem.* **2014**, *158*, 216–223, doi:10.1016/j.foodchem.2014.02.118.
 45. Chen, D.; Li, X.; Zhao, X.; Qin, Y.; Wang, J.; Wang, C. Comparative proteomics of goat milk during heated processing. *Food Chem.* **2019**, *275*, 504–514, doi:10.1016/j.foodchem.2018.09.129.
 46. Li, X.Y.; Cheng, M.; Li, J.; Zhao, X.; Qin, Y.S.; Chen, D.; Wang, J.M.; Wang, C.F. Change in the structural and functional properties of goat milk protein due to pH and heat. *J. Dairy Sci.* **2020**, *103*, 1337–1351, doi:10.3168/jds.2019-16862.
 47. Lara-Villoslada, F.; Olivares, M.; Jimenez, J.; Boza, J.; Xaus, J. Goat Milk is Less Immunogenic than Cow Milk in a Murine Model of Atopy. *J. Pediatr. Gastroenterol. Nutr.* **2004**, *39*, 354–360, doi:10.1097/00005176-200410000-00010.
 48. Chen, D.; Zhao, X.; Li, X.; Wang, J.; Wang, C. Milk compositional changes of Laoshan goat milk from partum up to 261 days postpartum. *Anim. Sci. J.* **2018**, *89*, 1355–1363, doi:10.1111/asj.13062.
 49. Park, Y.W.; Haenlein, G.F.W. Goat Milk, Its Products and Nutrition. In *Handbook of Food Products Manufacturing*; Wiley Online Books; John Wiley & Sons, Inc.: Hoboken, NJ, USA, 2007; pp. 449–488 ISBN 9780470113554.
 50. Haenlein, G.F.W.; Wendorff, W.L. Sheep Milk. In *Handbook of Milk of Non-Bovine Mammals*; Wiley Online Books; Blackwell Publishing Professional: Ames, Iowa, USA, 2006; pp. 137–194 ISBN 9780470999738.
 51. Park, Y.W.; Juárez, M.; Ramos, M.; Haenlein, G.F.W. Physico-chemical characteristics of goat and sheep milk. *Small Rumin. Res.* **2007**, *68*, 88–113, doi:10.1016/j.smallrumres.2006.09.013.
 52. Attiae, R.; Richter, R.L. Size Distribution of Fat Globules in Goat Milk. *J. Dairy Sci.* **2000**, *83*, 940–944, doi:10.3168/jds.S0022-0302(00)74957-5.
 53. Pal, M.; Dudhrejiya, T.P.; Pinto, S.; Brahamani, D.; Vijayageetha, V.; Reddy, Y.K.; Roy, P.; Chhetri, A.; Sarkar, S.; Kate, P. Goat milk products and their significance. *Beverage Food World* **2017**, *44*, 21–25.
 54. Lou, X.; Li, J.; Zhang, X.; Wang, J.; Wang, C. Variations in fatty acid composition of Laoshan goat milk from partum to 135 days postpartum. *Anim. Sci. J.* **2018**, *89*, 1628–1638, doi:10.1111/asj.13098.

55. Prosser, C.G.; McLaren, R.D.; Frost, D.; Agnew, M.; Lowry, D.J. Composition of the non-protein nitrogen fraction of goat whole milk powder and goat milk-based infant and follow-on formulae. *Int. J. Food Sci. Nutr.* **2008**, *59*, 123–133, doi:10.1080/09637480701425585.
56. Park, Y.W. Goat milk products: quality, composition, processing, marketing. In *Encyclopedia of Animal Science*; Taylor and Francis. CRC Press.: Boca Raton, FL, 2010; pp. 1–5.
57. Park, Y.W. Proteolysis and Lipolysis of Goat Milk Cheese. *J. Dairy Sci.* **2001**, *84*, E84–E92, doi:10.3168/jds.S0022-0302(01)70202-0.
58. Ismail, M.M.; El-Demerdash, M.E. Effect of milk type and coagulant on physical properties, yield. Chemical composition and organoleptic properties of Kareish cheese. *Egypt. J. Appl. Sci.* **2003**, *18*, 240–253.
59. Mehaia, M.A. Manufacture of fresh soft white cheese (Domiat-type) from ultrafiltered goats' milk. *Food Chem.* **2002**, *79*, 445–452, doi:10.1016/S0308-8146(02)00195-4.
60. Milani, F.X.; Wendorff, W.L. Goat and sheep milk products in the United States (USA). *Small Rumin. Res.* **2011**, *101*, 134–139, doi:10.1016/j.smallrumres.2011.09.033.
61. Tsevdos, N. Yogurt.
62. Chandan, R.C.; Gandhi, A.; Shah, N.P. Yogurt. In *Yogurt in Health and Disease Prevention*; Shah, N.P.B.T.-Y. in H. and D.P., Ed.; Elsevier, 2017; pp. 3–29 ISBN 978-0-12-805134-4.
63. Alichanidis, E.; Polychroniadou, A. Special features of dairy products from ewe and goat milk from the physicochemical and organoleptic point of view. In Proceedings of the Production and utilization of ewe and goat milk, Crete (Greece), 19-21 Oct 1995; International Dairy Federation, 1996; pp. 21–33.
64. Rysstad, G.; Abrahamsen, R.K. Formation of volatile aroma compounds and carbon dioxide in yogurt starter grown in cows' and goats' milk. *J. Dairy Res.* **1987**, *54*, 257–266, doi:10.1017/S0022029900025395.
65. Pandya, A.J.; Ghodke, K.M. Goat and sheep milk products other than cheeses and yoghurt. *Small Rumin. Res.* **2007**, *68*, 193–206, doi:10.1016/j.smallrumres.2006.09.007.
66. Ribeiro, A.C.; Ribeiro, S.D.A. Specialty products made from goat milk. *Small Rumin. Res.* **2010**, *89*, 225–233, doi:10.1016/j.smallrumres.2009.12.048.
67. James, G. V A note on the freezing point of goats' milk. *J. Assoc. Public Anal.* **1976**, *14*, 111–113.
68. Casper, J.L.; Wendorff, W.L.; Thomas, D.L. Functional Properties of Whey Protein Concentrates from Caprine and Ovine Specialty Cheese Wheys. *J. Dairy Sci.* **1999**, *82*, 265–271, doi:10.3168/jds.S0022-0302(99)75232-X.
69. Farnworth, E.R. Kefir—A Complex Probiotic. *Food Sci. Technol. Bull. Funct. Foods* **2006**, *2*, 1–17.
70. Nair, B.M.; Prajapati, J.B. The history of fermented foods. In *Handbook of fermented functional foods*; CRC Press, 2003; pp. 17–42.
71. Sağdıç, O.; Dönmez, M.; Demirci, M. Comparison of characteristics and fatty acid profiles of traditional Turkish yayik butters produced from goats', ewes' or cows' milk. *Food Control* **2004**, *15*, 485–490, doi:10.1016/j.foodcont.2003.07.003.
72. Silanikove, N.; Leitner, G.; Merin, U.; Prosser, C.G. Recent advances in exploiting goat's milk: Quality, safety and production aspects. *Small Rumin. Res.* **2010**, *89*, 110–124, doi:https://doi.org/10.1016/j.smallrumres.2009.12.033.
73. Jirillo, F.; Magrone, T. Anti-inflammatory and Anti-Allergic Properties of Donkey's and Goat's Milk. *Endocrine, Metab. Immune Disord. Targets* **2014**, *14*, 27–37, doi:10.2174/1871530314666140121143747.
74. Chilliard, Y.; Ferlay, A. Dietary lipids and forages interactions on cow and goat milk fatty acid composition and sensory properties. *Reprod. Nutr. Dev.* **2004**, *44*, 467–492, doi:10.1051/rnd:2004052.
75. López-Aliaga, I.; Alférez, M.J.M.; Nestares, M.T.; Ros, P.B.; Barrionuevo, M.; Campos, M.S. Goat Milk Feeding Causes an Increase in Biliary Secretion of Cholesterol and a Decrease in Plasma Cholesterol Levels in Rats. *J. Dairy Sci.* **2005**, *88*, 1024–1030, doi:10.3168/jds.S0022-0302(05)72770-3.

76. Kapadiya, D.B.; Prajapati, D.B.; Jain, A.K.; Mehta, B.M.; Darji, V.B.; Aparnathi, K.D. Comparison of Surti goat milk with cow and buffalo milk for gross composition, nitrogen distribution, and selected minerals content. *Vet. World* **2016**, *9*, 710–716, doi:10.14202/vetworld.2016.710-716.
77. Fatchiyah, F.; Setiawan, B.; Suharjono, S.; Noor, Z. The anti-osteoporosis effects of CSN1S2 protein of goat milk and yoghurt on a complete Freund's adjuvant-induced rheumatoid arthritis model in rats. *Biomarkers Genomic Med.* **2015**, *7*, 139–146, doi:10.1016/j.bgm.2015.10.001.
78. Alférez, M.J.M.; Barrionuevo, M.; López Aliaga, I.; Sanz-Sampelayo, M.R.; Lisbona, F.; Robles, J.C.; Campos, M.S. Digestive utilization of goat and cow milk fat in malabsorption syndrome. *J. Dairy Res.* **2001**, *68*, 451–461, doi:10.1017/S0022029901004903.
79. Debski, B.; Picciano, M.F.; Milner, J.A. Selenium Content and Distribution of Human, Cow and Goat Milk. *J. Nutr.* **1987**, *117*, 1091–1097, doi:10.1093/jn/117.6.1091.
80. Kubena, K.S.; McMurray, D.N. Nutrition and the Immune System. *J. Am. Diet. Assoc.* **1996**, *96*, 1156–1164, doi:10.1016/S0002-8223(96)00297-0.
81. Seyedrezazadeh, E.; Ostadrahimi, A.; Mahboob, S.; Assadi, Y.; Ghaemmagami, J.; Pourmogaddam, M. Effect of vitamin E and selenium supplementation on oxidative stress status in pulmonary tuberculosis patients. *Respirology* **2008**, *13*, 294–298, doi:10.1111/j.1440-1843.2007.01200.x.