

Article

Modelling the Integrated Environmental Accounting for Marine Protected Areas: the case of Porto Cesareo Marine Protected Area (Italy)

Francesca Visintin ¹, Elisa Tomasinsig ^{1,*}, Maurizio Spoto ², Francesco Marangon ³, Paolo D'Ambrosio ⁴, Luciana Muscogiuri ⁵, Sergio Fai ⁵ and Stefania Troiano ³

¹ eFrame Ltd, via Linussio 51, 33100 Udine, Italy; francesca.visintin@eframe.it (F.V.); elisa.tomasinsig@eframe.it (E.T.)

² WWF Foundation, Miramare Marine Protected Area, via Beirut 2/4, 34151 Trieste, Italy; spoto@riservamirnamiramare.it

³ University of Udine – Department of Economics and Statistics, via Tomadini 30/a, 33100 Udine, Italy; marangon@uniud.it (F.M.); troiano@uniud.it (S.T.)

⁴ Stazione Zoologica “Anton Dohrn”, Contrada Torre Spaccata, 87071 Amendolara (CS), Italy; paolo.dambrosio@szn.it

⁵ Porto Cesareo Marine Protected Area, via Alessandro Manzoni 30, 73010 Porto Cesareo (LE), Italy; segreteria@amportocesareo.it

* Correspondence: elisa.tomasinsig@eframe.it; +39 0432 629795

Abstract: The article focuses on the integrated environmental accounting model called 'eValue', developed for protected areas and applied in the research programme coordinated by the Italian Ministry of the Environment and aimed at implementing an environmental accounting system for Italian Marine Protected Areas (MPAs). eValue adopts a cost-benefit analysis approach. Financial accounting based on costs and revenues is integrated with environmental accounting, which reflects environmental costs and environmental revenues, i.e. environmental benefits. The environmental costs assess the impacts related to human activities in the MPA expressed by calculating the carbon footprint and the environmental benefits of the marine ecosystem services calculated by applying monetary valuation techniques. The values thus estimated flow into the annual flow account, where the value produced (or consumed) by the MPA is estimated by difference. The eValue model was applied to the Porto Cesareo MPA (Italy). eValue showed that the annual benefit-cost ratio reaches a value of 3.4. Furthermore, the ratio of net benefit to public funding is 3.7, completely covering the amount of public transfers and thus summarizing the MPA overall value for money.

Keywords: Environmental Accounting; Life Cycle Assessment; Marine Ecosystem Service; Indicators; Cost Benefit Analysis; Porto Cesareo Marine Protected Area; CICES

1. Introduction

Part of the public believes that Marine Protected Areas (MPAs) restrict economic activity, adding costs to businesses and limiting opportunities for growth and employment, even for those sectors that benefit from improved marine biodiversity and environmental conditions [1].

In contrast, there is a consolidated scientific evidence that protected areas provide a range of fundamental services to the constituents of human well-being, the so-called Ecosystem Services (ES). ES have been defined as “the benefits that people obtain from ecosystems” [2-5] and, more recently, as “the contributions of ecosystems to the benefits that are used in economic and other human activity” [6] (p. 27). Use incorporates direct physical consumption (provisioning services, such as food and water), enjoyment (cultural services, such as recreational, spiritual, religious, and other non-material benefits) and indirect receipt of services (regulating services, such as the regulation of floods, droughts, land

degradation, and disease; supporting services, such as soil formation and nutrient cycling). Further, ES encompass all forms of interaction between ecosystems and people including both in situ and remote interactions [6,7]. This implies that humanity is highly dependent on well-functioning ecosystems and natural capital, which are the basis for a steady flow of ES from nature to society [8]. Expressing the value of ESs in monetary units is critical for policy makers, who can then assess the cost-effectiveness of policies, make effective decisions about resource allocation among competing uses [9], and draw attention to the economic benefits of biodiversity, including the rising costs of biodiversity loss and ecosystem degradation [5]. Failure to consider all economic values of biodiversity and ES in decision making is one of the factors contributing to their overexploitation and thus loss and degradation. Environmental accounting systems demonstrate their support as informing policies to shape future policies or strategies for biodiversity [10]. In 2019, the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services [11] showed how marine biodiversity is declining at unprecedented rates, and the Intergovernmental Panel on Climate Change [12] issued a warning about the impact of climate change on the oceans and cryosphere. Building on these documents, the United Nations organization supported the adoption of the goal of ensuring that at least 30% globally of land and marine areas are conserved through protected area systems [13], and the European Commission published the EU Biodiversity Strategy 2030, with the goal of putting European biodiversity on a path to recovery by 2030 with benefits for people, the climate and the planet [14].

Consequently, measuring changes in the state of the environment and the relationship with economic and other human activity is crucial to ensure that ecosystems and biodiversity are integrated into decision-making processes [6]. Since the 1980s the United Nations Statistical Commission undertook a review of the System of National Accounts (SNA) and proposed a System for Integrated Environmental and Economic Accounting (SEEA) in order to integrate environmental accounting into economic accounting. The aim was to provide policy makers with descriptive metrics and statistics to monitor the interaction between the economy and the environment, as well as to serve as a tool for strategic planning and policy analysis to identify more sustainable development paths. The work led to the publication of the Handbook of National Accounting: Integrated Environmental and Economic Accounting (known as SEEA 1993) [15], updated in 2003 [16] and subsequently revised and adopted into the SEEA Central Framework (SEEA-CF) which is the international statistical standard [17]. Ecosystem accounting has arisen out of work on environmental accounting which was supported firstly by the System of Environmental-Economic Accounting 2012-Experimental Ecosystem Accounting (SEEA 2012 EEA) [18]. In March 2013, the Statistical Commission encouraged the use of SEEA 2012 EEA by international and regional agencies and countries. Given the level of interest, testing and experimentation, in 2017 the revision of the SEEA 2012 EEA was determined and led in 2021 to the recognition as international statistical standard as System of Environmental-Economic Accounting-Ecosystem Accounting (SEEA-EA). The SEEA-EA complements the measurement of the relationship between the environment and the economy described in the SEEA-CF by accounting for ecosystems in five accounts. Biophysical information (the ecosystem extent and the ecosystem condition accounts) is reported, ESs are assessed in physical and monetary terms (the ESs flow account in physical terms and the ESs flow account in monetary terms) and the value of natural capital is estimated (the monetary ecosystem asset account) [6].

SEEA-EA incorporates the findings presented in a range of other technical materials on ecosystem accounting, as developed in the period from 2013 to 2020 in EU. At EU level, the EU Biodiversity Strategy to 2020 [19] adopted the TEEB recommendation to factor the economic value of biodiversity into decision making and reflected in EU and national level accounting and reporting systems, while the European Environment Agency, together with Eurostat, supported the adoption of the SEEA. To support the implementation of the EU Biodiversity Strategy target, the Mapping and Assessment of Ecosystems and their Services (MAES) initiative was set up and the MAES working group established in order

to draw the methodological approach [20]. Then, the Knowledge Innovation Project-Integrated system of Natural Capital and ecosystem services Accounting in the EU (KIP-INCA) was developed and drafted an EU environmental accounting framework [21]. Subsequently, the project LISBETH “Linking accounts for ecosystem Services and Benefits to the Economy THrough bridging” was meant to facilitate the use of INCA accounts in traditional economic analytical tools [22]. Thanks to the application of these approaches, the recent EC Communication on “EU Biodiversity Strategy for 2030 – Bringing nature back into our lives” made a step forward. The EC Communication gave evidenced, on one side, to the fact that the targets defined under the Convention on Biological Diversity are insufficient to adequately protect and restore nature and, to the other side, that enlarging protected areas is also an economic imperative [23] (p.4).

Based on these theoretical foundations, in 2013 the Italian Ministry of the Environment and Protection of Land and Sea financed the development and implementation of the integrated environmental accounting system in the Italian MPAs. The project aimed to assess the MPA’s ecological and economic value, with particular reference to the ES generated in each protected area [24] and the aggregated net benefit returned to the economy. Within this framework, the economic value of MPA was assessed by applying the integrated environmental accounting model called “eValue” [25] applied to MPAs contributes to the debate at the local scale and is intended to be a tool to support communication, policy, and social acceptability goals. In terms of a communication tool, it aims to demonstrate that the wealth produced within the MPA is greater than the public investment and that the establishment of a protected area should not be understood as a limiting factor in the economic development of the area, but as an opportunity to create economic, social, and environmental wealth. In terms of a policy tool, the results will demonstrate to decision makers, stakeholders, and funding agencies that, in addition to being invaluable in general terms, protected areas are at least as valuable as estimated by the application of integrated environmental accounting. In terms of a social acceptability tool, integrated environmental accounting highlights the reserve effect, i.e., an effect related to the establishment of the MPA that increases the abundance of fish, due to the management effectiveness of the protected area, as well as the increase in tourist attraction, due to the presence of environmental values. eValue is based on a Cost Benefit Analysis (CBA) approach. There are relatively few comprehensive CBAs of MPAs currently available from either within or outside Europe, making it difficult to draw overall conclusions about the net benefits of individual MPAs or MPA networks in Europe. Despite being unable to account for a comprehensive representation of benefits, these studies suggest that the overall welfare benefits of MPAs exceed total costs [1]. Studies on marine systems estimated that the calculated benefits significantly outweigh the estimated costs [1] and that every euro invested in marine protected areas would generate a return of at least 3 EUR [26], while protected areas have rates of return on public spending of between \$6.2 and \$28.2 for every public dollar invested, generating significant income multipliers and creating job opportunities [27].

Section 2 of the paper outlines the methodological approach followed and the eValue integrated environmental accounting model developed to assess the value of the MPA from a socio-economic perspective, while section 3 describes the results obtained by applying the model to the Porto Cesareo Marine Protected Area (PC-MPA). The result of the environmental accounting highlights what and how much value the MPA was able to create with the funds allocated by the government and funding agencies for nature conservation. The last section provides an analysis of the results and draws the conclusions.

2. Materials and Methods

The eValue integrated environmental accounting model is based on two main annual accounts (Table 1): the stock account and the flow account [28,29]. If we look at the financial accounting system, stock refers to the value of an asset at a balance sheet date, while

flow refers to the total value of transactions (sales or purchases, income or expenses) during an accounting period. Stock and flow are related because the stock of available resources is usually augmented by the flow of new investment and depleted by the flow of depreciation. In the eValue model, the stock account refers to the potential or capacity of the ecosystem to provide services, regardless of the capacity of natural resources to provide the ES flow. In the SEEA-EA, ecosystem capacity is defined as the ability of an ecosystem to generate an ES under current ecosystem condition, management and uses, at the highest yield or use level that does not negatively affect the future supply of the same or other ES from that ecosystem [6] (p. 150). In this way for provisioning services, capacity relates to the rates of regeneration, for regulating and maintenance services to the limits or thresholds to the supply of these services, for cultural services measures the maximum number of people able to visit a site. In monetary terms, capacity can be related to the net present value of ES flows at their sustainability thresholds, i.e., using the sustainable ES flow, as determined by the relevant regeneration and absorption rates. Adopting this approach, the stock is referred to as "virtual stock" because it is the capacity to continue generating an ecological process and cannot be accumulated [30]. In the eValue model, we adopted another meaning that considers not so much the capacity of the ecosystem as the consistency of the stock in biophysical terms. In these terms, the stock can be accumulated, as is the case for economic organizations, if the potential flow (or sustainable flow) is greater than the actual flow (the utilization).

The flow account was constructed according to the conceptual framework of CBA with the aim of integrating the organization's financial accounts with environmental costs and benefits, which reflect the value of impacts on the environment and benefits from ES provided by the MPA, respectively [1]. Costs and benefits were assessed complying with the UNI EN ISO 14007 "Environmental management-Guidelines for determining environmental costs and benefits" [31] and the UNI EN ISO 14008 "Monetary valuation of environmental impacts and related environmental aspects" [32].

Environmental costs refer to what economics calls negative externalities and occur when production or consumption adversely affects the welfare of a third party, without the third party receiving compensation equal to the cost. For example, tourism produces greenhouse gas emissions due to vehicle traffic as a negative externality; boating due to anchoring is responsible for the eradication of seagrasses, the disappearance of which has a direct impact on coastal erosion and habitat loss for many animal species. The assessment of environmental costs provides a value for negative externalities. To assess the environmental costs, the eValue model calculated the impacts on the environment by estimating the carbon footprint of the activities authorised and carried out in the MPA.

Environmental benefits estimate the value of positive externalities, which occur when production or consumption positively affects the well-being of a third party, without the latter paying a price equal to the value of the benefit received. For example, the protection of species and habitats within the MPA maintains a high level of biodiversity, which serves as an attraction for birdwatching or diving experiences. Environmental benefits evaluate the externality by assigning a value to the service from which the tourist benefits. To achieve this, the model selected the ESs by adopting the methodology proposed by the MAES and the indicators of the Common International Classification of Ecosystem Services (CICES) [33]. ES are understood as flows between ecosystem assets and economic units; where adopting the SEEA-EA definition [6] economic units encompass the various institutional types included in the national accounts, such as businesses, governments and households. ES are accounted firstly in physical terms (ES flow indicator) and then in monetary terms (ES benefit indicator). Accounting in physical terms aims to record, in an accounting structure, the flows of ES over an accounting period in physical units such as cubic meters and tons.

To give some examples, the assessment of the ES "Wild animals and their outputs" calculates the ecosystem capacity indicator as fish stocks from which the flow indicator "Harvested fish and shellfish" is generated [34]. In the case of the ES "Global Climate Regulation," the ecosystem capacity indicator takes into account the "Seagrass extent" and its

"Carbon Sequestration Potential," while the flow indicator takes into account the "Annual Carbon Fixation." In the flow account, benefit indicators that translate the flow indicator into monetary equivalent are reported. In line with the CBA approach [1], the difference between economic and environmental benefits and costs is calculated last, representing the net benefit and value produced or consumed by the MPA.

Finally, from the accounting data estimated in the flow account, some main economic and environmental indicators can be calculated: the ratio of net benefits produced by the MPA to public funding; the return on investment, which corresponds to the economic, environmental and social benefit provided by the MPA per 1 euro of public investment; and the ratio of carbon emission to carbon sequestration. For research purposes, we focused on the annual flow account of the eValue model.

Table 1. MPA integrated environmental accounting model – eValue [25]

Stock account	Flow account	
	Costs	Benefits
- ES capacity indicators (biophysical and quantitative metric)	(C1) Expenses	(B1) Revenues
	- Income statement expenses (monetary metric)	- Income statement revenues (monetary metric)
	(C2) Environmental costs	(B2) Environmental benefits
	- Impact indicator (biophysical and quantitative metric)	- ES flow indicator (biophysical and quantitative metric)
	- Environmental cost indicator (monetary metric)	- ES benefit indicator (monetary metric)
	(C) Total costs = (C1) + (C2)	(B) Total benefits = (B1) + (B2)
	(NB) Net benefit = (B) – (C)	

3. Results

The Italian MPA are established under the laws n. 979/1982 and n. 394/1991. The PC-MPA, established in 1997 by decree of the Ministry of Environment, is a Marine Reserve of the State. The Public Body responsible of the MPA is a Consortium constituted by the Municipalities of Porto Cesareo and Nardò and the Province of Lecce, in Apulia Region. The Porto Cesareo MPA lies in the centre part of the Ionian Sea (South-eastern part of Italy). In the Porto Cesareo MPA there are three marine SACs (Special Areas of Conservation) designated with Decree of Italian Environmental Ministry (DM 28.12.2018) on the basis of the "Habitat Directive" (Dir. 92/43/EEC). In 2011, the Porto Cesareo MPA has been included in the SPAMI (Specially Protected Areas of Mediterranean Importance) list. It encompasses a surface of 16,654 hectares and a coastline of 32 kilometers. The area is an example of outstanding natural heritage, both for the wild nature of its depths, for the landscape and for the historical-architectural elements, and represents a very important geological and geomorphological laboratory. The Italian approach to MPA management is based on a three-level zoning to which three different protection regimes correspond: Zone A – No Take Zone covering 1.2% of the total area, Zone B – General Reserve with 18.3% of the total area, Zone C – Partial Reserve covering the 80.5% of the MPA, as illustrated in Figure 1. The main town is Porto Cesareo, which is centre of 6,230 inhabitants, mostly employed in tourism and fishing.

Environmental accounting involves recording data over an accounting period. The MPA integrated environmental accounting model was applied to the Porto Cesareo MPA with reference to the fiscal year. However, it was decided to use the average value for the three-year period 2014-2016, in order to smooth out annual fluctuations. In order to eval-

uate the data constituting the flow account, the following activities were carried out: selection of ESs and their indicators included in the evaluation, accounting for income in the income statement and evaluation of environmental benefits, accounting for expenditure in the income statement and evaluation of environmental costs, and finally construction of the flow account.



Figure 1. Porto Cesareo MPA zoning [35]

3.1. ES and related indicators included in the assessment

Several ES classification are available: the Millennium Ecosystem Assessment [4], The Economics of Ecosystems and Biodiversity [5], the Common International Classification of Ecosystem Services (CICES) [33,36]. For the purposes of this research, CICES was chosen because it is functional for the economic valuation of ES and thus can be integrated into an environmental accounting framework and ultimately conforms to SEEA. Most of the ES studies in which CICES has been adopted have focused on the assessment and mapping of terrestrial ES. The most comprehensive reviews of the scientific literature on the application of indicators related to marine and coastal ES were conducted by Lique et al. [34], who conducted a systematic review of 563 articles, and Lillebø et al. [37], who examined 17 MAES marine pilot cases based on CICES V4.3. This work fed into the review of CICES V5.1 [38] in which a comprehensive list of ES related to the marine-coastal ecosystem was provided. Finally, von Thenen et al. [39] supplemented CICES V5.1 with examples, selecting a pool of 772 indicators.

Launched in 2013, the environmental accounting of Italian MPAs constitutes the first application at the Italian level of CICES V4.3 to the marine and coastal ecosystem. Of the thirty-six biotic ES listed by Lique et al. [34], the seven ESs most representative of the reality of Italian MPAs and for which MPAs already had data useful for calculating indicators were selected. ES and related indicators are reported in Table 2. The second column reports the ES nomenclature adopted in 2013 by CICES V4.3 in line with the work of Lique et al. [34]. While CICES V4.3 proved to be highly functional for evaluation as it distinguished between capacity, flow and benefit indicators, it did not provide any indicators for scientific and educational ES. In order to bridge the gap, this study experimentally adopted a set of indicators that we felt could fully express the qualitative, quantitative and monetary value of the service-related benefit. In retrospect, it is possible to state that the choice made was scientifically confirmed, since the indicators used are consistent with the pool of indicators of von Thenen et al. [39]. For these ES, the indicators experimentally adopted in the study are listed in Table 2, and their consistency with von Thenen et al. [39] is noted in the footnote.

Table 2: Identifying relevant ES and indicators for inclusion in this assessment [34,38,39]

Section	CICES V4.3 nomenclature (from [34])	CICES V5.1 nomenclature (integrated by [39])	Code	Capacity indicator (from [34])	Flow indicator (from [34])	Benefit indicator (from [34])
Provisioning	Wild animals and their outputs	Wild marine animals used for nutritional purposes	1.1.6.1	-Fish abundance	-Commercial and artisanal fish and shellfish landing (t/a)	-Fish and shellfish sales (€/a)
Regulation & Maintenance	Mass stabilization and control of erosion rates	Control of erosion rate (1) Buffering and attenuation of mass movement (2)	2.2.1.1 (1) 2.2.1.2 (2)	-Indices based on extent of selected emerged, submerged and intertidal habitats (seagrass/seaweed cover (%), vegetation cover and properties (density, stiffness, height)) ² -Coastline slope and coastal geomorphology ²	-Indices based on wave regime, tidal range, relative sea level, storm surge ²	-Indices based on population density, infrastructure, artificial surface, Unesco sites ² -Replacement cost for damaged infrastructures (€/ha, €/a) ² -Avoided cost for shoreline protection(€/ha, €/a) ² , -Avoided loss of human lives (€/ha, €/a) ²
	Global climate regulation by reduction of greenhouse gas concentrations	Regulation of chemical composition of atmosphere and oceans	2.2.6.1	-Carbon sequestration potential (gC/a), -Carbon biomass (t/a) ²	-Primary production uptake (gC/m ² /a) ² -Seagrass stock -storage (gC/m ² /a)	-Market values of carbon (€)
	Experiential use of plants, animals and land/sea-scapes in different environmental settings	Characteristics of living systems that enable activities promoting health, recuperation or enjoyment through active or immersive interactions	3.1.1.1	-Extent of marine protected areas (km ²) -Presence of iconic species	-Whale watching, possibility of snorkeling, swimming, boating activities (recreation trips/a)	-Willingness to pay -Importance and specificity of aesthetic values based on expert knowledge ²
	Physical use of land/sea-scapes in different environmental settings	Characteristics of living systems that enable activities promoting health, recuperation	3.1.1.2	-Marine protected areas coverage (a)	-Recreational fishing activities (t/a)	-Yearly total expenditures generated (USD)

Section	CICES V4.3 nomenclature (from [34])	CICES V5.1 nomenclature (integrated by [39])	Code	Capacity indicator (from [34])	Flow indicator (from [34])	Benefit indicator (from [34])
		or enjoyment through passive or observational interactions			-Yearly participation rate in recreational activity (% of country population) ²	-Employment supported (full-time equivalents) -Importance and specificity of aesthetic values based on expert knowledge ²
	Scientific	Characteristics of living systems that enable scientific investigation or the creation of traditional ecological knowledge	3.1.2.1	n.a.	n.a. <i>-Peer reviewed articles (n/a, impact factor)³</i> <i>-National and international projects (n/a)</i>	n.a. <i>-Yearly total project budget generated (€/a)³</i> <i>-Employment supported (full- time equivalents) in research field</i>
	Educational	Characteristics of living systems that enable education and training	3.1.2.2	n.a. <i>-Educational activity (events/a)³</i> <i>-Educational publications (publication/a)³</i>	n.a. <i>-Participation in educational events (visits/a)³</i> <i>-Educational visits (visits/a)³</i>	n.a. <i>-Participation in educational events (budget/a)³</i> <i>-Educational visits (budget/a)³</i>

¹ n.a. = not available, CICESv4.3 did not provide indicators for the ES. ² Not adopted in the study. ³ Experimentally adopted in this study and coherent with von Thenen et al. [39]. The indicators in *italic* are the ones that were experimentally adopted in this study.

3.2. Benefits accounting: income statement revenues and environmental benefits

Revenues are derived from the Porto Cesareo MPA income statement. The three-year statement showed an anomalous revenue trend, therefore, in order to provide a figure that more accurately represents the tendency, the average of the three years was evaluated (Table 3).

Table 3. Porto Cesareo-MPA income statement revenues

Revenues	2014	2015	2016	Average
	(€)	(€)	(€)	(€)
Current Transfers	545.709,16	865.046,08	470.519,26	627.091,50
Non-Tax Revenue	21.345,85	79.138,13	31.464,28	43.982,75
Capital Transfers	34.480,00	89.781,56	49.639,36	57.966,97
Third Party Revenue	63.341,19	39.869,63	60.105,29	54.438,70
Total Revenues	664.876,20	1.073.835,40	611.728,19	783.479,93

Going to benefits, the ES assessment was based on the annual flow and benefit indicators suggested by the literature [20,34,38] and adapted to the local scale and to the characteristics of the ecosystem in the Porto Cesareo MPA. For the purposes of this paper, the CICES V5.1 nomenclature as supplemented by von Thenen et al. [39] and the capacity, flow and benefit indicators given by Lique et al. [34] were adopted.

The “Wild marine animals used for nutritional purposes” ES capacity (C), annual flow (F) and benefit (B) indicators accounted respectively for fish abundance (C), commercial and artisanal fish and shell-fish landed in t/a (F) and for the fish and shellfish sales in €/a (B) [34].

Fish abundance within the MPA was surveyed based on catches made within the SAMPEI project [40]. The taxa surveyed are reported in Table 4.

Table 4. List of taxa in the MPA Porto Cesareo [40]

Fish		Molluscs
<i>Apogon imberbis</i>	<i>Raja brachyura</i>	<i>Astrea rugosa</i>
<i>Blennius ocellaris</i>	<i>Sarda sarda</i>	<i>Bolinus brandaris</i>
<i>Boops boops</i>	<i>Sardinella aurita</i>	<i>Callista chione</i>
<i>Bothus podas</i>	<i>Sarpa salpa</i>	<i>Callistoctopus macropus</i>
<i>Centrolophus niger</i>	<i>Sciaena umbra</i>	<i>Cardium</i> sp.
<i>Chelidonichtys lucerna</i>	<i>Scomber japonicus</i>	<i>Eledone cirrhosa</i>
<i>Chromis chromis</i>	<i>Scomber scombrus</i>	<i>Eledone moschata</i>
<i>Conger conger</i>	<i>Scorpaena maderensis</i>	<i>Galeodea echinophora</i>
<i>Coris julis</i>	<i>Scorpaena notata</i>	<i>Glycimeris glycimeris</i>
<i>Coryphaena hippurus</i>	<i>Scorpaena porcus</i>	<i>Hexaplex trunculus</i>
<i>Dactylopterus volitans</i>	<i>Scorpaena scrofa</i>	<i>Loligo vulgaris</i>
<i>Dasyatis pastinaca</i>	<i>Seriola dumerilii</i>	<i>Natica stercusmuscarum</i>
<i>Dentex dentex</i>	<i>Serranus cabrilla</i>	<i>Octopus vulgaris</i>
<i>Diplodus annularis</i>	<i>Serranus hepatus</i>	<i>Pinna nobilis</i>
<i>Diplodus puntazzo</i>	<i>Serranus scriba</i>	<i>Sepia officinalis</i>
<i>Diplodus sargus</i>	<i>Solea solea</i>	<i>Spondylus gaederopus</i>

<i>Diplodus vulgaris</i>	<i>Sparisoma cretense</i>	<i>Tonna galea</i>
<i>Engraulis encrasicolus</i>	<i>Sphyraena sphyraena</i>	<i>Venus verrucosa</i>
<i>Epinephelus costae</i>	<i>Sphyraena viridensis</i>	
<i>Gobius</i> sp.	<i>Spicara maena</i>	
<i>Labrus merula</i>	<i>Spicara smaris</i>	Crustaceans
<i>Lepidorhombus whiffiagonis</i>	<i>Spondylus cantharus</i>	<i>Carcinus aestuarii</i>
<i>Lithognathus mormyrus</i>	<i>Symphodus mediterraneus</i>	<i>Galathea strigosa</i>
<i>Liza aurata</i>	<i>Symphodus ocellatus</i>	<i>Liocarcinus corrugatus</i>
<i>Merluccius merluccius</i>	<i>Symphodus roissali</i>	<i>Melicerus kerathurus</i>
<i>Microchirus ocellatus</i>	<i>Symphodus tinca</i>	<i>Palinurus elephas</i>
<i>Monochirus hispidus</i>	<i>Synapturichthys kleinii</i>	<i>Scyllarides latus</i>
<i>Mullus barbatus</i>	<i>Synodus saurus</i>	<i>Scyllarus arctus</i>
<i>Mullus surmuletus</i>	<i>Torpedo marmorata</i>	
<i>Muraena helena</i>	<i>Trachinus araneus</i>	Echinoderms
<i>Oblada melanura</i>	<i>Trachinus draco</i>	<i>Paracentrotus lividus</i>
<i>Ophidion barbatum</i>	<i>Trachurus mediterraneus</i>	<i>Sphaerechinus granularis</i>
<i>Ophisurus serpens</i>	<i>Trachurus trachurus</i>	
<i>Pagellus acarne</i>	<i>Trigloporus lastoviza</i>	
<i>Pagellus erythrinus</i>	<i>Trisopterus minutus</i>	
<i>Pagrus pagrus</i>	<i>Uranoscopus scaber</i>	
<i>Phycis phycis</i>	<i>Xyrichtys novacula</i>	
<i>Pomatomus saltatrix</i>	<i>Zeus faber</i>	

Professional fishing is allowed only in the B and C zones, and only for resident fishermen using selective artisanal gears. Fishing has a long and consolidated tradition in the area. In fact, there is a large small-scale coastal fishing fleet, consisting of 250 fishermen and 130 registered vessels. Commercial fishing plays a fundamental role in the local economy. In addition to being a source of employment and food supply, it is also crucial for the social and cultural role it plays in relation to the many activities that animate the coast. During the three-years period (2014-2016), the fleet authorized to fish within the MPA stabilized at 104 vessels for a total of 14,150 fishing days within the MPA. Fishermen are expected to inform the Managing authority regarding the catch within the MPA in terms of quantity and species. Based on this data, implemented by interviews administered to fishermen to gather further information on the catch and market price per species, we estimated a catch of 93,500 kilograms per year. Five species alone account for 68% of the total number sampled (*Scorpaenidae*, *Mullus surmuletus*, *Diplodus annularis*, *Pagellus erythrinus*, *Sepia officinalis*). The annual benefit related to the ES was assessed applying the catches and market price per species as recorded from fishermen interviews and was estimated at 1.013.771,94 €/a (Table 5).

Table 4. Fishermen, fish catches and annual benefit

	2014	2015	2016	Average
Fishermen authorized by the MPA (n)	104	103	105	104
Catches within the MPA (kg/a)	n.a. ¹	93,500	n.a.	93,500
Benefit – Market value (€/a)		1.013.771,94		1.013.771,94

¹ n.a. = not available.

The “Control of erosion rate” and “Mass flows” ES were assessed based on capacity indicators (C) such as indices related to the extent of selected emerged, submerged and intertidal habitats [20,41]; and flow indicator (F) such as extent of maintenance and improvement required to provide protection [42]. The emerged, submerged and intertidal habitats summed to 16.654,10 ha (Table 6). For preventing erosion rate, marine habitats seagrass meadows such as *P. oceanica* and *Cymodocea nodosa*, as well as coralligenous bio-constructions, play a major role. The attenuation effect of *P. oceanica* on the hydrodynamics is related to the wave height attenuation, wave energy decay and reduction of the sediment transport in wave-current [43,44,45]. Within the MPA, *Posidonia oceanica* meadows mainly colonize the substrates of the three SACs and form coastal habitats such as banquettes. In the winter and autumn periods, banquettes are widely distributed along the coast, creating deposits up to several meters high [46], which play a very important ecological role in containing erosive phenomena in the coast.

Table 5. Emerged, submerged and intertidal habitats

Habitat	Area (ha)
Association with <i>Cymodocea nodosa</i> on superficial muddy sands in sheltered waters	18,60
Coralligenous biocenosis	389,60
Biocenosis of infralittoral algae	423,90
Biocenosis of superficial muddy sands in sheltered waters	55,40
Biocenosis of coarse sands and fine gravels mixed by the waves	138,10
Biocenosis of coarse sands and fine gravels under the influence of bottom currents	7.988,50
Facies of dead “mattes” of <i>Posidonia oceanica</i> without much epiflora	132,80
Overgrazed facies with encrusting algae and sea urchins	714,10
Semi-dark caves	10,60
Mosaic of coralligenous biocenosis and biocenosis of coarse sands and fine gravels under the influence of bottom currents	1.566,70
Mosaic of Coralligenous and <i>Posidonia</i> meadows	1.852,40
<i>Posidonia</i> beds (<i>Posidonion oceanicae</i>)	3.363,40
Total	16.654,10

The coastline is about 32 km long. It is characterized by a jagged coastline in which white beaches alternate with low cliffs, dunes that can reach several meters in height forming a characteristic dune eco-system. Coastal erosion in the MPA is a generalized and historicized phenomenon. The fight against erosive processes can be achieved on the one hand through mitigation and blocking of erosive agents, and on the other hand through conservation and reconstruction of the natural environments of the beach system. In order to act in this direction in 2016 and within the framework of the European Charter for Sustainable Tourism, a Planning Document was drafted that envisages: closure of intersections between urban roads and the emerged beach; rehabilitation of the dune system and closure of dune crossings through naturalistic engineering techniques; beach nourishment; temporary sea wave contrast interventions; communication and awareness raising. Funding for the implementation of the above-mentioned interventions totals € 946,991.44.

The seagrass meadows extension was used to assess the “Regulation of chemical composition of atmosphere and oceans” ES. The flow indicator is the potential carbon fixation [34]. Assuming an average annual carbon fixation of 90.5 gC/m²/a [47,48,49], and considering the habitats that can provide this service (*Posidonia* beds; facies of dead “matte” *Posidonia oceanica* without much epiphora) which have an extent of 6,992 ha, the stock corresponds to 8,740,471 tons of carbon and the sink to 3,044 tons of carbon annually

(Figure 2). In order to give a monetary value to the benefit, the Social Cost of Carbon (SCC) was adopted [50,51]. The SCC is the marginal cost of damage caused by carbon emissions or the marginal benefit resulting from reduced greenhouse gas emissions [52]. In our analysis, the SCC damage cost was assumed to be 36.92 €/tCO₂ [53]. The SCC applied is aligned with the unit cost of CO₂eq suggested by the EC [54], which varies between 25 €/tCO₂eq in 2010 and 45 €/tCO₂eq assuming a gradual increase until 2030. Applying the SCC, the total annual benefit related to global climate regulation was estimated at 412.436,70 euros (Table 7).

Table 6. Carbon fixation and annual benefit

Carbon fixation	Carbon sink	CO ₂	Benefit – SCC
(tC/a)	(tC/a)	(tCO ₂ /a)	(€/a)
8,740,471	3,044	11,171	412.436,70




Figure 2. *Posidonia oceanica* distribution within the MPA (www.ampportocesareo.it)

The “Characteristics of living systems that enable activities promoting health, recreation or enjoyment through active or immersive interactions” ES refers to whale watching, possibility of snorkeling, swimming, boating activities [34]. Applied to the Porto Cesareo MPA, the following recreational activities were analysed: sunbathing, diving, boat renting, boating and recreational fishing activities. The analyses focused on the assessment of capacity, flow and benefit indicators expressed in terms of presence of iconic species and habitats (C), visitor flows (F) and willingness to pay (WTP) (B) [34], respectively (Table 8). The capacity of the MPA to generate tourism value is given by the presence of resources of high naturalistic and historical-cultural value, including *Posidonia oceanica* habitats, underwater and semi-dark caves, coralligenous, biocenosis of infralittoral algae, fish fauna, marine avifauna, beaches and coastal dunes. On the basis of official statistics [55] and studies on the local tourism [56], the flow was estimated at 1,460,530 tourist presences on the beaches, 10,784 presences of divers, 378,202 presences of recreational boaters and 82,866 days of sport and recreational fishing within the MPA. In order to determine the value tourists place on their experience in the MPA, WTP was assessed through a survey conducted during the 2017 and 2018 bathing season. Questionnaires

were administered face-to-face and submitted to a sample of 523 bathers, 232 divers, 251 boaters and 308 recreational and sport fishermen. To obtain WTP estimates, we adopted the Contingent Valuation Method (CV) [57]. This stated preference technique creates a simulated market to elicit the expected behavior as a function of the change proposed by the survey and assess how respondents would react to this change. Part of the survey was devoted to describing the ES of interest in order to obtain the (Hicksian) monetary measure of welfare (i.e. the maximum WTP). The CV survey complied with the requirements: firstly, presentation of the CV scenario, including what the intervention was designed to achieve, how it would be implemented and paid for. Secondly, what would happen in the current status quo if the intervention was not implemented. Furthermore, one question asked for the respondent's WTP for ES. In detail, respondents were asked whether they would pay an increase in trip cost to continue to visit the MPA. Hanemann [58] views the respondent as evaluating the difference in utility associated with access at an increased amount to full income but no access to MPA. If the utility difference is positive for access, the individual answers "Yes" and indicates the amount she/he is willing to pay according to an "open-ended" CV format [59]. As result, the recreational demand function was estimated from which the so-called consumer surplus was derived, i.e. the value the consumer as-signs to the services provided by the MPA in excess of the fee. The survey assessed the MPA value for each tourism activity. Questionnaires were submitted to 1,314 tourists randomly selected on site and invited to participate in the survey without any particular sampling scheme [60]. The annual benefit was assessed by adding the estimated WTP for each category of tourist and the market value of the fish catches by recreational fishermen, reaching a value of approximately 376 thousand euro.

In the European Union, the sale of fish caught by recreational fishermen is not allowed. However, this catch, and in particular its market value, is a so-called avoided cost, i.e. a cost that the recreational fisherman does not incur by virtue of the fishing activity he carries out. This value is therefore part of the value that the recreational fisherman receives from his activity and in this sense is added to the estimated monetary value. Considering that there is no official data about the harvest in the MPA, it was estimated by making some assumptions. The questionnaires showed the average daily fish catch per recreational fisherman (kg 1.3) and the variety of the basket. This resulted in an estimated annual catch of kg 107,726 to which the market price already used for professional fishing was applied. The commercial value of the catch has an equivalent monetary value of € 671,869.86. Summing up the WTP and the market value we assessed a benefit of approximately 1,050 thousand euro.

Table 7. Annual visitor flows and annual benefit

Activity	Tourist presence	Sample	WTP	Benefit – WTP and market value
	(n)	(n)	(€/a)	(€/a)
Sunbathing	1,460,530	523	4.29	302,840.98
Diving	10,784	232	7.04	36,441.29
Boating	378,202	251	36.21	36,525.75
Recreational fishing	82,866	308	1.87	599.47
Recreational fishing – fish catches				671,869.86
Total	1.932.383	1,314		1,048,277.34

As anticipated, CICES V4.3 did not foresee any indicators for the ES "Characteristics of living systems that enable scientific investigation or the creation of traditional ecological knowledge". Therefore, new indicators were introduced on an experimental basis,

which were subsequently confirmed in the work of von Thenen et al. [39]. For the flow, indicators accounting for the number of publications and research projects were estimated; for the benefit, indicators accounting for the research project budget and the number of researchers and employees expressed in terms of full-time equivalents (fte) were calculated [34]. During the three-year period, the MPA appeared in 10 scientific publications in which it was the subject of a study or was cited (average Impact Factor of 2.022), and was involved in 10 projects with an average budget per year of 372,161.53 euro. Since the latter amount is already accounted for in the authority's revenues, only the economic evidence of the activity is provided in this section, but the amount is not accounted for in the flow account to avoid double counting. A total of 20 human resources were employed with fixed-term contracts, of which 11 were part-time and 2 full-time, while 7 were external collaborators. Weighing the human resources by the time spent on activities in the MPA, it was estimated that they correspond to a total of 10.3 fte.

No indicator was available for the ES "Characteristics of living systems that enable education and training" either. Experimental indicators were introduced as for the previous ES. Flow indicators accounted for the number of educational projects, publications and didactic tools, visitor flows and exhibitions. Benefit indicator assessed the related revenues. Data for the 2016 were available. The MPA managed eight educational projects, which involved 104 participants. Based on accounting data provided by the managing authority, the educational activities produced revenues for 4,740.00 euro, of which 2,240.00 for the economic operators and 2,500.00 euro for the managing authority. As for the previous ES, of the latter amount already accounted for in the authority's revenue, only economic evidence is provided, but the amount is not accounted for in the flow account.

In terms of integrated national accounting as stated in the SEEA-EA [6], when people pay to economic units that manage ecosystems, e.g. national park managers, for access to ecosystems, or when payments are made to economic units that support activities in ecosystems (e.g. canoe rental companies), links can be made to the standard national accounts entries. The last ES we evaluated ("Characteristics of living systems that allow for activities that promote health, recovery or enjoyment through passive or observational interactions") is related to economic activities carried out within the MPA. As part of the integrated environmental accounting model, this ES accounts for the benefits that economic actors receive from MPAs. Read in these terms, the ES accounts for the economic impact of the MPA and helps demonstrate that nature conservation does not conflict with economic development and, on the contrary, generates wealth and job opportunities in the area. The annual flow indicator assessed marine recreational activities in relation to economic operators and employment generated; the benefit indicator calculated the total annual tourism expenditure generated [34]. Values assessed the tourism impact and was listed separately in the MPA flow account. Along the 32 kilometers of coastline, 27 bathhouse, 8 diving centers, 5 dockyards equipped with 900 berths, 2 boatyards, 6 workshops for pleasure craft, 4 renting pleasure craft and 6 chartering pleasure craft are authorised to carry out their activity within the MPA. The ES benefit assessed the impact generated by tourism. In general, the economic impact of tourism is disaggregated into direct, indirect and induced impact. The direct effect on income is constructed from tourism expenditure, while the indirect and induced effects are the contribution of tourism to the activation of other economic sectors and to the households added spending power. The latter are estimated by multiplying the direct impact by the tourism multiplier [61]. The income multiplier is assessed annually at the national level. For the purposes of this research, we referred to 2014 and assumed a value of 1.89 [62]. For benefit indicator assessment the yearly total expenditures generated by tourists (accommodation, food, transport, parking and fees charged for tourism activities, such as bathhouse, diving guide, mooring and general boat maintenance, boat renting, fishing license and general boat maintenance) were gathered through questionnaires submitted to a sample composed by 1,314 tourists.

The elaboration of the data assessed the direct tourism effect that amounted to approximately 37 EUR million and, by applying the income activation multiplier of 1.89, the overall annual tourism impact within the MPA raised to 70 EUR million (Table 9).

Table 8. Annual tourism expenditure in 2016, indirect and induced effect

Expenditure category	Tourism expenditure (€)
Main expenditure (accommodation, food, transport, parking)	21,510,434.63
Bathhouse	6,092,506.15
Diving guide and equipment	410,313.77
Mooring and general boat maintenance	3,245,853.21
Fishing license and general boat maintenance	3,352,383.47
Local products	3,058,459.29
Total tourism expenditure – direct effect	37,669,950.52
Total tourism impact – direct, indirect and induced effect	70,442,807.47

3.3. Costs accounting: income statement expenditures and environmental costs

As with revenue, expenses were derived from the reclassification of items in the MPA income statement. Over the three-year period, current expenditure varied widely, with an extraordinary peak in 2015, so the average value of EUR 580,652.44 was used here as well (Table 10).

Table 9. Porto Cesareo-MPA income statement expenditures

Expenditures	2014 (€)	2015 (€)	2016 (€)	Average (€)
Current expenditures	274.972,52	1.020.475,52	63.861,58	453.103,21
Capital expenditures	62.604,26	212.856,05	0,00	91.820,10
Third Party expenditures	60.105,29	39.869,63	7.212,47	35.729,13
Total expenditures	397.682,07	1.273.201,20	71.074,05	580.652,44

The environmental cost was calculated by multiplying an environmental impact indicator by a monetary conversion factor. Environmental impact was estimated by assessing the impact produced by the human activities carried out within the protected area. The indicator used to calculate impacts is the carbon footprint that, through a life cycle assessment approach, allowed for the transformation of impacts on environmental matrices and resource use into CO₂ equivalent emissions. The UNI EN ISO 14064 “Greenhouse gases – part 1: Specification with guidance at the organization level for quantification and reporting of greenhouse gas emissions and removals” [63] and UNI EN ISO 14067 “Greenhouse gases – Carbon footprint of products – Requirements and guidelines for quantification” [64] standard were adopted and carbon footprint assessed by the OpenLCA software (version 1.7 beta) with Ecoinvent 3.3 database. The environmental costs of institutional activities, professional fishing and tourism were calculated, focusing on bathing, diving, boat hiring, boating and recreational fishing. These activities are a common representative subset of the activities usually authorised in MPAs. In accordance with the standard, the system boundary was defined. For institutional activity the organizational boundary

overlapped with the activity of the MPA; for authorised activities within the MPA (professional fishing, bathing, diving, boating and recreational fishing) the boundary included the activities and related inputs of both economic operators (professional fishermen, bathing establishments, diving centres) and users (bathers, divers, recreational fishermen). The inputs included in the reporting boundary were: equipment (e.g. boats), consumables, energy (electricity and fuel) and water in the case of the managing authority and economic operators; transport fuels in the case of users. End-of-waste management was not included. Data were collected through interviews with economic operators and the average value of the data collected over the three-year period (2014-2016) was used. A framework was modelled to inventory the inputs and outputs and assess the impact. In addition, the allocation was estimated by dividing the input flows according to the ratio of activities carried out within the MPA to total activity. With regard to users, data were collected during the survey involving 1,314 tourists. Finally, the monetary conversion factor gave the environmental impact an equivalent economic value (€/a). This step was performed by multiplying the CO₂eq by the SCC (36.92 €/tCO₂). Table 11 shows the environmental costs linked to each activities, and the overall amount of €/a 69,765.36 environmental costs.

Table 10. MPA annual environmental costs

Activities	CO ₂ emission (kgCO ₂ eq/a)	Environmental cost (€/a)
MPA institutional activity	28,200	1,041.14
Professional fishing (economic operators)	1,025,949	37,878.04
Bathing (economic operators and tourists)	4,569,640	168,711.11
Diving (economic operators and tourists)	103,763	3,830.93
Boating (economic operators and tourists)	3,645,783	134,602.31
Recreational fishing (tourists)	664,595	24,536.85
Total environmental costs	10,037,930	370,600.38

1.4. Building the annual flow account

The flow account summarized the environmental costs and benefits together with the expenses and revenues of the MPA. Table 12 shows that the local community receives from the MPA a total benefit of about EUR 3.26 million and a net benefit of about EUR 2.31 million. The annual benefit-cost ratio reached a value of 3.4, a significant result if one considers that if the value is less than 1, it can be assumed that the costs are too high to maintain the system. Furthermore, the ratio of net benefit to public funding was 3.7 considering current transfer funding. The two figures summarized the overall value for money of MPA (Table 13). It should be emphasized that these analyses did not yet include the tourism expenditure incurred within the MPA and thus the tourism impact, which represented an additional EUR 70 million generation on the local economy. The self-financing capacity of the authority, as is generally the case for other Italian MPAs [25,29], is rather low and slightly exceeds 2% of expenditure.

Table 14 gives us the number of human resources employed in the scientific and institutional MPA activity and the number of economic operators authorised to carry out their activities within the MPA, which amounted to 182. It should be emphasized that the number of people employed by each operator is not available and therefore the direct employment is greatly underestimated.

Environmental indicators are shown in Table 15. Bathing and boating were the activities with the greatest impact in terms of carbon footprint, while the good condition and extent of seagrass meadows absorbed 30.3 per cent of the MPA CO₂eq emissions. Finally,

as has already been noted in other Italian MPAs [25,29], recreational catch constitutes a significant part of the catch, even exceeding the catch of professional fishermen (107,726 kg vs. 93,500 kg).

Table 11. Porto Cesareo MPA annual flow account

Costs	(€)	Benefits	(€)
Expenditures	580,652.44	Revenues	783,479.93
Current expenditures	453,103.21	Current transfers	627,091.50
Capital expenditures	91,820.10	Non-tax revenue	43,982.75
Third Party expenditures	35,729.13	Capital transfers	57,966.97
		Third party revenue	54,438.70
Environmental costs	370,600.38	Environmental benefits	2,476,725.98
MPA institutional activity	1,041.14	Wild marine animals used for nutritional purposes	1,013,771.94
Professional fishing	37,878.04	Control of erosion rate and Mass flows	--
Bathing	168,711.11	Regulation of chemical composition	412,436.70
Diving	3,830.93	Ch. that enable active or immersive interactions	1,048,277.34
Boating	134,602.31	Ch. that enable scientific investigation	372,161.35
		Ch. that enable education and training (MPA)	2,500.00
Recreational fishing	24,536.85	Ch. that enable education and training (ec. operators)	2,240.00
Total costs	951,252.82	Total benefits	3,260,205.91
		Net benefit	2,308,953.10
		Tourism impact	70,442,807.47
		Total	72,751,760.57

Table 12. Porto Cesareo MPA annual flow account: economic indicators

Economic indicator	Unit of measurement	Value
Benefits / Costs	(n)	3.4
Net benefits / public funding	(n)	3.7
Self-financing	(€/a)	12,880.00
Self-financing / Total expenditures	(%)	2.2

Table 13. Porto Cesareo MPA annual flow account: social indicators

Social indicator	Unit of measurement	Human resources	Fte
Scientific and institutional activity	(n)	20	10.3
Economic operators	(n)	162	n.a.

Table 14. Porto Cesareo MPA annual flow account: environmental indicators

Environmental indicator	Unit of measurement	Value
CO _{2eq} emission (Carbon footprint)	(tCO _{2eq} /a)	10,037
of which bathing	(tCO _{2eq} /a)	4,570

<i>of which boating</i>	(tCO _{2eq} /a)	3,646
CO _{2eq} fixation	(tCO ₂ /a)	3,044
CO _{2eq} fixation / CO _{2eq} emission	(%)	30.3
Catches (professional fishing)	(kg/a)	93,500
Catches (recreational fishing)	(kg/a)	107,726

4. Discussion and conclusions

It is well established that healthy ecosystems and biodiversity are fundamental to sustaining our well-being, our communities and our economies [66]. Moreover, it is increasingly recognized that the degradation of nature is not a purely environmental problem requiring environmental policy responses; economic and social policy responses are also needed. As recently stated in the IPBES report [67], four leverage points can help shift decision-making towards the multiple values of nature: recognize the different values of nature, incorporate evaluation into decision-making, reform policies and regulations to internalize nature values, modify underlying social norms and objectives to align them with the overall goals of sustainability and justice. Therefore, decision-makers in all sectors need to consider their environmental context and the associated dependencies and impacts. Recording the contribution of ecosystems to production and the broader benefits to individuals and society encourages a broader understanding of the role of ecosystems and the effects that can result when the extent and condition of ecosystems change, such as the extension of protected status [6] pathway that is under discussion in the Porto Cesareo MPA.

The integrated environmental accounting system can play a key role in systematically gathering information on the links between ecosystems and the socio-economic system. The eValue model illustrated in this research downscales the national accounting model by enriching the debate and adding a new key to existing tools. These include voluntary environmental management tools such as the sustainability report published by organizations on the economic, environmental and social impacts of their daily activities; the Environmental Management and Audit Scheme Reg. (EC) 196/2006 amending the Reg. (EC) 761/2001 and the Environmental Management System (ISO 14001: 2015) designed to help organizations assess, manage and continuously improve their environmental performance. The first describes the organization’s positive and negative impacts in qualitative and quantitative terms. The second provides a comprehensive analysis of the organization’s activities, products and services and their environmental impact and commits the organisation to improving its environmental performance. Again, impacts are described in qualitative and quantitative terms. eValue has gone a step further. Starting from the sustainability report and the environmental management assessment, benefits and costs were compared, not only in qualitative and quantitative terms, but also in monetary terms. Considering then the approach, voluntary tools analyse environmental management, while eValue, aligning with the eco-system services approach [65], assesses both anthropogenic impacts and services provided by ecosystems. Assessing environmental costs and benefits in monetary terms captures the so called anthropocentric perspective including the dependency on nature and ESs.

In these terms, the eValue model represents the anthropocentric or socio-economic approach to natural capital accounting that complements the ecological approach or eMergy valuation [24], highlighting the flows of ESs provided by MPAs and assessing their value in monetary terms.

With respect to the objectives set by the research, several results were achieved. In terms of communication, the eValue integrated environmental accounting model has shown that the Porto Cesareo MPA is not a limiting factor in terms of local economic development. In fact, the environmental benefit produced within the MPA amounted to approximately 2.5 million euro, most of which were economic activities related to profes-

sional fishing and tourism activities, plus a further 70 million euro of local economic impact strictly dependent on economic activities that enhanced ESs. In terms of environmental policy, management required public funding in terms of current and capital transfers to support nature conservation. The environmental accounting model demonstrated the sustainability of the investment: for one euro of public funding, the wealth produced by the Porto Cesareo MPA is 3.7 euro. This result can enrich the ongoing debate on the expansion of the MPA of Porto Cesareo.

Author Contributions: Conceptualization, F.V. and E.T.; methodology, F.V. and E.T.; validation, F.M.; formal analysis, F.V., E.T., M.S., S.T.; investigation, F.V. and E.T.; resources, P.D'A., L.M., S.F.; data curation, F.V., E.T., M.S. and S.T.; writing—original draft preparation, F.V.; writing—review and editing, F.V., E.T., F.M., S.T., P.D'A., L.M., S.F.; visualization, F.V.; supervision, F.V.; project administration, F.V.; funding acquisition, F.V.. All authors have read and agreed to the published version of the manuscript."

Funding: This research was funded by the Consorzio Area Marina Protetta Porto Cesareo - Managing Authority of the Porto Cesareo Marine Protected Area (Research agreement with CoNISMa 19/05/2016) and supported by the Italian Ministry for Environment, Land and Sea Protection (MATM, prot. 26505/PNM 23/12/2014).

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: The raw data supporting the conclusions of this article will be made available by the authors, without undue reservation.

Conflicts of Interest: The authors declare no conflict of interest. The funders had no role in the design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript; or in the decision to publish the results.

References

1. Hattam, C.; Russi, D.; Haines, R.; et al. *Study on the economic benefits of marine protected areas: literature review analysis*, European Commission, Executive Agency for Small and Medium-sized Enterprises, Publications Office, 2018, <https://data.europa.eu/doi/10.2826/40733>.
2. Burkhard, B.; de Groot, R.; Costanza, R.; Seppelt, R.; Jørgensen, S.E.; Potschin, M. Solutions for sustaining Natural Capital and Ecosystems. *Ecol. Indic.* **2012**, *21*, 1-6.
3. Costanza, R.; D'Arge, R.; de Groot, R.; Farber, S.; Grasso, M.; Hannon, B.; Naeem, S.; Limburg, K.; Paruelo, J.; O'Neill, R.V.; Raskin, R.; Sutton, P.; Van den Belt, M. The Value of the World's Ecosystem Services and Natural Capital. *Nature* **1997**, *387*, 253-260.
4. Millennium Ecosystem Assessment. *Ecosystems and Human Well-Being: Synthesis*; World Resources Institute: Washington, DC, USA, 2005.
5. The Economic of Ecosystems and Biodiversity. *The Ecological and Economic Foundations*; Kumar, P., Ed.; Earthscan: London, UK; Washington, DC, USA, 2010.
6. United Nations et al. *System of Environmental-Economic Accounting - Ecosystem Accounting (SEEA EA)*. White cover publication, pre-edited text subject to official editing, 2021. Available online: <https://seea.un.org/ecosystem-accounting>.
7. Millennium Ecosystem Assessment. *Ecosystems and Human Well-being: a framework for assessment*; Island Press: Washington, DC, USA, 2003.
8. Burkhard, B.; Maes, J. (Eds). *Mapping Ecosystem Services*. Advanced Books, 2017. Available online: <https://doi.org/10.3897/ab.e12837>.<https://ab.pensoft.net/book/12837/>.
9. De Groot, R.S.; Brander, L.; van der Ploeg, S.; Costanza, R.; Bernard, F.; Braat, L.; Christie, M.; Crossman, N.; Ghermandi, A.; Hein, L.; Hussain, S.; Kumar, P.; McVittie, A.; Portela, R.; Rodriguez, L.C.; ten Brink, P.; van Beukering, P. Global estimates of the value of ecosystems and their services in monetary units. *Ecosyst. Serv.* **2012**, *1*(1), 50-61.
10. Organisation for Economic Co-operation and Development. *OECD work in support of biodiversity 2021*, 2021. Available online: <https://www.oecd.org/environment/resources/OECD-work-in-support-of-biodiversity-2021.pdf>.
11. Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. *Summary for policymakers of the global assessment report on biodiversity and ecosystem services of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services*, IPBES Secretariat, Bonn, Germany, 2019. Available online: <https://doi.org/10.5281/zenodo.3553579>.
12. Intergovernmental Panel on Climate Change. Technical Summary. In *IPCC Special Report on the Ocean and Cryosphere in a Changing Climate*, Pörtner, H.O.; Roberts, D.C.; Masson-Delmotte, V.; Zhai, P.; Tignor, M.; Poloczanska, E.; Mintenbeck, K.; Alegría,

- A.; Nicolai, M.; Okem, A.; Petzold, J.; Rama, B.; Weyer N.M., Eds.; Cambridge University Press: Cambridge, UK and New York, NY, USA, 2019. Available online: <https://doi.org/10.1017/9781009157964>.
13. Convention on Biological Diversity. *Post-2020 Global Biodiversity Framework: Discussion Paper*, CBD/POST2020/PREP/1/1, 25 January 2019, CBD-Secretariat of the Convention on Biological Diversity, 2019. Available online: <https://www.cbd.int/doc/c/d0f3/aca0/d42fa469029f5a4d69f4da8e/post2020-prep-01-01-en.pdf>.
 14. European Commission. *EU biodiversity strategy for 2030: bringing nature back into our lives*, Directorate-General for Environment, 2021. Available online: <https://data.europa.eu/doi/10.2779/677548>.
 15. United Nations. *SNA Handbook on Integrated Environmental and Economic Accounting*, Statistical Office of the United Nations, Series F, No. 61, New York., 1993.
 16. United Nations, European Commission, International Monetary Fund, Organisation for Economic Co-operation and Development, and World Bank. *Integrated Environmental and Economic Accounting 2003 - Handbook of National Accounting*, 2003. Available online: <http://unstats.un.org/unsd/envAccounting/seea2003.pdf>.
 17. United Nations, European Commission, Food and Agriculture Organization, International Monetary Fund, Organization for Economic Co-operation and Development, and the World Bank. *System of Environmental-Economic Accounting 2012. Central Framework*, 2014a. Available online: http://unstats.un.org/unsd/envaccounting/seeaRev/SEEA_CF_Final_en.pdf.
 18. United Nations, European Commission, Food and Agriculture Organization, Organization for Economic Co-operation and Development, and the World Bank. *System of Environmental-Economic Accounting 2012: Experimental Ecosystem Accounting – Final*, 2014b. Available online: http://unstats.un.org/unsd/envaccounting/seeaRev/eea_final_en.pdf.
 19. European Commission. *Communication from the Commission to the European Parliament, the Council, the Economic and Social Committee and the Committee of the Regions “Our life insurance, our natural capital: an EU biodiversity strategy to 2020”* COM/2011/0244 final, Brussel, 3rd May 2011, 2011. Available online: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:52011DC0244>.
 20. Maes, J.; Teller, A.; Erhard, M.; Murphy, P.; Paracchini, M.L.; Barredo, J.I.; Grizzetti, B.; Cardoso, A.; Somma, F.; Petersen, J.E.; Meiner, A.; Royo Gelabert, E.; Zal, N.; Kristensen, P.; Bastrup-Birk, A.; Biala, K.; Romao, C.; Piroddi, C.; Egoh, B.; Fiorina, C.; Santos, F.; Naruševičius, V.; Verboven, J.; Pereira, H.; Bengtsson, J.; Gocheva, K.; Marta-Pedroso, C.; Snäll, T.; Estreguil, C.; San Miguel, J.; Braat, L.; Grêt-Regamey, A.; Perez-Soba, M.; Degeorges, P.; Beaufaron, G.; Lillebø, A.; Abdul Malak, D.; Liqueste, C.; Condé, S.; Moen, J.; Östergård, H.; Czucz, B.; Drakou, E.G.; Zulian, G.; Laval, C. *Mapping and Assessment of Ecosystems and their Services. Indicators for ecosystem assessments under Action 5 of the EU Biodiversity Strategy to 2020, 2nd Report*, Publications office of the European Union, Luxembourg, 2014.
 21. European Environment Agency. *Natural capital accounting in support of policymaking in Europe-A review based on EEA ecosystem accounting work*, EEA Report, n. 26/2018, Luxembourg, Publications Office of the European Union, 2019.
 22. La Notte, A.; Marques, A.; Pisani, D.; Cerilli, S.; Vallecillo, S.; Polce, C.; Cardoso, A.C.; Gervasini, E.; Maes, J. *Linking accounts for ecosystem Services and Benefits THrough bridging (LISBETH)*, EUR 30193 EN, Publications Office of the European Union, Luxembourg, 2020, ISBN 978-92-76-18427-0, doi:10.2760/480477, JRC120571, 2020. Available online: <https://ec.europa.eu/jrc/en/publication/linking-accounts-ecosystem-services-and-benefits-economy-through-bridging-lisbeth>.
 23. European Commission. *Communication from the Commission to the European Parliament, the Council, the Economic and Social Committee and the Committee of the Regions “EU Biodiversity Strategy for 2030 – Bringing nature back into our lives”* COM(2020) 380 final, Brussels, 20th May 2020, 2020. Available online: <https://eur-lex.europa.eu/legal-content/EN/TXT/?qid=1590574123338&uri=CELEX:52020DC0380>.
 24. Franzese, P.P.; Buonocore, E.; Paoli, C.; Massa, F.; Donati S.; Fanciulli, G.; Miccio, A.; Mollica, E.; Navone, A.; Russo, G.F.; Povero, P.; Vassallo, P. *Environmental Accounting in Marine Protected Areas: the EAMPA Project*. *J. Environ. Account. Manag.* **2015**, 3(4), 323-331.
 25. Visintin, F.; Tomasinsig, E.; Spoto, M.; Marangon, M.; Mastrototaro, F.; Chimienti, G.; Montesanto, F.; Troiano, S. *Integrated Environmental Accounting for Assessing the Value for Money in Marine Protected Areas: the Case of Tremiti Islands (Italy)*. *J. Environ. Account. Manag.* **2022**, 10(3), 253-267.
 26. Brander, L.M.; Baulcomb, C.; Cado van der Lelij, J.A.; Eppink, F.V.; McVittie, A.; Nijsten, L.; van Beukering, P. *The benefits to people of expanding Marine Protected Areas. Final report R-15/05, May 2015*, Amsterdam: IVM - Institute for Environmental Studies, The Netherlands, 2015.
 27. World Bank. *Banking on Protected Areas-Promoting sustainable protected area tourism to benefit local economies*, 2021. Available online: <https://openknowledge.worldbank.org/bitstream/handle/10986/35737/Banking-on-Protected-Areas-Promoting-Sustainable-Protected-Area-Tourism-to-Benefit-Local-Economies.pdf?sequence=5&isAllowed=y>.
 28. Marangon, F.; Spoto, M.; Visintin, F. *An Environmental Accounting Model for a Natural Reserve*. In *Environmental Management Accounting for Cleaner Production*, Schaltegger, S.; Bennett, M.; Burritt, R.L.; Jasch, C., Eds.; Springer Netherlands: Dordrecht, The Netherlands, 2008; pp. 267-282.
 29. Visintin, F.; Marangon, F.; Spoto, M. *Assessing the value for money of protected areas*, *Review of Studies on Sustainability* **2016**, 1, 49-69, DOI: 10.3280/RISS2016-001006.
 30. La Notte, A.; Vallecillo, S.; Maes, J. *Capacity as “virtual stock” in ecosystem services accounting*, *Ecol. Indic.* **2019**, 98, 158-163.
 31. International Organization for Standardization. *UNI EN ISO 14007:2020 - Environmental management-Guidelines for determining environmental costs and benefits*, October 2020, 2020.
 32. International Organization for Standardization. *UNI EN ISO 14008:2020 - Monetary valuation of environmental impacts and related environmental aspects*, October 2020, 2020.

33. Haines-Young, R.; Potschin, M. *CICES V4.3 – Revised report prepared following consultation on CICES Version 4, August-December 2012*. EEA Framework Contract No EEA/IEA/09/003, Nottingham, 2013.
34. Liqueste, C.; Piroddi, C.; Drakou, E.G.; Gurney, L.; Katsanevakis, S.; Charef, A.; Egoh, B. *Current Status and Future Prospects for the Assessment of Marine and Coastal Ecosystem Services: A Systematic Review*, PLoS One 8, 2013. Available online: <https://doi.org/10.1371/journal.pone.0067737>.
35. Consorzio di Gestione Area Marina Protetta Porto Cesareo. Available online: www.ampportocesareo.it (8th June 2022).
36. Maes, J.; Teller, A.; Erhard, M.; Liqueste, C.; Braat, L.; Berry, P.; Egoh, B.; Puydarrieux, P.; Fiorina, C.; Santos, F.; Paracchini, M.L.; Keune, H.; Wittmer, H.; Hauck, J.; Fiala, I.; Verburg, P.H.; Condé, S.; Schägner, J.P.; San Miguel, J.; Estreguil, C.; Ostermann, O.; Barredo, J.I.; Pereira, H.M.; Stott, A.; Laporte, V.; Meiner, A.; Olah, B.; Royo Gelabert, E.; Spyropoulou, R.; Petersen, J.E.; Maguire, C.; Zal, N.; Achilleos, E.; Rubin, A.; Ledoux, L.; Brown, C.; Raes, C.; Jacobs, S.; Vandewalle, M.; Connor, D.; Bidoglio, G. *Mapping and Assessment of Ecosystems and their Services. An analytical framework for ecosystem assessments under action 5 of the EU biodiversity strategy to 2020*; Publications office of the European Union: Luxembourg, Belgium, 2013.
37. Lillebø, A.I.; Somma, F.; Norén, K.; Gonçalves, J.; Alves, M.F.; Ballarín, E.; Bentes, L.; Bielecka, M.; Chubarenko, B.V.; Heise, S.; Khokhlov, V.; Klaoudatos, D.; Lloret, J.; Margonski, P.; Marin, A.; Matczak, M.; Oen, A.M.P.; Palmieri, M.G.; Przedzimirski, J.; Różyński, G.; Sousa, A.I.; Sousa, L.P.; Tuchkovenko, Y.; Zaucha, J. (2016) Assessment of marine ecosystem services indicators: experiences and lessons learned from 14 European case studies. *Integr. Environ. Assess. Manag* **2016**, 12, 726–734.
38. Haines-Young, R.; Potschin M.B. *Common International Classification of Ecosystem Services (CICES) V5.1 and Guidance on the Application of the Revised Structure*, 2018. Available from www.cices.eu.
39. von Thenen, M.; Frederiksen, P.; Hansen, H.S.; Schiele, K.S. A structured indicator pool to operationalize expert-based ecosystem service assessments for marine spatial planning. *Ocean and Coast. Manag.* **2020**, 187.
40. Terlizzi, A.; Tedesco, P.; Mangia, D.; Izzi, C. Progetto S.A.M.P.E.I. – Progetto pilota per il miglioramento della selettività degli attrezzi da posta all'interno dell'Area Marina Protetta di Porto Cesareo, per la riduzione delle catture accessorie e dei rigetti in mare. Relazione Finale, febbraio 2015.
41. Inácio, M.; Schernewski, G.; Nazemtseva, Y.; Baltranaitė, E.; Friedland, R.; Benz, J. Ecosystem services provision today and in the past: a comparative study in two Baltic lagoons. *Ecol. Res.* **2018**, 33, 1255–1274. Available online: <https://doi.org/10.1007/s11284-018-1643-8>.
42. Hattam, C.; Atkins, J.P.; Beaumont, N.; Börger, T.; Böhnke-Henrichs, A.; Burdon, D.; De Groot, R.; Hoefnagel, E.; Nunes, P.A.L.D.; Piwowarczyk, J.; Sastre, S.; Austen, M.C. Marine ecosystem services: Linking indicators to their classification. *Ecol. Indic.* **2015**, 49, 61–75. Available online: <https://doi.org/10.1016/j.ecolind.2014.09.026>.
43. Gacia, E.; Duarte, M. Sediment Retention by a Mediterranean *Posidonia oceanica* Meadow: The Balance between Deposition and Resuspension. *Estuarine. Estuar. Coast. Shelf Sci.* **2001**, 52, 505–514.
44. Marbà, N. Loss of seagrass meadows from the Spanish Coast: results of the Praderas project. In *Global Loss of Coastal Habitats, Rates Causes and Consequences*, Duarte, C.M., Eds; Fundación BBVA: Madrid, Spain, 2009; pp. 61–90.
45. Ondiviela, B.; Losada, I.J.; Lara, J.L.; Maza, M.; Galván, C.; Bouma, T.J.; Van Belzen J. The role of seagrasses in coastal protection in a changing climate. *Coast. Eng.* **2014**, 87, 158–168.
46. Consorzio di Gestione Area Marina Protetta Porto Cesareo. Documento programmatico per il contrasto del fenomeno erosivo dell'Area Marina Protetta Porto Cesareo. Technical report, Porto Cesareo, 2016.
47. Diaz Almela, E. Estudio del valor socioeconómico de las praderas de *posidonia oceanica* de Andalucía como sumideros de carbono y oportunidades de financiar su conservación a través de fondos para la mitigación del cambio climático. Proyecto LIFE09 NAT/ES/000534, Granada, Septiembre 2012 (revisado y actualizado en junio de 2014). Available online: https://www.juntadeandalucia.es/medioambiente/portal/documents/20151/397194/AnejoC13_estudiovaloreconom-icopraderascomosumideroCO2.pdf.
48. Mateo, M.A.; Serrano, O. The carbon sink associated to *Posidonia oceanica*. In *Mediterranean seagrasses: resilience and contribution to the attenuation of climate change*, Pergent, G, et al., Eds.; IUCN Mediterranean: Malaga, Spain, 2011.
49. Pergent, G.; Bazairi, H.; Bianchi, C.N.; Boudouresque, C.F.; Buia, M.C.; Clabaut, P.; Harmelin-Vivien, M.; Mateo, M.A.; Montefalcone, M.; Morri, C.; Orfanidis, S.; Pergent-Martini, C.; Semroud, R.; Serrano, O. *Mediterranean Seagrass Meadows: Resilience and Contribution to Climate Change Mitigation, A Short Summary / Les herbiers de Magnoliophytes marines de Méditerranée: résilience et contribution à l'atténuation des changements climatiques, Résumé*; IUCN: Gland, Switzerland and Malaga, Spain, 2012, 40 pages.
50. Brander, L.M.; van Beukering Nijsten, L.; McVittie, A.; Baulcomb, C.; Eppink, F.V.; Cado van der Lelij, J.A. The global costs and benefits of expanding Marine Protected Areas. *Mar. Policy* **2020**, 116, 103953.
51. Tol, R.S.J. Targets for global climate policy: An overview. *J. Econ. Dyn. Control* **2013**. Available online: <http://dx.doi.org/10.1016/j.jedc.2013.01.001>, <http://www.sciencedirect.com/science/article/pii/S0165188913000092>.
52. Pearce, D. *Economic Values and the Natural World*; Earthscan: London, UK, 1993.
53. United States Environmental Protection Agency. *Technical Support Document: Technical Update of the Social Cost of Carbon for Regulatory Impact Analysis*, August 2016. Downloadable at: https://www.epa.gov/sites/production/files/2016-12/documents/sc_co2_tsd_august_2016.pdf.
54. European Union. *Guide to Cost-Benefit Analysis of Investment Projects: Economic appraisal tool for Cohesion Policy 2014-2020*; Publications Office of the European Union: Brussel, Luxembourg.
55. ISTAT. Available online: <http://www3.provincia.le.it/statistica/economia/tab13.htm> (accessed on 21st November 2019).
56. Becheri, E.; Nuccio, I. Puglia. Il turismo che non appare. *Turistica* **2013**, 1-2.

57. Mitchell, R.C.; Carson, R.T. *Using surveys to value public goods: the contingent valuation method. The Contingent Valuation Method*, 1st ed.; Resources for the Future, 1989.
58. Hanemann, W.M. Welfare evaluations in contingent valuation experiments with discrete responses. *Am. J. Agric. Econ.* **1984**, *66*(3), 332-341.
59. Nikodinoska, N.; Paletto, A.; Franzese, P.P.; Jonasson, C. Valuation of Ecosystem Services in Protected Areas: The Case of the Abisko National Park (Sweden). *J. Environ. Account. Manag.* **2015**, *3*(4), 355-369.
60. Grilli, G.; Balest, J.; Garegnani, G.; Paletto, A. Exploring Residents' Willingness to Pay for Renewable Energy Supply: Evidences from an Italian Case Study. *J. Environ. Account. Manag.* **2016**, *4*(2), 105-113.
61. Fletcher, J.E. Input-output analysis and tourism impact studies. *Ann. Tour. Res.* **1989**, *16*(4), 514-529.
62. Becheri, E.; Maggiore, G. *Il turismo nell'economia italiana, Rapporto sul Turismo Italiano, XX Edizione 2015/2016*; Rogiosi Editore: Napoli, Italy, 2016.
63. UNI ISO 14064-1:2019 - Greenhouse gases – part 1: Specification with guidance at the organization level for quantification and reporting of greenhouse gas emissions and removals.
64. UNI EN ISO 14067:2018 - Greenhouse gases – Carbon footprint of products – Requirements and guidelines for quantification.
65. Beaumont, N.J.; Mongruel, R.; Hooper, T. Practical application of the Ecosystem Service Approach (ESA): lessons learned and recommendations for the future. *Int. J. Biodivers. Sci. Ecosyst. Serv. Manag.* **2018**, *13*(3), 68-78. Available online: <https://doi.org/10.1080/21513732.2018.1425222>.
66. Grizzetti, B.; Liqueste, C.; Pistocchi, A.; Vigiak, O.; Zuliana, G.; Bouraoui, F.; De Roo, A.; Cardoso, A.C. Relationship between ecological condition and ecosystem services in European rivers, lakes and coastal waters. *Sci. Total Environ.* **2019**, *671*, 452-465.
67. Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. *Summary for policymakers of the methodological assessment of the diverse values and valuation of nature of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services*, Pascual, U.; Balvanera, P.; Christie, M.; Baptiste, B.; González-Jiménez, D.; Anderson, C.B.; Athayde, S.; Chaplin-Kramer, R.; Jacobs, S.; Kelemen, E.; Kumar, R.; Lazos, E.; Martin, A.; Mwampamba, T.H.; Nakangu, B.; O'Farrell, P.; Raymond, C.M.; Subramanian, S.M.; Termansen, M.; Van Noordwijk, M.; Vatn, A., Eds.; IPBES secretariat: Bonn, Germany, 2022. Available online: <https://doi.org/10.5281/zenodo.6522392>.