

Disclaimer/Publisher's Note: The statements, opinions, and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions, or products referred to in the content.

## Cooking PaPa: An Online Application helps removing the Barrier between Modern Generation and Cooking

VUONG NGUYEN, Augustana College, USA

TUAN TRUONG, Augustana College, USA

TRANG HOANG, Augustana College, USA

TUAN NGUYEN, Augustana College, USA

TAUHEED KHAN MOHD, Augustana College, USA

During the pandemic, as people getting more time for themselves as well as their family, home cook meals have receiving more attention. It is unable to deny the fact that people have more time to prepare for the meals and it is safer to cook at home since they can avoid direct contact to people who can potentially F0 or F1. For that particular reason, the number of home cooking has increased rapidly. In article [16], the author has pointed out that in compared to the previous time, 42.0 percent of respondents said they cooked more frequently during the lockdown, while just 7.0 percent said they cooked less frequently. The increase in cooking frequency had a greater impact on women than on men ( $p < 0.05$ ). Those who said they cooked more regularly spent more time preparing meals (78%) and trying new recipes (73.6%), as well as spending more time baking (67.1 percent). In particular, the consumption of "comfort" foods (salty snacks, sweets) showed a significant rise, ranging from (23%) to (60%) of respondents who declared snacking more which studied in article [19] and [17]. Moreover, articles [14] and [30] has pointed out that in conjunction with the dramatic reduction in energy expenditure due to the impossibility of going out, this situation could have led to energy imbalance and thus to weight gain. Noticing the massive rise in home cooking along with the search for new recipes and the need for balance meals, the idea for cooking app called "Cooking Papa" has been proposed. As far as the research goes, the concept of "cooking" seems close but yet not easy to define. The Oxford English Dictionary defines cooking as "to prepare food by the action of heat. However, limited evidence suggests that people interpret the meaning of cooking quite differently [18]. Moreover, the terms 'homemade', 'convenience', 'proper cooking', 'cook', 'basic ingredients' and 'ready prepared' are not uniformly understood [4]. In the article [27], the authors point out that Cooking is complex and not uniformly understood. Generally, perceptions of cooking are based on whether heat, scratch ingredients or convenience foods are used. Scratch cooking was highly valued and viewed as preferable, though convenience foods were widely used. Key barriers to cooking included lack of time and affordability. Key facilitators to cooking included organization and meal planning. From that, the design of this application is to make every home cook meals become easier with clear and helpful instruction as well as encouraging people to try out new dishes as list in the database. In addition, in the article [8], they have discovered that during a disruptive event, such as the COVID-19 epidemic, might alter perceptions. Although the most typical consequence is that people remain in the same state which mentioned in the article that there are four states: state 1 is the middle of the road state, with means near to the scale midpoints for most items, state 2 which respondents are really enthusiastic about cooking and food buying, thus this is the love cooking (and shopping) state, state 3 that the positive items receive ratings slightly over the scale midpoint, while the negative items receive extremely low ratings, indicating that they enjoy shopping and cooking but are not as passionate as respondents in State 2 and

Authors' addresses: Vuong Nguyen, vuongnguyen18@augustana.edu, Augustana College, 639 38th St, Rock Island, Illinois, USA, 61201; Tuan Truong, tuantruong17@augustana.edu, Augustana College, 639 38th St, Rock Island, Illinois, USA, 61201; Trang Hoang, tranghoang18@augustana.edu, Augustana College, 639 38th St, Rock Island, Illinois, USA, 61201; Tuan Nguyen, tuannnguyen17@augustana.edu, Augustana College, 639 38th St, Rock Island, Illinois, USA, 61201; Tauheed Khan Mohd, tauheedkhanmohd@augustana.edu, Augustana College, 639 38th St, Rock Island, Illinois, USA, 61201.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).

© 2022 Association for Computing Machinery.

Manuscript submitted to ACM

Manuscript submitted to ACM

1

state 4 where the most negative responders, who find cooking time-consuming and difficult, and who give the lowest scores to the positive things, adopt the label "don't enjoy buying and cooking." , some people shift states, and the risk of this transition is higher for those who have been more impacted by the epidemic. The shifts happened in both directions, toward more positive or negative views regarding shopping and cooking, with the former being more prevalent. That is, it appears that the epidemic encouraged some people to rediscover their fondness for home cooking and home-cooked meals.

Additional Key Words and Phrases: datasets, online, cooking, flutter, videos, images, online recommendation, machine learning.

1 INTRODUCTION

As the distance between countries shrinks thanks to social media, the opportunity to engage with different cultures in areas such as fashion, religion, and so on grows dramatically. Throughout the epidemic, it is apparent that the number of culinary channels, as well as the number of people viewing them, has expanded dramatically, and people are genuinely learning new recipes from those videos. However, because users would have to view all of the films, it will take a significant amount of time for them to write down all of the recipes that are available online. Not to mention, while they are seeking for a certain sort of cooking recipe that works with their present ingredients. Many culinary applications were developed and got popular in our culture in order to save time and energy. Before this app was built, there were numerous concepts, and each of them may have followed different patterns as well as algorithms to optimize the possibility of discovering the ideal recipes for each individual user. The program Bon Vivant [7] is one example of artificial intelligence in action. They highlight the changes in how the app operates between the present system and their proposal system in their work, as seen in table 1 below.

Table 1. Existing System v/s Proposed System [7]

Existing System	Proposed System
Existing system does not integrate the concept of flavor pairing	Proposed system is an interactive platform that allows users to discover flavor pairings based on Flavor compound analysis
Recipes apps like All recipes dinner spinner suggests recipes based on the rating and comments	Bon Vivant takes into preference as well as nutritional Requirements to suggest recipes
Existing system does not provide a replacement for the ingredient	Proposed system provides replacement ingredient
Existing system uses keywords of the recipe name to search for recipes	Proposed system uses clustering to divide which recipes are similar to each other; compound and flavor network are really convincing

In their app, the user first selects their preferred ingredient, after which the algorithm generates a selection of recipes and a graphical depiction. The user may then map items to cuisine, which will emerge depending on the app's database. Furthermore, users may select from the available alternatives depending on their interests, as well as flavor and nutrition. The user may also create and upload their own recipes for other users to attempt in the future in order to increase the data in the database.

During the ideation process, we noticed that this proposition is in high demand but has not yet been thoroughly developed. Cooking applications, in contrast to other elements relating to computer algorithms or design, do not appear to be receiving much attention. It is simple to discover culinary applications on any platform, but people do not learn

from them; instead, they learn through online lessons on platforms such as YouTube, Facebook, and Instagram. Users appear to be doubting the validity of the applications as well as the recipes that are supplied. As I previously stated, the cooking channels are gaining increased attention as a result of Covid-19, as consumers are ready to spend more time cooking at home rather than buying prepackaged food. As a result, culinary apps will be a terrific resource since the user can just open an app on their phone and put in what sort of cuisine they want, and all of the materials, as well as the procedures to create, will display within a minute. Not to mention that this software will aid in the promotion of other nations' cultures. The only thing users need to do is launch this cookery software to experience the culture of different places by trying out other cultures' food. Last but not least, the concept of creating a culinary app is for those who do not have the time to learn. People rely too much on fast food because they do not have enough time to prepare a healthy meal or learn how to make the foods they like. Cooking a decent dinner is important in Asian culture, particularly in Vietnam, because it is the only time when the entire family can spend time together and inquire about their day. On major occasions such as Thanksgiving and Christmas in America, it is clear that everyone prefers home-cooked meals to packaged food. Therefore, learning how to cook is necessary and this cooking app will shorten the time as well as the energy compared to a normal cooking class.

## 2 RELATED WORK

For a long time, the notion of establishing a culinary app has been offered, and each of them follows a different strategy and employs different technology to connect with the user. According to the article [13] their system is developed for the user during their grocery shop trip, and by pointing the ingredients with a smartphone camera, the user will receive a list of recipes immediately acquired from the database. They outline the flow of how their system should function in figures 1 and 2 [13]. The first step is for the user to direct their camera towards the ingredients. In the background, the system will continually capture frame photos from the camera device. In step 2, the app will continually recognize those food elements in the obtained frame photos. The top six candidates will be shown on the upper-right side of the mobile device's screen. Following that, in step 3, conduct an internet cooking search for the name of the detected food ingredient will be used as a search keyword in recipe databases to generate a menu list. If a user want to look for recipes connected to candidates other than the top one, the user can do so by tapping the screen and selecting one of the top six ingredients as shown in figure 3. In step 4, the software will display the acquired menu list on the left side. The users will then select a dish from the menu, and they will be able to see different recipes by scrolling down. In the last stage, the system will show the relevant cooking recipe, including a list of required ingredients and spices, as well as a cooking method, on the popup window for the selected menu. Furthermore, the result is that for 30 kinds of food ingredients, the proposed system has achieved the 83.93% classification rate within the top six candidates.

Furthermore, the authors of the essay [28] take a distinct approach to the user. In their paper, they also mention other studies of recipe recommendation for the users such as the in the article [22], the authors applied fuzzy mathematical programming to make a menu considering the quantity of intaking nutriment or in article [10], they propose a method to recommend a recipe with good nourishment balance considering the food elements. In addition, the work in article [23] constructed a recipe recommendation in which the the system will observe the frequency of the ingredients used in the recipe from the user history and then, reflects it to the user's preference and recommend recipes considering the user's preference. Instead of advising recipes based on ingredients, they built recipes for clients based on the following information: recipe name, seasonings, items used in the recipe, calorie of dishes, cooking time, dish category, major cooking method, and eating seasons. The database can be extracted from the Ajinomoto recipe encyclopedia. Figure 4 shows how the app uses the database to generate recipes based on the personal conditions. When a user initially




Fig. 1. Processing flow [13]

starts the app, the system gathers information about the situation and displays it in a specific format: date and time, user's schedule for the day, food consumed the day before, and suggestion target. Step 2 involves the user entering a query based on a hunch about a target recipe. Following these five methods, the app will produce output for the recipes in step 3. To begin, based on the three aspects [28], a user's knowledge can be registered for the purpose of recommending recipes by themselves. If it's winter, for example, the food that cooks in the summer won't be included. By including this type of information, the number of recipes with a low chance of getting chosen will be reduced. Then there's the information gleaned from the browser log. During operation, the system will learn from the user's cooking method, food categories, and other patterns of interest by observing their interest patterns. Last but not least, the user's ingredient preferences. The system basically recalls and emphasizes the important ingredients that are regularly used by the users. With this information, the app will generate meals that include those ingredients. Second, the system combines the additional query created in step 1 with the initial query created in step 2 to retrieve the recipes from the database. For instance, in some cases where the user does not offer all of the required information, the system would automatically add more to make a better query in order to provide recipes that satisfy the users. Finally, if users do not offer any information, the app will construct a recipe based on two criteria: the cooking time must be less than 60 minutes, and the top 30 ingredients that users frequently use. Fourth, the recipes are listed in order of how easy they are to prepare. Finally, such recipes are displayed together with the rationale behind the recommendation. After completing step 3, the users select a recipe in step 4, and the guidelines appear. As previously stated, whenever users use the app, the system collects their browsing history and stores it in a knowledge base tailored to their interests.




Fig. 2. Processing flow [13]

Furthermore, once the user has completed their dishes, they can rate the difficulty level on a scale of easy, average, and challenging. Finally, people can add recipes to their food records based on their preferences.

### 3 EXPERIMENTAL SETUP

Cooking Papa built for both IOS and Android operation system, therefore, programming languages - Java and Swift - need for this project. For IOS system, XCode is a toolchain that preimplement Swift language. That have built-in stimulator from Iphone 6 to the newest Iphone. For Android system, Java SDK need to be downloaded and compatible with computer's figures. With installed Java SDK, Android Studio can running based on that SDK. Android Studio have built-in android stimulator and is supported by Google with Pixel Phone. Flutter Framework can be used in any editor for both Mac OS and Window OS. Among thousand of editor, Visual Studio Code stand out the most with built-in extensions to help developer to code effectively. Back-end connect OpenCV and Google Vision to recognize ingredient that user have though the picture user upload from the app. Then Front-end get the data back from the Back-end and display the right data for the user.

### 4 FRAMEWORK

Flutter. Flutter is a UI software development kit (SDK) created by Google [5]. By using Flutter, developers can build cross-platform applications for Android and iOS from a single code base. In March 2021, Google released Flutter 2 with




Fig. 3. The system screen [13]




Fig. 4. Overview of recommendation[28]

major updates, including the official support for web apps and desktop application support for Windows, macOS, and Linux. Typically, when building an app for mobile devices, we will need a team of Android developers specializing in Java or Kotlin and another team of iOS developers who are experts in Objective-C or Swift in order to deliver 2 native

Manuscript submitted to ACM



versions for each platform. Now, with Flutter, a lot of human resources would be saved since we only need one team of developers working on one single codebase [5]. The reduced workload also equals cost reduction and difficult-to-beat time-to-market length. Thus, this is the major reason our team decided to choose Flutter to be the frontend framework for "Cooking Papa". Due to the small team's size (only 4 developers), we believe Flutter SDK is the best solution which will make our idea quickly available on the two most popular mobile OSes. In addition to cross-platform support, Flutter has many other advantages that help app development faster and more convenient. One of the greatest features of Flutter I want to talk about is Hot Reload, which allows developers to make changes to the codebase, and see them immediately reflected on the app. In native app development, whenever some code changes are made, we must rebuild the app and reinstall it on the testing devices. This is such a time wasting process that every mobile developer has gone through in their work; they have no ways to avoid it. This process could even be more lengthy depending on the developers' computer systems, especially the old or not-so-powerful ones. Thanks to the Hot Reload feature, we can test our newly added code, fix bugs without having to rebuild and restart the application, which will save us lots of time during development. Another key feature of this Google-made SDK is its sets of widgets that make Flutter apps look identical to native apps, and behave naturally on both OSes [5]. Flutter contains two sets of widgets specifically created for each platform: Material Design, which has the same name as the design language for Android; and Cupertino, which mimics the design of iOS. The SDK also has its own set of custom widgets, which is a great tool for creative developers who want to create unique looks for their applications. Furthermore, Flutter apps will look good and the same on every OS version, from the older to the latest one. This means that developers never have to worry about supporting older devices.

OpenCV (Open Source Computer Vision Library). OpenCV is an open-source computer vision and machine learning software library, mainly aimed at real-time vision applications [12]. The library has more than 2500 optimized algorithms, which can be used to detect and recognize faces, identify objects, track camera movements, track moving objects, etc. OpenCV will play a crucial role in the development of our app since real-time ingredient identification using the smartphone's camera is Cooking Papa's key feature. Our team also chose Python as the main language for backend development because it is simply the best for machine learning. With OpenCV, our system, after being well-trained, will help users identify ingredients conveniently, fast, and precisely.

## 5 RESULTS

First, we expect that our application will give users the most suitable recipes based on the ingredients provided or at least offer them the recipes which include up to 80% of the ingredients. For instance, if the user has potato, beef, tomato then we can expect "Cooking Papa" to provide the recipes which have exactly those ingredients or at least two out of the three above.

Secondly, step-by-step instructions with simple words and sentences will be given to users so that they can easily understand and follow. It is expected that all users who are above 16 and never cook before would be able to fully understand and remember what they are doing. Sometimes, people might find it difficult learning to cook a new dish just because the recipes might include some of the cooking terms. They simply get confused and do not know what to do. This cooking app will guide them through each step with clear instructions. As you can see in Figure 5, the app will capture the ingredients in the image and then come up with a list of suitable recipes.

Lastly, as we mentioned above, people are experiencing other cultures through food and learning about them through the ingredients in their recipes. For that particular reason, our team hope that this app could be a stronger bridge between cultures. If you search for, for example, how to make ramen by using the search bar as shown in figure 6,




Fig. 5. The system recognize the name of the ingredient

you will find a lot of different recipes of many variants of ramen with different instructions on how to do it. People will get confused and wonder which one they should try in order to have the best or authentic taste. Our data for the cooking app might not be exactly the same as the traditional ways but we rely on the review about the recipes and then choosing the best one to put in the database. Our team want "Cooking Papa" to be reliable so that people can be proud of their cooking skills. We expect that our users will have a good time while using the app. Our team are also paying attention to the user experience and we want the app to be as simple as possible so that they know where to find the answers to their questions.

Culinary is art, and art is subjective. A recipe that is appealing to one, might not be attractive at all to another. Meanwhile, one of "Cooking Papa"'s goal is that everyone is interested in the majority of the recipes suggested to them.






Fig. 6. Recommendation list for the recipes

The task for "Cooking Papa" becomes "From the universe of recipes available, for each individual user, pick the top few recipes that they would like the most". Recommender system becomes the perfect solution to the task above. A recommender system, which "produces individualized recommendations as output or has the effect of guiding the user in a personalized way to interesting or useful objects in a large space of possible options" [3], is capable of producing different output per user, as well as handling an enormous amount of data.

There are two most common approach for a recommender system, namely collaborative filtering, and content-based filtering. There are also a third one called knowledge-based filtering [2], but it is not very applicable to "Cooking Papa". Collaborative filtering is the approach that produces recommendation based on interactions between users and items. Meanwhile, in content-based filtering, the systems try to guess the nature of the users, then assign some kind of tag to that user. For instance, if I have a tendency to interact with Japanese recipe, the systems will keep recommending me new Japanese recipe.

From the quick explanation above, advantages and drawbacks of each type of recommender system can be seen quite clearly. Collaborative filtering suffers when the data set is sparse [6]. Content-based approach can be used to fix this, since it only relies on the characteristic of users and items. However, content-based filtering has some of its own problem. Firstly, many topics online are only interesting for a short period of time [25]. The recommender system has to constantly change if we only adopt this approach. Secondly, content-based filtering only recommend items in a certain criteria, therefore it is not really suitable with "Cooking Papa"'s goal to support globalization of cuisine. A hybrid recommender of both approach can be applied to solve the drawback of each filtering. In fact, it has been proved that hybrid recommender outperform individual algorithm [6]. With the nature of the product, "Cooking Papa" will rely mostly on collaborative filtering, but content-based filtering will be taken into account.

Computer Vision is one field of artificial intelligence that analyzes images, videos, and translate them into meaningful outputs for humans or other programs to use. Converting an image to some text describing what it is has been a concern since the early days of computers, as soon as late 1960's and early 1970's [9]. and it remains imperfect until today. Szeliski explains that the problem of computer vision is an inverse problem, "in which we seek to recover some unknowns given insufficient information to fully specify solution" [21]. He further insist that the dream of having a computer being capable of realizing images as a 2-year-old child level is still elusive [21]. However, AI scientists have been achieving many important milestones in computer vision, including our topic of food and recipes, thanks to the wide variety of data available on the Internet. Since 2020, the amount of data created yearly is estimated to be 44 trillion gigabytes [1], which is a huge potential for AI to be trained upon. As a result, the Fourth Industrial Revolution (usually refer to as the age of 4.0) observes a giant leap in AI, Computer Vision, and Big Data [29], bring our most advanced AI closer to the ability of performing at human level. Since 2010, computer vision was finalized to perform high-end task such as object recognition, robot navigation, autonomous vehicle, etc. [26]. IBM also successfully created an AI that is able to suggest/innovate recipes by looking at the ingredient [15], which becomes one of the inspirations for Cooking Papa.

As the app finished, we managed to complete an online application called Cooking PaPa. First, when the users open the app, they will see a sign-in surface in which the users can log in if they already have an account or register for one if they don't. The user's information is stored in the database (Firebase Authentication). Then users can search for the recipes based on the ingredient they would like by entering the ingredient in the search bar or letting the app scan the ingredients. After that, a list of the recipe will be recommended for the user to choose based on the ingredients from the user and the category that the user chooses. If users choose a recipe, they will be given a list of ingredients have for that ingredient and the step-by-step instruction. On this screen, the user can choose to put it in their favor or not. If they decide to add the recipe to their favorite list, we will add the recipe information to Firebase Real-Time Database.

## 6 DISCUSSION

We are living in the world where every tasks can be done through a smart phone and it seems that the traditional method for cooking lessons as well as advertising are not working effectively anymore. As the author mention in article

Table 2. Tasks and Results

Tasks	Milestones and Deliverable
Task 1: Retrieve image from camera and recognize the ingredients	Expected: All ingredients are identified and displayed to the user Actual: Some of the background are sometimes identified (such as plates, silver wares). There are few error, if none at all, in reading the actual ingredient. Spice are usually mistakenly identified, but it is not in the scope of Cooking Papa
Task 2: Suggest recipes based on the ingredients	Expected: Recipes will be recommended if all ingredients the user currently has is listed under the recipe's main ingredient Actual: Recipes are suggested with high accuracy, sorted and filtered by different cuisine. However if the ingredients provided are insufficient, the suggestion might contain some ingredients that the user does not own

[11], Tania Lewis introduces the concept of 'digital food' in her article. Lewis' article provides a broad overview of the growing intersections between the digital realm and the world of food, from consumers sharing food photos on social media and watching 'how to' cooking videos on YouTube to the impact of digital connectivity on both alternative food movements and agribusiness. Users do not have to obtain recipes from the internet or other platforms such as YouTube or Instagram since the major function of our cooking app is to assist people discover the best suited dish based on their specified components. Furthermore, while searching on the internet, it will offer a plethora of recipes, and it is up to the customers to select the greatest suit for them. As a result, our cooking software not only decreases the amount of time people need to spend searching for the perfect recipe, but it also enhances the amount of time people can spend focusing on making a tasty dinner. Last but not least, with the online application for cooking, user can easily control how much nutrient they consume in a meal. As mention in the article [24], they offer a recipe-analysis tool that can detect the components and the amount of each ingredient in any dish. This data was used to determine the quantity of a nutrient in a meal. This result was coupled with the co-occurrence database to determine which dishes would best address the user's health condition and the result is their system can generally identify a formula with the required nutrition to address the health condition. Moreover, fast food is harmful, according to several studies, and can contribute to obesity, diabetes, and other health problems. This issue has long been discussed in our culture, and most people are aware that eating fast food regularly is harmful to our health in the long term. However, most individuals still choose fast food over making fresh meals because they do not know how to cook or believe that cooking would spend too much of their free time in their hectic life. We recognize these typical concerns, so we created this culinary software to address them. Each competent cook may write a recipe in their own language in a variety of ways. Some people can create easy recipes, but they miss some stages, which might make it difficult for a new chef to take up their recipe. Some recipes include detailed descriptions with comprehensive explanations for each step, which might be tedious for some seasoned cooks. To avoid this problem, our culinary software would employ carefully selected recipes to provide users with the greatest possible experience. People do not need to be afraid of cooking in order to gradually develop the habit of cooking fresh meals and begin their road to a better life. The writers of article [20] perform an experiment in which they attempt to demonstrate the considerable influence of learning how to cook using

video technology. They are looking for candidates who match the following criteria: Female, Cook for a family and regard themselves to be poor cooks [20]. During the experiment, participants will be given culinary instructions for making a homemade lasagne depending on one of the four circumstances listed in Table 3 below.

Table 3. Experimental content and measures [20]

Condition	Content	Measures
1	Control	Recipe Card Only
2	Video Modeling	Full video demonstration and recipe card
3	Video prompting	Step by step skills video and recipe card [view the full sequence of skills]
4	Video prompting	Step by step video and recipe card [view skills as needed]

As shown in table 3, participants in condition 1 (the control group) were given a recipe card with an image like a classic cookbook. For condition 2, the author modified the recipe to include video modeling, in which participants saw a full demonstration of the meal being cooked on a tablet before beginning the culinary activity. This state is analogous to watching television and learning from it. In addition, video prompting was introduced to condition 3 so that participants may see a step-by-step instruction in a guided sequence while preparing the food. Last but not least, in condition 4, the participants were shown the recipe card and the video elements, and they were told that they may watch the video clips whenever they wanted. The concept for this illness is based on the contemporary use of internet media such as YouTube snippets, which allow whole videos or portions of them to be seen or repeated. The findings revealed four themes: (1) enhanced knowledge of the cooking process, (2) real-time reassurance in the cooking process, (3) supporting in the acquisition of new culinary abilities, and (4) increasing enjoyment of the cooking process [20]. The combined use of audiovisual information helped increase participants' knowledge of each stage of the cooking process across conditions 2-4, according to the results for number (1) improved comprehension of the cooking process. Meanwhile, respondents in condition 1 discussed their ability to imagine the ultimate result, in this case lasagne, but failed to visualize various processes and stages inside the recipe (bechamel sauce). The video technology that helped participants' learning process was emphasized for number (2) real-time reassurance in the cooking process outcomes from conditions 2 to 4. Furthermore, respondents highlighted their understanding of how the consistency of the bechamel sauce should seem once produced, but they were unsure of what the viscosity should be throughout the phases of the sauce-making process, notably in condition 3. Nonetheless, the results of condition 3 showed that the step-by-step sequencing minimized the need for participants to recall components of the recipe since they simply watched the video in real-time. This real-time allowed them to work at their own pace, pausing and restarting the movie as needed. Participants in condition 4 said that they relied on the video to refer back to certain phases of the procedure just to ensure that they had followed the process correctly. The ability to choose which stages to see as and when needed, as many times as needed, resulted in participants tailoring the video to their own requirements. Furthermore, in the findings, for number (3) aiding in the acquisition of new culinary abilities, it was noted that across all situations, the usefulness of video in order to accomplish new cooking skills was discovered. Furthermore, the participants debated its utility in the development of more technical culinary abilities. Across all four scenarios, each participant identifies video technology at its best when: (1) learning or applying a new cooking skill; and (2) reinforcing a more advanced technical competence. The majority of participants in condition 2 preferred to follow recipe text rather than video instruction since they had prior expertise cooking a bolognaise sauce and hence did not find this aspect of the film

useful. Individuals thought that seeing the demonstration before starting the experiment was helpful in anticipating that certain stages of the cooking process were being completed correctly. Condition 3 participants thought the abilities presented in the film made it easier for them to imitate throughout the experiment. Furthermore, condition 4 results revealed that the majority of participants who were experienced with producing the bolognese sauce did not select to observe the steps relevant to this stage in the process. In this trial, the majority of participants considered sauce-making to be a new skill. Several participants stated that if the videos had not been available, they would have discarded the sauce at the point where the flour was added to the oil and heated. The results for number (4), boosting the enjoyment of the cooking process, revealed that participants in each condition addressed their trepidation to cook from scratch due to linked fear, lack of confidence, stated lack of abilities (lack of awareness), and lack of experience [20]. It appears that a lack of confidence prevented them from cooking with fresh ingredients; nonetheless, the majority of participants said that their enjoyment of the culinary activity and the satisfaction they had in their ability to recreate the recipe were more important. The majority of respondents highlighted how they avoided advanced or difficult skill sets in favor of sticking to what was known and comfortable. Not to mention that learning from the film boosted participants' self-efficacy and enjoyment of the cooking process across all settings. The reported results of condition 1 suggested that the text-only recipe did enable the participants to construct an end product; however, individuals who had not previously experienced this procedure voiced doubt and expressed worries about specific technical components of the recipe. "Cooking Papa" not only encourages users to learn about a different culture, but it also connects people together via cuisine. Food is one of the most fundamental commodities in our life, thus it is certainly the topic that everyone in a conversation is familiar with. Food may be the focal point of any activity that brings people together and improves human contact, from preparation to consumption. What could be better than a large family gathering around the holidays, where you cook food and enjoy it together? Can you conceive of a celebration, gathering, or pleasant encounter that did not take place over a magnificent dining table? Without a question, food is at the heart of many human social activities. Choosing what to make for a dinner, on the other hand, is never a simple chore. The cook must examine several factors, like what ingredients they have and require, what nutrition the items include, when the family was last fed these meals, and so on. Depending on each home, one may be overwhelmed by the number of alternatives available, and the other may not have any at all. If you can't decide, "Cooking Papa" can recommend a suitable meal or assist you locate a suitable recipe if your selections are restricted. The program will save you a significant amount of time, allowing you to spend more time connecting with your family or friends, thus improving the quality of human relationships around you. Furthermore, eating not only physically brings people together, but it also emotionally binds them together. Indeed, smelling, cooking, touching, and tasting meals elicit emotional reactions, which etch themselves considerably deeper into one's memory than any other form of experience. To illustrate my argument, imagine you smell a familiar scent that quickly transports you back to your childhood. Another example that is unrelated to food but demonstrates how vividly a person remembers a scent or flavor is the hospital smell, which reminds you of the time you were unwell. With the scent that our recipe guarantees, "Cooking Papa" assures that your time spent with your loved ones is not only bountiful but also unforgettable.

## REFERENCES

- [1] Joao Carlos Lopes Batista and Rui Pedro Figueiredo Marques. 2017. An overview on information and communication overload. *Information and communication overload in the digital age* (2017), 1–19.
- [2] Robin Burke. 2000. Knowledge-based recommender systems. *Encyclopedia of library and information systems* 69, Supplement 32 (2000), 175–186.
- [3] Robin Burke. 2012. Hybrid recommender systems: Survey and experiments. *User Model. User-Adapted Interact.* 12, 4 (2012), 331–370.

- [4] Marylyn Carrigan, Isabelle Szmigin, and Sheena Leek. 2006. Managing routine food choices in UK families: The role of convenience consumption. *Appetite* 47, 3 (2006), 372–383.
- [5] Lukas Dagne. 2019. Flutter for cross-platform App and SDK development.
- [6] Michael D Ekstrand, John T Riedl, and Joseph A Konstan. 2011. *Collaborative filtering recommender systems*. Now Publishers Inc.
- [7] Dimpy Ghaswala, H Kundalia, and Nasim Shah. 2018. Bon vivant: an artificial intelligence cooking app. *Int J of Sci Eng* 3, 1 (2018), 170–174.
- [8] Klaus G Grunert, Meike Janssen, Rikke Nyland Christensen, Lauranna Teunissen, Isabelle Cuykx, Paulien Decorte, and Lucia A Reisch. 2022. "Corona Cooking": The interrelation between emotional response to the first lockdown during the COVID-19 pandemic and cooking attitudes and behaviour in Denmark. *Food Quality and Preference* 96 (2022), 104425.
- [9] Vijay Kakani, Van Huan Nguyen, Basivi Praveen Kumar, Hakil Kim, and Visweswara Rao Pasupuleti. 2020. A critical review on computer vision and artificial intelligence in food industry. *Journal of Agriculture and Food Research* 2 (2020), 100033.
- [10] Shihono Karikome and A Fuji. 2008. An associative retrieval system for cooking recipes. In *Proceedings of the 14th annual meetings of the Association for Natural Language Proceeding*. 959–962.
- [11] Tania Lewis and Michelle Phillipov. 2018. Food/media: eating, cooking, and provisioning in a digital world. , 207–211 pages.
- [12] Naveenkumar Mahankali and Vadivel Ayyasamy. 2015. OpenCV for Computer Vision Applications.
- [13] Takuma Maruyama, Yoshiyuki Kawano, and Keiji Yanai. 2012. Real-time mobile recipe recommendation system using food ingredient recognition. In *Proceedings of the 2nd ACM international workshop on Interactive multimedia on mobile and portable devices*. 27–34.
- [14] Marianna Pellegrini, Valentina Ponzio, Rosalba Rosato, Elena Scumaci, Ilaria Goitre, Andrea Benso, Sara Belcastro, Chiara Crespi, Franco De Michieli, Ezio Ghigo, et al. 2020. Changes in weight and nutritional habits in adults with obesity during the "lockdown" period caused by the COVID-19 virus emergency. *Nutrients* 12, 7 (2020), 2016.
- [15] Florian Pinel. 2015. What's cooking with chef watson? an interview with lav varshney and james briscione. *IEEE Pervasive Computing* 14, 4 (2015), 58–62.
- [16] Barthélemy Sarda, Corinne Delamaire, Anne-Juliette Serry, and Pauline Ducrot. 2022. Changes in home cooking and culinary practices among the French population during the COVID-19 lockdown. *Appetite* 168 (2022), 105743.
- [17] Federico Scarmozzino and Francesco Visioli. 2020. Covid-19 and the subsequent lockdown modified dietary habits of almost half the population in an Italian sample. *Foods* 9, 5 (2020), 675.
- [18] Frances Short. 2006. *Kitchen secrets: The meaning of cooking in everyday life*. Berg.
- [19] Aleksandra Sidor and Piotr Rzymiski. 2020. Dietary choices and habits during COVID-19 lockdown: experience from Poland. *Nutrients* 12, 6 (2020), 1657.
- [20] Dawn Surgenor, Lynsey Hollywood, Sinéad Furey, Fiona Lavelle, Laura McGowan, Michelle Spence, Monique Raats, Amanda McCloat, Elaine Mooney, Martin Caraher, et al. 2017. The impact of video technology on learning: A cooking skills experiment. *Appetite* 114 (2017), 306–312.
- [21] Richard Szeliski. 2010. *Computer vision: algorithms and applications*. Springer Science & Business Media.
- [22] Asuka Tsuji, Kenji Kurashige, and Yoshimasa Kameyama. 2008. Selection of dishes using fuzzy mathematical programming. *Journal of Japan Society for Fuzzy Theory and Intelligent Informatics* 20, 3 (2008), 337–346.
- [23] Mayumi Ueda, Kazuyuki Ishihara, Yasushi Hirano, Shoji Kajita, and Kenji Mase. 2008. Recipe Recommendation Method Based on Personal Use History of Foodstuff to Reflect Personal Preference. *DBSJ Letters* 6, 4 (2008).
- [24] Tsuguya Ueta, Masashi Iwakami, and Takayuki Ito. 2011. Implementation of a goal-oriented recipe recommendation system providing nutrition information. In *2011 International Conference on Technologies and Applications of Artificial Intelligence*. IEEE, 183–188.
- [25] Robin Van Meteren and Maarten Van Someren. 2000. Using content-based filtering for recommendation. In *Proceedings of the machine learning in the new information age: MLnet/ECML2000 workshop*, Vol. 30. 47–56.
- [26] Andrea Vedaldi and Brian Fulkerson. 2010. VLFeat: An open and portable library of computer vision algorithms. In *Proceedings of the 18th ACM international conference on Multimedia*. 1469–1472.
- [27] Julia A Wolfson, Sara N Bleich, Katherine Clegg Smith, and Shannon Frattaroli. 2016. What does cooking mean to you?: Perceptions of cooking and factors related to cooking behavior. *Appetite* 97 (2016), 146–154.
- [28] Asami Yajima and Ichiro Kobayashi. 2009. " Easy" Cooking Recipe Recommendation Considering User's Conditions. In *2009 IEEE/WIC/ACM International Joint Conference on Web Intelligence and Intelligent Agent Technology*, Vol. 3. IEEE, 13–16.
- [29] Uzair M Younus. 2017. Fourth industrial revolution. (2017).
- [30] Zeigler Zachary, Forbes Brianna, Lopez Brianna, Pedersen Garrett, Welty Jade, Deyo Alyssa, and Kerekes Mikayla. 2020. Self-quarantine and weight gain related risk factors during the COVID-19 pandemic. *Obesity research & clinical practice* 14, 3 (2020), 210–216.