












Supplemental Figure 3




A



B



C



name	sequence (5'-3')
GAPDH RT	CTCTTCCTCTTGTGCTCTTGC
GAPDH r	CCATGAGGTCCACCACCC
GAPDH f	CCACAGTCCATGCCATCAC
EDEM1 r	CTGCAGTCCAGGGAAAAAG
EDEM1 f	GTGGAATTTGGGATTCTGAGTC
EDEM1RT	CATTCAGACTGGACTTTGGC
XBP1 RT	GAAGTACAGACAGGCTTCTCTGCTATC
XBP1s f	GTGCGTAGTCGACAGCTATGGTGGTGGTG
XBP1s r	GGATCATTCCTCGAGCACTAATCAGCTGGG
Luciferase sense	CGUACGCGGAAUACUUCGAdTdT
Luciferase antisense	UCGAAGUAUUCCGCGUACGdTdG
EDEM1 #1 antisense	UUUCACUGCUCGUCUGGCCdTdT
EDEM1 #1 sense	GGCCAGACGAGCAGUGAAAdTdT
EDEM1 #2 antisense	UUGGAGUCAGUUUUAUUAUUCdTdT
EDEM1 #2 sense	GAAUAAUAACUGACUCCAAdTdT
EGFR-HA f	ACCGAGATCTCTCGAATGCGACCCTCCGGGACGGC
EGFR-HA r	TGGGTAGCCGGTACCTGCTCCAATAAATTCAGTCTTTG
EGFR-HA RT	CTAAGAGCTAATGCGGGCATGGCTG
EDEM1-Flag NotI f	CTTTAAAATAATGCCCCGCGGCCGCCGC
EDEM1Flag HpaI r	CCCGGGTGGCATCCCTGTTAACCCTCC

supplemental Table 1

Sequence of primers and siRNAs used in this study