

Supplementary information "Exploring the Potential Role of Ribosomal Proteins to Enhance Potato Resilience in the Face of Changing Climatic Conditions" Eliana Valencia-Lozano^{1,†}, Lisset Herrera-Isidrón^{2,†}, Jorge Abraham Flores-López², Osiel Salvador Recoder-Meléndez², Braulio Uribe-López², Aarón Barraza³ and José Luis Cabrera-Ponce^{1,*}

Table S1. References listed in the manuscript in table 1

1. Zhou, K., Zhang, C., Xia, J. et al. Albino seedling lethality 4; Chloroplast 30S Ribosomal Protein S1 is Required for Chloroplast Ribosome Biogenesis and Early Chloroplast Development in Rice. *Rice* 14, 47 (2021). <https://doi.org/10.1186/s12284-021-00491-y>
2. Weijers, D., Franke-van Dijk, M., Vencken, R. J., Quint, A., Hooykaas, P., & Offringa, R. (2001). An Arabidopsis Minute-like phenotype caused by a semi-dominant mutation in a RIBOSOMAL PROTEIN S5 gene.
3. Ma, Z., & Dooner, H. K. (2004). A mutation in the nuclear-encoded plastid ribosomal protein S9 leads to early embryo lethality in maize. *The Plant Journal*, 37(1), 92-103.
4. Ito, T., Kim, G. T., & Shinozaki, K. (2000). Disruption of an Arabidopsis cytoplasmic ribosomal protein S13-homologous gene by transposon-mediated mutagenesis causes aberrant growth and development. *The Plant Journal*, 22(3), 257-264.
5. Tsugeki, R., Kochieva, E. Z., & Fedoroff, N. V. (1996). A transposon insertion in the Arabidopsis SSR16 gene causes an embryo-defective lethal mutation. *The Plant Journal*, 10(3), 479-489.
6. Schultes, N. P., Sawers, R. J., Brutnell, T. P., & Krueger, R. W. (2000). Maize high chlorophyll fluorescent 60 mutation is caused by an Ac disruption of the gene encoding the chloroplast ribosomal small subunit protein 17. *The Plant Journal*, 21(4), 317-327.
7. Rogalski, M., Ruf, S., & Bock, R. (2006). Tobacco plastid ribosomal protein S18 is essential for cell survival. *Nucleic acids research*, 34(16), 4537-4545.
8. Gong, X., Jiang, Q., Xu, J., Zhang, J., Teng, S., Lin, D., & Dong, Y. (2013). Disruption of the rice plastid ribosomal protein S20 leads to chloroplast developmental defects and seedling lethality. *G3: Genes, Genomes, Genetics*, 3(10), 1769-1777.
9. Morita-Yamamuro, C., Tsutsui, T., Tanaka, A., & Yamaguchi, J. (2004). Knock-out of the plastid ribosomal protein S21 causes impaired photosynthesis and sugar-response during germination and seedling development in Arabidopsis thaliana. *Plant and cell physiology*, 45(6), 781-788.
10. Tiller, N., Weingartner, M., Thiele, W., Maximova, E., Schöttler, M. A., & Bock, R. (2012). The plastid-specific ribosomal proteins of Arabidopsis thaliana can be divided into non-essential proteins and genuine ribosomal proteins. *The Plant Journal*, 69(2), 302-316.

11. Revenkova, E., Masson, J., Koncz, C., Afsar, K., Jakovleva, L., & Paszkowski, J. (1999). Involvement of *Arabidopsis thaliana* ribosomal protein S27 in mRNA degradation triggered by genotoxic stress. *The EMBO Journal*, 18(2), 490-499.
12. Lee, J., Jang, S., Ryu, S., Lee, S., Park, J., Lee, S., ... & Park, S. K. (2019). Mutation of plastid ribosomal protein L13 results in an albino seedling-lethal phenotype in rice. *Plant Breeding and Biotechnology*, 7(4), 395-404.
13. Dupouy, G., McDermott, E., Cashell, R., Scian, A., McHale, M., Ryder, P., ... & Spillane, C. (2022). Plastid ribosome protein L5 is essential for post-globular embryo development in *Arabidopsis thaliana*. *Plant Reproduction*, 35(3), 189-204.
14. Devis, D., Firth, S. M., Liang, Z., & Byrne, M. E. (2015). Dosage sensitivity of RPL9 and concerted evolution of ribosomal protein genes in plants. *Frontiers in Plant Science*, 6, 1102.
15. Falcone Ferreyra, M. L., Biarc, J., Burlingame, A. L., & Casati, P. (2010). *Arabidopsis* L10 ribosomal proteins in UV-B responses. *Plant signaling & behavior*, 5(10), 1222-1225.
16. Pesaresi, P., Varotto, C., Meurer, J., Jahns, P., Salamini, F., & Leister, D. (2001). Knock-out of the plastid ribosomal protein L11 in *Arabidopsis*: effects on mRNA translation and photosynthesis. *The Plant Journal*, 27(3), 179-189.
17. Zhao, D. S., Zhang, C. Q., Li, Q. F., Yang, Q. Q., Gu, M. H., & Liu, Q. Q. (2016). A residue substitution in the plastid ribosomal protein L12/AL1 produces defective plastid ribosome and causes early seedling lethality in rice. *Plant molecular biology*, 91, 161-177.
18. Lee, J., Jang, S., Ryu, S., Lee, S., Park, J., Lee, S., ... & Park, S. K. (2019). Mutation of plastid ribosomal protein L13 results in an albino seedling-lethal phenotype in rice. *Plant Breeding and Biotechnology*, 7(4), 395-404.
19. Bobik, K., Fernandez, J. C., Hardin, S. R., Ernest, B., Ganusova, E. E., Staton, M. E., & Burch-Smith, T. M. (2019). The essential chloroplast ribosomal protein uL 15c interacts with the chloroplast RNA helicase ISE 2 and affects intercellular trafficking through plasmodesmata. *New Phytologist*, 221(2), 850-865.
20. Yin, T., Liu, W., Zhao, Y., Wang, X., Wang, K., Shen, Y., ... & Tang, S. (2021). Effects of high temperature on rice grain development and quality formation based on proteomics comparative analysis under field warming. *Frontiers in Plant Science*, 12, 746180.
21. Lin, D., Jiang, Q., Zheng, K., Chen, S., Zhou, H., Gong, X., ... & Dong, Y. (2015). Mutation of the rice ASL 2 gene encoding plastid ribosomal protein L21 causes chloroplast developmental defects and seedling death. *Plant biology*, 17(3), 599-607.
22. Degenhardt, R. F., & Bonham-Smith, P. C. (2008). *Arabidopsis* ribosomal proteins RPL23aA and RPL23aB are differentially targeted to the nucleolus and are disparately required for normal development. *Plant physiology*, 147(1), 128-142.

23. Zhou, F., Roy, B., & Von Arnim, A. G. (2010). Translation reinitiation and development are compromised in similar ways by mutations in translation initiation factor eIF3h and the ribosomal protein RPL24. *BMC Plant Biology*, 10(1), 1-11.
24. Romani, I., Tadini, L., Rossi, F., Masiero, S., Pribil, M., Jahns, P., ... & Pesaresi, P. (2012). Versatile roles of Arabidopsis plastid ribosomal proteins in plant growth and development. *The Plant Journal*, 72(6), 922-934.
25. Magnard, J. L., Heckel, T., Massonneau, A., Wisniewski, J. P., Cordelier, S., Lassagne, H., ... & Rogowsky, P. M. (2004). Morphogenesis of maize embryos requires ZmPRPL35-1 encoding a plastid ribosomal protein. *Plant physiology*, 134(2), 649-663.
26. Uwer, U., Willmitzer, L., & Altmann, T. (1998). Inactivation of a glycyl-tRNA synthetase leads to an arrest in plant embryo development. *The Plant Cell*, 10(8), 1277-1294.
27. Zhu, R. M., Chai, S., Zhang, Z. Z., Ma, C. L., Zhang, Y., & Li, S. (2020). Arabidopsis Chloroplast protein for Growth and Fertility1 (CGF1) and CGF2 are essential for chloroplast development and female gametogenesis. *BMC plant biology*, 20(1), 1-12.
28. Bellaoui, M., Keddie, J. S., & Gruissem, W. (2003). DCL is a plant-specific protein required for plastid ribosomal RNA processing and embryo development. *Plant molecular biology*, 53, 531-543.
29. Hanania, U., Velcheva, M., Or, E., Flaishman, M., Sahar, N., & Perl, A. (2007). Silencing of chaperonin 21, that was differentially expressed in inflorescence of seedless and seeded grapes, promoted seed abortion in tobacco and tomato fruits. *Transgenic research*, 16, 515-525.
30. Weis, B. L., Kovacevic, J., Missbach, S., & Schleiff, E. (2015). Plant-specific features of ribosome biogenesis. *Trends in Plant Science*, 20(11), 729-740.
31. Durut, N., & Sáez-Vásquez, J. (2015). Nucleolin: dual roles in rDNA chromatin transcription. *Gene*, 556(1), 7-12.
32. Chen, S., Blank, M. F., Iyer, A., Huang, B., Wang, L., Grummt, I., & Voit, R. (2016). SIRT7-dependent deacetylation of the U3-55k protein controls pre-rRNA processing. *Nature communications*, 7(1), 10734.
33. Chen, L., Zhang, B. B., & Cheung, P. C. (2012). Comparative proteomic analysis of mushroom cell wall proteins among the different developmental stages of *Pleurotus tuber-regium*. *Journal of agricultural and food chemistry*, 60(24), 6173-6182.
34. Weis, F., Giudice, E., Churcher, M., Jin, L., Hilcenko, C., Wong, C. C., ... & Warren, A. J. (2015). Mechanism of eIF6 release from the nascent 60S ribosomal subunit. *Nature structural & molecular biology*, 22(11), 914-919.
35. Ohtani, M., Demura, T., & Sugiyama, M. (2013). Arabidopsis root initiation defective1, a DEAH-box RNA helicase involved in pre-mRNA splicing, is essential for plant development. *The Plant Cell*, 25(6), 2056-2069.

36. Hörmann, F., Soll, J., & Bölter, B. (2007). The chloroplast protein import machinery: a review. *Protein Targeting Protocols*, 179-193.
37. Yu, B., Wakao, S., Fan, J., & Benning, C. (2004). Loss of plastidic lysophosphatidic acid acyltransferase causes embryo-lethality in Arabidopsis. *Plant and cell physiology*, 45(5), 503-510.
38. Kovacheva, S., Bédard, J., Patel, R., Dudley, P., Twell, D., Ríos, G., ... & Jarvis, P. (2005). In vivo studies on the roles of Tic110, Tic40 and Hsp93 during chloroplast protein import. *The Plant Journal*, 41(3), 412-428.
39. Bang, W. Y., Jeong, I. S., Kim, D. W., Im, C. H., Ji, C., Hwang, S. M., ... & Bahk, J. D. (2008). Role of Arabidopsis CHL27 protein for photosynthesis, chloroplast development and gene expression profiling. *Plant and cell physiology*, 49(9), 1350-1363.
40. Chi, W., Ma, J., Zhang, D., Guo, J., Chen, F., Lu, C., & Zhang, L. (2008). The pentatricopeptide repeat protein DELAYED GREENING1 is involved in the regulation of early chloroplast development and chloroplast gene expression in Arabidopsis. *Plant Physiology*, 147(2), 573-584.
41. Patel, R., Hsu, S. C., Bédard, J., Inoue, K., & Jarvis, P. (2008). The Omp85-related chloroplast outer envelope protein OEP80 is essential for viability in Arabidopsis. *Plant physiology*, 148(1), 235-245.
42. Garcion, C., Guilleminot, J., Kroj, T., Parcy, F., Giraudat, J., & Devic, M. (2006). AKRP and EMB506 are two ankyrin repeat proteins essential for plastid differentiation and plant development in Arabidopsis. *The Plant Journal*, 48(6), 895-906.
43. Dong, H., Deng, Y., Mu, J., Lu, Q., Wang, Y., Xu, Y., ... & Zuo, J. (2007). The Arabidopsis Spontaneous Cell Death1 gene, encoding a ζ -carotene desaturase essential for carotenoid biosynthesis, is involved in chloroplast development, photoprotection and retrograde signalling. *Cell research*, 17(5), 458-470.
44. Qian, W., Yu, C., Qin, H., Liu, X., Zhang, A., Johansen, I. E., & Wang, D. (2007). Molecular and functional analysis of phosphomannomutase (PMM) from higher plants and genetic evidence for the involvement of PMM in ascorbic acid biosynthesis in Arabidopsis and *Nicotiana benthamiana*. *The Plant Journal*, 49(3), 399-413.
45. Huang, X., Zhang, X., & Yang, S. (2009). A novel chloroplast-localized protein EMB1303 is required for chloroplast development in Arabidopsis. *Cell research*, 19(10), 1205-1216.
46. Liang, Q., Lu, X., Jiang, L., Wang, C., Fan, Y., & Zhang, C. (2010). EMB1211 is required for normal embryo development and influences chloroplast biogenesis in Arabidopsis. *Physiologia plantarum*, 140(4), 380-394.

47. Komatsu, T., Kawaide, H., Saito, C., Yamagami, A., Shimada, S., Nakazawa, M., ... & Nakano, T. (2010). The chloroplast protein BPG2 functions in brassinosteroid-mediated post-transcriptional accumulation of chloroplast rRNA. *The Plant Journal*, 61(3), 409-422.
48. Bryant, N., Lloyd, J., Sweeney, C., Myouga, F., & Meinke, D. (2011). Identification of nuclear genes encoding chloroplast-localized proteins required for embryo development in Arabidopsis. *Plant physiology*, 155(4), 1678-1689.
49. Palm, D., Streit, D., Shanmugam, T., Weis, B. L., Ruprecht, M., Simm, S., & Schleiff, E. (2019). Plant-specific ribosome biogenesis factors in Arabidopsis thaliana with essential function in rRNA processing. *Nucleic Acids Research*, 47(4), 1880-1895.
50. Asakura, Y., Galarneau, E., Watkins, K. P., Barkan, A., & van Wijk, K. J. (2012). Chloroplast RH3 DEAD box RNA helicases in maize and Arabidopsis function in splicing of specific group II introns and affect chloroplast ribosome biogenesis. *Plant physiology*, 159(3), 961-974.
51. Inoue, H., Li, M., & Schnell, D. J. (2013). An essential role for chloroplast heat shock protein 90 (Hsp90C) in protein import into chloroplasts. *Proceedings of the National Academy of Sciences*, 110(8), 3173-3178.
52. Lu, X., Zhang, D., Li, S., Su, Y., Liang, Q., Meng, H., ... & Zhang, C. (2014). FtsHi4 is essential for embryogenesis due to its influence on chloroplast development in Arabidopsis. *PLoS One*, 9(6), e99741.
53. Chen, H., Zou, W., & Zhao, J. (2015). Ribonuclease J is required for chloroplast and embryo development in Arabidopsis. *Journal of Experimental Botany*, 66(7), 2079-2091.
54. Jeon, Y., Ahn, C. S., Jung, H. J., Kang, H., Park, G. T., Choi, Y., ... & Pai, H. S. (2014). DER containing two consecutive GTP-binding domains plays an essential role in chloroplast ribosomal RNA processing and ribosome biogenesis in higher plants. *Journal of experimental botany*, 65(1), 117-130.
55. Missbach, S., Weis, B. L., Martin, R., Simm, S., Bohnsack, M. T., & Schleiff, E. (2013). 40S ribosome biogenesis co-factors are essential for gametophyte and embryo development. *PloS one*, 8(1), e54084.
56. Liu, H., Xiu, Z., Yang, H., Ma, Z., Yang, D., Wang, H., & Tan, B. C. (2022). Maize Shrek1 encodes a WD40 protein that regulates pre-rRNA processing in ribosome biogenesis. *The Plant Cell*, 34(10), 4028-4044.
57. Burgess, A. L., David, R., & Searle, I. R. (2015). Conservation of tRNA and rRNA 5-methylcytosine in the kingdom Plantae. *BMC plant biology*, 15(1), 1-17.
58. Chi, W., He, B., Mao, J., Li, Q., Ma, J., Ji, D., ... & Zhang, L. (2012). The function of RH22, a DEAD RNA helicase, in the biogenesis of the 50S ribosomal subunits of Arabidopsis chloroplasts. *Plant Physiology*, 158(2), 693-707.

59. Li, P. C., Li, K., Wang, J., Zhao, C. Z., Zhao, S. Z., Hou, L., ... & Wang, X. J. (2019). The AAA-ATPase MIDASIN 1 functions in ribosome biogenesis and is essential for embryo and root development. *Plant Physiology*, 180(1), 289-304.