

Review

Not peer-reviewed version

Drosophila *melanogaster* as a Translational Model System to Explore the Impact of Phytochemicals on Human Health

<u>Carlos Lopez-Ortiz</u>, Celeste Gracia-Rodriguez, Samantha Belcher, Gerardo Flores-Iga, Amartya Das, <u>Padma Nimmakayala</u>, <u>Nagamani Balagurusamy</u>, <u>Umesh K Reddy</u>*

Posted Date: 9 August 2023

doi: 10.20944/preprints202308.0667.v1

Keywords: Drosophila; Phytochemical; Human health; Metabolism; Disease



Preprints.org is a free multidiscipline platform providing preprint service that is dedicated to making early versions of research outputs permanently available and citable. Preprints posted at Preprints.org appear in Web of Science, Crossref, Google Scholar, Scilit, Europe PMC.

Copyright: This is an open access article distributed under the Creative Commons Attribution License which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Disclaimer/Publisher's Note: The statements, opinions, and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions, or products referred to in the content.

Remiero

Drosophila *melanogaster* as a Translational Model System to Explore the Impact of Phytochemicals on Human Health

Carlos Lopez-Ortiz ¹, Celeste Gracia-Rodriguez ², Samantha Belcher ¹, Gerardo Flores-Iga ², Amartya Das ¹, Padma Nimmakayala ¹, Nagamani Balagurusamy ¹ and Umesh K. Reddy ^{1,*}

- Gus R. Douglass Institute and Department of Biology, West Virginia State University, Institute, Dunbar, WV 25112-1000, USA
- ² Laboratorio de Biorremediación, Facultad de Ciencias Biológicas, Universidad Autónoma de Coahuila, Torreón, Mexico
- * Correspondence: ureddy@wvstateu.edu

Abstract: Fruits, vegetables, and spices are natural sources of bioactive phytochemicals such as polyphenols, carotenoids, flavonoids, curcuminoids, terpenoids, and capsaicinoids, possessing multiple health benefits and relatively low toxicity. These compounds found in the diet play a central role in organism development and fitness. Given the complexity of the whole-body response to dietary changes, invertebrate model organisms can serve as valuable tools to examine the interplay between genes, signaling pathways, and metabolism. Drosophila melanogaster, an invertebrate model with its extensively studied genome, has more than 70% gene homology to humans and has been used as a model system in biological studies for a long time. The notable advantages of Drosophila as a model system, such as their low maintenance cost, high reproductive rate, short generation time and lifespan, and the high similarity of metabolic pathways between Drosophila and mammals, have encouraged the use of Drosophila in the context of screening and evaluating the impact of phytochemicals present in the diet. In this chapter, we summarize and review the benefits of Drosophila as a model system for use in the study of phytochemical ingestion and describe the previously reported effects of phytochemical consumption in Drosophila.

Keywords: Drosophila; Phytochemical; Human health; Metabolism; Disease

1. Introduction

Phytochemicals are specialized metabolites with biological properties stored in plant tissues, such as roots, stems, leaves, flowers, and fruits [1]. Phytochemicals include a wide range of compounds such as polyphenols, carotenoids, flavonoids, coumarins, terpenoids, glucosinolates, saponins, and capsaicinoids which are often associated with the vibrant colors of fruits and vegetables [2]. Although phytochemicals are not essential nutrients in plants, they are responsible for many health benefits associated with a plant-based diet [3,4]. Potential phytochemical health benefits include antioxidant, anti-inflammatory, anti-cancer, and anti-microbial properties [5]. Currently, numerous phytochemicals are being studied for their possible use in developing novel drugs and dietary supplements [6].

Phytochemicals exhibit their beneficial and harmful effects by interaction with multiple cell signaling molecules [7]. Nevertheless, the molecular mechanisms underlying the effectiveness of phytochemicals continue to grow. In this context, employing cost-effective, rapid, reliable, and efficient in vitro and in vivo assays will facilitate the analysis of these compounds' metabolic processes, dosage response, and pharmacological and toxicological profiles [8–10]. *D. melanogaster*, commonly known as the fruit fly, has emerged as an alternate animal model; due to its short lifespan, small size, and well-understood genome, it has been widely used to examine the efficacy and safety

of phytochemicals on various physiological processes, including metabolism, aging, and immunity [11,12].

Moreover, the central nervous system of Drosophila allows the study of diverse functions, including special senses such as olfaction, taste, hearing, and vision, as well as motor behavior, including flight, walking, learning, and memory in response to phytochemical consumption [13,14]. Likewise, Drosophila has been shown to play a crucial role in deciphering fundamental molecular mechanisms and aiding in developing phytochemical base drugs for cancer and neurodegenerative diseases like Alzheimer's and Parkinson's and their associated genes [15–18]. In this chapter, we provide a brief overview of the effectiveness of Drosophila as an alternative model organism for evaluating the impact of phytochemicals on human diseases.

2. Phytochemicals and Their Potential Therapeutic Benefits

Regular consumption of fruits, vegetables, and grains has been associated with a reduced risk of certain chronic diseases due to phytochemicals with antioxidant and anti-inflammatory properties [19]. Phytochemicals regulate oxidative stress, which has been recognized as a significant factor in the pathogenesis of metabolic disorders and cancer [20]. Phytochemical therapeutic benefits are divided mainly into five categories (i) enhancers of the body's immune system; (ii) preventers of diabetes and heart diseases; (iii) hypocholesterolemic agents; (iv) promoters of digestion and absorption; and (v) retardants of aging [21,22]. The major classes of phytochemicals with disease-preventing functions are dietary fiber, antioxidants, detoxifying agents, immunity-potentiating, and neuropharmacological agents [23].

For instance, polyphenols such as resveratrol have been associated with decreased risk of myocardial infarction, stroke, and diabetes [24,25]. The diet's polyphenols also help improve lipid profiles, blood pressure, insulin resistance, and systemic inflammation [26]. Furthermore, vitamin C and carotenoids may benefit immune function, thereby reducing cancer risk by enhancing the tumor surveillance of the immune system [27]. Capsaicinoids, including capsaicin and dihydrocapsaicin found in peppers, have been found to have beneficial roles in humans, including managing pain inflammation during rheumatoid arthritis, anti-cancer agent by generating reactive oxygen species, and in the prevention or treatment of neurodegenerative diseases such as Alzheimer's disease due to its antioxidant activity [28–30]. Likewise, carotenoids and capsaicin have been found to have antiobesity effects during dietary consumption by promoting fatty acid oxidation and regulating appetite and satiety, respectively [31,32]. Moreover, it has been shown that intake of carotenoids besides β -carotene, like lutein, zeaxanthin, and lycopene, resulted in elevated levels of blood carotenoids related to a reduced risk of lung cancer [33,34].

Other spices, like turmeric obtained from the roots of *Curcuma domestica*, contain a yellow coloring principle, curcumin, a powerful antioxidant that can offer protection against cancer, inhibiting lipid peroxide-induced DNA damage [35]. Flavonoid consumption, such as quercetin and kaemferol, through vegetables and fruits, reduces the risk of death from coronary heart disease [36]. Besides the chemicals with specific functions in plant food, plant foods also contain many other chemical compounds, such as acids, esters, bases, and phenolic compounds [37]. It is unclear whether these compounds also have any beneficial biological function in the body. They may have a role in stimulating appetite and satiety [38].

3. Advantages of Using Drosophila as a Translational Model for Testing Phytochemicals

For decades *D. melanogaster* has been widely used as an excellent animal model to study genetics, evolution, and developmental biology [39]. It is a cost-effective option due to its high reproductive rate (30–50 eggs/day), short generation time (approximately ten days at 25 °C), and low maintenance cost. In addition, Drosophila short lifespan (average three months at 25 °C) and easy generation of large populations allow for performing longevity and lifespan assays in only a few months [40]. Furthermore, it offers powerful molecular and genetic tools that permit gene overexpression or knock-down studies [41].

Although Drosophila is evolutionally distant from humans, fly development, physiological, biological, and metabolic processes are equivalent to many of those found in mammals. Recently, it has been reported the similarities between humans and fruit flies in terms of metabolic regulation, including the role of insulin signaling, nutrient sensing, and energy homeostasis in metabolic disorders like diabetes and obesity [42–45]. Moreover, ingesting complex foods rich in phytochemicals by an organism leads to the degradation of nutrients that directly affect the gastrointestinal microbiome because the host and microbiome share the same food source [46]. These changes in the microbiome, in turn, influence the organism's phenotype and behavior by altering the genome, transcriptome, epigenome, proteome, and metabolome [47].

Furthermore, the similarities between pathological mechanisms of diseases in flies and humans and the ease of genetic manipulation of the fly make Drosophila suitable as a primary model for the study of phytochemicals effects in neurodegenerative diseases such as Alzheimer's disease, Parkinson's disease, Huntington's disease, cardiovascular disease, muscular atrophy, aging, and metabolic diseases [48–50]. These advantages of Drosophila are even more evident in the field of research into plant-based drug discovery. As it allows whole-organism screening, using a Drosophila model for nutraceutical effects has distinct advantages over cell-based assays when investigating more complex phenotypes [51]. To date, Drosophila has been used as a model for in vivo screening of candidate plant-derived compounds for use in age- neurodegenerative-related diseases and metabolic disorders to investigate the action mechanisms of phytochemicals with therapeutic potential [52].

4. Methods for Testing the Efficacy of Phytochemicals in Drosophila

Phytochemical ingestion effects are observed in general physiology, including metabolism, behavior, stress resistance, reproductive capacity, nervous system, and immune capacity in both Drosophila and humans, and aspects of these physiological changes can be used as parameters to determine the phytochemical effects and toxicity [50]. Among them, lifespan and survival rate are simple and efficient longitudinal assays to determine the effects after administration of the candidate plant-based compounds [53]. In addition, various strains with different lifespan characteristics and transgenic flies with symptoms similar to human diseases are available to evaluate plant compounds' effects on mortality rate. Notably, the direct and indirect effects of phytochemical compounds on mortality rate should be determined since mortality rate can be affected by several physiological confounders such as fecundity, metabolic rate, and amount of food administered [54]. In addition to establishing the mortality rate, determining changes in fly motility by quantifying the ability to climb (negative geotaxis) and reproductive output are popular when assessing the health span of Drosophila [55].

Oxidative stress mitigation in Drosophila is also an essential parameter in assessing the efficacy of phytochemicals. Levels of reactive oxygen species (ROS), activities of antioxidant enzymes like superoxide dismutase and catalase, and lipid peroxidation in treated fly cells provide insight into the potential antioxidative activities of phytochemicals (Figure 1) [56]. Moreover, Drosophila's relatively simple nervous system makes it an ideal model to study neurodevelopment and neurodegeneration using automated tracking systems, locomotor activity, ring assay, gustatory, social, and circadian rhythm patterns, providing insight into potential impacts of phytochemicals on the nervous system function and behavior [57]. Further, omics technologies, including transcriptomics and metabolomics, are also applied to Drosophila, allowing for a more global survey of the regulation of genes and metabolites, resulting in even more fine-grained analyses and deeper insights [58]. Using omics technologies, for example, the differential metabolic and gene expression of female and male flies can be analyzed. In addition, special genetic tools, such as RNA interference and CRISPR/Cas9 gene editing, can be used to investigate the biological function of genes that may be up-or down-regulated in response to phytochemical consumption.

Figure 1. Approaches for evaluating the effects of phytochemicals in *Drosophila melanogaster* model.

Although administration of compounds via feeding is the most typical method of phytochemical delivery to Drosophila [50], it is important to consider several concerns about feeding-related artifacts such as reduced feeding related to the preference of flies for each compound, uncertainty about the amount of food consumed by each individual and of the actual phytochemical concentration achieved in the tissues of the flies. Thus, it is necessary to measure the food amount ingested by the flies, which can be done by several methods, such as using food colorant or capillary feeding assays to monitor food intake [59]. A wide range of phytochemical concentrations should also be tested to evaluate dose responses and outcomes controlling supplementation timing and diet composition.

5. Studies Evaluating the Effect of Phytochemicals by Using Drosophila

5.1. Phytochemical Effect on Aging

Anti-aging research has gained significant attention due to the growing aging population, which experiences a natural decline in the body's capacity to repair molecular, biochemical, and organ damage, resulting in increased susceptibility to age-related diseases [60]. The primary cause of radical damage to macromolecules in aging is the progressive decline of the endogenous antioxidant system, triggered by reactive oxygen species (ROS). To restore the ROS balance, natural plant-derived antioxidants can be utilized to reinforce the endogenous antioxidant system [61].

Plant-derived compounds with anti-aging properties have been investigated; Moringa oleifera has been identified as one of the plants with the highest levels of bioactive molecules such as polyphenols, flavonoids, and tannins, which are responsible for eliciting an antioxidant response [62]. Iorjiim et al. [63] reported a significant increase in the activity of antioxidant enzymes glutathione-Stransferase and catalase in Drosophila treated with M. oleifera extract, suggesting its role in enhancing the activity of antioxidant enzymes and reducing the harmful effects of ROS on aging. Likewise, when leaf extracts of M. oleifera were administered to Drosophila at a dose of 5 mg•mL-1 as a dietary supplement, the flies exhibited a remarkable increase in lifespan compared to the control group. The survival rate of the treated Drosophila was extended by 20 days, and their mobility and climbing activities were also enhanced, indicating a positive impact on aging and survival [64].

Withanolides are widely found in Solanaceae species and have been investigated for their potential to enhance resilience against age-related stress [65]. Withania somnifera extracts with high withanolides concentration have been shown to ameliorate behavioral deficits in an in vivo D.

melanogaster model of oxidative stress, reducing the effects of aging in locomotion and cognition [66]. In addition, W. somnifera extracts have been reported to improve physical fitness and alleviate age-related sleep fragmentation [67].

5.2. Development and Lifespan

Age-related dysregulation of development is closely associated with functional organ and tissue decline, affecting lifespan and age-related disease development [60]. A modern lifestyle characterized by high caloric intake and minimal physical activity in humans results in high lipid storage levels that reduce overall lifespan [68]. Nevertheless, several studies have shown that several phytochemicals can expand the lifespan using Drosophila as a model (Figure 2) [69].




Figure 2. The impact of a phytochemical-enriched diet on the lifespan of *Drosophila melanogaster* suggests potential applications for promoting healthy aging and longevity in humans.

For instance, in the Drosophila midgut model, phenolic caffeic has been shown to slow down the decline of intestinal functions in aged Drosophila, preventing dysregulation of regeneration and differentiation cells during aging and thus increasing lifespan [70]. Moreover, Li et al. [71] reported that catechins, commonly found in foods such as cacao and edible plants like green tea and red wine, can decrease mortality rates and prolong the lifespan of flies reared on a high-fat diet when supplemented with a 10 mg •mL-1 extract of green tea containing 62% epigallocatechin gallate and 19% of epicatechin gallate. Similarly, it has been reported that epigallocatechin gallate affects glucose metabolism and upregulates superoxide dismutase and catalase enzymatic activities in fruit flies, increasing fitness and lifespan [71,72]. Likewise, curcumin is an effective inhibitor of inflammation and oxygen radicals [73]. It has been shown that fruit flies maintained on a media containing 1.0 mg of curcumin per gram had a higher mean lifespan linking this effect to the enhancement of superoxide dismutase activity [74,75]. In addition to the previously mentioned compounds, other phytochemicals, such as morphine, an opiate analgesic extracted from opium poppies, have also been found to increase the lifespan of Drosophila flies [76]. In a study, male and female Oregon-R flies were given morphine hydrochloride once a week at a dosage range of 0.001-0.25 mg • mL-1, which resulted in an extended lifespan [50].

5.3. Metabolism

Recent evidence suggests that the metabolic state of an organism is closely tied to its diet, with an important factor being that the dietary habits of parents can impact the metabolic states of their offspring [77]. Controlled dietary conditions are crucial for studying metabolism and organism physiology [78]. Drosophila possesses notable metabolic systems that share many conserved functions with vertebrates, including insulin, insulin-like growth factor, the target of rapamycin signaling pathways, and energy regulation [79,80]. Obesity is a prevalent metabolic syndrome in humans, leading to various metabolic complications such as impaired glucose tolerance, insulin resistance, dyslipidemia, hypertension, type 2 diabetes, and premature heart disease [81]. Heinrichsen et al. [82] evaluated the metabolic response of Drosophila fed a high-fat diet, which resulted in increased levels of triglyceride and glucose, decreased stress tolerance and lifespan, and activation of pathways associated with fat metabolism, insulin signaling, cardiac fat accumulation, and dysfunction. Currently, the options for treating obesity and implementing lifestyle interventions are limited, making it challenging to maintain a healthy lifestyle [83]. To address this, researchers have explored the potential of various phytochemicals for their anti-obesity properties [84]. Recently, it was reported that flies reared on a habanero pepper-supplemented diet with high capsaicin and carotenoid content showed a significant body weight and triglyceride reduction compared to those fed with the control diet [31]. Carotenoids and capsaicin in pepper have been reported to have antiobesity effects when consumed in the diet promoting fatty acid oxidation and regulating appetite and satiety, respectively [85,86]. Moreover, the effects of resveratrol were also analyzed in Drosophila metabolism. It was observed that resveratrol supplementation improved metabolic parameters, such as enhanced glucose tolerance and reduced lipid accumulation [87]. Meanwhile, quercetin supplementation, a flavonoid in various fruits and vegetables, improved glucose homeostasis, reduced oxidative stress, and enhanced mitochondrial function in flies [88]. Further, garlic and purple onion were tested for their biological properties in metabolic disorders. When combined as a diet, these vegetables significantly ameliorated total glucose and triglyceride levels, surpassing the effects of consuming each vegetable individually. This suggests that the combination of garlic and purple onion may possess antihyperglycemic properties [89]. Likewise, it was reported that radish sprouts (Raphanus sativus cv. Rambo), a Brassicaceae species rich in glucosinolates, influenced energy metabolism in Drosophila, leading to lower glucose levels and altered the expression of the insulin signaling-related gene called "spargel" [90]. Leaf and root extracts have also been used to treat Diabetes mellitus, the most common human metabolic disorder [91]. For instance, Drosophila flies treated with Senna occidentalis and Artocarpus camansi leaf extracts showed a significant decrease in serum glucose levels and antioxidant properties that mediate hyperglycemia in diabetes compared to the control flies [92,93].

5.4. Microbiome

The gut microbiome in the human intestines plays a critical role in nutrient absorption, lysis, and storage [94]. Additionally, they are essential for various physiological processes, including metabolism, digestion, circadian rhythms, and vitamin synthesis in humans [95]. Imbalances in the gut microbiota (dysbiosis) due to diet, antibiotic use, age, and stress contribute to disease development, including diabetes, obesity, colon cancer, inflammatory bowel disease, inflammation, and neurodegeneration [96].

The Drosophila gut microbiome is extracellular and encompasses three regions: the foregut, midgut, and hindgut, each creating distinct conditions for microbial cells [97]. Although the Drosophila gut microbiome has been well-documented, it is important to note that fruit flies have a limited number of microorganisms, about 30 species, compared to mammals with more than 500 species [98]. The gut microbial population is profoundly influenced by the dietary habits associated with consuming different types and amounts of phytochemicals (99). It also varies depending on the host genotype, age, sex, and habitat [99,100]. Garcia-Lozano et al. [101] conducted a study using three different Drosophila genotypes (Berlin-K, Oregon-RC, and Canton-s) and three distinct diets supplemented with bell, serrano, and habanero peppers, respectively. The results showed that

pepper-containing diets appeared to enhance members of Lactobacillaceae and Acetobacteraceae in the Drosophila gut microbiome (Figure 3). Among them, L. brevis belonging to the Lactobacillaceae family was 4-fold higher in flies reared on pepper-containing diets than in the guts of flies raised on the control diet. L. brevis is traditionally consumed for its prophylactic and therapeutic benefits against various diseases, such as human inflammatory bowel syndrome [102].




Figure 3. Impact of phytochemicals on the microbiome of Drosophila melanogaster.

Moreover, Jimenez-Padilla et al. [103] found that Drosophila flies fed diets with strawberries and blueberries had an increased abundance of Acetobacter in their microbiome. Acetobacter, particularly *Acetobacter pomorum*, has probiotic properties and produces acetic acid, which promotes insulin signaling, reducing lipid and sugar levels in adult flies [104]. The blueberry diet also led to higher levels of Actinobacteria compared to the control diet [103]. Actinobacteria, including the genus Bifidobacterium, metabolize anthocyanins into small compounds with probiotic effects for obesity and gastrointestinal and systemic diseases [105,106].

Furthermore, it has been reported that Triphala, a novel polyphenol-rich prebiotic at 0.5% w/v concentration, supports the growth of beneficial bacteria such as *Lactobacillus plantarum*, *Lactobacillus fermentum*, and *Bifidobacteria infantis* while inhibiting pathogenic species by using a simulated model of the human gastrointestinal tract (SHIME) in *D. melanogaster* [107].

5.5. Neurodegenerative Diseases

D. melanogaster has been widely used in drug screening studies to identify high-quality hits that exhibit crucial characteristics, including metabolic stability, oral or transdermal availability, and, most notably, low toxicity, providing a valuable resource for drug development [40]. Phytochemicals have been extensively studied for their potential in preventing and controlling the proliferation and development of tumor cells [108]. Black beans, specifically *Phaseolus vulgaris*, contain phenolic compounds, including cyanidin-3-O-glucoside (C3G), recognized as an anticancer compound [109]. A recent study by Wei et al. [110] investigated the effects of an extract from the black bean seed coat on a Drosophila model with an activated oncogene *Raf* (Table 1). It was observed that flies treated with black bean extract exhibited a significant reduction in tumor proliferation and a blockage of autophagy in the tumor cells.

Table 1. The effects of phytochemicals on genes associated with degenerative diseases.

Gene ID	Gene Name	Annotation	Human Orthologue	Disease	Plant Extract
FBgn0003079	Raf	Encodes a serine-threonine protein kinase; it activates the MEK/ERK pathway to regulate cell proliferation.	Raf-1	Cancer	Phaseolus vulgaris
FBgn0032049	Васе	Beta-site APP-cleaving enzyme encodes an aspartic protease that cleaves amyloid precursor proteins.	BACE1	Alzheimer	Pueraria tuberosa
FBgn0026420	SNCA	Engineered foreign gene involves several processes, including negative and positive transport regulation and protein metabolic process.	SNCA	Parkinson	Lemongrass
FBgn0285944	para	A gene is required for locomotor activity. It encodes an α -subunit of voltage-gated sodium channels.	SCN	Epilepsy	Imperata cylindrica

Likewise, phytochemicals can offer neuroprotection, which is crucial for developing new treatments for neurodegenerative diseases like Alzheimer's. In Alzheimer's disease, memory loss is associated with forming beta-amyloid plaques, which give rise to oligomers that generate reactive oxygen species (ROS) and promote Tau protein aggregation, ultimately leading to neuronal cell death [111]. Studies have shown that extracts from Pueraria tuberosa can inhibit beta-site amyloid precursor protein cleaving enzyme (BACE1), a key target involved in forming beta-amyloid plaques [112]. Significant improvements in cognitive decline were observed in Drosophila models treated with these extracts. Additionally, extracts rich in limonene (+) have demonstrated a neuroprotective effect by reducing cell death in treated Drosophila and lowering brain ROS levels and inflammation [111].

Similarly, studies have shown that plant-derived molecules can be effective in treating Parkinson's disease (PD), which is characterized by the formation of Lewy bodies containing alphasynuclein and the loss of dopaminergic neurons resulting in motor symptoms [113]. Gardenine-A, a phytochemical derived from the plant Gardenia resinifera, has been found to have neuroprotective effects in Drosophila models of PD by reducing mortality and modulating inflammatory and cellular responses [114]. In another study, lemongrass citral extract was tested in silico and in vivo in Drosophila models of PD, showing enhanced climbing ability. It reduced ROS levels, with positive interactions observed between citral and alpha-synuclein in molecular docking analyses [115].

Moreover, epilepsy is a neurological disorder characterized by sensory-motor deficits and convulsions. It can have various causes, including gene mutations that encode ion channels in brain cells responsible for transmitting signals between neurons [116]. To alleviate epilepsy symptoms, researchers have investigated using Imperata cylindrica root extracts in a mutant Drosophila "para" gene model. The treated flies exhibited an inhibitory effect on voltage-gated sodium ion channels, which reduced inflammation and increased tissue repair in brain cells, confirming the extract's efficacy in treating epilepsy [116].

6. Gene Regulation Induced by Phytochemicals in Drosophila

Phytochemical intake can modulate gene expression, influenced by factors like cell type, life stage, and growing conditions. Different mechanisms of gene regulation, including cis-regulatory elements, repressor proteins, non-coding RNA, and epigenetic processes like methylation, may be affected by phytochemicals [93,117–119]. High-throughput technologies like RNA-seq are commonly used to study gene regulation and metabolic pathways on a genome-wide scale [119,120]. Phytochemicals have the potential to modulate metabolic pathways and coping mechanisms that counteract age-related neurodegenerative diseases [121]. They can positively influence gene expression by up-regulating genes associated with longer lifespans and down-regulating genes related to diseases and stress (Figure 4).

Figure 4. Positive and negative genetic regulation of metabolic pathways in *Drosophila melanogaster* exposed to phytochemicals.

A study by Lee et al. [75] revealed that supplementing Drosophila with curcumin can influence the expression of aging-related genes such as *mth*, *thor*, *InR*, and *JNK*. These genes are associated with the insulin, JNK, and methuselah signaling pathways. The modulation of gene expression by curcumin leads to a delay in the onset of age-associated gene expression and an increase in the lifespan of Drosophila flies. Likewise, Zhang et al. [120] have reported that curcumin can augment the activities of the Notch and Wnt signaling pathways leading to the disruption of the cell division cycle, specifically in cells harboring DNA damage.

Moreover, Adedara et al. [122] reported that resveratrol supplementation in flies with *parkin* gene mutations resulted in the up-regulation of *ple* and *Sod1* genes, which are involved in dopamine biosynthesis and counteracting free oxygen radicals, respectively. The up-regulation of these genes, especially *ple*, is significant in preventing Parkinson's disease, associated with the depletion of dopamine levels and aging. However, Staats et al. [123] found that resveratrol did not affect the expression of other stress-related genes such as Catalase or longevity assurance genes like sirtuin (*Sir2*) and spargel (*srl*).

In a recent study, Lopez-Ortiz et al. [31] examined the transcriptional responses to a habaneropepper diet in the Drosophila fly model. In total, 539 genes were differentially expressed in flies fed a pepper versus a control diet. Transcriptome results indicated that genes were up-regulated, including gustatory receptors and odorant-binding proteins involved in olfactory perception and nutrient processing. In contrast, some stress response-related genes were down-regulated. In addition, Muc68Ca, Muc30E, and CG2839, orthologs of human Muc2 and Reg3g, respectively, were up-regulated. These genes are known to play a protective role and regulate hormone secretion in the digestive system [124,125]. Pepper consumption also upregulated an adipokinetic hormone, Akh, principally known for its mobilization of energy substrates, triggering the conversion of stored glycogen and lipids to free energy through triglyceride breakdown [126]. Moreover, the gene inactive (iav), which is an orthologue of TRPV1 (transient receptor potential cation channel subfamily V member 1) in humans in response to capsaicin and has been reported to promote chemoresistance in non-small-cell lung cancer [127]. In Drosophila, iav is involved in several processes, including adult walking behavior, negative gravitaxis, and sensory perception of mechanical stimuli such as the sensation of heat caused by capsaicin from habanero peppers [128]. Overall, these findings suggest that the consumption of pepper-containing phytochemicals such as capsaicin and carotenoids can lead to altered perception and behavior in Drosophila, as well as an impact on nutrient sensitivity and fat oxidation metabolism.

7. Challenges and Limitations of Using Drosophila as a Translational Model

The significant genetic and physiological differences between Drosophila and humans and the additional layers of regulation and organ systems in humans hinder the direct translation of phytochemical consumption observed responses in flies. Likewise, metabolic and pharmacokinetic

variations between Drosophila and humans can lead to differences in exposure levels and bioavailability of phytochemicals, affecting the observed effects and limiting the translation of dosage and treatment regimens. Moreover, the complex nature of human diseases, involving multiple factors, makes it challenging for Drosophila models to fully capture disease mechanisms and reflect the intricacy of human diseases. To overcome these limitations, it is essential to integrate findings from multiple model systems starting from the Drosophila model, including in vitro studies in rats and human clinical trials. This comprehensive approach will help bridge the gap between Drosophila research and translational applications in human health, providing more reliable evidence regarding the potential benefits and risks associated with phytochemical use in humans.

8. Future Directions and Opportunities for Using Drosophila to Test Phytochemicals

D. melanogaster has proved to be an invaluable model organism for investigating the impact of phytochemicals on various biological processes. Future studies can further our understanding of the underlying molecular mechanisms that drive these effects, including identifying specific target genes, signaling pathways, and molecular interactions involved in mediating observed phytochemical effects. In addition, comparative analyses across different Drosophila strains or species can provide information on the genetic variations contributing to differential responses to phytochemical ingestion. It is also essential to investigate the long-term effects of phytochemical exposure, including transgenerational and age-related outcomes, to assess the potential benefits or risks associated with prolonged phytochemical consumption.

9. Conclusions

Plant extracts have long been employed for their therapeutic and preventive properties in addressing various disorders. These extracts encompass a wide array of bioactive compounds, including polyphenols, carotenoids, flavonoids, curcuminoids, terpenoids, and capsaicinoids, contributing to their potential beneficial effects. Drosophila is an excellent model organism with its extensive use in studying diverse biological processes. Leveraging the vast range of powerful genetic and molecular biology tools available, the Drosophila model offers a valuable and cheap alternative for investigating the effects of plant extracts and their derived compounds on large populations in a short period.

Author Contributions: Conceptualization, CLO.; UR.; PN.; and NB.; supervision, CLO., and UR.; writing—original draft, CLO.; CGR.; SB.; GFI.; and AD.; writing—review & editing, all authors. All authors have read and agreed to the published version of the manuscript.

Funding: This work was supported by the National Science Foundation-Office of Integrative Activities NSF-OIA (grant no. 1920920); West Virginia-INBRE grant no. P20GM103434 and USDA-NIFA (grant no. 2022-38821-37343).

Conflicts of Interest: The authors declare no conflict of interest.

References

- 1. Oladipo, A., et al., *Production and functionalities of specialized metabolites from different organic sources*. Metabolites, 2022. **12**(6): p. 534.
- 2. Kumar, A., et al., Major Phytochemicals: Recent Advances in Health Benefits and Extraction Method. Molecules, 2023. 28(2): p. 887.
- 3. Tyagi, S., et al., *Phytochemicals as candidate therapeutics: An overview*. International Journal of Pharmaceutical Sciences Review and Research, 2010. **3**(1): p. 53-55.
- 4. Mullins, A.P. and B.H. Arjmandi, *Health benefits of plant-based nutrition: focus on beans in cardiometabolic diseases.* Nutrients, 2021. **13**(2): p. 519.
- 5. Zhang, Y.-J., et al., *Antioxidant phytochemicals for the prevention and treatment of chronic diseases*. Molecules, 2015. **20**(12): p. 21138-21156.
- 6. Alam, S., et al., Antidiabetic phytochemicals from medicinal plants: prospective candidates for new drug discovery and development. Frontiers in endocrinology, 2022. 13.
- 7. Pham, D.-C., et al., *Effects of phytochemicals on cellular signaling: reviewing their recent usage approaches.* Critical reviews in food science and nutrition, 2020. **60**(20): p. 3522-3546.

- 9. Sharma, R., et al., Comprehensive review on nutraceutical significance of phytochemicals as functional food ingredients for human health management. Journal of Pharmacognosy and Phytochemistry, 2019. 8(5): p. 385-395.
- 10. Sharma, A., et al., Evaluation of Safety and Efficacy of Nutraceuticals Using Drosophila as an in vivo Tool. Nutraceuticals in Veterinary Medicine, 2019: p. 685-692.
- 11. Moraes, K.C. and J. Montagne, *Drosophila melanogaster: A powerful tiny animal model for the study of metabolic hepatic diseases*. Frontiers in Physiology, 2021. **12**: p. 728407.
- 12. Pratomo, A.R., et al., *Drosophila as an Animal Model for Testing Plant-Based Immunomodulators*. International Journal of Molecular Sciences, 2022. **23**(23): p. 14801.
- 13. Davis, R.L., Olfactory memory formation in Drosophila: from molecular to systems neuroscience. Annu. Rev. Neurosci., 2005. 28: p. 275-302.
- 14. Montell, C., Drosophila sensory receptors—a set of molecular Swiss Army Knives. Genetics, 2021. 217(1): p. 1-34.
- 15. Rudrapatna, V.A., R.L. Cagan, and T.K. Das, *Drosophila cancer models*. Developmental Dynamics, 2012. **241**(1): p. 107-118.
- 16. Yadav, A.K., S. Srikrishna, and S.C. Gupta, *Cancer drug development using drosophila as an in vivo tool: from bedside to bench and back.* Trends in Pharmacological Sciences, 2016. **37**(9): p. 789-806.
- 17. Himalian, R., S.K. Singh, and M.P. Singh, *Ameliorative role of nutraceuticals on neurodegenerative diseases using the Drosophila melanogaster as a discovery model to define bioefficacy*. Journal of the American Nutrition Association, 2022. **41**(5): p. 511-539.
- 18. Luthra, R. and A. Roy, *Role of medicinal plants against neurodegenerative diseases*. Current pharmaceutical biotechnology, 2022. **23**(1): p. 123-139.
- 19. Samtiya, M., et al., Potential health benefits of plant food-derived bioactive components: An overview. Foods, 2021. **10**(4): p. 839.
- 20. Bhattacharyya, A., et al., Oxidative stress: an essential factor in the pathogenesis of gastrointestinal mucosal diseases. Physiological reviews, 2014. **94**(2): p. 329-354.
- 21. Rao, B.N., *Bioactive phytochemicals in Indian foods and their potential in health promotion and disease prevention.* Asia Pacific Journal of clinical nutrition, 2003. **12**(1).
- 22. AlAli, M., et al., Nutraceuticals: Transformation of conventional foods into health promoters/disease preventers and safety considerations. Molecules, 2021. **26**(9): p. 2540.
- 23. Saxena, M., et al., *Phytochemistry of medicinal plants*. Journal of pharmacognosy and phytochemistry, 2013. **1**(6): p. 168-182.
- 24. Fraga, C.G., et al., *The effects of polyphenols and other bioactives on human health.* Food & function, 2019. **10**(2): p. 514-528.
- 25. Rana, A., et al., *Health benefits of polyphenols: A concise review*. Journal of Food Biochemistry, 2022. **46**(10): p. e14264.
- 26. Amiot, M., C. Riva, and A. Vinet, *Effects of dietary polyphenols on metabolic syndrome features in humans: a systematic review.* Obesity reviews, 2016. **17**(7): p. 573-586.
- 27. Gombart, A.F., A. Pierre, and S. Maggini, A review of micronutrients and the immune system–working in harmony to reduce the risk of infection. Nutrients, 2020. **12**(1): p. 236.
- 28. Basith, S., et al., *Harnessing the therapeutic potential of capsaicin and its analogues in pain and other diseases.* Molecules, 2016. **21**(8): p. 966.
- 29. Batiha, G.E.-S., et al., *Biological properties, bioactive constituents, and pharmacokinetics of some Capsicum spp. and capsaicinoids.* International journal of molecular sciences, 2020. **21**(15): p. 5179.
- 30. Lu, M., et al., Capsaicin—the major bioactive ingredient of chili peppers: Bio-efficacy and delivery systems. Food & function, 2020. **11**(4): p. 2848-2860.
- 31. Lopez-Ortiz, C., et al., *Peppers in Diet: Genome-Wide Transcriptome and Metabolome Changes in Drosophila melanogaster*. International Journal of Molecular Sciences, 2022. **23**(17): p. 9924.
- 32. Bertoncini-Silva, C., et al., Bioactive dietary components—Anti-obesity effects related to energy metabolism and inflammation. BioFactors, 2022.
- 33. Black, H.S., et al., The benefits and risks of certain dietary carotenoids that exhibit both anti-and pro-oxidative mechanisms—A comprehensive review. Antioxidants, 2020. 9(3): p. 264.
- 34. Böhm, V., et al., From carotenoid intake to carotenoid blood and tissue concentrations—implications for dietary intake recommendations. Nutrition Reviews, 2021. **79**(5): p. 544-573.
- 35. Chanda, S. and T. Ramachandra, *Phytochemical and pharmacological importance of turmeric (Curcuma longa): A review.* Research & Reviews: A Journal of Pharmacology, 2019. **9**(1): p. 16-23.
- 36. Micek, A., et al., *Dietary flavonoids and cardiovascular disease: a comprehensive dose–response meta-analysis.* Molecular nutrition & food research, 2021. **65**(6): p. 2001019.
- 37. Metsämuuronen, S. and H. Sirén, *Bioactive phenolic compounds, metabolism and properties: A review on valuable chemical compounds in Scots pine and Norway spruce.* Phytochemistry Reviews, 2019. **18**: p. 623-664.

- 38. Pizarroso, N.A., et al., A review on the role of food-derived bioactive molecules and the microbiota–gut–brain axis in satiety regulation. Nutrients, 2021. **13**(2): p. 632.
- 39. Tolwinski, N.S., Introduction: Drosophila A model system for developmental biology. 2017, MDPI. p. 9.
- 40. Pandey, U.B. and C.D. Nichols, Human disease models in Drosophila melanogaster and the role of the fly in therapeutic drug discovery. Pharmacological reviews, 2011. **63**(2): p. 411-436.
- 41. Jeibmann, A. and W. Paulus, *Drosophila melanogaster as a model organism of brain diseases*. International journal of molecular sciences, 2009. **10**(2): p. 407-440.
- 42. Torres-Fuentes, C., et al., *A natural solution for obesity: Bioactives for the prevention and treatment of weight gain. A review.* Nutritional neuroscience, 2015. **18**(2): p. 49-65.
- 43. Garofalo, R.S., *Genetic analysis of insulin signaling in Drosophila*. Trends in Endocrinology & Metabolism, 2002. **13**(4): p. 156-162.
- 44. Owusu-Ansah, E. and N. Perrimon, Modeling metabolic homeostasis and nutrient sensing in Drosophila: implications for aging and metabolic diseases. Disease models & mechanisms, 2014. 7(3): p. 343-350.
- 45. Chatterjee, N. and N. Perrimon, What fuels the fly: Energy metabolism in Drosophila and its application to the study of obesity and diabetes. Science Advances, 2021. 7(24): p. eabg4336.
- 46. Catalkaya, G., et al., *Interaction of dietary polyphenols and gut microbiota: Microbial metabolism of polyphenols, influence on the gut microbiota, and implications on host health.* Food Frontiers, 2020. **1**(2): p. 109-133.
- 47. Baenas, N. and A.E. Wagner, *Drosophila melanogaster as an alternative model organism in nutrigenomics*. Genes & nutrition, 2019. **14**: p. 1-11.
- 48. Maitra, U., C. Stephen, and L.M. Ciesla, *Drug discovery from natural products—Old problems and novel solutions for the treatment of neurodegenerative diseases.* Journal of Pharmaceutical and Biomedical Analysis, 2022. **210**: p. 114553.
- 49. Deshpande, P., N. Gogia, and A. Singh, Exploring the efficacy of natural products in alleviating Alzheimer's disease. Neural regeneration research, 2019. 14(8): p. 1321.
- 50. Lee, S.-H. and K.-J. Min, *Drosophila melanogaster as a model system in the study of pharmacological interventions in aging.* Translational Medicine of Aging, 2019. **3**: p. 98-103.
- 51. Lucanic, M., G.J. Lithgow, and S. Alavez, *Pharmacological lifespan extension of invertebrates*. Ageing research reviews, 2013. **12**(1): p. 445-458.
- 52. Li, Y., et al., Dietary polyphenols: regulate the advanced glycation end products-RAGE axis and the microbiota-gutbrain axis to prevent neurodegenerative diseases. Critical Reviews in Food Science and Nutrition, 2022: p. 1-27.
- 53. Campisi, J., et al., From discoveries in ageing research to therapeutics for healthy ageing. Nature, 2019. **571**(7764): p. 183-192.
- 54. Good, T. and M. Tatar, *Age-specific mortality and reproduction respond to adult dietary restriction in Drosophila melanogaster*. Journal of insect physiology, 2001. **47**(12): p. 1467-1473.
- 55. Rand, M.D., *Drosophotoxicology: the growing potential for Drosophila in neurotoxicology.* Neurotoxicology and teratology, 2010. **32**(1): p. 74-83.
- 56. Nagpal, I. and S.K. Abraham, Ameliorative effects of gallic acid, quercetin and limonene on urethane-induced genotoxicity and oxidative stress in Drosophila melanogaster. Toxicology mechanisms and methods, 2017. **27**(4): p. 286-292.
- 57. Tello, J.A., et al., Animal models of neurodegenerative disease: Recent advances in fly highlight innovative approaches to drug discovery. Frontiers in molecular neuroscience, 2022. 15.
- 58. Brunetti, A.E., et al., *An integrative omics perspective for the analysis of chemical signals in ecological interactions.* Chemical Society Reviews, 2018. **47**(5): p. 1574-1591.
- 59. Diegelmann, S., et al., *The CApillary FEeder assay measures food intake in Drosophila melanogaster*. JoVE (Journal of Visualized Experiments), 2017(121): p. e55024.
- 60. Guo, J., et al., *Aging and aging-related diseases: from molecular mechanisms to interventions and treatments.* Signal Transduction and Targeted Therapy, 2022. **7**(1): p. 391.
- 61. Forni, C., et al., Beneficial role of phytochemicals on oxidative stress and age-related diseases. BioMed research international, 2019. **2019**.
- 62. Abd Rani, N.Z., K. Husain, and E. Kumolosasi, *Moringa genus: a review of phytochemistry and pharmacology.* Frontiers in pharmacology, 2018. **9**: p. 108.
- 63. Iorjiim, W.M., et al., *Moringa oleifera leaf extract promotes antioxidant, survival, fecundity, and locomotor activities in Drosophila melanogaster.* European Journal of Medicinal Plants, 2020. **31**(15): p. 30-42.
- 64. Ajagun-Ogunleye, O., A. Adedeji, and M. Vicente-Crespo, Moringa oleifera ameliorates age-related memory decline and increases endogenous antioxidant response in Drosophila melanogaster exposed to stress. African Journal of Biomedical Research, 2020. 23(3): p. 397-406.
- 65. Singh, A., et al., *Withanolides: Phytoconstituents with significant pharmacological activities*. International Journal of Green Pharmacy (IJGP), 2010. **4**(4).
- 66. Cabey, K., et al., Withania somnifera and Centella asiatica Extracts Ameliorate Behavioral Deficits in an In Vivo Drosophila melanogaster Model of Oxidative Stress. Antioxidants, 2022. 11(1): p. 121.

- 67. Holvoet, H., et al., Withania somnifera Extracts Promote Resilience against Age-Related and Stress-Induced Behavioral Phenotypes in Drosophila melanogaster; a Possible Role of Other Compounds besides Withanolides. Nutrients, 2022. 14(19): p. 3923.
- 68. Jebb, S., Obesity: causes and consequences. Women's health medicine, 2004. 1(1): p. 38-41.
- 69. Chen, J.-C., R. Wang, and C.-C. Wei, *Anti-aging effects of dietary phytochemicals: From Caenorhabditis elegans, Drosophila melanogaster, rodents to clinical studies.* Critical Reviews in Food Science and Nutrition, 2022: p. 1-26
- 70. Sheng, X., et al., *Antioxidant effects of caffeic acid lead to protection of drosophila intestinal stem cell aging.* Frontiers in Cell and Developmental Biology, 2021. 9: p. 735483.
- 71. Li, Y.M., et al., *Green tea catechins and broccoli reduce fat-induced mortality in Drosophila melanogaster.* The Journal of Nutritional Biochemistry, 2008. **19**(6): p. 376-383.
- 72. Wagner, A.E., et al., Epigallocatechin gallate affects glucose metabolism and increases fitness and lifespan in Drosophila melanogaster. Oncotarget, 2015. 6(31): p. 30568.
- 73. El-Saadony, M.T., et al., Impacts of turmeric and its principal bioactive curcumin on human health: Pharmaceutical, medicinal, and food applications: A comprehensive review. Frontiers in Nutrition, 2022. 9.
- 74. Suckow, B.K. and M.A. Suckow, *Lifespan extension by the antioxidant curcumin in Drosophila melanogaster*. International journal of biomedical science: IJBS, 2006. **2**(4): p. 402.
- 75. Lee, K.-S., et al., Curcumin extends life span, improves health span, and modulates the expression of age-associated aging genes in Drosophila melanogaster. Rejuvenation research, 2010. **13**(5): p. 561-570.
- 76. Dubiley, T.A., et al., *Life span extension in Drosophila melanogaster induced by morphine*. Biogerontology, 2011. **12**: p. 179-184.
- 77. Buescher, J.L., et al., *Evidence for transgenerational metabolic programming in Drosophila*. Disease Models & Mechanisms, 2013. **6**(5): p. 1123-1132.
- 78. Colombani, J. and D.S. Andersen, *The Drosophila gut: a gatekeeper and coordinator of organism fitness and physiology.* Wiley Interdisciplinary Reviews: Developmental Biology, 2020. **9**(6): p. e378.
- 79. Baker, K.D. and C.S. Thummel, *Diabetic larvae and obese flies—emerging studies of metabolism in Drosophila*. Cell metabolism, 2007. **6**(4): p. 257-266.
- 80. Schlegel, A. and D.Y.R. Stainier, Lessons from "lower" organisms: what worms, flies, and zebrafish can teach us about human energy metabolism. PLoS genetics, 2007. 3(11): p. e199.
- 81. Singla, P., A. Bardoloi, and A.A. Parkash, *Metabolic effects of obesity: a review*. World journal of diabetes, 2010. **1**(3): p. 76.
- 82. Heinrichsen, E.T., et al., *Metabolic and transcriptional response to a high-fat diet in Drosophila melanogaster*. Molecular metabolism, 2014. **3**(1): p. 42-54.
- 83. Khandelwal, S., Obesity in midlife: lifestyle and dietary strategies. Climacteric, 2020. 23(2): p. 140-147.
- 84. Aguilera, Y. and V. Benítez, *Phytochemicals: Dietary sources, innovative extraction, and health benefits.* Foods, 2021. **11**(1): p. 72.
- 85. Zheng, J., et al., *Dietary capsaicin and its anti-obesity potency: from mechanism to clinical implications*. Bioscience reports, 2017. **37**(3).
- 86. Villa-Rivera, M.G. and N. Ochoa-Alejo, *Chili pepper carotenoids: Nutraceutical properties and mechanisms of action.* Molecules, 2020. **25**(23): p. 5573.
- 87. Chung, J.H., V. Manganiello, and J.R. Dyck, *Resveratrol as a calorie restriction mimetic: therapeutic implications.* Trends in cell biology, 2012. **22**(10): p. 546-554.
- 88. Bayliak, M.M., et al., *Alpha-ketoglutarate attenuates toxic effects of sodium nitroprusside and hydrogen peroxide in Drosophila melanogaster*. Environmental Toxicology and Pharmacology, 2015. **40**(2): p. 650-659.
- 89. Adefegha, S.A., O.B. Ogunsuyi, and G. Oboh, *Purple onion in combination with garlic exerts better ameliorative effects on selected biomarkers in high-sucrose diet-fed fruit fly (Drosophila melanogaster)*. Comparative Clinical Pathology, 2020. **29**: p. 713-720.
- 90. Baenas, N., et al., Metabolic activity of radish sprouts derived isothiocyanates in drosophila melanogaster. International Journal of Molecular Sciences, 2016. 17(2): p. 251.
- 91. Rao, M.U., et al., Herbal medicines for diabetes mellitus: a review. Int J PharmTech Res, 2010. 2(3): p. 1883-1892.
- 92. Ugbedeojo, S.P., et al., The phytochemical constituents, hypoglycemic, and antioxidant activities of Senna occidentalis (L.) ethanolic leaf extract in high sucrose diet fed drosophila melanogaster. Journal of Advances in Biology & Biotechnology, 2021. 24(3): p. 48-63.
- 93. Saliu, J.A., A.M. Olajuyin, and A. Akinnubi, *Modulatory effect of Artocarpus camansi on ILP-2, InR, and Imp-L2 genes of sucrose-induced diabetes mellitus in Drosophila melanogaster*. Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology, 2021. **246**: p. 109041.
- 94. De Filippis, F., et al., Specific gut microbiome signatures and the associated pro-inflamatory functions are linked to pediatric allergy and acquisition of immune tolerance. Nature Communications, 2021. **12**(1): p. 5958.
- 95. Kumar, V., et al., *Biogenic phytochemicals modulating obesity: From molecular mechanism to preventive and therapeutic approaches*. Evidence-Based Complementary and Alternative Medicine, 2022. **2022**.

- 96. Vamanu, E. and S.N. Rai, The link between obesity, microbiota dysbiosis, and neurodegenerative pathogenesis. Diseases, 2021. **9**(3): p. 45.
- 97. Douglas, A.E., The Drosophila model for microbiome research. Lab animal, 2018. 47(6): p. 157-164.
- 98. Jehrke, L., et al., The impact of genome variation and diet on the metabolic phenotype and microbiome composition of Drosophila melanogaster. Scientific reports, 2018. 8(1): p. 1-15.
- 99. Wong, A.C.-N., A.J. Dobson, and A.E. Douglas, *Gut microbiota dictates the metabolic response of Drosophila to diet*. Journal of Experimental Biology, 2014. **217**(11): p. 1894-1901.
- 100. Xu, Z. and R. Knight, *Dietary effects on human gut microbiome diversity*. British Journal of Nutrition, 2015. **113**(S1): p. S1-S5.
- 101. Garcia-Lozano, M., et al., Effect of pepper-containing diets on the diversity and composition of gut microbiome of drosophila melanogaster. International Journal of Molecular Sciences, 2020. 21(3): p. 945.
- 102. Olekhnovich, E.I., et al., The effects of Levilactobacillus brevis on the physiological parameters and gut microbiota composition of rats subjected to desynchronosis. Microbial Cell Factories, 2021. 20(1): p. 1-13.
- 103. Jiménez-Padilla, Y., et al., Persistence of diet effects on the microbiota of Drosophila suzukii (Diptera: Drosophilidae). The Canadian Entomologist, 2020. **152**(4): p. 516-531.
- 104. Newell, P.D. and A.E. Douglas, *Interspecies interactions determine the impact of the gut microbiota on nutrient allocation in Drosophila melanogaster*. Applied and environmental microbiology, 2014. **80**(2): p. 788-796.
- 105. Binda, C., et al., *Actinobacteria: a relevant minority for the maintenance of gut homeostasis*. Digestive and Liver Disease, 2018. **50**(5): p. 421-428.
- 106. Jayarathne, S., et al., *Protective effects of anthocyanins in obesity-associated inflammation and changes in gut microbiome*. Molecular nutrition & food research, 2019. **63**(20): p. 1900149.
- 107. Westfall, S., N. Lomis, and S. Prakash, *A novel polyphenolic prebiotic and probiotic formulation have synergistic effects on the gut microbiota influencing Drosophila melanogaster physiology*. Artificial cells, nanomedicine, and biotechnology, 2018. **46**(sup2): p. 441-455.
- 108. Islam, M.S., et al., *Use of dietary phytochemicals to target inflammation, fibrosis, proliferation, and angiogenesis in uterine tissues: promising options for prevention and treatment of uterine fibroids?* Molecular nutrition & food research, 2014. **58**(8): p. 1667-1684.
- 109. Fonseca-Hernández, D., et al., Black bean (Phaseolus vulgaris L.) polyphenolic extract exerts antioxidant and antiaging potential. Molecules, 2021. 26(21): p. 6716.
- 110. Wei, T., et al., Cyanidin-3-O-glucoside represses tumor growth and invasion in vivo by suppressing autophagy via inhibition of the JNK signaling pathways. Food & function, 2021. **12**(1): p. 387-396.
- 111. Shin, W.S., et al., *Amyloid* β -protein oligomers promote the uptake of tau fibril seeds potentiating intracellular tau aggregation. Alzheimer's research & therapy, 2019. **11**(1): p. 1-13.
- 112. Ahuja, A., et al., Potential of Pueraria tuberosa (Willd.) DC. to rescue cognitive decline associated with BACE1 protein of Alzheimer's disease on Drosophila model: An integrated molecular modeling and in vivo approach. International journal of biological macromolecules, 2021. 179: p. 586-600.
- 113. Modi, P., et al., *Understanding Pathophysiology of Sporadic Parkinson's Disease in Drosophila Model: Potential Opportunities and Notable Limitations*. 2016: IntechOpen.
- 114. Maitra, U., et al., GardeninA confers neuroprotection against environmental toxin in a Drosophila model of Parkinson's disease. Communications Biology, 2021. 4(1): p. 162.
- 115. Siddique, Y.H., et al., Lemongrass Extract Alleviates Oxidative Stress and Delayed the Loss of Climbing Ability in Transgenic Drosophila Model of Parkinson's Disease. Letters in Drug Design & Discovery, 2021. **18**(10): p. 987-997.
- 116. Ssempijja, F., et al., Attenuation of Seizures, Cognitive Deficits, and Brain Histopathology by Phytochemicals of Imperata cylindrica (L.) P. Beauv (Poaceae) in Acute and Chronic Mutant Drosophila melanogaster Epilepsy Models. Journal of Evidence-Based Integrative Medicine, 2023. 28: p. 2515690X231160191.
- 117. Ing-Simmons, E., et al., *Independence of chromatin conformation and gene regulation during Drosophila dorsoventral patterning*. Nature genetics, 2021. **53**(4): p. 487-499.
- 118. Rivera, J., et al., *REDfly: the transcriptional regulatory element database for Drosophila*. Nucleic acids research, 2019. 47(D1): p. D828-D834.
- 119. Fear, J.M., et al., Buffering of genetic regulatory networks in Drosophila melanogaster. Genetics, 2016. 203(3): p. 1177-1190.
- 120. Zhang, Z.-g., et al., *Effect of curcumin on aged Drosophila Melanogaster: a pathway prediction analysis*. Chinese journal of integrative medicine, 2015. **21**: p. 115-122.
- 121. Park, J.H., et al., Neuroprotective properties of phytochemicals against paraquat-induced oxidative stress and neurotoxicity in Drosophila melanogaster. Pesticide biochemistry and physiology, 2012. **104**(2): p. 118-125.
- 122. Adedara, A.O., et al., An assessment of the rescue action of resveratrol in parkin loss of function-induced oxidative stress in Drosophila melanogaster. Scientific Reports, 2022. 12(1): p. 3922.
- 123. Staats, S., et al., *Dietary resveratrol does not affect life span, body composition, stress response, and longevity-related gene expression in Drosophila melanogaster*. International journal of molecular sciences, 2018. **19**(1): p. 223.

- 124. Grondin, J.A., et al., Mucins in intestinal mucosal defense and inflammation: learning from clinical and experimental studies. Frontiers in immunology, 2020. 11: p. 2054.
- 125. Shin, J.H. and R.J. Seeley, Reg3 proteins as gut hormones? Endocrinology, 2019. 160(6): p. 1506-1514.
- 126. Arrese, E.L. and J.L. Soulages, *Insect fat body: energy, metabolism, and regulation*. Annual review of entomology, 2010. 55: p. 207-225.
- 127. Li, L., et al., Transient Receptor Potential Cation Channel Subfamily V Member 1 Expression Promotes Chemoresistance in Non-Small-Cell Lung Cancer. Frontiers in Oncology, 2022. 12: p. 773654.
- 128. Chang, A.E., A.G. Vaughan, and R.I. Wilson, *A mechanosensory circuit that mixes opponent channels to produce selectivity for complex stimulus features*. Neuron, 2016. **92**(4): p. 888-901.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.