

EFFECTS OF PREMATURE VENTRICULAR COMPLEX BURDEN ON LEFT VENTRICULAR GLOBAL LONGITUDINAL STRAIN IN PATIENTS WITHOUT STRUCTURAL HEART DISEASE

Sukru Arslan¹, H. Ozan Arabaci¹, Muhammed Furkan Deniz¹, Mehmet Emin Gokce¹, Seyma Arslan², Veysel Oktay¹, Mustafa Yildiz¹, Isil Uzunhasan¹

Table S1: Baseline Biochemical Characteristics of Patients in The Groups

	GROUP 1 N:54	GROUP 2 N:33	GROUP 3 N:35	P va
Haemoglobin (mg/dL)	13.84 ± 1.4	14.18 ± 1.5	14.23 ± 1.6	0.4
HCT (%)	40.11 ± 3.8	40.82 ± 3.7	41.39 ± 4.2	0.3
Leukocytes (/mm³)	7424.82 ± 1118.9	7103,03 ± 1689.7	6994.29 ± 1782.5	0.4
Platelets (x10³/mm³)	255.75 ± 54.1	231.55 ± 59.6	264.46 ± 74.6	0.0
LDL cholesterol (mg/dl)	124.37 ± 30.4	127.30 ± 27.4	130.94 ± 38.3	0.6
HDL cholesterol (mg/dl)	54.24 ± 10.8	52.61 ± 11.6	50.89 ± 13.4	0.4
Glucose (mg/dL)	93 ± 18	91 ± 20	92 ± 22	0.6
HbA1c (%)	5.8 ± 0,9	5.8 ± 0,8	5.9 ± 1.1	0.6
TSH (mIU/L)	2.39 ± 1.3	2.59 ± 1.9	2.53 ± 1.8	0.9
fT4 (ng/dl)	1.16 ± 0.2	1.28 ± 0.6	1.17 ± 0.2	0.7
BUN (md/dL)	12.33 ± 3.7	12.42 ± 2.8	12.91 ± 4.1	0.7
Kreatinine (mg/dL)	0.78 ± 0.16	0.77 ± 0.1	0.81 ± 0.2	0.4
Sodium (mmol/L)	141.74 ± 2.5	142.09 ± 2.4	141.81 ± 2.5	0.8
Potasium (mmol/L)	4.58 ± 0.4	4.61 ± 0.4	4.67 ± 0.4	0.2

BUN: blood urea nitrogen, fT4: free thyroxine four, HbA1c: hemoglobin A1c, HCT: hematocrit, HDL: high-density lipoprotein, LDL: low-density lipoprotein, TSH: thyroid stimulating hormone.




Figure S1: The Bland-Altman Analysis.