


Figure S1A. Western-blot replicates associated with Figure 1A.

Replicate 1 as figure format



Replicate 2 as figure format




Figure S1A. Replicate 1 myc Total Lysate complete gel

Western-blot associated with Figure 1A
Pérez-Yanes, S., et al.




Figure S1A. Replicate 1 Total α -Tubulin
Total Lysate complete gel

Western-blot associated
with Figure 1A
Pérez-Yanes, S., et al.




Figure S1A. Replicate 2 myc Total Lysate complete gel

Western-blot associated with Figure 1A
Pérez-Yanes, S., et al.




Figure S1A. Replicate 2 Total α -Tubulin
Total Lysate complete gel

Western-blot associated
with Figure 1A
Pérez-Yanes, S., et al.





Figure S1B. Western-blot replicates associated with Figure 1B.

Replicate 1 as figure format



Replicate 2 as figure format




Figure S1B. Replicate 1 myc Fraction complete gel

Western-blot associated with Figure 1B
Pérez-Yanes, S., et al.




Figure S1B. Replicate 1 Histone 3 Fraction complete gel

Western-blot associated with Figure 1B
Pérez-Yanes, S., et al.




Figure S1B. Replicate 1 Total α -Tubulin
Fraction complete gel

Western-blot associated
with Figure 1B
Pérez-Yanes, S., et al.




Figure S1B. Replicate 2 myc Fraction complete gel

Western-blot associated with Figure 1B
Pérez-Yanes, S., et al.




Figure S1B. Replicate 2 Histone 3 Fraction complete gel

Western-blot associated with Figure 1B
Pérez-Yanes, S., et al.




Figure S1B. Replicate 2 Total α -Tubulin
Fraction complete gel

Western-blot associated
with Figure 1B
Pérez-Yanes, S., et al.






Figure S2C. Western-blot replicates associated with Figure 2C.


Replicate 1 as figure format




Replicate 2 as figure format




Replicate 3 as figure format



Replicate 4 as figure format



Replicate 5 as figure format



Replicate 6 as figure format




Figure S2C. Replicate 1 myc complete gel

Western-blot associated with
Figure S2C

Pérez-Yanes, S., et al.




Figure S2C. Replicate 1 Acetylated α -Tubulin complete gel

Western-blot associated with Figure S2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 1 Total α -Tubulin complete gel

Western-blot associated with Figure 2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 2 Acetylated α -Tubulin complete gel

Western-blot associated with Figure S2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 2 Total α -Tubulin complete gel

Western-blot associated with Figure 2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 3 myc complete gel

Western-blot associated with
Figure S2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 3 Acetylated α -Tubulin complete gel

Western-blot associated with Figure S2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 3 Total α -Tubulin complete gel

Western-blot associated with Figure 2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 4 Acetylated α -Tubulin complete gel

Western-blot associated with Figure S2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 4 Total α -Tubulin complete gel

Western-blot associated with Figure 2C
Pérez-Yanes, S., et al.



50 —



→ Specific Total α -Tubulin band

Figure S2C. Replicate 5 myc complete gel

Western-blot associated with
Figure S2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 5 Acetylated α -Tubulin complete gel

Western-blot associated with Figure S2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 5 Total α -Tubulin complete gel

Western-blot associated with Figure 2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 6 myc complete gel

Western-blot associated with
Figure S2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 6 Acetylated α -Tubulin complete gel

Western-blot associated with Figure S2C
Pérez-Yanes, S., et al.




Figure S2C. Replicate 6 Total α -Tubulin complete gel

Western-blot associated with Figure 2C
Pérez-Yanes, S., et al.






Figure S2D. Western-blot replicates associated with Figure 2D.

Replicate 1 as figure format



Replicate 2 as figure format



Replicate 3 as figure format




Figure S2D. Replicate 1 myc complete gel

Western-blot associated with Figure S2D
Pérez-Yanes, S., et al.




Figure S2D. Replicate 1 p62 complete gel

Western-blot associated with Figure S2D
Pérez-Yanes, S., et al.




Figure S2D. Replicate 1 Total α -Tubulin complete gel

Western-blot associated with Figure S2D
Pérez-Yanes, S., et al.




Figure S2D. Replicate 2 myc complete gel

Western-blot associated with
Figure S2D
Pérez-Yanes, S., et al.




Figure S2D. Replicate 2 p62 complete gel

Western-blot associated with
Figure S2D
Pérez-Yanes, S., et al.




Figure S2D. Replicate 2 Total α -Tubulin complete gel

Western-blot associated with Figure S2D
Pérez-Yanes, S., et al.




Figure S2D. Replicate 3 myc complete gel

Western-blot associated with Figure S2D
Pérez-Yanes, S., et al.




Figure S2D. Replicate 3 p62 complete gel

Western-blot associated with Figure S2D
Pérez-Yanes, S., et al.




Figure S2D. Replicate 3 Total α -Tubulin complete gel

Western-blot associated with Figure S2D
Pérez-Yanes, S., et al.






Figura S2E. Western-blot replicates associated with Figure S2E.


Replicate 1 as figure format



Replicate 2 as figure format



Replicate 3 as figure format



Replicate 4 as figure format




Figure S2E. Replicate 1 myc complete gel

Western-blot associated with
Figure S2E
Pérez-Yanes, S., et al.




Figure S2E. Replicate 1 p62 complete gel

Western-blot associated with Figure S2E
Pérez-Yanes, S., et al.




Figure S2E. Replicate 1 Total α -Tubulin complete gel

Western-blot associated with Figure S2E
Pérez-Yanes, S., et al.




Figure S2E. Replicate 2 myc complete gel

Western-blot associated with
Figure S2F
Pérez-Yanes, S., et al.




Figure S2E. Replicate 2 p62 complete gel

Western-blot associated with Figure S2E
Pérez-Yanes, S., et al.




Figure S2E. Replicate 2 Total α -Tubulin complete gel

Western-blot associated with Figure S2E
Pérez-Yanes, S., et al.




Figure S2E. Replicate 3 myc complete gel

Western-blot associated with
Figure S2E
Pérez-Yanes, S., et al.




Figure S2E. Replicate 3 p62 complete gel

Western-blot associated with
Figure S2E
Pérez-Yanes, S., et al.




Figure S2E. Replicate 3 Total α -Tubulin complete gel

Western-blot associated with Figure S2E
Pérez-Yanes, S., et al.




Figure S2E. Replicate 4 myc complete gel

Western-blot associated with
Figure S2E
Pérez-Yanes, S., et al.




Figure S2E. Replicate 4 p62 complete gel

Western-blot associated with
Figure S2E
Pérez-Yanes, S., et al.




Figure S2E. Replicate 4 Total α -Tubulin complete gel

Western-blot associated with Figure S2E
Pérez-Yanes, S., et al.






Figura S3A. Western-blot replicates associated with Figure 3A.


Replicate 1 as figure format



Replicate 2 as figure format



Replicate 3 as figure format



Replicate 4 as figure format




Figure S3A. Replicate 1 HDAC6 complete gel

Western-blot associated with Figure 3A
Pérez-Yanes, S., et al.




Figure S3A. Replicate 1 myc complete gel

Western-blot associated with Figure 3A
Pérez-Yanes, S., et al.




Figure S3A. Replicate 1 Acetylated α -Tubulin Western-blot associated with complete gel

Figure 3A

Pérez-Yanes, S., et al.




Figure S3A. Replicate 1 Total α -Tubulin complete gel

Western-blot associated with Figure 3A
Pérez-Yanes, S., et al.




Figure S3A. Replicate 2 HDAC6 complete gel

Western-blot associated with Figure 3A
Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|-------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | wt-HA-HDAC6 |




Figure S3A. Replicate 2 myc complete gel

Western-blot associated with Figure 3A
Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|-------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | wt-HA-HDAC6 |




Figure S3A. Replicate 2 Acetylated α -Tubulin Western-blot associated with complete gel

Figure 3A

Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|-------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | wt-HA-HDAC6 |




Figure S3A. Replicate 2 Total α -Tubulin complete gel

Western-blot associated with Figure 3A
Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|-------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | wt-HA-HDAC6 |




Figure S3A. Replicate 3 HDAC6 complete gel

Western-blot associated with Figure 3A
Pérez-Yanes, S., et al.




Figure S3A. Replicate 3 myc complete gel

Western-blot associated with Figure 3A
Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|-------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | wt-HA-HDAC6 |




Figure S3A. Replicate 3 Acetylated α -Tubulin Western-blot associated with complete gel

Figure 3A

Pérez-Yanes, S., et al.




Figure S3A. Replicate 3 Total α -Tubulin complete gel

Western-blot associated with Figure 3A
Pérez-Yanes, S., et al.




Figure S3A. Replicate 4 HDAC6 complete gel

Western-blot associated with Figure 3A
Pérez-Yanes, S., et al.




Figure S3A. Replicate 4 myc complete gel

Western-blot associated with Figure 3A
Pérez-Yanes, S., et al.




Figure S3A. Replicate 4 Acetylated α -Tubulin Western-blot associated with complete gel

Figure 3A

Pérez-Yanes, S., et al.




Figure S3A. Replicate 4 Total α -Tubulin complete gel

Western-blot associated with Figure 3A
Pérez-Yanes, S., et al.





Figura S3D. Western-blot replicates associated with Figure 3D.

Replicate 1 as figure format



Replicate 2 as figure format




Figure S3D. Replicate 3 HA complete gel

Western-blot associated with Figure 3D
Pérez-Yanes, S., et al.





Figure S3D. Replicate 3 myc complete gel

Western-blot associated with Figure 3D
Pérez-Yanes, S., et al.

| | | | | | | |
|---|---|---|---|---|---|-------------|
| - | + | - | - | + | + | NS5-myc |
| - | - | + | - | + | - | wt-HA-HDAC6 |
| - | - | - | + | - | + | dm-HA-HDAC6 |



Western-blot associated with
Figure 3D
Pérez-Yanes, S., et al.

| | | | | | | |
|---|---|---|---|---|---|-------------|
| - | + | - | - | + | + | NS5-myc |
| - | - | + | - | + | - | wt-HA-HDAC6 |
| - | - | - | + | - | + | dm-HA-HDAC6 |





Figure S3D. Replicate 3 Total α -Tubulin complete gel

Western-blot associated with Figure 3D
Pérez-Yanes, S., et al.

| | | | | | | |
|---|---|---|---|---|---|-------------|
| - | + | - | - | + | + | NS5-myc |
| - | - | + | - | + | - | wt-HA-HDAC6 |
| - | - | - | + | - | + | dm-HA-HDAC6 |

50 —




→ Specific Total α -Tubulin band

Figure S3D. Replicate 2 HDAC6 complete gel

Western-blot associated with Figure 3D
Pérez-Yanes, S., et al.

| | | | | | | |
|---|---|---|---|---|---|-------------|
| - | + | - | - | + | + | NS5-myc |
| - | - | + | - | + | - | wt-HA-HDAC6 |
| - | - | - | + | - | + | dm-HA-HDAC6 |

150-



→ Specific HDAC6 band

Figure S3D. Replicate 2 myc complete gel

Western-blot associated with Figure 3D
Pérez-Yanes, S., et al.

| | | | | | | |
|---|---|---|---|---|---|-------------|
| - | + | - | - | + | + | NS5-myc |
| - | - | + | - | + | - | wt-HA-HDAC6 |
| - | - | - | + | - | + | dm-HA-HDAC6 |




Figure S3D. Replicate 2 Acetylated α -Tubulin Western-blot associated with complete gel

Figure 3D

Pérez-Yanes, S., et al.

| | | | | | | |
|---|---|---|---|---|---|-------------|
| - | + | - | - | + | + | NS5-myc |
| - | - | + | - | + | - | wt-HA-HDAC6 |
| - | - | - | + | - | + | dm-HA-HDAC6 |




Figure S3D. Replicate 2 Total α -Tubulin complete gel


Western-blot associated with Figure 3D
Pérez-Yanes, S., et al.

| | | | | | | |
|---|---|---|---|---|---|-------------|
| - | + | - | - | + | + | NS5-myc |
| - | - | + | - | + | - | wt-HA-HDAC6 |
| - | - | - | + | - | + | dm-HA-HDAC6 |




Figura S4A. Western-blot replicates associated with Figure 4A.

Replicate 1 as figure format



Replicate 2 as figure format



Replicate 3 as figure format




Figure S4A. Replicate 1 HDAC6 complete gel

Western-blot associated with Figure 4A
Pérez-Yanes, S., et al.




Figure S4A. Replicate 1 myc complete gel

Western-blot associated with Figure 4A
Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|------------------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | HA-HDAC6- Δ Buz |




Figure S4A. Replicate 1 p62 complete gel

Western-blot associated with Figure 4A
Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|------------------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | HA-HDAC6- Δ BUZ |




Figure S4A. Replicate 1 Acetylated α -Tubulin Western-blot associated with complete gel

Figure 4A

Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|------------------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | HA-HDAC6- Δ BUZ |



Figure S4A. Replicate 1 Total α -Tubulin complete gel

Western-blot associated with Figure 4A
Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|------------------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | HA-HDAC6- Δ BUZ |




Figure S4A. Replicate 2 HDAC6 complete gel

Western-blot associated with Figure 4A
Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|------------------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | HA-HDAC6- Δ BUZ |




Figure S4A. Replicate 2 myc complete gel

Western-blot associated with Figure 4A
Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|------------------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | HA-HDAC6- Δ BUZ |




Figure S4A. Replicate 2 p62 complete gel

Western-blot associated with Figure 4A
Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|------------------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | HA-HDAC6- Δ BUZ |




Figure S4A. *Replicate 2 Acetylated α -Tubulin Western-blot associated with complete gel*

Figure 4A

Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|------------------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | HA-HDAC6- Δ BUZ |



Figure S4A. Replicate 2 Total α -Tubulin complete gel

Western-blot associated with Figure 4A
Pérez-Yanes, S., et al.




Figure S4A. Replicate 3 HDAC6 complete gel

Western-blot associated with Figure 4A
Pérez-Yanes, S., et al.




Figure S4A. Replicate 3 myc complete gel

Western-blot associated with Figure 4A
Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|------------------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | HA-HDAC6- Δ BUZ |




Figure S4A. Replicate 3 p62 complete gel

Western-blot associated with Figure 4A
Pérez-Yanes, S., et al.




Figure S4A. Replicate 3 Acetylated α -Tubulin Western-blot associated with complete gel

Figure 4A

Pérez-Yanes, S., et al.

| | | | | |
|---|---|---|---|------------------------|
| - | + | - | + | NS5-myc |
| - | - | + | + | HA-HDAC6- Δ BUZ |




Figure S5A. Replicate 3 Total α -Tubulin complete gel

Western-blot associated with Figure 5A
Pérez-Yanes, S., et al.





Figure S4C. Western-blot replicates associated with Figure 4C.

Replicate 1 as figure format



Replicate 2 as figure format




Figure S4C. Replicate 1 HDAC6 complete gel

Western-blot associated with Figure 4C
Pérez-Yanes, S., et al.




Figure S4C. Replicate 1 myc complete gel

Western-blot associated with Figure 4C
Pérez-Yanes, S., et al.




Figure S4C. Replicate 1 Acetylated α -Tubulin complete gel

Western-blot associated with Figure 4C
Pérez-Yanes, S., et al.




Figure S4C. Replicate 1 Total α -Tubulin complete gel

Western-blot associated with Figure 4C
Pérez-Yanes, S., et al.




Figure S4C. Replicate 2 HDAC6 complete gel

Western-blot associated with Figure 4C
Pérez-Yanes, S., et al.




Figure S4C. Replicate 2 myc complete gel

Western-blot associated with Figure 4C
Pérez-Yanes, S., et al.

| | | | |
|-------|---|---|---|
| - | + | - | + |
| - | - | + | + |
| <hr/> | | | |
| PBS | | | |

| | | | | |
|-------|---|---|---|---------------|
| - | + | - | + | : NS5-myc |
| - | - | + | + | : HA-wt-HDAC6 |
| <hr/> | | | | |
| 3-MA | | | | |





Figure S4C. Replicate 2 Acetylated α -Tubulin complete gel

Western-blot associated with Figure 4C
Pérez-Yanes, S., et al.




Figure S4C. Replicate 2 Total α -Tubulin complete gel

Western-blot associated with Figure 4C
Pérez-Yanes, S., et al.






Figura S4D. Western-blot replicates associated with Figure 4D.


Replicate 1 as figure format



Replicate 2 as figure format



Replicate 3 as figure format



Replicate 4 as figure format




Figure S4D. Replicate 1 HDAC6 complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.




Figure S4D. Replicate 1 myc complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.




Figure S4D. Replicate 1 Acetylated α -Tubulin Western-blot associated with complete gel

Figure 4D

Pérez-Yanes, S., et al.




Figure S4D. Replicate 1 Total α -Tubulin complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.

+ - : scrambled
- + : siRNA-HDAC6




Figure S4D. Replicate 2 HDAC6 complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.




Figure S4D. Replicate 2 myc complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.

+ - : scrambled
- + : siRNA-HDAC6




Figure S4D. Replicate 2 Acetylated α -Tubulin complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.




Figure S4D. Replicate 2 Total α -Tubulin complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.




Figure S4D. Replicate 3 HDAC6 complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.




Figure S4D. Replicate 3 myc complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.




Figure S4D. Replicate 3 Acetylated α -Tubulin complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.




Figure S4D. Replicate 3 Total α -Tubulin complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.




Figure S4D. Replicate 4 HDAC6 complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.




Figure S4D. Replicate 4 myc complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.




Figure S4D. Replicate 4 Acetylated α -Tubulin complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.




Figure S4D. Replicate 4 Total α -Tubulin complete gel

Western-blot associated with Figure 4D
Pérez-Yanes, S., et al.





Figura S5B. Western-blot replicates associated with Figure 5B.

Replicate 1 as figure format



Replicate 2 as figure format




Figure S5B. Replicate 1 NS5 complete gel

Western-blot associated with
Figure 5B

Pérez-Yanes, S., et al.

| | | | | |
|--------|---|---|---|---|
| NS5-HA | - | - | + | + |
| 3-MA | - | + | - | + |




Figure S5B. Replicate 1 Acetylated α -Tubulin complete gel

Western-blot associated with Figure 5B
Pérez-Yanes, S., et al.




Figure S5B. Replicate 1 Total α -Tubulin complete gel

Western-blot associated with Figure 5B
Pérez-Yanes, S., et al.




Figure S5B. Replicate 2 NS5 complete gel

Western-blot associated with
Figure 5B

Pérez-Yanes, S., et al.

| | | | | |
|--------|---|---|---|---|
| NS5-HA | - | - | + | + |
| 3-MA | - | + | - | + |




Figure S5B. Replicate 2 Acetylated α -Tubulin complete gel

Western-blot associated with Figure 5B
Pérez-Yanes, S., et al.




Figure S5B. Replicate 2 Total α -Tubulin complete gel

Western-blot associated with Figure 5B
Pérez-Yanes, S., et al.

