

Article

Not peer-reviewed version

New Infinite Classes for Normal Trimagic Squares of Even Orders Using Row-Square Magic Rectangles

[Can Hu](#) and [Fengchu Pan](#) *

Posted Date: 12 March 2024

doi: 10.20944/preprints202403.0687.v1

Keywords: n/a; Trimagic square; row-square magic rectangle; trimagic pair; product construction; diagonal Latin square; hypergraph; magic labeling



Preprints.org is a free multidiscipline platform providing preprint service that is dedicated to making early versions of research outputs permanently available and citable. Preprints posted at Preprints.org appear in Web of Science, Crossref, Google Scholar, Scilit, Europe PMC.

Copyright: This is an open access article distributed under the Creative Commons Attribution License which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Disclaimer/Publisher's Note: The statements, opinions, and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions, or products referred to in the content.

Article

New Infinite Classes for Normal Trimagic Squares of Even Orders Using Row-Square Magic Rectangles

Can Hu ¹  and Fengchu Pan ^{1,2,*} 

¹ College of Mathematics and Physics, Chengdu University of Technology, Chengdu 610059, China; hucan@mail.cdut.edu.cn

² Xizang Institute of Geological Survey, Lhasa 850000, China

* Correspondence: panfengchu@cdut.edu.cn

Abstract: As matrix representations of magic labelings of related hypergraphs, magic squares and their various variants have been applied to many domains. Among various subclasses, trimagic squares have been investigated for over a hundred years. The existence problem for trimagic squares with singly even orders and orders $16n$ has been solved completely. However, very little is known for the existence of trimagic squares with other even orders except for the only three examples and three families. We construct normal trimagic squares by using product constructions, row-square magic rectangles, and trimagic pairs of orthogonal diagonal Latin squares. We give a new product construction: For positive integers p , q , and r having the same parity other than 1, 2, 3, 6, if normal $p \times q$ and $r \times q$ row-square magic rectangles exist, then a normal trimagic square with order pqr exists. As its application, we construct normal trimagic squares of orders $8q^3$ and $8pqr$ for all odd integers q not less than 7 and $p, r \in \{7, 11, 13, 17, 19, 23, 29, 31, 37\}$. Our construction can easily be extended to construct multimagic squares.

Keywords: trimagic square; row-square magic rectangle; trimagic pair; product construction; diagonal Latin square; hypergraph; magic labeling

MSC: 05B15; 05B30; 05C78

1. Introduction

As the oldest known combinatorial designs, magic squares and their various variants have been applied to many fields, such as engineering technology [1–5], cryptography [6], information hiding [7,8], physics [9], pedagogy [10], number theory [11], matrix algebra [12]. Magic squares and their many relatives can be viewed as matrix representations of magic labelings of related set systems or hypergraphs [13,14] and were used to construct some labelings of graphs [15–19].

Given two positive integers n and d and let $I_n = \{0, 1, \dots, n-1\}$. Let A be a d -dimensional matrix of side or order n consisting of integers with entries $a(x)$ or a_{i_1, \dots, i_d} , where $x \in I_n^d$ or $i_1, \dots, i_d \in I_n$. A row or line or hyperedge of A is an n -tuple of positions or points (i_1, \dots, i_d) such that the number of identical coordinates for any two points is exactly $d-1$. A (space) diagonal is an n -tuple of points $\{(x, i_2, \dots, i_d) : i_k = x \text{ or } n-1-x, 2 \leq k \leq d, x \in I_n\}$. Let \mathbb{L}_n^d denote the set of dn^{d-1} rows and 2^{d-1} diagonals of any d -dimensional matrix of side n . Obviously, (I_n^d, \mathbb{L}_n^d) is an n -uniform hypergraph or a set system. Similar to the definition for a magic labeling of a set system [13], we give the following definitions. A magic labeling of the hypergraph (I_n^d, \mathbb{L}_n^d) is a labeling a of its points by integers such that every line has the same sum, that is, $\sum_{x \in L} a(x) = c$ for some constant c and $L \in \mathbb{L}_n^d$; we call the constant c the magic sum. Let $A = (a(x))$ for $x \in I_n^d$, then the matrix A can be thought of as the label matrix of the above labeling a of the hypergraph (I_n^d, \mathbb{L}_n^d) . We call the matrix A a d -dimensional magic hypercube of side or order n . Other types of magic hypercubes can be defined similarly. A d -dimensional magic hypercube with side n is normal if it consists of n^d consecutive integers. Usually, a 2-dimensional magic hypercube of order n is called a magic square of order n (MS(n)). The existence problem for normal magic hypercubes has been completely solved [20,21].

In this paper, we are interested in investigating multimagic squares. Let n , d , and t be positive integers. Let A and B be integer matrices with the same size and let $A * B$ denote their Hadamard product, with (i, j) entry $a_{i,j}b_{i,j}$. Based on the reference [22], we write $A^{*d} = (a_{i,j}^d)$; obviously, A^{*d}

is the Hadamard product $A * \cdots * A$ (where the matrix A appears d times). Now let A has order n , then A is a t -multimagic square ($MS(n, t)$) if for $d \in \{1, \dots, t\}$, A^{*d} is a magic square. We denote by an $NMS(n, t)$ a normal $MS(n, t)$. Usually, we call an $MS(n, 2)$ a bimagic square and an $MS(n, 3)$ a trimagic square. Many researchers have done a lot of work on the existence and construction of normal multimagic squares [23–30].

We now review the research on normal trimagic squares with even orders. In 2007, Derksen et al. [22] proved that there is no an $NMS(2n, 3)$ for every positive odd integer n . In 2023, Hu et al. [25] proved that an $NMS(16n, 3)$ exists for all positive integers n . However, very little is known for the existence of trimagic squares of doubly even orders not divisible by 16 except for the following three examples and three families. In 2017, based on known bimagic squares and trimagic squares of orders 12, 24, and 40, Li et al. [31] showed that there is an $NMS(mn, 3)$ for $m \in \{12, 24, 40\}$ and infinitely many odd positive integers n . Therefore, the existence problem for normal trimagic squares of even orders is at present far from being solved.

This paper aims to construct new infinite families for normal trimagic squares of even orders. Our construction tools include a known product construction (see Section 2, Lemma 2), two new product constructions (see Section 3, Theorem 1 and Lemma 9), trimagic pairs, and (quasi-normal) row-square magic rectangles (new notions, see Section 2 for the definitions).

The outline of the rest of this paper is as follows. Section 2 presents some related preliminaries, including notations, notions, and lemmas. In Section 3, we firstly show that one can construct an $NMS(n, 3)$ based on a trimagic pair of orthogonal diagonal Latin squares as well as an $NMS(pqr, 3)$ based on normal $p \times q$ and $r \times q$ row-square magic rectangles for appropriate positive integers p, q , and r , then we prove several lemmas and theorems for the existence of quasi-normal even row-square magic rectangles and construct their several new infinite classes, finally, we provide new families of trimagic squares of even orders. In Section 4, we give conclusions of the work.

2. Preliminaries

Let T be an n -set. For any $m \times n$ integer matrix A , let $|A| = (|a_{i,j}|)$, where $|a_{i,j}|$ denotes the absolute value of $a_{i,j}$; we denote by \mathfrak{S}_A the entry-set of A and index the rows by I_m and columns by I_n . An $m \times m$ array A is a diagonal Latin square over the set T with order m ($DLS(m)$) if

$$\{a_{k,j} : j \in I_m\} = \{a_{i,k} : i \in I_m\} = \{a_{j,j} : j \in I_m\} = \{a_{j,n-1-j} : j \in I_m\} = T$$

for $k \in I_m$. Two $DLS(m)$ s C and D are called orthogonal if $\{(c_{i,j}, d_{i,j}) : i, j \in I_m\} = \mathfrak{S}_C \times \mathfrak{S}_D$. The following can be found in [32].

Lemma 1 ([32]). *Two orthogonal $DLS(m)$ s exist if and only if $m \notin \{2, 3, 6\}$.*

Let C and D be two orthogonal $DLS(n)$ s over I_n . The pair (C, D) is a trimagic pair ($TMP(n)$) if $C * D$, $C^{*2} * D$, and $C * D^{*2}$ are all magic squares.

A row-magic rectangle (RMR) is an integer matrix A having the property that the row sums are all a constant. If the transpose of A is also a row-magic rectangle, then we call A a magic rectangle (MR). If A^{*2} is also a row-magic rectangle, then we call A a bimagic row-magic rectangle ($BRMR(m, n)$). We call a $BRMR(m, n)$ A a row-square magic rectangle ($RSMR(m, n)$) if A is a magic rectangle. Similarly, one can define a t -multimagic rectangle. A magic rectangle is normal if it consists of consecutive integers. Similar to a bimagic square, we call a 2-multimagic rectangle a bimagic rectangle. A bimagic rectangle and its transpose are row-square magic rectangles, but not converse. For results of multimagic rectangles, the interested reader is referred to the references [33,34].

Let $J_{m \times n}$ be an $m \times n$ all ones matrix. For integers c and d with $c \leq d$ and $c \equiv d \pmod{2}$, let $[c, d]_2$ denote the set $\{c, c+2, \dots, d-2, d\}$. A $BRMR(p, 2q)$ A is odd-normal if $\mathfrak{S}_{|A|} = [1, 4pq-1]_2$. An $m \times n$ integer matrix A is quasi-normal if $\mathfrak{S}_A = [1-mn, mn-1]_2$. An odd-normal $BRMR(p, 2q)$ A is balanced if A has an equal number of positive and negative numbers in each row and each row sum of $|A|$ is the same.

To construct new families of trimagic squares of even orders, we need the following lemmas.

Lemma 2 ([31]). *For positive integers m and t , if there exist an $NMS(2m, 2t + 1)$ and an $NMS(n, 2t)$, then there exists an $NMS(2mn, 2t + 1)$.*

Lemma 3 ([31]). *There exists an $NMS(n, 3)$ if $n \in \{12, 24, 40\} \cup \{2^k : k > 3\}$.*

Lemma 4 ([29]). *There exists an $NMS(n, 2)$ if $n \in \{2u : u \geq 4\} \cup \{pq : \text{odd } p, q \geq 5\} \cup [9, 63]_2$.*

Remark 1. *By Lemmas 2-4, there exists an $NMS(24q, 3)$ for odd $q \neq 3$.*

3. Main Results

In this section, we firstly construct an $NMS(n, 3)$ using a trimagic pair of orthogonal $DLS(n)$ s, then based on row-square magic rectangles establish a new product construct theorem, finally provide new families of trimagic squares of even orders by constructing new corresponding infinite classes of row-square magic rectangles.

3.1. Construction of an $NMS(m, 3)$

In this section, we extend Construction 2.1 in [35] for a magic pair of orthogonal bimagic squares to a trimagic pair of orthogonal diagonal Latin squares. The following can be obtained by modifying the proof in [35].

Lemma 5. *If there exists a $TMP(m)$, then there exists an $NMS(m, 3)$.*

Proof. Let (C, D) be a $TMP(m)$ and $F = mC + D$. Clearly, C and D are $MS(m, 3)$ s. Next, we prove that F is an $NMS(m, 3)$. By the proof of Construction 2.1 in [35], we know that F is an $NMS(m, 2)$. Therefore, it suffices to show that F^{*3} is an $MS(m)$.

By hypothesis, C^{*3} , D^{*3} , $C^{*2} * D$, and $C * D^{*2}$ are $MS(m)$ s. Let $S_{C^{*3}}$, $S_{D^{*3}}$, $S_{C^{*2} * D}$, and $S_{C * D^{*2}}$ be the magic sums of C^{*3} , D^{*3} , $C^{*2} * D$, and $C * D^{*2}$, respectively. For $L \in \mathbb{L}_m^2$, we obtain

$$\begin{aligned} \sum_{(u,v) \in L} f_{u,v}^3 &= \sum_{(u,v) \in L} (mc_{u,v} + d_{u,v})^3 \\ &= m^3 \sum_{(u,v) \in L} c_{u,v}^3 + 3m^2 \sum_{(u,v) \in L} c_{u,v}^2 d_{u,v} + 3m \sum_{(u,v) \in L} c_{u,v} d_{u,v}^2 + \sum_{(u,v) \in L} d_{u,v}^3 \\ &= m^3 S_{C^{*3}} + 3m^2 S_{C^{*2} * D} + 3m S_{C * D^{*2}} + S_{D^{*3}}. \end{aligned}$$

It follows that F^{*3} is a magic square. \square

3.2. A New Product Construction

Based on Lemma 5, to obtain an $NMS(pqr, 3)$, it suffices to find a $TMP(pqr)$. In this section, we address this problem using row-square magic rectangles and orthogonal diagonal Latin squares.

Theorem 1. *Let p , q , and r be positive integers other than 1, 2, 3, 6 having the same parity. If there exist a normal $RSMR(p, q)$ and a normal $RSMR(r, q)$, then there exists an $NMS(pqr, 3)$.*

Proof. Let $m = pqr$. By Lemma 1, we can suppose that A and \bar{A} are a pair of orthogonal $DLS(p)$ s over I_p , B and \bar{B} are a pair of orthogonal $DLS(q)$ s over I_q , and C and \bar{C} are a pair of orthogonal $DLS(r)$ s over I_r . Write $A = (a_{u,x})$, $\bar{A} = (\bar{a}_{u,x})$, $B = (b_{v,y})$, $\bar{B} = (\bar{b}_{v,y})$, $C = (c_{w,z})$, $\bar{C} = (\bar{c}_{w,z})$, where $u, x \in I_p$, $v, y \in I_q$, and $w, z \in I_r$. Let F be an $r \times q$ normal row-square magic rectangle over I_{qr} and write $F = (f_{k,l})$. Let H be a $p \times q$ normal row-square magic rectangle over I_{pq} and write $H = (h_{s,t})$. Let F_r , F_c and $F_{r,2}$ denote the row magic sum of F , column magic sum of F and row magic sum of F^{*2} , respectively, and let H_r , H_c and $H_{r,2}$ denote the row magic sum of H , column magic sum of H and row

magic sum of H^{*2} , respectively. Let $S_a, S_{a,2}, S_c,$ and $S_{c,2}$ denote the magic sums of $A, A^{*2}, \bar{C},$ and \bar{C}^{*2} , respectively. Let

$$E = (e_{i,j}), \quad G = (g_{i,j}),$$

where

$$e_{i,j} = qra_{u,x} + f_{c_{w,z},b_{v,y}},$$

$$g_{i,j} = pq\bar{c}_{w,z} + h_{\bar{a}_{u,x},\bar{b}_{v,y}},$$

$$i = qru + rv + w, \quad j = qrx + ry + z, \quad u, x \in I_p, \quad v, y \in I_q, \quad w, z \in I_r, \quad i, j \in I_m.$$

Next, we prove that (E, F) is a $\text{TMP}(m)$.

(i) We prove that E and G are $\text{DLS}(m)$ s. Noting that $A, B,$ and C are all diagonal Latin squares, for $j \in I_m$, we have

$$\begin{aligned} \{e_{i,j} : i \in I_m\} &= \bigcup_{u \in I_p} \bigcup_{v \in I_q} \bigcup_{w \in I_r} (qra_{u,x} + f_{c_{w,z},b_{v,y}}) = \bigcup_{u \in I_p} \bigcup_{v \in I_q} \bigcup_{w \in I_r} (qra_{u,x} + f_{w,b_{v,y}}) \\ &= \bigcup_{u \in I_p} \bigcup_{v \in I_q} \bigcup_{w \in I_r} (qra_{u,x} + f_{w,v}) = \bigcup_{u \in I_p} \bigcup_{v \in I_q} \bigcup_{w \in I_r} (qru + f_{w,v}) = I_m. \end{aligned}$$

Similarly, we obtain

$$\{e_{i,j} : j \in I_m\} = I_m, \quad i \in I_m, \quad \{e_{i,i} : i \in I_m\} = I_m, \quad \{e_{i,m-1-i} : i \in I_m\} = I_m.$$

Therefore, E is a $\text{DLS}(m)$. Similarly, one can prove that G is a $\text{DLS}(m)$.

(ii) We prove that E and G are orthogonal. Let $i^* = qru^* + rv^* + w^*$ and $j^* = qrx^* + ry^* + z^*$, where $u^*, x^* \in I_p, v^*, y^* \in I_q, w^*, z^* \in I_r, i^*, j^* \in I_m$. Suppose that $e_{i,j} = e_{i^*,j^*}$ and $g_{i,j} = g_{i^*,j^*}$. We have

$$qra_{u,x} + f_{c_{w,z},b_{v,y}} = qra_{u^*,x^*} + f_{c_{w^*,z^*},b_{v^*,y^*}},$$

$$pq\bar{c}_{w,z} + h_{\bar{a}_{u,x},\bar{b}_{v,y}} = pq\bar{c}_{w^*,z^*} + h_{\bar{a}_{u^*,x^*},\bar{b}_{v^*,y^*}}.$$

Noting that

$$f_{c_{w,z},b_{v,y}}, f_{c_{w^*,z^*},b_{v^*,y^*}} \in I_{qr}, \quad a_{u,x}, a_{u^*,x^*} \in I_p,$$

$$h_{\bar{a}_{u,x},\bar{b}_{v,y}}, h_{\bar{a}_{u^*,x^*},\bar{b}_{v^*,y^*}} \in I_{pq}, \quad \bar{c}_{w,z}, \bar{c}_{w^*,z^*} \in I_r,$$

we obtain

$$a_{u,x} = a_{u^*,x^*}, \quad f_{c_{w,z},b_{v,y}} = f_{c_{w^*,z^*},b_{v^*,y^*}},$$

$$\bar{c}_{w,z} = \bar{c}_{w^*,z^*}, \quad h_{\bar{a}_{u,x},\bar{b}_{v,y}} = h_{\bar{a}_{u^*,x^*},\bar{b}_{v^*,y^*}}.$$

Since F and H are both normal, we get

$$a_{u,x} = a_{u^*,x^*}, \quad c_{w,z} = c_{w^*,z^*}, \quad b_{v,y} = b_{v^*,y^*},$$

$$\bar{c}_{w,z} = \bar{c}_{w^*,z^*}, \quad \bar{a}_{u,x} = \bar{a}_{u^*,x^*}, \quad \bar{b}_{v,y} = \bar{b}_{v^*,y^*}.$$

Therefore, we have

$$(a_{u,x}, \bar{a}_{u,x}) = (a_{u^*,x^*}, \bar{a}_{u^*,x^*}),$$

$$(b_{v,y}, \bar{b}_{v,y}) = (b_{v^*,y^*}, \bar{b}_{v^*,y^*}),$$

$$(c_{w,z}, \bar{c}_{w,z}) = (c_{w^*,z^*}, \bar{c}_{w^*,z^*}).$$

Since A and \bar{A} are orthogonal, B and \bar{B} are orthogonal, and C and \bar{C} are orthogonal, we obtain

$$u = u^*, \quad v = v^*, \quad w = w^*, \quad x = x^*, \quad y = y^*, \quad z = z^*,$$

which indicates that $i = i^*$ and $j = j^*$. It follows that E and G are orthogonal. By (i), E and G are orthogonal $\text{DLS}(m)$ s over I_m .

(iii) We prove that $E * G$ is an $\text{MS}(m)$. For $j \in I_m$, we can write $j = qrx + ry + z$, where $x \in I_p, y \in I_q,$ and $z \in I_r$. We get

$$\begin{aligned}
\sum_{i=0}^{m-1} e_{i,j} \delta_{i,j} &= \sum_{u=0}^{p-1} \sum_{v=0}^{q-1} \sum_{w=0}^{r-1} (qra_{u,x} + f_{c_{w,z}, b_{v,y}})(pq\bar{c}_{w,z} + h_{\bar{a}_{u,x}, \bar{b}_{v,y}}) \\
&= pq^2 r \sum_{v=0}^{q-1} \sum_{u=0}^{p-1} \sum_{w=0}^{r-1} a_{u,x} \bar{c}_{w,z} + qr \sum_{w=0}^{r-1} \sum_{u=0}^{p-1} \sum_{v=0}^{q-1} a_{u,x} h_{\bar{a}_{u,x}, \bar{b}_{v,y}} \\
&\quad + pq \sum_{u=0}^{p-1} \sum_{w=0}^{r-1} \sum_{v=0}^{q-1} \bar{c}_{w,z} f_{c_{w,z}, b_{v,y}} + \sum_{u=0}^{p-1} \sum_{v=0}^{q-1} \sum_{w=0}^{r-1} f_{c_{w,z}, b_{v,y}} h_{\bar{a}_{u,x}, \bar{b}_{v,y}} \\
&= pq^3 r S_a S_c + qr^2 S_a H_r + p^2 q S_c F_r + p F_c H_r.
\end{aligned}$$

Similarly, we have

$$\sum_{j=0}^{m-1} e_{i,j} \delta_{i,j} = S_{E*G}, \text{ for } i \in I_m, \sum_{i=0}^{m-1} e_{i,i} \delta_{i,i} = S_{E*G}, \sum_{i=0}^{m-1} e_{i,m-1-i} \delta_{i,m-1-i} = S_{E*G},$$

where $S_{E*G} = pq^3 r S_a S_c + qr^2 S_a H_r + p^2 q S_c F_r + p F_c H_r$. Thus, $E * G$ is an $MS(m)$.

(iv) We prove that $E^{*2} * G$ is an $MS(m)$. For $j \in I_m$, we can write $j = qrx + ry + z$, where $x \in I_p$, $y \in I_q$, and $z \in I_r$. We get

$$\begin{aligned}
\sum_{i=0}^{m-1} e_{i,j}^2 \delta_{i,j} &= \sum_{u=0}^{p-1} \sum_{v=0}^{q-1} \sum_{w=0}^{r-1} (qra_{u,x} + f_{c_{w,z}, b_{v,y}})^2 (pq\bar{c}_{w,z} + h_{\bar{a}_{u,x}, \bar{b}_{v,y}}) \\
&= pq^3 r^2 \sum_{v=0}^{q-1} \sum_{u=0}^{p-1} \sum_{w=0}^{r-1} a_{u,x}^2 \bar{c}_{w,z} + q^2 r^2 \sum_{w=0}^{r-1} \sum_{u=0}^{p-1} \sum_{v=0}^{q-1} a_{u,x}^2 h_{\bar{a}_{u,x}, \bar{b}_{v,y}} \\
&\quad + 2pq^2 r \sum_{u=0}^{p-1} \sum_{w=0}^{r-1} \sum_{v=0}^{q-1} a_{u,x} \bar{c}_{w,z} f_{c_{w,z}, b_{v,y}} + 2qr \sum_{u=0}^{p-1} \sum_{v=0}^{q-1} \sum_{w=0}^{r-1} a_{u,x} f_{c_{w,z}, b_{v,y}} h_{\bar{a}_{u,x}, \bar{b}_{v,y}} \\
&\quad + pq \sum_{u=0}^{p-1} \sum_{w=0}^{r-1} \sum_{v=0}^{q-1} \bar{c}_{w,z} f_{c_{w,z}, b_{v,y}}^2 + \sum_{w=0}^{r-1} \sum_{v=0}^{q-1} \sum_{u=0}^{p-1} f_{c_{w,z}, b_{v,y}}^2 h_{\bar{a}_{u,x}, \bar{b}_{v,y}} \\
&= pq^4 r^2 S_{a,2} S_c + q^2 r^3 S_{a,2} H_r + 2pq^2 r S_a S_c F_r + 2qr S_a F_c H_r + p^2 q S_c F_{r,2} + r H_c F_{r,2}.
\end{aligned}$$

Similarly, we have

$$\sum_{j=0}^{m-1} e_{i,j}^2 \delta_{i,j} = S_{E^{*2}*G}, \text{ for } i \in I_m, \sum_{i=0}^{m-1} e_{i,i}^2 \delta_{i,i} = S_{E^{*2}*G}, \sum_{i=0}^{m-1} e_{i,m-1-i}^2 \delta_{i,m-1-i} = S_{E^{*2}*G},$$

where $S_{E^{*2}*G} = pq^4 r^2 S_{a,2} S_c + q^2 r^3 S_{a,2} H_r + 2pq^2 r S_a S_c F_r + 2qr S_a F_c H_r + p^2 q S_c F_{r,2} + r H_c F_{r,2}$. Thus, $E^{*2} * G$ is an $MS(m)$.

(v) We prove that $E * G^{*2}$ is an $MS(m)$. For $j \in I_m$, we can write $j = qrx + ry + z$, where $x \in I_p$, $y \in I_q$, and $z \in I_r$. We get

$$\begin{aligned}
\sum_{i=0}^{m-1} e_{i,j} \delta_{i,j}^2 &= \sum_{u=0}^{p-1} \sum_{v=0}^{q-1} \sum_{w=0}^{r-1} (qra_{u,x} + f_{c_{w,z}, b_{v,y}})(pq\bar{c}_{w,z} + h_{\bar{a}_{u,x}, \bar{b}_{v,y}})^2 \\
&= p^2 q^3 r \sum_{v=0}^{q-1} \sum_{u=0}^{p-1} \sum_{w=0}^{r-1} a_{u,x} \bar{c}_{w,z}^2 + p^2 q^2 \sum_{u=0}^{p-1} \sum_{w=0}^{r-1} \sum_{v=0}^{q-1} \bar{c}_{w,z}^2 f_{c_{w,z}, b_{v,y}} \\
&\quad + 2pq^2 r \sum_{u=0}^{p-1} \sum_{w=0}^{r-1} \sum_{v=0}^{q-1} a_{u,x} \bar{c}_{w,z} h_{\bar{a}_{u,x}, \bar{b}_{v,y}} + 2pq \sum_{w=0}^{r-1} \sum_{v=0}^{q-1} \sum_{u=0}^{p-1} \bar{c}_{w,z} f_{c_{w,z}, b_{v,y}} h_{\bar{a}_{u,x}, \bar{b}_{v,y}} \\
&\quad + qr \sum_{w=0}^{r-1} \sum_{u=0}^{p-1} \sum_{v=0}^{q-1} a_{u,x} h_{\bar{a}_{u,x}, \bar{b}_{v,y}}^2 + \sum_{u=0}^{p-1} \sum_{v=0}^{q-1} \sum_{w=0}^{r-1} f_{c_{w,z}, b_{v,y}} h_{\bar{a}_{u,x}, \bar{b}_{v,y}}^2 \\
&= p^2 q^4 r S_a S_{c,2} + p^3 q^2 S_{c,2} F_r + 2pq^2 r S_a S_c H_r + 2pq S_c F_r H_c + qr^2 S_a H_{r,2} + p F_c H_{r,2}.
\end{aligned}$$

Similarly, we have

$$\sum_{j=0}^{m-1} e_{i,j} \delta_{i,j}^2 = S_{E*G^{*2}}, \text{ for } i \in I_m, \sum_{i=0}^{m-1} e_{i,i} \delta_{i,i}^2 = S_{E*G^{*2}}, \sum_{i=0}^{m-1} e_{i,m-1-i} \delta_{i,m-1-i}^2 = S_{E*G^{*2}},$$

where $S_{E*G^{*2}} = p^2 q^4 r S_a S_{c,2} + p^3 q^2 S_{c,2} F_r + 2pq^2 r S_a S_c H_r + 2pq S_c F_r H_c + qr^2 S_a H_{r,2} + p F_c H_{r,2}$. It follows that $E * G^{*2}$ is an $MS(m)$.

In summary, we know that (E, G) is a $\text{TMP}(m)$. Based on Lemma 5, there exists an $\text{NMS}(m, 3)$, $mE + G$. \square

3.3. Row-Square Magic Rectangles

In this section, our main purpose is to construct several infinite classes of row-square magic rectangles. For this purpose, we need the following lemmas.

Lemma 6. *If an odd-normal BRMR($p, 2q$) exists, then a quasi-normal RSMR($2p, 2q$) exists.*

Proof. Let A be an odd-normal BRMR($p, 2q$) and $B = \begin{pmatrix} A \\ -A \end{pmatrix}$. Clearly, $-A$ is also an odd-normal BRMR($p, 2q$) and $\mathfrak{S}_{|-A|} = \mathfrak{S}_{|A|}$. Obviously, if $a \in \mathfrak{S}_A$, then $-a \in \mathfrak{S}_{-A}$. Therefore, we have $\mathfrak{S}_{-A} \cup \mathfrak{S}_A = \cup_{a \in \mathfrak{S}_{|A|}} \{-a, a\} = [1 - 4pq, -1]_2 \cup [1, 4pq - 1]_2 = [1 - 4pq, 4pq - 1]_2$. Obviously, each column sum of B is zero. In summary, we know at once that the conclusion holds. \square

Based on Lemma 6, to obtain a quasi-normal RSMR($2p, 2q$), it is sufficient to find an odd-normal BRMR($p, 2q$).

Lemma 7. *If a quasi-normal RSMR($2p, 2q$) exists, then a normal RSMR($2p, 2q$) exists.*

Proof. If A is a quasi-normal RSMR($2p, 2q$), then $\frac{1}{2}(A + (4pq - 1)J_{2p \times 2q})$ is a normal RSMR($2p, 2q$). \square

Based on Lemmas 6 and 7, to obtain a normal RSMR($2p, 2q$), it suffices to find an odd-normal BRMR($p, 2q$).

Lemma 8. *Let p, q , and r be positive integers with $q \geq 2$. If there exist an odd-normal BRMR($p, 2q$) and balanced BRMR($p, 4r$), then there exists an odd-normal BRMR($p, 2q + 4r$).*

Proof. Let A be an odd-normal BRMR($p, 2q$) and B an odd-normal balanced BRMR($p, 4r$). Let $k = 4pq$ and C be a $p \times (2q + 4r)$ matrix defined by

$$\begin{cases} c_{i,j} = a_{i,j} & j \in I_{2q}, \\ c_{i,j+2q} = b_{i,j} + \text{sign}(b_{i,j})k & j \in I_{4r}, \end{cases} \quad i \in I_p, \quad (1)$$

where $\text{sign}(b_{i,j}) = b_{i,j}/|b_{i,j}|$. Clearly, $\text{sign}(b_{i,j}) * b_{i,j} = |b_{i,j}|$. Now we prove that each row sum of C is zero. Note that row sums of A and B are zero and B is balanced, for $i \in I_p$, we have

$$\begin{aligned} \sum_{j \in I_{2q+4r}} c_{i,j} &= \sum_{j \in I_{2q}} a_{i,j} + \sum_{j \in I_{4r}} (b_{i,j} + \text{sign}(b_{i,j})k) \\ &= \sum_{j \in I_{2q}} a_{i,j} + \sum_{j \in I_{4r}} b_{i,j} + k \sum_{j \in I_{4r}} \text{sign}(b_{i,j}) \\ &= 0 + 0 + k \times 0 \\ &= 0. \end{aligned}$$

It follows that each row sum of C is zero. Next, we show that C is odd-normal. Note that $|b_{i,j} + \text{sign}(b_{i,j})k| = k + |b_{i,j}|$, we have

$$\begin{aligned} \{|c_{i,j}| : i \in I_p, j \in I_{2q+4r}\} &= \{|a_{i,j}| : i \in I_p, j \in I_{2q}\} \cup \{|b_{i,j} + \text{sign}(b_{i,j})k| : i \in I_p, j \in I_{4r}\} \\ &= [1, k - 1]_2 \cup \{k + |b_{i,j}| : i \in I_p, j \in I_{4r}\} \\ &= [1, k - 1]_2 \cup [k + 1, k + 8pr - 1]_2 \\ &= [1, 2p(2q + 4r) - 1]_2, \end{aligned}$$

which indicates that C is odd-normal. Finally, we prove that C^{*2} is a row-magic rectangle. Let $S_{|B|}$, $S_{A^{*2}}$, and $S_{B^{*2}}$ denote row sums of $|B|$, A^{*2} , and B^{*2} , respectively. For $i \in I_p$, we have

$$\begin{aligned}
\sum_{j \in I_{2q+4r}} c_{i,j}^2 &= \sum_{j \in I_{2q}} a_{i,j}^2 + \sum_{j \in I_{4r}} (b_{i,j} + \text{sign}(b_{i,j})k)^2 \\
&= S_{A^{*2}} + \sum_{j \in I_{4r}} b_{i,j}^2 + 2k \sum_{j \in I_{4r}} |b_{i,j}| + \sum_{j \in I_{4r}} k^2 \\
&= S_{A^{*2}} + S_{B^{*2}} + 2kS_{|B|} + 4rk^2,
\end{aligned}$$

which is independent of i and hence is a constant. Thus C^{*2} is a row-magic rectangle. In summary, C is an odd-normal BRMR($p, 2q + 4r$). \square

Lemma 9. Let p, q , and r be positive integers with $q \geq 2$. If there exist an odd-normal balanced BRMR($p, 4r$) and $2r$ odd-normal BRMR($p, 2q + 2m$) for $m \in I_{2r}$, then there exists an odd-normal BRMR($p, 2n$) for $n \geq q$.

Proof. Let $v \in [2q, 2q + 4r - 2]_2$ and u be a nonnegative integer. Now by induction we prove the statement $\mathcal{P}_v(u)$: There exists an odd-normal BRMR($p, 4ru + v$) for $u \geq 0$. Firstly, $\mathcal{P}_v(0)$ is obviously true by hypothesis. Secondly, suppose that $\mathcal{P}_v(w)$ is true for nonnegative integer w , that is, there exists an odd-normal BRMR($p, 4rw + v$). Finally, we prove that $\mathcal{P}_v(w + 1)$ is correct, in other word, an odd-normal BRMR($p, 4r(w + 1) + v$) exists. Note that there exist an odd-normal balanced BRMR($p, 4r$) by hypothesis and an odd-normal BRMR($p, 4rw + v$) by our induction hypothesis, by Lemma 8 we see that there exists an odd-normal BRMR($p, 4rw + v + 4r$), that is, BRMR($p, 4r(w + 1) + v$). It follows that the statement $\mathcal{P}_v(w + 1)$ is true. For $v \in [2q, 2q + 4r - 2]_2$, by induction $\mathcal{P}_v(u)$ is true for $u \geq 0$. In summary, there exists an odd-normal BRMR($p, 2n$) for $n \geq q$. \square

Next, we construct several infinite classes of odd-normal bimagic row-magic rectangles.

Lemma 10. There exists an odd-normal BRMR($p, 2q$) for $p \in \{7, 11, 13, 17, 19, 23, 29, 31, 37\}$ and $q \geq 3$.

Proof. See the Appendix A. \square

3.4. New Classes of Trimagic Squares of Even Orders

In the following, we provide two applications of Theorem 1.

Theorem 2. There exists an NMS($8pqr, 3$) for $p, r \in \{7, 11, 13, 17, 19, 23, 29, 31, 37\}$ and odd q not less than 7.

Proof. Let $\mathcal{S} = \{7, 11, 13, 17, 19, 23, 29, 31, 37\}$. By Lemma 10, there exists an odd-normal BRMR($p, 2q$) for $p \in \mathcal{S}$ and $q \geq 3$. By Lemma 7, there exists a normal BRMR($2p, 2q$) for $p \in \mathcal{S}$ and $q \geq 3$. Therefore, for $p, r \in \mathcal{S}$ and odd q not less than 7, there exist a normal BRMR($2p, 2q$) and a normal BRMR($2r, 2q$). Since $2p, 2q, 2r \notin \{1, 2, 3, 6\}$, by Lemma 1, we know that there is a pair of orthogonal DLS($2n$)s over I_{2n} for $n \in \{p, q, r\}$. By Theorem 1, we prove that there exists an NMS($2p \times 2r \times 2q, 3$), that is, NMS($8pqr, 3$). \square

Theorem 3. There exists an NMS($8q^3, 3$) for all positive integers q greater than 1.

Proof. When $q = 2$, we have $8q^3 = 8 \times 2^3 = 64$. By Lemma 3, there is an NMS($8 \times 2^3, 3$). When $q = 3$, we have $8q^3 = 8 \times 3^3 = 24 \times 9$. Since there is an NMS($24, 3$) by Lemma 3 and there is an NMS($9, 2$) by Lemma 4, there is an NMS($8 \times 3^3, 3$) by Lemma 2. Based on Lemma 4, for every positive integer q greater than 3, there is a normal RSMR($2q, 2q$). Since $2q \notin \{1, 2, 3, 6\}$, by Lemma 1, we know that there is a pair of orthogonal DLS($2q$)s over I_{2q} . By Theorem 1, we prove that there is an NMS($2q \times 2q \times 2q, 3$), that is, NMS($8q^3, 3$). \square

Let $\Omega = \{q^3 : q \text{ integer}, q \geq 2\} \cup \{pqr : p, r \in \{7, 11, 13, 17, 19, 23, 29, 31, 37\}, \text{odd } q \geq 7\}$. Then by Lemma 2 and Theorems 2 and 3 we have

Corollary 1. *There is an NMS(8mn, 3) for $m \in \Omega$ and $n \in \{pq: \text{odd } p, q \geq 5\} \cup [9, 63]_2$.*

4. Conclusions

In the paper, by giving a new product construction theorem, we reduce the problem for constructing one normal trimagic square of order pqr to the problem for constructing two normal $p \times q$ and $r \times q$ row-square magic rectangles; especially reduce the problem for constructing normal $2p \times 2q$ row-square magic rectangles to the problem constructing odd-normal $p \times 2q$ row-square magic rectangles. More precisely, we prove that there exist normal trimagic squares of orders $8u^3$ and $8pqr$ for all positive integers u with $u \geq 2$ and $p, r \in \{7, 11, 13, 17, 19, 23, 29, 31, 37\}$ and odd q not less than 7. These results are new to previous literature. Our new product construction method can easily be extended to construct multimagic squares.

Author Contributions: Conceptualization, F.P. and C.H.; methodology, C.H. and F.P.; writing—original draft preparation, F.P. and C.H.; writing—review & editing, F.P. and C.H. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Data Availability Statement: Not applicable.

Acknowledgments: The authors would like to thank associate professor X. Wang of Chengdu University of Technology for her advice.

Conflicts of Interest: The authors declare no conflict of interest.

Appendix A. The Proof of Lemma 10

Let

$$\begin{aligned}
 A_7 &= \begin{pmatrix} -83 & -19 & 1 & 3 & 17 & 81 \\ -75 & -39 & -7 & 5 & 49 & 67 \\ -71 & -43 & -13 & 9 & 57 & 61 \\ -77 & -29 & -21 & 11 & 53 & 63 \\ -79 & -31 & -15 & 25 & 27 & 73 \\ -69 & -35 & -33 & 23 & 55 & 59 \\ -65 & -41 & -37 & 45 & 47 & 51 \end{pmatrix}, & B_7 &= \begin{pmatrix} -79 & -75 & -69 & -1 & 3 & 55 & 81 & 85 \\ -83 & -73 & -63 & -5 & 7 & 43 & 77 & 97 \\ -95 & -67 & -53 & -9 & 11 & 41 & 71 & 101 \\ -89 & -51 & -47 & -37 & 13 & 17 & 91 & 103 \\ -93 & -87 & -29 & -15 & 33 & 35 & 49 & 107 \\ -105 & -61 & -31 & -27 & 19 & 39 & 57 & 109 \\ -99 & -59 & -45 & -21 & 23 & 25 & 65 & 111 \end{pmatrix}, \\
 C_7 &= \begin{pmatrix} -91 & -89 & -85 & -83 & -1 & 3 & 25 & 103 & 107 & 111 \\ -97 & -95 & -77 & -75 & -5 & 7 & 19 & 99 & 109 & 115 \\ -105 & -87 & -79 & -67 & -11 & 9 & 15 & 93 & 113 & 119 \\ -123 & -81 & -69 & -65 & -13 & 17 & 27 & 71 & 101 & 135 \\ -129 & -73 & -63 & -57 & -29 & 21 & 23 & 59 & 117 & 131 \\ -127 & -125 & -35 & -33 & -31 & 49 & 51 & 53 & 61 & 137 \\ -139 & -133 & -41 & -37 & 39 & 43 & 45 & 47 & 55 & 121 \end{pmatrix}, & D_7 &= \begin{pmatrix} -41 & -19 & -1 & 55 & 69 & 75 \\ -37 & -21 & -3 & 53 & 65 & 77 \\ -33 & -23 & -5 & 51 & 67 & 71 \\ -39 & -17 & -7 & 49 & 63 & 83 \\ -31 & -27 & -9 & 43 & 59 & 73 \\ -29 & -25 & -11 & 45 & 57 & 79 \\ -35 & -15 & -13 & 47 & 61 & 81 \end{pmatrix}, \\
 A_{11} &= \begin{pmatrix} -127 & -35 & 1 & 3 & 29 & 129 \\ -125 & -47 & -7 & 5 & 57 & 117 \\ -131 & -41 & -9 & 11 & 59 & 111 \\ -121 & -61 & 13 & 15 & 31 & 123 \\ -107 & -93 & 17 & 25 & 53 & 105 \\ -101 & -89 & -19 & 39 & 71 & 99 \\ -115 & -75 & -21 & 49 & 77 & 85 \\ -113 & -65 & -27 & 23 & 87 & 95 \\ -109 & -73 & -33 & 45 & 79 & 91 \\ -103 & -63 & -51 & 37 & 83 & 97 \\ -119 & -55 & -43 & 67 & 69 & 81 \end{pmatrix}, & B_{11} &= \begin{pmatrix} -123 & -119 & -109 & -1 & 3 & 93 & 127 & 129 \\ -121 & -115 & -111 & -5 & 7 & 73 & 133 & 139 \\ -137 & -117 & -87 & -11 & 9 & 69 & 131 & 143 \\ -141 & -135 & -63 & -13 & 15 & 89 & 97 & 151 \\ -149 & -107 & -79 & -17 & 19 & 55 & 125 & 153 \\ -157 & -91 & -83 & -21 & 23 & 65 & 95 & 169 \\ -161 & -103 & -45 & -43 & 25 & 59 & 101 & 167 \\ -163 & -105 & -57 & -27 & 37 & 67 & 77 & 171 \\ -147 & -145 & -31 & -29 & 51 & 61 & 81 & 159 \\ -165 & -75 & -71 & -41 & 33 & 47 & 99 & 173 \\ -155 & -113 & -49 & -35 & 39 & 53 & 85 & 175 \end{pmatrix},
 \end{aligned}$$

$$\begin{aligned}
 C_{11} &= \begin{pmatrix} -179 & -151 & -109 & -87 & -23 & 1 & 55 & 131 & 161 & 201 \\ -181 & -153 & -105 & -85 & -25 & 3 & 53 & 129 & 165 & 199 \\ -207 & -183 & -159 & 5 & 27 & 57 & 77 & 107 & 127 & 149 \\ -171 & -143 & -101 & -83 & -51 & 7 & 29 & 125 & 185 & 203 \\ -177 & -147 & -123 & -103 & 9 & 31 & 49 & 81 & 175 & 205 \\ -191 & -167 & -121 & -59 & -11 & 33 & 71 & 95 & 141 & 209 \\ -163 & -133 & -119 & -73 & -63 & 13 & 35 & 97 & 189 & 217 \\ -219 & -193 & -139 & 15 & 39 & 65 & 69 & 93 & 113 & 157 \\ -197 & -145 & -111 & -61 & -37 & 17 & 75 & 89 & 155 & 215 \\ -169 & -135 & -115 & -91 & -41 & 19 & 47 & 79 & 195 & 211 \\ -187 & -137 & -117 & -67 & -43 & 21 & 45 & 99 & 173 & 213 \end{pmatrix}, \quad D_{11} = \begin{pmatrix} -63 & -31 & -1 & 87 & 109 & 119 \\ -65 & -29 & -3 & 83 & 107 & 123 \\ -55 & -33 & -5 & 85 & 105 & 125 \\ -53 & -35 & -7 & 81 & 101 & 129 \\ -61 & -27 & -9 & 79 & 103 & 131 \\ -51 & -39 & -11 & 73 & 97 & 115 \\ -47 & -41 & -13 & 69 & 99 & 121 \\ -49 & -43 & -15 & 67 & 91 & 111 \\ -59 & -25 & -17 & 75 & 95 & 117 \\ -57 & -23 & -19 & 77 & 93 & 127 \\ -45 & -37 & -21 & 71 & 89 & 113 \end{pmatrix}, \\
A_{13} &= \begin{pmatrix} -151 & -43 & -3 & 1 & 49 & 147 \\ -155 & -51 & -7 & 5 & 91 & 117 \\ -149 & -59 & -9 & 11 & 75 & 131 \\ -153 & -53 & -13 & 15 & 77 & 127 \\ -135 & -99 & 17 & 19 & 85 & 113 \\ -125 & -101 & 21 & 27 & 35 & 143 \\ -133 & -87 & -23 & 41 & 81 & 121 \\ -123 & -105 & -25 & 71 & 79 & 103 \\ -145 & -93 & 29 & 31 & 63 & 115 \\ -139 & -111 & 33 & 61 & 73 & 83 \\ -129 & -65 & -57 & 37 & 95 & 119 \\ -137 & -109 & 39 & 45 & 55 & 107 \\ -141 & -67 & -47 & 69 & 89 & 97 \end{pmatrix}, \quad B_{13} = \begin{pmatrix} -161 & -151 & -103 & -1 & 33 & 73 & 127 & 183 \\ -167 & -145 & -101 & -3 & 31 & 77 & 123 & 185 \\ -169 & -141 & -71 & -35 & 5 & 95 & 129 & 187 \\ -159 & -153 & -75 & -29 & 7 & 99 & 121 & 189 \\ -163 & -149 & -67 & -37 & 9 & 97 & 115 & 195 \\ -173 & -139 & -93 & -11 & 39 & 61 & 125 & 191 \\ -179 & -137 & -87 & -13 & 51 & 53 & 119 & 193 \\ -165 & -113 & -83 & -55 & 15 & 49 & 155 & 197 \\ -175 & -105 & -89 & -47 & 17 & 57 & 143 & 199 \\ -171 & -135 & -65 & -45 & 19 & 81 & 109 & 207 \\ -157 & -147 & -91 & -21 & 27 & 69 & 117 & 203 \\ -177 & -131 & -85 & -23 & 41 & 63 & 107 & 205 \\ -181 & -133 & -59 & -43 & 25 & 79 & 111 & 201 \end{pmatrix}, \\
C_{13} &= \begin{pmatrix} -211 & -195 & -177 & -65 & -1 & 27 & 103 & 129 & 155 & 235 \\ -237 & -213 & -199 & 3 & 29 & 67 & 99 & 125 & 151 & 175 \\ -209 & -181 & -153 & -101 & -5 & 31 & 61 & 121 & 197 & 239 \\ -193 & -179 & -147 & -123 & -7 & 33 & 63 & 95 & 217 & 241 \\ -215 & -203 & -127 & -69 & -35 & 9 & 81 & 149 & 167 & 243 \\ -247 & -173 & -145 & -85 & 11 & 37 & 71 & 119 & 189 & 223 \\ -219 & -207 & -137 & -73 & -13 & 39 & 79 & 115 & 171 & 245 \\ -221 & -201 & -139 & -75 & -15 & 41 & 83 & 117 & 157 & 253 \\ -231 & -183 & -133 & -87 & -17 & 43 & 77 & 109 & 165 & 257 \\ -187 & -163 & -143 & -111 & -47 & 19 & 57 & 93 & 227 & 255 \\ -185 & -169 & -141 & -105 & -51 & 21 & 55 & 91 & 233 & 251 \\ -229 & -161 & -131 & -107 & -23 & 49 & 59 & 89 & 205 & 249 \\ -191 & -159 & -135 & -113 & -53 & 25 & 45 & 97 & 225 & 259 \end{pmatrix}, \quad D_{13} = \begin{pmatrix} -77 & -35 & -1 & 101 & 129 & 153 \\ -71 & -37 & -3 & 103 & 127 & 141 \\ -67 & -39 & -5 & 99 & 125 & 149 \\ -63 & -41 & -7 & 97 & 123 & 151 \\ -65 & -43 & -9 & 89 & 117 & 155 \\ -75 & -31 & -11 & 93 & 119 & 145 \\ -59 & -47 & -13 & 81 & 121 & 147 \\ -57 & -49 & -15 & 85 & 109 & 139 \\ -55 & -51 & -17 & 79 & 111 & 143 \\ -53 & -45 & -19 & 87 & 113 & 137 \\ -69 & -29 & -21 & 95 & 107 & 131 \\ -73 & -27 & -23 & 83 & 115 & 135 \\ -61 & -33 & -25 & 91 & 105 & 133 \end{pmatrix}, \\
A_{17} &= \begin{pmatrix} -199 & -43 & 1 & 3 & 37 & 201 \\ -203 & -39 & -7 & 5 & 49 & 195 \\ -197 & -67 & -9 & 11 & 79 & 183 \\ -185 & -93 & 13 & 15 & 59 & 191 \\ -193 & -85 & -17 & 19 & 135 & 141 \\ -189 & -83 & -21 & 23 & 95 & 175 \\ -159 & -151 & 25 & 27 & 113 & 145 \\ -173 & -107 & -31 & 29 & 129 & 153 \\ -181 & -101 & -33 & 47 & 111 & 157 \\ -177 & -73 & -65 & 35 & 109 & 171 \\ -169 & -115 & -41 & 75 & 87 & 163 \\ -167 & -123 & -45 & 89 & 121 & 125 \\ -179 & -103 & -51 & 97 & 99 & 137 \\ -149 & -133 & -53 & 69 & 119 & 147 \\ -165 & -161 & 55 & 63 & 77 & 131 \\ -187 & -139 & 57 & 61 & 91 & 117 \\ -155 & -105 & -81 & 71 & 127 & 143 \end{pmatrix}, \quad B_{17} = \begin{pmatrix} -259 & -231 & -53 & -1 & 131 & 135 & 137 & 141 \\ -257 & -233 & -51 & -3 & 123 & 133 & 139 & 149 \\ -251 & -239 & -49 & -5 & 117 & 129 & 147 & 151 \\ -269 & -213 & -55 & -7 & 105 & 119 & 153 & 167 \\ -263 & -225 & -47 & -9 & 113 & 127 & 145 & 159 \\ -267 & -209 & -57 & -11 & 89 & 115 & 169 & 171 \\ -271 & -217 & -43 & -13 & 121 & 125 & 143 & 155 \\ -243 & -241 & -45 & -15 & 103 & 107 & 161 & 173 \\ -261 & -207 & -59 & -17 & 83 & 97 & 181 & 183 \\ -265 & -199 & -61 & -19 & 85 & 91 & 175 & 193 \\ -223 & -219 & -81 & -21 & 67 & 71 & 185 & 221 \\ -215 & -197 & -109 & -23 & 27 & 93 & 195 & 229 \\ -245 & -163 & -111 & -25 & 35 & 95 & 177 & 237 \\ -227 & -189 & -99 & -29 & 31 & 101 & 165 & 247 \\ -255 & -187 & -69 & -33 & 73 & 79 & 157 & 235 \\ -253 & -191 & -63 & -37 & 65 & 75 & 201 & 203 \\ -249 & -179 & -77 & -39 & 41 & 87 & 205 & 211 \end{pmatrix},
 \end{aligned}$$

$$\begin{aligned}
 C_{17} &= \begin{pmatrix} -339 & -185 & -179 & -147 & 1 & 33 & 155 & 161 & 193 & 307 \\ -337 & -175 & -173 & -165 & 3 & 29 & 151 & 167 & 189 & 311 \\ -313 & -191 & -177 & -169 & 5 & 27 & 149 & 163 & 171 & 335 \\ -333 & -305 & -205 & -7 & 35 & 125 & 135 & 159 & 181 & 215 \\ -331 & -301 & -209 & -9 & 39 & 119 & 131 & 139 & 201 & 221 \\ -329 & -299 & -211 & -11 & 41 & 109 & 129 & 141 & 199 & 231 \\ -327 & -213 & -197 & -113 & 13 & 37 & 127 & 143 & 227 & 303 \\ -325 & -281 & -157 & -87 & 15 & 59 & 101 & 183 & 239 & 253 \\ -323 & -257 & -219 & -51 & 17 & 83 & 121 & 145 & 195 & 289 \\ -265 & -259 & -255 & -71 & 19 & 91 & 93 & 97 & 273 & 277 \\ -283 & -275 & -271 & -21 & 81 & 85 & 89 & 95 & 249 & 251 \\ -267 & -261 & -245 & -77 & 23 & 69 & 99 & 105 & 263 & 291 \\ -293 & -269 & -223 & -65 & 25 & 73 & 103 & 115 & 247 & 287 \\ -315 & -279 & -225 & -31 & 45 & 53 & 123 & 153 & 235 & 241 \\ -321 & -237 & -217 & -75 & 43 & 55 & 57 & 203 & 207 & 285 \\ -309 & -297 & -137 & -107 & 47 & 63 & 79 & 133 & 233 & 295 \\ -317 & -229 & -187 & -117 & 49 & 61 & 67 & 111 & 243 & 319 \end{pmatrix}, \quad D_{17} = \begin{pmatrix} -101 & -45 & -1 & 135 & 167 & 203 \\ -97 & -47 & -3 & 133 & 163 & 201 \\ -93 & -49 & -5 & 131 & 169 & 177 \\ -99 & -43 & -7 & 127 & 165 & 199 \\ -89 & -51 & -9 & 125 & 157 & 193 \\ -79 & -53 & -11 & 129 & 161 & 195 \\ -81 & -55 & -13 & 119 & 159 & 191 \\ -83 & -57 & -15 & 115 & 151 & 181 \\ -95 & -41 & -17 & 123 & 149 & 189 \\ -75 & -61 & -19 & 109 & 153 & 187 \\ -77 & -63 & -21 & 113 & 137 & 173 \\ -69 & -65 & -23 & 111 & 139 & 197 \\ -73 & -67 & -25 & 103 & 141 & 171 \\ -87 & -35 & -27 & 121 & 155 & 185 \\ -71 & -59 & -29 & 105 & 147 & 175 \\ -85 & -39 & -31 & 117 & 143 & 179 \\ -91 & -37 & -33 & 107 & 145 & 183 \end{pmatrix}, \\
A_{19} &= \begin{pmatrix} -227 & -31 & 1 & 3 & 29 & 225 \\ -219 & -75 & -5 & 7 & 91 & 205 \\ -221 & -81 & -9 & 11 & 109 & 191 \\ -189 & -121 & 13 & 15 & 59 & 223 \\ -215 & -83 & -19 & 17 & 99 & 201 \\ -209 & -101 & -21 & 23 & 125 & 183 \\ -203 & -115 & 25 & 27 & 53 & 213 \\ -187 & -135 & 33 & 35 & 37 & 217 \\ -197 & -127 & -39 & 89 & 105 & 169 \\ -193 & -133 & -41 & 87 & 123 & 157 \\ -185 & -177 & 43 & 77 & 95 & 147 \\ -173 & -149 & -45 & 69 & 131 & 167 \\ -175 & -143 & -47 & 57 & 153 & 155 \\ -199 & -165 & 49 & 73 & 113 & 129 \\ -181 & -179 & 51 & 71 & 79 & 159 \\ -207 & -103 & -55 & 85 & 117 & 163 \\ -195 & -119 & -61 & 97 & 137 & 141 \\ -171 & -139 & -63 & 67 & 145 & 161 \\ -211 & -93 & -65 & 107 & 111 & 151 \end{pmatrix}, \quad B_{19} = \begin{pmatrix} -287 & -261 & -59 & -1 & 147 & 151 & 153 & 157 \\ -303 & -241 & -61 & -3 & 137 & 149 & 159 & 163 \\ -277 & -271 & -55 & -5 & 135 & 141 & 165 & 167 \\ -301 & -243 & -57 & -7 & 133 & 143 & 155 & 177 \\ -299 & -237 & -63 & -9 & 101 & 145 & 175 & 187 \\ -275 & -273 & -49 & -11 & 129 & 139 & 169 & 171 \\ -291 & -253 & -51 & -13 & 123 & 131 & 173 & 181 \\ -285 & -255 & -53 & -15 & 111 & 125 & 183 & 189 \\ -297 & -227 & -67 & -17 & 93 & 115 & 195 & 205 \\ -289 & -235 & -65 & -19 & 87 & 117 & 191 & 213 \\ -293 & -203 & -91 & -21 & 69 & 103 & 207 & 229 \\ -251 & -225 & -109 & -23 & 45 & 97 & 219 & 247 \\ -265 & -211 & -107 & -25 & 31 & 121 & 223 & 233 \\ -295 & -201 & -85 & -27 & 99 & 113 & 127 & 269 \\ -283 & -217 & -79 & -29 & 35 & 161 & 197 & 215 \\ -279 & -221 & -75 & -33 & 77 & 95 & 179 & 257 \\ -267 & -199 & -105 & -37 & 43 & 89 & 231 & 245 \\ -249 & -239 & -81 & -39 & 41 & 119 & 185 & 263 \\ -281 & -209 & -71 & -47 & 73 & 83 & 193 & 259 \end{pmatrix}, \\
C_{19} &= \begin{pmatrix} -379 & -207 & -183 & -181 & 1 & 35 & 173 & 197 & 199 & 345 \\ -377 & -225 & -179 & -169 & 3 & 37 & 155 & 201 & 211 & 343 \\ -375 & -195 & -193 & -187 & 5 & 31 & 165 & 185 & 215 & 349 \\ -373 & -213 & -189 & -175 & 7 & 29 & 167 & 191 & 205 & 351 \\ -371 & -255 & -163 & -161 & 9 & 43 & 125 & 217 & 219 & 337 \\ -369 & -347 & -223 & -11 & 33 & 145 & 157 & 171 & 209 & 235 \\ -367 & -241 & -203 & -139 & 13 & 45 & 119 & 177 & 261 & 335 \\ -365 & -331 & -137 & -117 & 15 & 49 & 151 & 229 & 243 & 263 \\ -363 & -325 & -159 & -103 & 17 & 55 & 131 & 221 & 249 & 277 \\ -361 & -267 & -265 & -57 & 19 & 113 & 115 & 149 & 231 & 323 \\ -359 & -289 & -237 & -65 & 21 & 91 & 127 & 143 & 253 & 315 \\ -317 & -311 & -299 & -23 & 95 & 97 & 99 & 101 & 273 & 285 \\ -303 & -283 & -275 & -89 & 25 & 87 & 105 & 109 & 305 & 319 \\ -307 & -287 & -281 & -75 & 27 & 85 & 107 & 121 & 301 & 309 \\ -333 & -327 & -251 & -39 & 79 & 83 & 93 & 129 & 269 & 297 \\ -291 & -279 & -245 & -135 & 41 & 53 & 73 & 133 & 295 & 355 \\ -353 & -293 & -233 & -71 & 47 & 59 & 111 & 153 & 259 & 321 \\ -341 & -313 & -227 & -69 & 51 & 61 & 63 & 247 & 257 & 271 \\ -357 & -329 & -141 & -123 & 67 & 77 & 81 & 147 & 239 & 339 \end{pmatrix}, \quad D_{19} = \begin{pmatrix} -113 & -51 & -1 & 149 & 189 & 217 \\ -111 & -49 & -3 & 151 & 187 & 227 \\ -107 & -53 & -5 & 147 & 179 & 225 \\ -103 & -55 & -7 & 145 & 177 & 219 \\ -97 & -57 & -9 & 143 & 181 & 215 \\ -109 & -47 & -11 & 141 & 183 & 209 \\ -93 & -59 & -13 & 139 & 175 & 213 \\ -91 & -61 & -15 & 129 & 185 & 211 \\ -89 & -63 & -17 & 133 & 171 & 203 \\ -83 & -65 & -19 & 137 & 165 & 207 \\ -85 & -69 & -21 & 127 & 163 & 197 \\ -77 & -73 & -23 & 135 & 153 & 199 \\ -81 & -75 & -25 & 119 & 155 & 205 \\ -87 & -71 & -27 & 115 & 157 & 193 \\ -79 & -67 & -29 & 123 & 161 & 201 \\ -95 & -45 & -31 & 131 & 169 & 195 \\ -105 & -41 & -33 & 121 & 173 & 191 \\ -99 & -39 & -35 & 125 & 167 & 223 \\ -101 & -43 & -37 & 117 & 159 & 221 \end{pmatrix},
 \end{aligned}$$

$$\begin{aligned}
 A_{23} &= \begin{pmatrix} -275 & -31 & -3 & 1 & 35 & 273 \\ -269 & -83 & -7 & 5 & 105 & 249 \\ -271 & -61 & -11 & 9 & 69 & 265 \\ -253 & -121 & 13 & 15 & 91 & 255 \\ -231 & -163 & 17 & 19 & 117 & 241 \\ -263 & -109 & -23 & 21 & 173 & 201 \\ -251 & -139 & 25 & 27 & 93 & 245 \\ -211 & -183 & 29 & 33 & 73 & 259 \\ -247 & -125 & -39 & 37 & 149 & 225 \\ -267 & -95 & -45 & 41 & 157 & 209 \\ -227 & -147 & -51 & 43 & 161 & 221 \\ -223 & -167 & -47 & 89 & 129 & 219 \\ -261 & -97 & -49 & 55 & 115 & 237 \\ -215 & -159 & -63 & 53 & 179 & 205 \\ -203 & -143 & -103 & 57 & 195 & 197 \\ -217 & -169 & -59 & 87 & 151 & 207 \\ -243 & -137 & -65 & 99 & 155 & 191 \\ -213 & -165 & -67 & 71 & 175 & 199 \\ -257 & -181 & 75 & 85 & 107 & 171 \\ -233 & -145 & -77 & 131 & 135 & 189 \\ -239 & -127 & -79 & 81 & 177 & 187 \\ -235 & -123 & -101 & 133 & 141 & 185 \\ -229 & -119 & -111 & 113 & 153 & 193 \end{pmatrix}, \quad B_{23} = \begin{pmatrix} -195 & -193 & -175 & -173 & 1 & 77 & 291 & 367 \\ -191 & -187 & -181 & -177 & 3 & 73 & 295 & 365 \\ -227 & -199 & -169 & -141 & 5 & 79 & 289 & 363 \\ -225 & -223 & -145 & -143 & 7 & 81 & 287 & 361 \\ -253 & -211 & -157 & -115 & 9 & 89 & 279 & 359 \\ -255 & -235 & -133 & -113 & 11 & 97 & 271 & 357 \\ -249 & -239 & -129 & -119 & 13 & 91 & 277 & 355 \\ -217 & -203 & -165 & -151 & 15 & 61 & 307 & 353 \\ -205 & -197 & -171 & -163 & 17 & 55 & 313 & 351 \\ -241 & -189 & -179 & -127 & 19 & 63 & 305 & 349 \\ -265 & -231 & -137 & -103 & 21 & 85 & 283 & 347 \\ -247 & -229 & -139 & -121 & 23 & 69 & 299 & 345 \\ -257 & -213 & -155 & -111 & 25 & 67 & 301 & 343 \\ -315 & -285 & -109 & -27 & 83 & 105 & 273 & 275 \\ -323 & -221 & -149 & -43 & 29 & 135 & 261 & 311 \\ -303 & -269 & -99 & -65 & 31 & 131 & 281 & 293 \\ -337 & -207 & -159 & -33 & 71 & 93 & 263 & 309 \\ -339 & -245 & -117 & -35 & 49 & 147 & 243 & 297 \\ -341 & -251 & -107 & -37 & 95 & 125 & 183 & 333 \\ -233 & -219 & -209 & -75 & 39 & 57 & 319 & 321 \\ -259 & -215 & -161 & -101 & 41 & 51 & 317 & 327 \\ -335 & -201 & -153 & -47 & 45 & 123 & 237 & 331 \\ -329 & -267 & -87 & -53 & 59 & 167 & 185 & 325 \end{pmatrix}, \\
C_{23} &= \begin{pmatrix} -459 & -235 & -231 & -225 & 1 & 43 & 203 & 229 & 257 & 417 \\ -415 & -277 & -239 & -219 & 3 & 45 & 183 & 221 & 241 & 457 \\ -455 & -251 & -247 & -197 & 5 & 41 & 209 & 213 & 263 & 419 \\ -453 & -245 & -237 & -215 & 7 & 39 & 189 & 223 & 271 & 421 \\ -451 & -265 & -233 & -201 & 9 & 37 & 195 & 227 & 259 & 423 \\ -449 & -275 & -269 & -157 & 11 & 53 & 185 & 191 & 303 & 407 \\ -413 & -313 & -217 & -207 & 13 & 47 & 147 & 243 & 253 & 447 \\ -445 & -411 & -279 & -15 & 49 & 167 & 177 & 181 & 283 & 293 \\ -443 & -325 & -211 & -171 & 17 & 57 & 135 & 249 & 289 & 403 \\ -441 & -329 & -193 & -187 & 19 & 55 & 131 & 267 & 273 & 405 \\ -439 & -397 & -159 & -155 & 21 & 63 & 153 & 301 & 305 & 307 \\ -437 & -331 & -309 & -73 & 23 & 129 & 151 & 165 & 295 & 387 \\ -435 & -399 & -291 & -25 & 61 & 127 & 169 & 173 & 287 & 333 \\ -433 & -337 & -311 & -69 & 27 & 123 & 149 & 175 & 285 & 391 \\ -431 & -335 & -317 & -67 & 29 & 125 & 143 & 179 & 281 & 393 \\ -359 & -343 & -339 & -109 & 31 & 113 & 115 & 133 & 373 & 385 \\ -351 & -347 & -341 & -111 & 33 & 103 & 117 & 137 & 371 & 389 \\ -377 & -353 & -319 & -101 & 35 & 107 & 119 & 141 & 365 & 383 \\ -409 & -355 & -299 & -87 & 51 & 91 & 121 & 161 & 357 & 369 \\ -395 & -367 & -323 & -65 & 59 & 81 & 89 & 261 & 297 & 363 \\ -379 & -345 & -327 & -99 & 71 & 79 & 105 & 145 & 349 & 401 \\ -375 & -315 & -255 & -205 & 75 & 77 & 93 & 95 & 381 & 429 \\ -427 & -361 & -199 & -163 & 83 & 85 & 97 & 139 & 321 & 425 \end{pmatrix}, \quad D_{23} = \begin{pmatrix} -133 & -63 & -1 & 183 & 229 & 269 \\ -135 & -61 & -3 & 181 & 227 & 259 \\ -129 & -65 & -5 & 177 & 223 & 263 \\ -123 & -67 & -7 & 179 & 217 & 273 \\ -137 & -59 & -9 & 175 & 211 & 261 \\ -117 & -69 & -11 & 173 & 221 & 257 \\ -113 & -71 & -13 & 171 & 225 & 245 \\ -109 & -73 & -15 & 167 & 219 & 275 \\ -115 & -75 & -17 & 157 & 207 & 271 \\ -125 & -57 & -19 & 169 & 213 & 265 \\ -131 & -53 & -21 & 163 & 215 & 267 \\ -105 & -77 & -23 & 165 & 203 & 233 \\ -107 & -79 & -25 & 151 & 201 & 249 \\ -99 & -83 & -27 & 161 & 187 & 251 \\ -103 & -81 & -29 & 155 & 191 & 237 \\ -101 & -91 & -31 & 141 & 189 & 235 \\ -93 & -89 & -33 & 143 & 199 & 241 \\ -97 & -85 & -35 & 145 & 195 & 231 \\ -95 & -87 & -37 & 139 & 193 & 243 \\ -127 & -47 & -39 & 153 & 205 & 239 \\ -111 & -55 & -41 & 149 & 209 & 255 \\ -121 & -51 & -43 & 147 & 197 & 253 \\ -119 & -49 & -45 & 159 & 185 & 247 \end{pmatrix},
 \end{aligned}$$

$$\begin{aligned}
 A_{29} = & \begin{pmatrix} -331 & -91 & 1 & 3 & 73 & 345 \\ -337 & -93 & -5 & 7 & 95 & 333 \\ -347 & -79 & -11 & 9 & 105 & 323 \\ -289 & -181 & 13 & 15 & 103 & 339 \\ -335 & -99 & 17 & 19 & 57 & 341 \\ -329 & -131 & -21 & 23 & 155 & 303 \\ -271 & -223 & 25 & 27 & 121 & 321 \\ -277 & -201 & 29 & 31 & 75 & 343 \\ -319 & -159 & 33 & 35 & 85 & 325 \\ -305 & -193 & 37 & 39 & 111 & 311 \\ -313 & -163 & -41 & 43 & 207 & 267 \\ -265 & -257 & 45 & 47 & 147 & 283 \\ -287 & -231 & 49 & 51 & 125 & 293 \\ -317 & -143 & -55 & 53 & 165 & 297 \\ -273 & -249 & 59 & 61 & 107 & 295 \\ -299 & -173 & -63 & 65 & 189 & 281 \\ -279 & -263 & 67 & 69 & 161 & 245 \\ -327 & -151 & -71 & 123 & 185 & 241 \\ -291 & -259 & 77 & 97 & 141 & 235 \\ -269 & -225 & -81 & 157 & 191 & 227 \\ -315 & -239 & 83 & 109 & 153 & 209 \\ -307 & -167 & -87 & 117 & 211 & 233 \\ -275 & -187 & -101 & 89 & 213 & 261 \\ -309 & -145 & -113 & 127 & 219 & 221 \\ -285 & -149 & -139 & 115 & 203 & 255 \\ -301 & -137 & -129 & 119 & 195 & 253 \\ -247 & -205 & -135 & 133 & 217 & 237 \\ -251 & -177 & -169 & 183 & 199 & 215 \\ -243 & -179 & -175 & 171 & 197 & 229 \end{pmatrix}, \quad B_{29} = \begin{pmatrix} -245 & -235 & -229 & -219 & 1 & 97 & 367 & 463 \\ -255 & -237 & -227 & -209 & 3 & 95 & 369 & 461 \\ -257 & -249 & -215 & -207 & 5 & 93 & 371 & 459 \\ -289 & -259 & -205 & -175 & 7 & 101 & 363 & 457 \\ -263 & -239 & -225 & -201 & 9 & 87 & 377 & 455 \\ -243 & -233 & -231 & -221 & 11 & 81 & 383 & 453 \\ -271 & -241 & -223 & -193 & 13 & 83 & 381 & 451 \\ -311 & -285 & -179 & -153 & 15 & 107 & 357 & 449 \\ -293 & -269 & -195 & -171 & 17 & 89 & 375 & 447 \\ -327 & -319 & -145 & -137 & 19 & 133 & 331 & 445 \\ -333 & -281 & -183 & -131 & 21 & 111 & 353 & 443 \\ -279 & -275 & -189 & -185 & 23 & 77 & 387 & 441 \\ -317 & -313 & -151 & -147 & 25 & 109 & 355 & 439 \\ -323 & -305 & -159 & -141 & 27 & 105 & 359 & 437 \\ -265 & -247 & -217 & -199 & 29 & 61 & 403 & 435 \\ -291 & -283 & -181 & -173 & 31 & 73 & 391 & 433 \\ -339 & -287 & -177 & -125 & 33 & 99 & 365 & 431 \\ -297 & -261 & -203 & -167 & 35 & 65 & 399 & 429 \\ -343 & -325 & -139 & -121 & 37 & 119 & 345 & 427 \\ -341 & -329 & -135 & -123 & 39 & 117 & 347 & 425 \\ -303 & -273 & -191 & -161 & 41 & 63 & 401 & 423 \\ -393 & -379 & -113 & -43 & 91 & 197 & 251 & 389 \\ -413 & -307 & -149 & -59 & 45 & 187 & 301 & 395 \\ -349 & -253 & -211 & -115 & 47 & 79 & 385 & 417 \\ -337 & -335 & -129 & -127 & 49 & 103 & 361 & 415 \\ -419 & -277 & -163 & -69 & 51 & 157 & 315 & 405 \\ -409 & -309 & -143 & -67 & 53 & 169 & 299 & 407 \\ -411 & -295 & -165 & -57 & 55 & 155 & 321 & 397 \\ -421 & -351 & -85 & -71 & 75 & 213 & 267 & 373 \end{pmatrix}, \\
C_{29} = & \begin{pmatrix} -579 & -297 & -291 & -283 & 1 & 55 & 253 & 289 & 327 & 525 \\ -577 & -305 & -293 & -275 & 3 & 51 & 269 & 287 & 311 & 529 \\ -575 & -333 & -281 & -261 & 5 & 53 & 247 & 299 & 319 & 527 \\ -523 & -361 & -301 & -265 & 7 & 57 & 219 & 279 & 315 & 573 \\ -519 & -363 & -325 & -243 & 9 & 61 & 217 & 255 & 337 & 571 \\ -569 & -517 & -353 & -11 & 63 & 225 & 227 & 239 & 341 & 555 \\ -567 & -351 & -317 & -215 & 13 & 59 & 229 & 263 & 365 & 521 \\ -565 & -513 & -357 & -15 & 67 & 201 & 223 & 241 & 339 & 379 \\ -563 & -541 & -329 & -17 & 39 & 251 & 257 & 285 & 295 & 323 \\ -503 & -403 & -335 & -209 & 19 & 77 & 177 & 245 & 371 & 561 \\ -559 & -349 & -307 & -235 & 21 & 43 & 231 & 273 & 345 & 537 \\ -557 & -511 & -197 & -185 & 23 & 69 & 271 & 309 & 383 & 395 \\ -493 & -427 & -331 & -199 & 25 & 87 & 153 & 249 & 381 & 555 \\ -501 & -411 & -343 & -195 & 27 & 79 & 169 & 237 & 385 & 553 \\ -551 & -515 & -221 & -163 & 29 & 65 & 267 & 313 & 359 & 417 \\ -549 & -387 & -321 & -193 & 31 & 73 & 165 & 259 & 415 & 507 \\ -547 & -391 & -373 & -139 & 33 & 105 & 189 & 207 & 441 & 475 \\ -531 & -369 & -347 & -203 & 35 & 49 & 211 & 233 & 377 & 545 \\ -543 & -477 & -393 & -37 & 103 & 133 & 187 & 213 & 367 & 447 \\ -539 & -469 & -401 & -41 & 111 & 159 & 161 & 179 & 419 & 421 \\ -461 & -443 & -389 & -157 & 45 & 119 & 137 & 191 & 423 & 535 \\ -483 & -463 & -457 & -47 & 141 & 143 & 145 & 151 & 433 & 437 \\ -481 & -467 & -431 & -71 & 125 & 129 & 147 & 149 & 449 & 451 \\ -465 & -445 & -425 & -115 & 75 & 131 & 135 & 167 & 453 & 489 \\ -459 & -435 & -429 & -127 & 81 & 113 & 123 & 181 & 455 & 497 \\ -495 & -405 & -375 & -175 & 83 & 93 & 121 & 173 & 471 & 509 \\ -499 & -439 & -413 & -99 & 85 & 97 & 107 & 277 & 399 & 485 \\ -479 & -473 & -397 & -101 & 89 & 95 & 171 & 183 & 407 & 505 \\ -533 & -409 & -303 & -205 & 91 & 109 & 117 & 155 & 487 & 491 \end{pmatrix}, \quad D_{29} = \begin{pmatrix} -169 & -79 & -1 & 231 & 289 & 333 \\ -171 & -77 & -3 & 227 & 287 & 341 \\ -161 & -81 & -5 & 229 & 285 & 335 \\ -159 & -83 & -7 & 225 & 281 & 329 \\ -173 & -71 & -9 & 223 & 283 & 339 \\ -157 & -85 & -11 & 213 & 279 & 347 \\ -167 & -75 & -13 & 219 & 271 & 337 \\ -163 & -73 & -15 & 221 & 275 & 345 \\ -145 & -87 & -17 & 217 & 273 & 325 \\ -147 & -89 & -19 & 215 & 261 & 313 \\ -139 & -91 & -21 & 207 & 277 & 323 \\ -137 & -93 & -23 & 205 & 267 & 343 \\ -141 & -95 & -25 & 195 & 269 & 311 \\ -125 & -97 & -27 & 211 & 263 & 327 \\ -129 & -99 & -29 & 209 & 247 & 317 \\ -131 & -101 & -31 & 201 & 249 & 301 \\ -165 & -67 & -33 & 197 & 265 & 319 \\ -135 & -103 & -35 & 177 & 259 & 307 \\ -127 & -115 & -37 & 183 & 239 & 291 \\ -117 & -107 & -39 & 203 & 241 & 295 \\ -119 & -111 & -41 & 187 & 243 & 299 \\ -133 & -105 & -43 & 179 & 237 & 293 \\ -121 & -109 & -45 & 181 & 235 & 315 \\ -123 & -113 & -47 & 175 & 233 & 297 \\ -155 & -63 & -49 & 193 & 257 & 303 \\ -153 & -65 & -51 & 185 & 253 & 331 \\ -149 & -69 & -53 & 189 & 245 & 305 \\ -151 & -59 & -55 & 191 & 255 & 321 \\ -143 & -61 & -57 & 199 & 251 & 309 \end{pmatrix},
 \end{aligned}$$

$$\begin{aligned}
 A_{31} = & \begin{pmatrix} -365 & -97 & -1 & 3 & 111 & 349 \\ -333 & -141 & 5 & 7 & 91 & 371 \\ -367 & -125 & -11 & 9 & 201 & 293 \\ -369 & -89 & -13 & 15 & 109 & 347 \\ -363 & -99 & 17 & 19 & 65 & 361 \\ -359 & -115 & -23 & 21 & 137 & 339 \\ -303 & -215 & 25 & 27 & 113 & 353 \\ -341 & -177 & 29 & 31 & 123 & 335 \\ -343 & -155 & 33 & 35 & 73 & 357 \\ -313 & -209 & 37 & 39 & 95 & 351 \\ -337 & -165 & -41 & 43 & 189 & 311 \\ -329 & -213 & 45 & 47 & 131 & 319 \\ -331 & -211 & 49 & 51 & 121 & 321 \\ -325 & -187 & -53 & 55 & 243 & 267 \\ -323 & -227 & 57 & 59 & 117 & 317 \\ -281 & -277 & 61 & 63 & 119 & 315 \\ -327 & -167 & -75 & 67 & 197 & 305 \\ -285 & -233 & -69 & 77 & 239 & 271 \\ -355 & -135 & -71 & 105 & 149 & 307 \\ -345 & -241 & 79 & 101 & 183 & 223 \\ -283 & -249 & -81 & 175 & 191 & 247 \\ -299 & -287 & 83 & 93 & 153 & 257 \\ -275 & -253 & -85 & 159 & 199 & 255 \\ -297 & -289 & 87 & 103 & 133 & 263 \\ -291 & -179 & -143 & 107 & 245 & 261 \\ -301 & -185 & -129 & 127 & 237 & 251 \\ -269 & -225 & -139 & 195 & 203 & 235 \\ -309 & -161 & -145 & 163 & 173 & 279 \\ -265 & -217 & -147 & 151 & 219 & 259 \\ -295 & -171 & -157 & 169 & 181 & 273 \\ -231 & -207 & -205 & 193 & 221 & 229 \end{pmatrix}, \quad B_{31} = \begin{pmatrix} -281 & -253 & -243 & -215 & 1 & 107 & 389 & 495 \\ -267 & -251 & -245 & -229 & 3 & 101 & 395 & 493 \\ -271 & -263 & -233 & -225 & 5 & 99 & 397 & 491 \\ -335 & -275 & -221 & -161 & 7 & 123 & 373 & 489 \\ -329 & -289 & -207 & -167 & 9 & 119 & 377 & 487 \\ -287 & -265 & -231 & -209 & 11 & 93 & 403 & 485 \\ -305 & -259 & -237 & -191 & 13 & 95 & 401 & 483 \\ -269 & -255 & -241 & -227 & 15 & 83 & 413 & 481 \\ -257 & -249 & -247 & -239 & 17 & 79 & 417 & 479 \\ -347 & -299 & -197 & -149 & 19 & 117 & 379 & 477 \\ -311 & -283 & -213 & -185 & 21 & 89 & 407 & 475 \\ -333 & -325 & -171 & -163 & 23 & 113 & 383 & 473 \\ -323 & -291 & -205 & -173 & 29 & 85 & 411 & 467 \\ -353 & -349 & -147 & -143 & 31 & 131 & 365 & 465 \\ -367 & -293 & -203 & -129 & 35 & 105 & 391 & 461 \\ -317 & -307 & -189 & -179 & 37 & 77 & 419 & 459 \\ -279 & -261 & -235 & -217 & 41 & 53 & 443 & 455 \\ -427 & -385 & -155 & -25 & 127 & 135 & 361 & 369 \\ -421 & -393 & -151 & -27 & 111 & 153 & 357 & 371 \\ -471 & -351 & -137 & -33 & 139 & 145 & 345 & 363 \\ -327 & -313 & -193 & -159 & 39 & 81 & 423 & 449 \\ -457 & -309 & -183 & -43 & 115 & 121 & 341 & 415 \\ -469 & -303 & -175 & -45 & 103 & 157 & 301 & 431 \\ -285 & -273 & -223 & -211 & 47 & 49 & 445 & 451 \\ -315 & -295 & -201 & -181 & 51 & 57 & 437 & 447 \\ -435 & -337 & -165 & -55 & 87 & 141 & 339 & 425 \\ -441 & -343 & -133 & -75 & 59 & 177 & 375 & 381 \\ -463 & -359 & -109 & -61 & 97 & 187 & 321 & 387 \\ -433 & -405 & -91 & -63 & 65 & 277 & 319 & 331 \\ -439 & -355 & -125 & -73 & 67 & 199 & 297 & 429 \\ -453 & -399 & -71 & -69 & 169 & 195 & 219 & 409 \end{pmatrix}, \\
C_{31} = & \begin{pmatrix} -619 & -317 & -311 & -303 & 1 & 57 & 285 & 309 & 335 & 563 \\ -617 & -355 & -291 & -287 & 3 & 59 & 265 & 329 & 333 & 561 \\ -615 & -325 & -315 & -295 & 5 & 53 & 281 & 305 & 339 & 567 \\ -565 & -361 & -331 & -293 & 7 & 55 & 259 & 289 & 327 & 613 \\ -555 & -389 & -343 & -263 & 9 & 65 & 231 & 277 & 357 & 611 \\ -609 & -321 & -319 & -301 & 11 & 51 & 251 & 299 & 369 & 569 \\ -559 & -385 & -349 & -257 & 13 & 61 & 235 & 271 & 363 & 607 \\ -557 & -399 & -341 & -253 & 15 & 63 & 221 & 279 & 367 & 605 \\ -603 & -553 & -377 & -17 & 67 & 207 & 243 & 297 & 323 & 413 \\ -601 & -409 & -347 & -193 & 19 & 85 & 211 & 273 & 427 & 535 \\ -599 & -365 & -337 & -249 & 21 & 47 & 255 & 283 & 371 & 573 \\ -597 & -551 & -379 & -23 & 69 & 215 & 233 & 241 & 387 & 405 \\ -595 & -549 & -381 & -25 & 71 & 203 & 237 & 239 & 383 & 417 \\ -547 & -425 & -359 & -219 & 27 & 73 & 195 & 261 & 401 & 593 \\ -591 & -473 & -391 & -95 & 29 & 147 & 229 & 267 & 353 & 525 \\ -589 & -407 & -375 & -179 & 31 & 83 & 213 & 245 & 441 & 537 \\ -587 & -431 & -345 & -187 & 33 & 81 & 189 & 275 & 433 & 539 \\ -585 & -527 & -247 & -191 & 35 & 93 & 171 & 373 & 429 & 449 \\ -583 & -519 & -411 & -37 & 101 & 183 & 185 & 209 & 435 & 437 \\ -581 & -533 & -397 & -39 & 87 & 161 & 223 & 225 & 395 & 459 \\ -515 & -487 & -351 & -197 & 41 & 105 & 133 & 269 & 423 & 579 \\ -491 & -481 & -403 & -175 & 43 & 129 & 139 & 217 & 445 & 577 \\ -575 & -513 & -313 & -149 & 45 & 107 & 159 & 307 & 461 & 471 \\ -507 & -505 & -489 & -49 & 151 & 153 & 155 & 163 & 451 & 477 \\ -509 & -497 & -469 & -75 & 135 & 143 & 145 & 165 & 479 & 483 \\ -495 & -475 & -455 & -125 & 77 & 137 & 157 & 169 & 499 & 511 \\ -545 & -447 & -439 & -119 & 79 & 113 & 167 & 205 & 457 & 529 \\ -531 & -467 & -463 & -89 & 109 & 121 & 173 & 181 & 443 & 523 \\ -503 & -453 & -393 & -201 & 91 & 99 & 103 & 199 & 517 & 541 \\ -543 & -465 & -415 & -127 & 97 & 115 & 117 & 227 & 493 & 501 \\ -521 & -485 & -421 & -123 & 111 & 131 & 141 & 177 & 419 & 571 \end{pmatrix}, \quad D_{31} = \begin{pmatrix} -183 & -83 & -1 & 247 & 309 & 355 \\ -179 & -85 & -3 & 243 & 307 & 361 \\ -181 & -81 & -5 & 245 & 303 & 367 \\ -185 & -79 & -7 & 237 & 305 & 369 \\ -169 & -87 & -9 & 241 & 301 & 353 \\ -167 & -89 & -11 & 239 & 291 & 363 \\ -165 & -91 & -13 & 229 & 297 & 371 \\ -177 & -77 & -15 & 235 & 299 & 359 \\ -161 & -93 & -17 & 225 & 293 & 349 \\ -153 & -95 & -19 & 233 & 283 & 357 \\ -149 & -97 & -21 & 231 & 281 & 365 \\ -147 & -99 & -23 & 223 & 295 & 331 \\ -175 & -75 & -25 & 227 & 287 & 339 \\ -145 & -101 & -27 & 221 & 285 & 323 \\ -141 & -103 & -29 & 213 & 289 & 337 \\ -151 & -105 & -31 & 199 & 273 & 347 \\ -133 & -107 & -33 & 215 & 275 & 351 \\ -171 & -73 & -35 & 219 & 277 & 341 \\ -135 & -109 & -37 & 207 & 269 & 335 \\ -143 & -111 & -39 & 197 & 263 & 319 \\ -139 & -123 & -41 & 191 & 249 & 317 \\ -131 & -121 & -43 & 189 & 257 & 345 \\ -127 & -119 & -45 & 203 & 251 & 321 \\ -129 & -113 & -47 & 193 & 265 & 333 \\ -137 & -115 & -49 & 187 & 255 & 315 \\ -173 & -67 & -51 & 209 & 261 & 325 \\ -125 & -117 & -53 & 195 & 253 & 313 \\ -155 & -69 & -55 & 205 & 279 & 343 \\ -157 & -71 & -57 & 211 & 259 & 327 \\ -159 & -63 & -59 & 217 & 271 & 311 \\ -163 & -65 & -61 & 201 & 267 & 329 \end{pmatrix}
 \end{aligned}$$

$$A_{37} = \begin{pmatrix} -443 & -43 & 1 & 3 & 41 & 441 \\ -435 & -97 & -5 & 7 & 99 & 431 \\ -429 & -125 & -9 & 11 & 131 & 421 \\ -439 & -93 & -15 & 13 & 109 & 425 \\ -411 & -179 & 17 & 19 & 137 & 417 \\ -437 & -141 & -21 & 23 & 197 & 379 \\ -415 & -159 & 25 & 27 & 89 & 433 \\ -389 & -217 & 29 & 31 & 123 & 423 \\ -419 & -185 & -33 & 35 & 279 & 323 \\ -381 & -229 & 37 & 39 & 107 & 427 \\ -403 & -189 & -47 & 45 & 209 & 385 \\ -407 & -207 & 49 & 51 & 101 & 413 \\ -399 & -203 & -55 & 53 & 249 & 355 \\ -375 & -235 & -59 & 57 & 259 & 353 \\ -373 & -289 & 61 & 63 & 171 & 367 \\ -347 & -319 & 65 & 67 & 165 & 369 \\ -409 & -257 & 69 & 71 & 183 & 343 \\ -341 & -277 & -73 & 75 & 291 & 325 \\ -405 & -237 & 77 & 79 & 95 & 391 \\ -397 & -201 & -81 & 83 & 247 & 349 \\ -333 & -293 & -85 & 117 & 287 & 307 \\ -335 & -301 & -87 & 181 & 225 & 317 \\ -387 & -313 & 91 & 135 & 175 & 299 \\ -395 & -195 & -103 & 153 & 169 & 371 \\ -363 & -191 & -157 & 105 & 245 & 361 \\ -383 & -205 & -111 & 121 & 213 & 365 \\ -345 & -281 & -113 & 215 & 261 & 263 \\ -359 & -251 & -115 & 147 & 273 & 305 \\ -351 & -255 & -119 & 155 & 233 & 337 \\ -377 & -211 & -129 & 127 & 275 & 315 \\ -401 & -177 & -133 & 173 & 199 & 339 \\ -393 & -163 & -161 & 139 & 267 & 311 \\ -329 & -219 & -193 & 143 & 271 & 327 \\ -357 & -223 & -151 & 145 & 265 & 321 \\ -331 & -243 & -167 & 149 & 283 & 309 \\ -303 & -269 & -187 & 221 & 241 & 297 \\ -295 & -239 & -231 & 227 & 253 & 285 \end{pmatrix}, B_{37} = \begin{pmatrix} -319 & -301 & -291 & -273 & 1 & 125 & 467 & 591 \\ -311 & -307 & -285 & -281 & 3 & 121 & 471 & 589 \\ -323 & -305 & -287 & -269 & 5 & 119 & 473 & 587 \\ -329 & -309 & -283 & -263 & 7 & 117 & 475 & 585 \\ -327 & -297 & -295 & -265 & 9 & 113 & 479 & 583 \\ -343 & -321 & -271 & -249 & 11 & 115 & 477 & 581 \\ -375 & -347 & -245 & -217 & 13 & 129 & 463 & 579 \\ -333 & -299 & -293 & -259 & 15 & 105 & 487 & 577 \\ -337 & -303 & -289 & -255 & 17 & 103 & 489 & 575 \\ -325 & -317 & -275 & -267 & 19 & 99 & 493 & 573 \\ -349 & -315 & -277 & -243 & 21 & 101 & 491 & 571 \\ -345 & -313 & -279 & -247 & 23 & 97 & 495 & 569 \\ -379 & -335 & -257 & -213 & 25 & 109 & 483 & 567 \\ -341 & -331 & -261 & -251 & 27 & 93 & 499 & 565 \\ -377 & -353 & -239 & -215 & 29 & 107 & 485 & 563 \\ -389 & -357 & -235 & -203 & 31 & 111 & 481 & 561 \\ -361 & -351 & -241 & -231 & 33 & 95 & 497 & 559 \\ -445 & -339 & -253 & -147 & 35 & 139 & 453 & 557 \\ -423 & -397 & -195 & -169 & 37 & 143 & 449 & 555 \\ -417 & -383 & -209 & -175 & 39 & 127 & 465 & 553 \\ -427 & -399 & -193 & -165 & 41 & 141 & 451 & 551 \\ -501 & -469 & -171 & -43 & 145 & 161 & 431 & 447 \\ -519 & -457 & -163 & -45 & 155 & 159 & 433 & 437 \\ -521 & -443 & -173 & -47 & 137 & 167 & 419 & 461 \\ -415 & -411 & -205 & -153 & 49 & 131 & 455 & 549 \\ -545 & -407 & -181 & -51 & 91 & 223 & 429 & 441 \\ -541 & -371 & -219 & -53 & 135 & 151 & 381 & 517 \\ -539 & -405 & -185 & -55 & 123 & 183 & 373 & 505 \\ -523 & -413 & -191 & -57 & 81 & 229 & 367 & 507 \\ -543 & -425 & -157 & -59 & 133 & 177 & 435 & 439 \\ -513 & -403 & -201 & -67 & 61 & 227 & 387 & 509 \\ -529 & -385 & -187 & -83 & 63 & 237 & 359 & 525 \\ -527 & -395 & -197 & -65 & 71 & 233 & 365 & 515 \\ -535 & -391 & -189 & -69 & 89 & 199 & 393 & 503 \\ -537 & -363 & -211 & -73 & 75 & 221 & 355 & 533 \\ -531 & -369 & -207 & -77 & 85 & 179 & 409 & 511 \\ -547 & -401 & -149 & -87 & 79 & 225 & 421 & 459 \end{pmatrix}$$

$$C_{37} = \begin{pmatrix} -739 & -375 & -371 & -365 & 1 & 67 & 357 & 369 & 383 & 673 \\ -737 & -379 & -373 & -361 & 3 & 65 & 351 & 367 & 389 & 675 \\ -669 & -421 & -417 & -343 & 5 & 71 & 319 & 323 & 397 & 735 \\ -733 & -381 & -377 & -359 & 7 & 69 & 295 & 363 & 445 & 671 \\ -731 & -453 & -335 & -331 & 9 & 73 & 287 & 405 & 409 & 667 \\ -729 & -677 & -433 & -11 & 63 & 307 & 341 & 355 & 385 & 399 \\ -727 & -403 & -387 & -333 & 13 & 57 & 337 & 353 & 407 & 683 \\ -661 & -463 & -429 & -297 & 15 & 79 & 277 & 311 & 443 & 725 \\ -723 & -481 & -345 & -301 & 17 & 77 & 259 & 395 & 439 & 663 \\ -721 & -419 & -393 & -317 & 19 & 55 & 321 & 347 & 423 & 685 \\ -719 & -447 & -391 & -293 & 21 & 85 & 233 & 349 & 507 & 655 \\ -717 & -649 & -461 & -23 & 91 & 265 & 267 & 279 & 473 & 475 \\ -715 & -459 & -449 & -227 & 25 & 97 & 281 & 291 & 513 & 643 \\ -713 & -647 & -261 & -229 & 27 & 93 & 325 & 415 & 479 & 511 \\ -711 & -477 & -427 & -235 & 29 & 89 & 263 & 313 & 505 & 651 \\ -687 & -457 & -401 & -305 & 31 & 53 & 283 & 339 & 435 & 709 \\ -707 & -625 & -329 & -189 & 33 & 115 & 247 & 411 & 493 & 551 \\ -705 & -637 & -299 & -209 & 35 & 103 & 253 & 441 & 487 & 531 \\ -703 & -465 & -451 & -231 & 37 & 83 & 275 & 289 & 509 & 657 \\ -701 & -613 & -497 & -39 & 127 & 169 & 243 & 315 & 425 & 571 \\ -699 & -495 & -469 & -187 & 41 & 123 & 245 & 271 & 553 & 617 \\ -697 & -503 & -413 & -237 & 43 & 87 & 223 & 327 & 517 & 653 \\ -695 & -577 & -533 & -45 & 163 & 179 & 207 & 241 & 499 & 561 \\ -693 & -595 & -515 & -47 & 145 & 175 & 225 & 251 & 489 & 565 \\ -593 & -583 & -455 & -219 & 49 & 147 & 157 & 285 & 521 & 691 \\ -689 & -587 & -523 & -51 & 153 & 195 & 211 & 217 & 529 & 545 \\ -569 & -541 & -491 & -249 & 59 & 151 & 171 & 199 & 589 & 681 \\ -679 & -483 & -431 & -257 & 61 & 125 & 133 & 309 & 607 & 615 \\ -665 & -537 & -467 & -181 & 75 & 109 & 203 & 273 & 559 & 631 \\ -605 & -591 & -573 & -81 & 161 & 173 & 185 & 193 & 557 & 581 \\ -579 & -563 & -543 & -165 & 95 & 159 & 183 & 191 & 603 & 619 \\ -627 & -585 & -539 & -99 & 137 & 155 & 201 & 205 & 555 & 597 \\ -575 & -535 & -501 & -239 & 101 & 105 & 117 & 269 & 599 & 659 \\ -645 & -567 & -527 & -111 & 107 & 141 & 197 & 255 & 549 & 601 \\ -639 & -519 & -471 & -221 & 113 & 135 & 139 & 213 & 621 & 629 \\ -641 & -623 & -437 & -149 & 119 & 129 & 143 & 303 & 547 & 609 \\ -633 & -611 & -485 & -121 & 131 & 167 & 177 & 215 & 525 & 635 \end{pmatrix}, D_{37} = \begin{pmatrix} -221 & -99 & -1 & 293 & 365 & 429 \\ -217 & -97 & -3 & 295 & 369 & 439 \\ -219 & -101 & -5 & 279 & 367 & 433 \\ -211 & -103 & -7 & 287 & 363 & 405 \\ -215 & -95 & -9 & 291 & 359 & 431 \\ -201 & -105 & -11 & 283 & 361 & 443 \\ -197 & -107 & -13 & 285 & 355 & 417 \\ -187 & -109 & -15 & 289 & 357 & 425 \\ -213 & -93 & -17 & 281 & 353 & 421 \\ -191 & -111 & -19 & 277 & 351 & 397 \\ -185 & -113 & -21 & 273 & 347 & 437 \\ -189 & -115 & -23 & 271 & 339 & 391 \\ -177 & -117 & -25 & 269 & 349 & 415 \\ -205 & -91 & -27 & 275 & 345 & 427 \\ -181 & -119 & -29 & 255 & 337 & 435 \\ -171 & -121 & -31 & 259 & 341 & 441 \\ -169 & -123 & -33 & 263 & 343 & 383 \\ -165 & -125 & -35 & 265 & 333 & 389 \\ -209 & -87 & -37 & 267 & 331 & 401 \\ -159 & -127 & -39 & 257 & 335 & 403 \\ -155 & -129 & -41 & 261 & 329 & 395 \\ -163 & -131 & -43 & 245 & 327 & 387 \\ -167 & -133 & -45 & 231 & 319 & 419 \\ -179 & -135 & -47 & 225 & 307 & 379 \\ -157 & -145 & -49 & 229 & 309 & 399 \\ -173 & -137 & -51 & 223 & 305 & 381 \\ -149 & -143 & -53 & 233 & 315 & 393 \\ -151 & -147 & -55 & 235 & 303 & 371 \\ -161 & -141 & -57 & 227 & 299 & 377 \\ -153 & -139 & -59 & 237 & 301 & 373 \\ -195 & -83 & -61 & 253 & 311 & 411 \\ -193 & -81 & -63 & 247 & 325 & 407 \\ -207 & -75 & -65 & 241 & 317 & 413 \\ -199 & -77 & -67 & 249 & 323 & 375 \\ -203 & -79 & -69 & 251 & 297 & 385 \\ -175 & -89 & -71 & 243 & 321 & 409 \\ -183 & -85 & -73 & 239 & 313 & 423 \end{pmatrix}.$$

With the aid of a computer, for $p \in \{7, 11, 13, 17, 19, 23, 29, 31, 37\}$, one can prove that A_p is an odd-normal BRMR($p, 6$), B_p is an odd-normal balanced BRMR($p, 8$), and C_p is an odd-normal BRMR($p, 10$). Let $k = 24p$ and $D_p = (d_{i,j}^{(p)})$ and define a $p \times 6$ matrix $E_p = (e_{i,j}^{(p)})$ by

$$e_{i,j}^{(p)} = \text{sign}(d_{i,5-j}^{(p)}) (k - |d_{i,5-j}^{(p)}|), \quad i \in I_p, j \in I_6,$$

where $\text{sign}(d_{i,5-j}^{(p)}) = |d_{i,5-j}^{(p)}|/d_{i,5-j}^{(p)}$. Let $F_p = (D_p E_p)$. Then one can prove that F_p is an odd-normal BRMR($p, 12$) for $p \in \{7, 11, 13, 17, 19, 23, 29, 31, 37\}$. This completes the proof.

References

1. Chavan, V. C.; Mikkili, S. Hardware implementation of sensor-less matrix shifting reconfiguration method to extract maximum power under various shading conditions. *CPSS Trans. Power Electron. Appl.* **2023**, *8*, 384–396. doi: 10.24295/CPSSPEA.2023.00038
2. Kravchenko, V. F.; Lutsenko, V. I.; Lutsenko, I. V.; Popov, I. V.; Luo, Y.; Mazurenko, A. V. Nonequidistant two-dimensional antenna arrays based on magic squares. *J. Meas. Sci. Instrum.* **2017**, *8*, 244–253. doi: 10.3969/j.issn.1674-8042.2017.03.006
3. Rajesh, P.; Saji, K. S. Total Cross Tied-Inverted Triangle View Configuration for PV System Power Enhancement. *Intell. Autom. Soft Co.* **2022**, *33*, 1531–1545. doi: 10.32604/iasc.2022.023331
4. Etarhouni, M.; Chong, B.; Zhang, L. A novel square algorithm for maximising the output power from a partially shaded photovoltaic array system. *Optik* **2022**, *257*, 168870. doi: 10.1016/j.ijleo.2022.168870

5. Pachauri, R. K.; Thanikanti, S. B.; Bai, J.; Yadav, V. K.; Aljafari, B.; Ghosh, S.; Alhelou, H. H. Ancient Chinese magic square-based PV array reconfiguration methodology to reduce power loss under partial shading conditions. *Energ. Convers. Manage.* **2022**, 253, 115148. doi: 10.1016/j.enconman.2021.115148
6. Kareem, S. M.; Rahma, A. M. S. An innovative method for enhancing advanced encryption standard algorithm based on magic square of order 6. *Bull. Electr. Eng. Inform.* **2023**, 12, 1684–1692. doi: 10.11591/eei.v12i3.4498
7. Hassan, M. U.; Alzayed, A.; Al-Awady, A. A.; Iqbal, N.; Akram, M.; Ikram, A. A Novel RGB Image Obfuscation Technique Using Dynamically Generated All Order-4 Magic Squares. *IEEE Access* **2023**, 11, 106299–106314. doi: 10.1109/ACCESS.2023.3275019
8. Wang, J.; Liu, L. A novel chaos-based image encryption using magic square scrambling and octree diffusing. *Mathematics* **2022**, 9, 457. doi: 10.3390/math10030457
9. Hyodo, Y.; Kitabayashi, T. Magic square and Dirac flavor neutrino mass matrix. *Int. J. Mod. Phys. A* **2020**, 35, 2050183. doi: 10.1142/S0217751X20501833
10. Peng, C. C.; Tsai, C. -J.; Chang, T. Y.; Yeh, J.-Y.; Lee, M. -C. Novel heterogeneous grouping method based on magic square. *Inform. Sci.* **2020**, 517, 340–360. doi: 10.1016/j.ins.2019.12.088
11. Sim, K. A.; Wong, K. B. Magic square and arrangement of consecutive integers that avoids k -term arithmetic progressions. *Mathematics* **2021**, 9, 2259. doi: 10.3390/math9182259
12. Nordgren, R. P. On properties of special magic square matrices. *Linear Algebra Appl.* **2012**, 437, 2009–2025. doi:10.1016/j.laa.2012.05.031
13. Beck, M.; Zaslavsky, T. An Enumerative Geometry for Magic and Magilatin Labellings. *Ann. Comb.* **2006**, 10, 395–413. doi: 10.1007/s00026-006-0296-4
14. Trenkler, M. Super-magic complete k -partite hypergraphs. *Graph. Combinator.* **2001**, 17, 171–175. doi: 10.1007/PL00007236
15. Marr, A. Sparse Semi-Magic Squares and Magic Labelings of Directed Graphs. *Electron. Notes Discret. Math.* **2015**, 48, 3–10. doi: 10.1016/j.endm.2015.05.002
16. Gray, I. D.; MacDougall, J. A. Sparse anti-magic squares and vertex-magic labelings of bipartite graphs. *Discret. Math.* **2006**, 306, 2878–2892. doi: 10.1016/j.disc.2006.04.032
17. Stanley, R. P. Magic Labelings of Graphs, Symmetric Magic Squares, Systems of Parameters, and Cohen-Macaulay Rings. *Duke Math. J.* **1976**, 43, 511–531. doi: 10.1215/s0012-7094-76-04342-8
18. Krishnappa, H. K.; Kothapalli, K.; Venkaiah, V.C. Vertex Magic Total Labelings of Complete Graphs. *AKCE Int. J. Graphs Co.* **2009**, 6, 143–154. doi: 10.1080/09728600.2009.12088881
19. Ahmed, M. M. Polytopes of Magic Labelings of Graphs and the Faces of the Birkhoff Polytope. *Ann. Comb.* **2008**, 12, 241–269. doi: 10.1007/s00026-008-0349-y
20. Trenkler, M. A construction of magic cubes. *Math. Gaz.* **2000**, 84, 36–41. doi: 10.2307/3621472
21. Trenkler, M. Magic p -dimensional cubes. *Acta Arith.* **2001**, 96, 361–364. doi: 10.4064/aa96-4-5
22. Derksen, H.; Eggermont, C.; Van den Essen, A. Multimagic squares. *Am. Math. Mon.* **2007**, 114, 703–713. doi: 10.1080/00029890.2007.11920461
23. Chen, J.; Wu, J.; Wu, D. The existence of irrational most perfect magic squares. *J. Combin. Des.* **2023**, 31, 23–40. doi: 10.1002/jcd.21865
24. Liao, F.; Xie, H. On the Construction of Pandiagonal Magic Cubes. *Mathematics* **2023**, 11, 1185. doi: 10.3390/math11051185
25. Hu, C.; Meng, J.; Pan, F.; Su, M.; Xiong, S. On the Existence of a Normal Trimagic Square of Order $16n$. *J. Math.-UK* **2023**, 2023, 8377200. doi: 10.1155/2023/8377200
26. Li, W.; Pan, F.; Chen, G. Construction of normal bimagic squares of order $2u$. *Acta Math. Appl. Sin.-E.* **2020**, 36, 771–789. doi: 10.1007/s10255-020-0977-5
27. Rani, N.; Mishra, V. Behavior of powers of odd ordered special circulant magic squares. *Intern. J. Math. Educ. Sci. Technol.* **2022**, 53, 1044–1062. doi: 10.1080/0020739X.2021.1890846
28. Dhandapani, P. B.; Leiva, V.; Martin-Barreiro, C. Construction of a repetitive magic square with Ramanujan's number as its product. *Heliyon* **2022**, e12046. doi: 10.1016/j.heliyon.2022.e12046
29. Pan, F.; Li, W.; Chen, G.; Xin, B. A complete solution to the existence of normal bimagic squares of even order. *Discrete Math.* **2021**, 344, 1823–1831. doi: 10.1016/j.disc.2021.112292
30. Zhang, Y.; Chen, K.; Lei, J. Large sets of orthogonal arrays and multimagic squares. *J. Combin. Des.* **2013**, 21, 390–403. doi: 10.1002/jcd.21338

31. Li, W.; Zhang, Y.; Chen, K. A generalization of product construction of multimagic squares. *Adv. Math.(China)* **2017**, *46*, 828–838. doi: 10.11845/sxjz.2016002b
32. Abel, R. J.; Colbourn, C. J.; Dinitz, J. H. Mutually orthogonal Latin squares. In *The CRC Handbook of Combinatorial Designs*; Colbourn, C. J., Dinitz, J. H., Eds.; CRC Press, Boca Raton, FL, 2007; pp. 160–194.
33. Li, W.; Wu, D.; Pan, F. A construction for doubly pandiagonal magic squares. *Discrete Math.* **2013**, *312*, 479–485. doi: 10.1016/j.disc.2011.09.031
34. Zhang, Y.; Lei, J. Multimagic rectangles based on large sets of orthogonal arrays. *Discrete Math.* **2013**, *313*, 1823–1831. doi: 10.1016/j.disc.2013.05.011
35. Chen, K.; Li, W. Existence of normal bimagic squares. *Discrete Math.* **2012**, *312*, 3077–3086. doi: 10.1016/j.disc.2012.07.015

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.