

**Table S1: Logistic regression conditions****Classification table<sup>a,b</sup>**

Observed		Preview		Correct percentage
		No	Yes	
Satisfaction with services provided by ASBCs	No	0	31	.0
	Yes	0	929	100.0
Global percentage				96.8

**Equation variables**

	B	E.S	Wald	ddl	Sig.	Exp(B)
Constant value	3.400	.183	346.813	1	.000	29.968

**Composite tests of model coefficients**

	Chi-square	ddl	Sig.
Pas	42.000	18	,001
Block	42.000	18	,001
Model	42.000	18	,001

**Table S2 : Description des dimensions de qualité des soins dans la perspective du consommateur selon BENINGUISSE**

<b>Dimensions of BENEGUISSE's conceptual model</b>	<b>Description of the dimensions</b>
<b>Geographical accessibility</b>	The degree to which the proximity or remoteness of health services suits users in terms of distance/time to get there
<b>Organizational accessibility</b>	The extent to which the way services are organised is suitable for users in terms of waiting times, cleanliness and comfort of the premises and the attitude of care staff towards courtesy and respect for human dignity.
<b>Interpersonal communication</b>	The carer's ability to understand and explain the patient's health problems and to involve the patient in decisions relating to care
<b>Technical skills</b>	The carer's ability to effectively manage the patient's health problems to their satisfaction
<b>Care continuity</b>	The way in which distinct elements of patient care are linked together over time and between different providers

**Table S3: Results of bivariate analyses with statistically significant associations****Level of education \* Satisfaction with CBHWs services**

	Value	ddl	Asymptotic significance (bilateral)
Pearson chi-square	29.902 <sup>a</sup>	5	.000
Likelihood ratio	11.271	5	.046
N valid observations	960		

**Accessibility in terms of time (waiting time/scheduling of sessions) \* Satisfaction with services offered by CBHWs**

	Value	ddl	Asymptotic significance (bilateral)
Pearson chi-square	13.179 <sup>a</sup>	4	.010
Likelihood ratio	11.334	4	.023
N valid observations	960		

**CBHWs Reception \* Confidence in CBHWs prescriptions**

	Value	ddl	Asymptotic significance (bilateral)
Pearson chi-square	15.069 <sup>a</sup>	3	.002
Likelihood ratio	9.954	3	.019
N valid observations	960		

**Cultural accessibility (speaks the same language/same habits, etc.) \* Confidence in CBHWs prescriptions**

	Value	ddl	Asymptotic significance (bilateral)
Pearson chi-square	38.671 <sup>a</sup>	3	.000
Likelihood ratio	16.137	3	.001
N valid observations	960		

**Vulnerability status \* Confidence in CBHWs requirements**

	Value	ddl	Asymptotic significance (bilateral)
Pearson chi-square	35.276 <sup>a</sup>	4	.000
Likelihood ratio	13.853	4	.008

N valid observations	960	
----------------------	-----	--