

Article

Not peer-reviewed version

Demographic Differences and Spatiotemporal Analysis of Visual Perception in Commercialized Historic Streets Based on Mobile Eye Tracking

Siyu Zheng , [Jiaxin Zhang](#) ^{*} , [Rui Zu](#) , [Yunqin Li](#)

Posted Date: 21 May 2024

doi: 10.20944/preprints202405.1375.v1

Keywords: Historic Streets; Environmental Attractiveness; Visual Perception; Temporal Shifts in Attention; Mobile Eye-Tracking Technology



Preprints.org is a free multidiscipline platform providing preprint service that is dedicated to making early versions of research outputs permanently available and citable. Preprints posted at Preprints.org appear in Web of Science, Crossref, Google Scholar, Scilit, Europe PMC.

Copyright: This is an open access article distributed under the Creative Commons Attribution License which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Article

Demographic Differences and Spatiotemporal Analysis of Visual Perception in Commercialized Historic Streets Based on Mobile Eye Tracking

Siyu Zheng ¹, Jiaxin Zhang ^{2,*}, Rui Zu ² and Yunqin Li ²

¹ Information Engineering College, Nanchang University, No. 999, Xuefu Avenue, Honggutan New District, Nanchang 330031, China

² Architecture and Design College, Nanchang University, No. 999, Xuefu Avenue, Honggutan New District, Nanchang 330031, China

* Correspondence: jiaxin.arch@ncu.edu.cn

Abstract: The commercialization of historic streets constitutes a pivotal aspect of urban cultural heritage, and the comprehension of their visual perception serves as a valuable asset to urban planning and cultural conservation efforts. However, current research concerning the disparities in visual perception among diverse demographics within historic streets, as well as their spatiotemporal dynamics, remains insufficient. This study aims to utilize mobile eye-tracking technology to delve deeply into the visual perception characteristics of diverse demographics within commercialized historic streets, while also analyzing their spatiotemporal dynamics. We explore the disparities in visual perception of historic streets among groups with varying degrees of architectural knowledge and professional literacy. Through meticulous observation using mobile eye-tracking technology, we elucidate the visual perception patterns of different demographic characteristics through statistical analysis and spatiotemporal modeling. The findings reveal significant discrepancies in visual attention and perception among various groups. Participants with a higher understanding of architecture tend to focus more on architectural details and structures within the streetscape compared to those with a lower understanding, who exhibit greater interest in elements such as shops and signage. Moreover, during the process of perceiving the streetscape, participants' eye movements transition from surrounding landscapes and historical edifices upon initial entry to the district, gradually shifting towards the commercial activities and distinctive architecture within the district. This study delves deeply into the visual perception characteristics and spatiotemporal dynamics of commercialized historic streets, providing invaluable insights for urban planning and cultural preservation endeavors. By revealing the impact of different demographic characteristics on the visual perception of historic streets, it offers new insights for urban planning and cultural heritage conservation.

Keywords: historic streets; environmental attractiveness; visual perception; temporal shifts in attention; mobile eye-tracking technology

1. Introduction

Historic Streets, as essential components of urban culture, bear a wealth of historical memories and cultural value [1]. With the passage of time, many Historic Streets have gradually integrated commercial elements, forming unique commercialized historic districts. These districts are not only a part of the daily lives of local residents but also attract numerous tourists. Historic Streets, due to their profound cultural heritage and distinctive character, have become hotspots for urban tourism, promoting the development of the tourism industry and driving local economic growth [2–4]. Additionally, Historic Streets play a crucial role in maintaining the urban cultural context and perpetuating historical memories [5,6]. They serve as a link between the past and the present, providing a vivid manifestation of urban history, allowing history to be tangibly embodied in contemporary society. Over the years, many scholars, both domestically and internationally, have conducted

in-depth research on the perceptions of different demographics regarding commercialized historic districts through methodologies such as surveys, in-depth interviews, and behavioral observations. Eye-tracking technology can objectively record eye movements, providing millisecond-level tracking responses, accurately capturing individuals' rapid cognitive processes and environmental interactions [7,8]. In recent years, it has been widely applied in fields such as aesthetic perception and landscape environment evaluation. In the realm of aesthetic perception, researchers have delved deeply into users' perception processes of urban aesthetics from various perspectives, including but not limited to comparing individuals' eye movement data when observing urban aesthetics across different age groups, genders, cultural backgrounds, and socioeconomic statuses, revealing how these sociodemographic factors influence individuals' visual attention and aesthetic preferences [9]. Researchers have also evaluated the importance of various aesthetic elements in aesthetic perception and proposed concepts such as "information density" to quantitatively describe the visual information content of different elements [10]. Furthermore, through eye-tracking experiments conducted across different seasons and time periods, researchers have analyzed how temporal factors affect individuals' perceptions and evaluations of urban aesthetics [10–12]. In aesthetic perception research, researchers have utilized eye-tracking technology for multidimensional in-depth analyses, providing new perspectives and methodologies for understanding the visual cognitive processes of urban aesthetics, while also offering valuable insights for urban planning and design practices.

For the visual perception and behavioral activities within commercialized historic cultural districts, cognitive experiments and analyses were conducted based on observational research. Various experimental models and evaluation systems were developed, and data were collected through methodologies such as surveys, in-depth interviews, and VR eye-tracking technology. Data were processed and analyzed using methodologies such as deconstructionism [13], system dynamics modeling [14], ridge regression, and lightGBM [15], ultimately yielding a correlation scale elucidating users' visual perception and behavioral activities. In terms of the perception of street aesthetics, researchers have unveiled how different users perceive street aesthetics, identifying both their general preferences and personalized demands [16]. Methods for quantifying street activities were developed, including the utilization of eye-tracking technology to quantify the allocation of visual attention and the assessment of the social and economic benefits of street activities through surveys and in-depth interviews [17]. Strategies based on user perception and behavioral activity data were proposed to promote the long-term conservation and revitalization of historic cultural districts.

However, current research on the perception of commercialized historic districts still lacks sufficient analysis of the microdynamic aspects of pedestrians' visual attention allocation and behavioral decision-making, failing to fully elucidate pedestrians' attention in street spaces and the underlying perceptual mechanisms. Given that human perception of the surrounding environment and recognition of physical environments are predominantly realized through visual processing, this study employed eye-tracking apparatuses for testing experiments. By discerning subjects' ocular movements, the eye-tracker adeptly recognizes and captures subjects' visual foci, correlating their behavioral engagements with specific elements of commercialized historic streets to cogently comprehend the cognitive processes. In recent years, numerous studies have examined the perception of commercialized historic districts from the perspective of tourists. However, past studies often treated tourists as a homogeneous entity, without subdividing or categorizing them, and tourist cohorts exhibit significant variances. Individuals from different professional backgrounds and educational pedigrees harbor different perceptions of streets. This study categorized subjects into three groups based on their familiarity with traditional streets: well-versed, moderately acquainted, and entirely unacquainted, analyzing the perceptual differences of different groups regarding commercialized historic districts. In research on the perception of commercialized historic districts, predecessors primarily focused on changes in subjects' focal points spatially, with limited research on changes in subjects' focal points over time. Building upon previous research, this study introduced the concept of a temporal axis,

focusing on subjects' primary focal points and the shifts of focal points over time, with the aim of providing insights for the commercial transformation of historic districts.

Taking the Nanjing Wanshou Palace Historic Cultural District as an example, subjects from the three defined groups wore head-mounted eye-tracking apparatuses for experimental data collection. The experimental data were analyzed using the VIT model, resulting in descriptions of the ocular movement patterns of different subject groups, disparities in the visual perception of commercialized historic street aesthetics among different subject groups, and the regions of interest and durations of gaze for different subject groups. The purpose of this study was to understand the visual perception of commercialized historic street aesthetics among different demographic groups. Specifically, research questions included: (1) Establishing a research methodology based on eye-tracking technology for the visual perception of commercialized historic districts; (2) Exploring the perception of commercialized historic street aesthetics and the differences in the perception of various constituent elements among different demographic groups; (3) Formulating methods for identifying the primary focal points of different demographic groups and delineating the shifts of focal points over time. The structure of the entire document is organized as follows: The second section provides a comprehensive literature review of the application of eye-tracking technology in the architectural field and research on the perception of commercialized historic districts. The third section explains the principles of head-mounted eye-tracking apparatuses, detailing the design and procedures of the experiments, including subject selection and data processing and analysis. The fourth section describes the experimental results and draws three conclusions regarding the perception of commercialized historic districts. Finally, the fifth section interprets the research findings, articulates the limitations of the study, and suggests future research directions.

2. Related Work

2.1. *The application of eye-tracking technology in the built environment*

The eye-tracking technology, by capturing and recording human ocular activities, offers a unique research tool across various academic domains. Its applications in fields such as medicine, design, education, transportation engineering, and architecture are increasingly expansive, providing novel perspectives for understanding human behavior and cognition [18]. In the realm of medicine, this technology is employed to identify Autism Spectrum Disorder (ASD), utilizing the analysis of eye movement data in afflicted children to furnish new insights for diagnosis and treatment. Within the discipline of design, monitoring subjects' ocular movements across different styles of armchairs aids designers in better comprehending user preferences, thereby guiding design practices [19]. In the field of education, the utilization of head-mounted displays and immersive virtual reality (IVR) environments, coupled with eye-tracking technology, facilitates the optimization of learning experiences [20]. In transportation engineering, eye-tracking technology is widely utilized in studies of driving behavior, revealing the visual cues utilization and awareness levels of drivers during urban driving, high-speed maneuvering, autonomous driving handover requests, and recognition of unfamiliar traffic signs. This knowledge holds significant practical application value for the development of multimodal interactive interfaces tailored to driver characteristics, optimization of driver assistance systems, and enhancement of road traffic safety [21–24].

In the discipline of architecture, the application of eye-tracking technology is becoming increasingly prevalent, offering new perspectives and methodologies for understanding architectural space perception, architectural space interaction, and architectural heritage preservation. Among these, studies on architectural space perception encompass aspects such as urban landscape perception, urban street element perception, and historical area ambience perception. One study utilized VR eye-tracking technology to deeply analyze subjects' visual perception behaviors in the historic cultural district of Zhangzhou, providing a new perspective for understanding how people perceive urban ambience and revealing differences in visual attention behaviors among individuals of varying backgrounds, thereby

scientifically supporting ambience preservation efforts [9]. Another study, by observing pedestrians' visual interactions with urban street edges during routine tasks, provides empirical insights for urban street design, emphasizing the importance of considering the visual allure and social functions of street edges in planning and design [17]. This study not only corroborates findings regarding the importance of visual perception from previous research but also further refines the understanding of how urban street elements influence pedestrian visual attention, thereby furnishing empirical data based on user visual behavior for urban street design.

Building upon this foundation, a study focusing on Nanjing Road pedestrian street quantitatively analyzed pedestrians' attention distribution using head-mounted eye-tracking technology. The introduction of the "information density" metric in this study provides a new quantitative method for assessing the efficiency of environmental elements in attracting attention, complementing the methodological framework for quantitative analysis of visual perception in previous studies [10]. In the field of architectural space interaction, a study employing automated deep learning methods offers a new technical framework for quantitatively exploring the correlation between street architectural environments and street vitality. This study, integrating GIS analysis, semantic segmentation, as well as deep learning-based scene classification and multi-object tracking, provides a new technical means for the quantitative evaluation of street vitality, not only offering new perspectives for understanding urban space but also furnishing powerful tools for urban planning and design [25]. In the domain of architectural heritage preservation, eye-tracking technology is utilized to study people's visual behavioral characteristics regarding architectural heritage. Studies have found correlations between observers' visual behaviors and various geometric features of architectural heritage, such as area, relative area, distance from the center, and perimeter, which hold significant implications for understanding and preserving architectural heritage [26].

2.2. Perception of Commercialized historic streets

Preserving the Historic Streets as vital conduits of urban culture and commercial activity encompasses multifaceted research, including block renewal design, perception and evaluation of the districts, and preservation efforts. In the realm of block renewal design, significant strides have been made, exemplified by a study employing deconstructivist research methods to deeply analyze Suzhou's Pingjiang Road and Shantang Street. This study, augmented by questionnaire surveys and in-depth interviews, aims to better cater to the needs of both tourists and residents, fostering more effective spatial design and utilization [13]. Not only does this method unveil the construction of cultural, leisure, and scenic spaces, but it also proposes an innovative tourist spatial organization model, termed the "Eight Paths" model. Furthermore, researchers have proposed renewal methods applicable to traditional commercial streets in city centers, aiming to provide practical reference and guidance for the transformation of relevant commercial districts [27]. This endeavor supplements the empirical application of the aforementioned deconstructivist study, enhancing its applicative value and operability in the practice of historic street renewal, thus establishing a direct linkage between theory and practice. Additionally, research has explored factors influencing block renewal choices and developed strategies aimed at maximizing the interests of three-party stakeholders by combining evolutionary game theory models and system dynamics models [14]. This study not only provides a new analytical framework for block renewal but also offers strategic guidance for maximizing interests through simulating and predicting changes in stakeholders' behavior. This complements the deconstructivist study [13] and traditional commercial street renewal methods [27], with the former focusing on theoretical innovation and spatial design while the latter on practical operation and implementation. The application of system dynamics and evolutionary game theory provides decision support and dynamic management tools for these theories and methods. In the domain of perception and evaluation, researchers utilized Xiamen's Shapowei Historic District as a case study, employing a multi-mode analysis using Global Positioning System (GPS) and Geographic Information System (GIS). This systematic research examined the impact of architectural environments

on street vitality and evaluated residents' spatial perception, street visual allure, and commercial activity attractiveness through the analysis of pedestrian time and spatial data. The findings aid in identifying and understanding the environmental elements and rules behind highly vital street spaces [28]. Another study employed deep learning and machine learning frameworks to assess the landscape spatial quality of streets in Fuzhou, offering a new perspective for urban landscape improvement [29]. By quantifying the spatial quality of urban streets, this study provides a scientific basis for urban planning and construction, complementing the street vitality evaluation system proposed in previous research and providing technical support for the landscape improvement and spatial optimization of historic streets. In the realm of preservation, researchers combined cartography, linguistics, and fractal geometry to evaluate the characteristics of Liverpool Street and Kingsway Street in Ghana's Cape Coast and subsequently proposed preservation measures for these two streets [30,31].

For the study of spatial perception in commercialized historic streets, reliance on traditional methods such as questionnaire surveys, interviews, and behavioral observations often lacks a profound understanding of pedestrians' visual attention allocation and decision-making processes at the micro level. To address this research gap, this paper proposes an innovative solution by applying eye-tracking technology to the field of spatial perception in commercialized historic streets. Compared to traditional methods, eye-tracking technology provides real-time and dynamic data, enabling a more accurate understanding of subjects' spatial perception and revealing the inherent mechanisms of district ambience perception. Through this advanced technology, researchers can precisely capture subjects' visual focal points, evaluate their cognition and reactions to district ambience elements, thereby understanding the visual perception of commercialized historic streets by different groups, and providing more detailed and profound guidance for the design of commercialized historic streets.

3. Method

3.1. Overview

The present study employed on-site eye-tracking experiments utilizing the Tobii Glasses 2 eye tracker. Participants wore the eye-tracking device and freely navigated within the real-life experimental scope of the commercialized historic streets. The experiment, conducted over a period of time, aimed to authentically replicate pedestrians' daily visual cognitive states within the commercialized historic streets, comprehensively understanding the visual cognitive process in both spatial and temporal dimensions. While capturing participants' eye movements at different spatial locations, the experiment also recorded their attention allocation and visual attention pathways at different time points.

The overall experimental methodology, as illustrated in Figure 1, primarily consisted of four steps. (1) Site Selection: The experiment selected the Nanjing Wanshou Palace Historic and Cultural District, characterized by its typicality and representativeness, as the experimental site. This area successfully integrates traditional elements with modern commercial models, forming an attractive commercialized historic street. (2) Data Collection: Participants were divided into three groups based on their familiarity with the commercialized historic streets. Each group wore the Tobii Glasses 2 head-mounted eye tracker and freely roamed the streets, with eye movement data collected using infrared light reflection technology. (3) Data Analysis: Employing the eye-tracking interest area analysis method, the eye movement data were semantically segmented using the ViT model to calculate the cumulative gaze duration and proportion within the areas of interest. Through time series and spatial location analysis, time windows were delineated to study gaze paths, thereby revealing participants' visual attention patterns and preferences. (4) Results Analysis: This study delineated the eye movement patterns of different participant groups, identified differences in visual perception of the commercialized historic street ambience among these groups, and analyzed the identification and duration of gaze on key areas of interest.




Figure 1. The overall framework of the study on the perception of commercialized historic streets: It elucidates the process of data collection using eye-tracking technology, followed by data analysis employing methods such as interest point identification and semantic segmentation.

3.2. Experimental Design and Procedure

3.2.1. Selection of Sites and Participants

The present study selected the Wanshou Palace Historic and Cultural District in Nanchang City, Jiangxi Province, as the research setting, as depicted in the location map shown in Figure 2. As one of Nanchang City’s historical and cultural landmarks, the Wanshou Palace Historic and Cultural District holds significant status and represents the city’s rich heritage. Situated in the heart of Nanchang City, this district boasts a long history and profound cultural heritage, serving as one of the city’s important historical sites and cultural attractions. The Wanshou Palace Historic and Cultural District not only preserves a wealth of historical architecture and cultural heritage but also integrates modern commercial elements, attracting a large number of tourists and residents for sightseeing and consumption. It stands as a successful example of a commercialized historic street. Its typicality and

representativeness effectively showcase the characteristics of commercialized historic streets and the visual cognitive process of pedestrians.




Figure 2. The map of the reserch area.(a) The location of Jiangxi Province in China;(b) The location of Nanchang City within Jiangxi Province;(c) The position of the study site in Nanchang City;(d) The research site: Wanshou Palace Historical and Cultural Block.

The main task route distribution is illustrated in Figure 3, showcasing a rich blend of ancient architecture and commercial elements such as shops and signage, effectively reflecting the situation of the commercialized historic street. Moreover, it traverses through the commercialized historic district, providing a comprehensive insight into the visual perception changes of visitors upon entering the commercialized historic area, based on the timeline of eye-tracking data. Through the analysis of eye-tracking data along the timeline, it reveals pedestrians' varying levels of attention to the environment during different time periods, their interest levels in specific landscape elements, and the timeline of their behavioral decisions, thus offering a more comprehensive understanding of pedestrians' visual cognitive processes in the commercialized historic district.




Figure 3. Illustration of the selected experimental route segment

Three groups of participants were selected for this study, each comprising three individuals. One group had a background in architecture-related fields, possessing certain architectural knowledge and professional literacy, enabling them to understand and analyze the characteristics of commercialized historic streets from a professional perspective. The other two groups consisted of individuals with partial architectural knowledge and no architectural background, representing the general public and providing an objective reflection of the visual cognition and experience of the commercialized historic streets among the general population. This design ensured that the research results were more comprehensive and representative, delving into the visual cognitive characteristics of commercialized historic streets from different perspectives.

3.2.2. Experimental Procedure

Participants are first required to complete a basic information questionnaire, which includes questions about their understanding of architecture and their familiarity with the Wan Shou Palace Historic Cultural District. After familiarizing themselves with the overall environment and basic routes of the Wan Shou Palace Historic Cultural District, participants wear and calibrate the eye tracker. Subsequently, participants follow the assigned route map to conduct on-site inspections, during which they are free to walk and observe while the eye tracker records eye movement data. After the experiment, participants fill out a questionnaire regarding their experience and feedback, facilitating further analysis of the experimental results, conclusion drawing, and improvement suggestions. The entire experimental process lasts approximately 5 minutes to ensure that participants have sufficient time to observe and experience the on-site environment.

Table 1. Table of Information Density

Eye tracking technology specifications	
Eye tracking	Corneal reflex, binocular stereo dark pupil tracking
Binocular tracking	Yes
Sampling frequency	50 Hz or 100 Hz
Calibration method	System guided,one point calibration
Parallel inspection calibration tool	Automatic
Slip compensation	Automatic,3D eyeball model
Pupillary measurement	Support,absolute measurement
Head mounted module	
Number of eye tracking cameras	4 eye tracking cameras 16 infrared light sources
Sensors	Gyroscope accelerometer magnetometer
Scene camera video format and resolution	H.264 1920 x1080 @25 fps
Scene camera perspective	Ultra wide angle 106° (16:9)
Scene camera recording angle/perspective	95° horizontal,63 vertical
Frame size	153 x168 x51 mm

3.3. Data Collection and Analysis Techniques

3.3.1. Collection of Visual Perception Data

The visual perception data was collected using the Tobii Glasses 2 eye tracker, as illustrated in Figure 4. The detailed specifications of the Tobii Glasses 2 eye tracker are provided in Table 1.




Figure 4. Schematic diagram of the mobile eye tracker

As depicted in Figure 5, the eye tracker utilizes infrared light reflection technology to collect eye movement data.




Figure 5. The range of ocular activity and the principle of operation of the eye tracker

Specifically, the eye tracker is equipped with an infrared light source that emits infrared beams directed towards the subject's eye surface. Subsequently, the internal camera of the eye tracker captures the infrared light reflected from the surface of the eye. By processing the captured reflection light, the eye tracker can calculate the position and trajectory of the eye within the camera's field of view. These collected eye position data are then recorded for subsequent analysis and research. The process is outlined as follows: Firstly, the eye tracker emits infrared light directed towards the subject's eye surface. Secondly, the infrared light reflected from the eye surface is captured by the internal camera of the eye tracker. Next, by processing the captured reflection light, the eye tracker calculates the position and trajectory of the eye within the camera's field of view. These data points are recorded at regular intervals, forming a series of eye position data. The formula for this process is as follows:

$$P_{i,j} = f(l_{i,j}) \quad (1)$$

Here, $P_{i,j}$ represents the eye position data recorded at time i and position j , while $l_{i,j}$ denotes the intensity and direction of the captured eye reflection light. The conversion function f is employed to transform the captured reflection light data into eye position data.

By correlating eye-tracking data with the images viewed by the participants, we can obtain insights into their eye movements over a period of time. This matching process reveals the visual points of interest and gaze paths of the participants when observing a particular scene or object, thereby providing crucial reference data for understanding the process of visual perception and cognition.

3.3.2. Data Processing

In this study, we employed a method that combines eye-tracking data with both temporal and spatial dimensions to delve deeper into the visual cognition process of participants in the commercialized historical street area. For the analysis of pure eye-tracking data, we utilized the eye-tracking area of interest analysis method [32], defining specific areas or elements of interest as eye-tracking areas and calculating the cumulative gaze duration and proportion within these areas. However, due to the large volume of eye-tracking data collected, manual frame-by-frame analysis is time-consuming and labor-intensive. Therefore, our study employed a method that combines automatic semantic segmentation to assist in data processing. For the acquired eye-tracking data, images and gaze coordinates were extracted every 0.5 seconds as individual time points. Semantic segmentation was then performed on the images, utilizing transfer learning with the ViT model [33]. We trained the model using the ADE20k street scene database [34] to enhance segmentation accuracy for street scene data. After segmentation, a mask matrix of image elements was obtained, as illustrated in Figure 6. By matching gaze coordinates with the mask matrix, we statistically analyzed the elements of interest at each time point and their proportion within the field of view.




Figure 6. Semantic segmentation of environmental elements

Building upon the processing of data at individual time points, this study conducted a cohesive analysis of participants’ gaze patterns over time and space throughout the entire experimental process. For the time series analysis, the study divided the entire experimental process into multiple time windows and assessed participants’ gaze patterns within each window. By comparing gaze distributions across different time windows, the aim was to reveal participants’ visual attention preferences and attentional allocation at different stages of the experiment. Regarding spatial location analysis, the study analyzed participants’ gaze preferences and attentional allocation at different locations based on their spatial positions at various time points.

4. Result

4.1. Description of Eye Movement Patterns Across Different Participant Groups

As depicted in Figure 7, different groups of participants exhibit distinct gaze patterns. Among participants familiar with traditional districts, their gaze duration prioritizes architectural elements, followed by commercial, road-related, landscape, and other elements. These participants tend to perceive the overall spatial and architectural forms first, seeking characteristic elements from spatial compositions and aesthetic forms. The gaze duration on architectural elements accounts for 68.6%, with overall architecture at 63.11% and architectural details at 5.49%. Based on participants’ verbal feedback during the tests, their attention to architectural details ranks as follows: eaves, doors and windows, pillars, and archways. Over 50% of participants showed prolonged attention to specific architectural elements, indicating heightened interest in the area.




Figure 7. Pie chart depicting the distribution of gaze among different groups: (a) Participants with relatively profound understanding of traditional streets; (b) Participants with moderate understanding of traditional streets; (c) Participants with no prior understanding of traditional streets.

For participants with general knowledge of traditional districts, architectural elements have the highest gaze duration proportion at 66.1%, while landscape elements have the lowest at 1.72%. Their gaze scan rate is higher, covering a wider spatial span with shorter average dwell times. This is because they have some understanding of the district, reducing their unfamiliarity with commercial and road-related elements. Familiar commercial activities and road facilities do not capture significant interest during their walk through the district. Landscape elements, due to their limited relevance to participants’ activities, maintain a lower level of attention.

Participants with no prior knowledge of traditional districts exhibit gaze durations prioritizing architectural, commercial, road-related, landscape, and other elements. Their gaze tends to focus on smaller objects below the eye level. Although architectural elements still dominate in gaze duration proportion at 59.23%, participants in this group did not show significant interest in these elements during the experiment, possibly due to the extensive visual presence of architectural elements in the district. Commercial elements have a gaze duration proportion of 25.72%, indicating strong interest in various commercial activities. These participants often pause in front of commercial stalls during their walk, reflecting their curiosity about commercial activities.

4.2. Analysis of Visual Attention Discrepancies Towards Commercialized Historic Streets

At the level of overall elements, the tested individuals demonstrate varying degrees of attention to the elements of the streets, namely: architectural elements, commercial elements, roadway elements, landscape elements, and other elements. Due to the differing characteristics of the segmented population, there are certain differences in the specific levels of attention to various elements among the three groups.

Regarding architectural elements, individuals with a higher level of understanding tend to exhibit greater attention to these elements, likely due to their deeper appreciation and interest in the historical and cultural value of architecture. Compared to the other two groups, those who are more familiar with traditional streets demonstrate a greater interest in the finer details of architectural construction. In terms of commercial elements, all three groups exhibit a relatively high level of attention, with percentages of 17.99%, 16.67%, and 25.72%, respectively. This is because commercial activities on the streets are closely linked to the actions of different groups of people, thereby influencing pedestrian activities. Among them, the group that is completely unfamiliar with the area demonstrates the highest level of attention to commercial elements, possibly because the other two groups have a better understanding of the commercial activities in historic streets, whereas this group has less knowledge about the scene, leading to a stronger sense of novelty and thus greater interest. Regarding roadway elements, there are significant differences in attention levels due to varying degrees of familiarity with the environment. The attention rates for individuals familiar with traditional streets, those with a

general understanding, and those completely unfamiliar are 4.27%, 8.33%, and 7.57%, respectively. This is because the entire area is more unfamiliar to individuals with lower levels of familiarity, making them more interested in exploring the unfamiliar environment during their walks. In terms of landscape elements, since they have less relevance to the activities of the tested individuals, the attention levels remain relatively low.

4.3. Key Areas of Interest and Duration of Fixations

Considering that the duration of environmental elements being fixated largely depends on their visual area [35], to objectively reflect the level of attention attracted by each element, this study introduces the concept of "information density" [?]. Information density is defined as the ratio of fixation percentage to pixel exposure percentage, with the specific formula as follows:

$$attention\ percentage = \frac{D_i}{\sum_{n=1}^j D_i}$$
 (2)

$$pixel\ percentage == \frac{A_i}{\sum_{n=1}^j A_i}$$
 (3)

$$information\ density = \frac{attention\ percentage}{pixel\ percentage}$$
 (4)

Certainly, D_i represents the cumulative fixation time for the i th element, $\sum_{n=1}^j D_i$ represents the total cumulative fixation time for all n elements in the frame, A_i represents the objective visual area of the i th element, and $\sum_{n=1}^j A_i$ represents the total objective visual area for all n elements in the frame. This metric serves to quantify the attractiveness of a particular element in the visual environment. Table 2 illustrates these environmental elements along with their corresponding fixation percentages, exposure percentages, and information densities.

Table 2. Table of Information Density

	Environmental elements	Attention percentage	Exposure percentage	Information density
Low information density (0, 1]	Crowds	1.52%	7.17%	0.15
	Sky	0.91%	5.12%	0.18
	Tree	0.61%	4.63%	0.23
	Door	0.91%	4.83%	0.24
	Architectural detailing	5.49%	15.35%	0.36
	Road	4.27%	9.84%	0.37
High information density (1, ∞)	Store	11.28%	11.54%	1.15
	Signboards	6.71%	4.11%	1.63
	Architecture	63.11%	37.41%	1.69

As subjects move along the street, their gaze targets also shift, as shown in Figure 8. During the subjects’ movement from one end of the street to the other, their gaze points exhibit a clear trend of shifting between different areas of interest over time.

Upon entering the street, subjects’ gaze primarily focuses on the surrounding scenery and historical buildings to form an initial impression of the environment. They may notice historical buildings, cultural heritage, or other significant landmark buildings on both sides of the street, attempting to understand the history and cultural heritage of the area. At this stage, their attention may be relatively broad, not yet focused on specific commercial activities or details. As they continue

walking, subjects gradually immerse themselves in the street environment, beginning to observe the surrounding commercial activities and distinctive buildings more closely. They may start fixating on details such as shop signs, window displays, as well as pedestrian and vehicular traffic on the street to gather more information and enrich their understanding of the area. This progressive refinement of gaze behavior reflects individuals’ deeper exploration of the street environment and their more detailed cognition of the surrounding scenery.




Figure 8. The timeline depicting the fixation of elements, with the horizontal axis representing time in seconds and the vertical axis divided into three categories: (a) Individuals possessing a deep comprehension of traditional streets; (b) Individuals with a moderate grasp of traditional streets; (c) Individuals lacking prior familiarity with traditional streets. Two representative subjects are selected for each category.

Throughout this process, individuals’ attention may be influenced by environmental features and shift accordingly, as illustrated in Figure 9. For instance, as they enter bustling commercial areas, they may pay more attention to shop signs and product displays. Conversely, when they stroll into quieter historic districts, they may become more focused on the history and cultural significance of the buildings. Moreover, as subjects pass by specific landmarks or striking buildings, we observe brief pauses and repeated revisits of their gaze points. This pattern reflects the role of these landmarks in guiding visual attention and memory. In the middle section of the street, gaze duration more frequently shifts between shops and historical buildings, indicating the influence of commercial activities on visual attraction. As subjects approach the other end of the street, their gaze tends to concentrate more on individuals, as this area tends to have more functional zones and social interaction points. Overall, we find that the shift in gaze targets is closely related to the subjects’ specific positions on the street. Their gaze behavior not only reflects their perception of the environment but also is influenced and guided by the surrounding context. The distribution and duration of these gazes reveal the visual significance of different areas and locations within the street environment.




Figure 9. Overlaying a thermal map onto the experimental street section's streetscape

5. Conclusions

This study conducted a thorough analysis of the visual behaviors of different participant groups in commercialized historic streets and provided unique insights into the streetscape and the attention levels towards various elements. Through descriptions of eye movement patterns and identification of key areas of interest, we revealed the impact of individual knowledge backgrounds and interests on visual attention, offering practical recommendations for urban planning and the commercial development of historical areas.

Firstly, we found significant differences in eye movement patterns among different participant groups. Participants with a better understanding of traditional districts tended to focus on architectural elements, showing greater interest in architectural details and structures, while those completely unfamiliar were more drawn to commercial activities, displaying a strong interest in commercial elements. This divergence can be attributed to individual levels of knowledge and interests influencing the selection and distribution of visual attention. Those with a better understanding of traditional districts likely possess some knowledge of the area's history, culture, and architecture, hence, they are more inclined to appreciate and focus on architectural elements, including the history, style, and detailed structures of buildings. Conversely, for those completely unfamiliar with the district, lacking knowledge of traditional districts, they are more easily attracted to novel commercial activities, thus, they are more likely to focus on commercial elements, such as shops, signs, and pedestrian traffic. This underscores the significant role of individual cognitive backgrounds and interest preferences in shaping visual attention selection and distribution.

Secondly, in analyzing the visual attention differences towards commercialized historic streetscapes, we observed variances in the gaze duration towards various elements among different participant groups. Participants with higher levels of understanding tended to have a higher gaze duration towards architectural elements, while the gaze duration towards commercial elements was most prominent in groups completely unfamiliar with the district. This suggests the need to consider the interests and preferences of different groups when planning and developing commercialized historic streets to enhance their attractiveness and commercial vitality.

Lastly, through the identification of key areas of interest and analysis of fixation durations, we found that participants' gaze behaviors were closely related to their positions on the street and environmental characteristics. As participants progressed along the street, their gaze gradually shifted,

reflecting individuals' exploration and cognitive processes of the street environment, which is a dynamic psychological activity influenced by surrounding environments and changes over time and space. This provides important insights for designing more appealing commercialized historic streets.

In conclusion, the findings of this study are of significant importance for understanding the visual appeal of commercialized historic streets and their relationship with individual knowledge backgrounds and interests. Future research should further explore the impact of different factors on visual behaviors and propose more specific planning recommendations to promote the sustainable development and commercial vitality of urban historical districts. However, this study also has some limitations, including the limited consideration of weather conditions and the diversity of participant types (such as tourists). Future research should explore visual attention patterns under different climatic conditions and potential differences in visual behaviors between tourists and local residents. For instance, weather changes may affect people's walking speed and gaze choices, while tourists may be more inclined to focus on areas related to culture and history. By expanding the research population and environmental variables, we can more comprehensively understand the visual appeal of commercialized historic streets and provide scientific guidance for creating districts that respect history while encouraging contemporary social and commercial activities.

Author Contributions: Conceptualization, S.-Y.Z. and J.-X.Z.; methodology, R.Z.; software, S.-Y.Z.; validation, R.Z., J.-X.Z. and Y.-Q.L.; formal analysis, J.-X.Z.; investigation, R.Z.; resources, J.-X.Z.; data curation, S.-Y.Z.; writing—original draft preparation, S.-Y.Z. and R.Z.; writing—review and editing, J.-X.Z.; visualization, S.-Y.Z.; supervision, Y.-Q.L.; project administration, J.-X.Z.; funding acquisition, J.-X.Z. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Informed Consent Statement: Informed consent was obtained from all subjects involved in the study.

Data Availability Statement: All data generated or analyzed during this study are included in this article.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Liu, J.; Yang, L.; Xiong, Y.; Yang, Y. Effects of Soundscape Perception on Visiting Experience in a Renovated Historical Block. *Build. Environ.* 2019, 165, 106375
2. Chahardowli, M.; Sajadzadeh, H. A Strategic Development Model for Regeneration of Urban Historical Cores: A Case Study of the Historical Fabric of Hamedan City. *Land Use Policy* 2022, 114, 105993
3. Birer, E.; Çalışır Adem, P. Role of Public Space Design on the Perception of Historical Environment: A Pilot Study in Amasya. *Front. Archit. Res.* 2022, 11
4. Fu, H.; Wang, P.; Zhou, J.; Zhang, S.; Li, Y. Investigating Influence of Visual Elements of Arcade Buildings and Streetscapes on Place Identity Using Eye-Tracking and Semantic Differential Methods. *Buildings* 2023, 13, 1580
5. Özdemir, İ.M.; Tavşan, C.; Özgen, S.; Sağsöz, A.; Kars, F.B. The Elements of Forming Traditional Turkish Cities: Examination of Houses and Streets in Historical City of Erzurum. *Build. Environ.* 2008, 43, 963–982
6. Cucchiella, F.; De Berardinis, P.; Lenny Koh, S.C.; Rotilio, M. Planning Restoration of a Historical Landscape: A Case Study for Integrating a Sustainable Street Lighting System with Conservation of Historical Values. *J. Clean. Prod.* 2017, 165
7. Lisińska-Kuśnierz, M.; Krupa, M. Suitability of Eye Tracking in Assessing the Visual Perception of Architecture—A Case Study Concerning Selected Projects Located in Cologne. *Buildings* 2020, 10, 20
8. Fei, T.; Liu, Y.; Guo, J. Visual Integration Relationship between Buildings and the Natural Environment Based on Eye Movement. *Buildings* 2022, 12, 930
9. Zhang, L.-M.; Zhang, R.-X.; Jeng, T.-S.; Zeng, Z.-Y. Cityscape Protection Using VR and Eye Tracking Technology. *J. Vis. Commun. Image Represent.* 2019, 64
10. Yiyan, C.; Zheng, C.; Ming, D. Designing Attention—Research on Landscape Experience Through Eye Tracking in Nanjing Road Pedestrian Mall (Street) in Shanghai. *Landsc. Archit. Front.* 2022, 10, 52

11. Wang, Z.; Ito, K.; Biljecki, F. Assessing the Equity and Evolution of Urban Visual Perceptual Quality with Time Series Street View Imagery. *Cities* 2024, 145, 104704
12. Kamali, M. The Interaction of History and Modern Thought in the Creation of Iran's Architecture by Investigating the Approaches of Past-Oriented Architecture. *Front. Archit. Res.* 2024, S2095263524000177
13. Wang, D.; Niu, Y.; Lu, L.; Qian, J. Tourism Spatial Organization of Historical Streets – A Postmodern Perspective: The Examples of Pingjiang Road and Shantang Street, Suzhou, China. *Tour. Manag.* 2015, 48, 370–385
14. Zhu, X.-X.; Mu, Q.-R.; Liang, W.-Z. An Innovative Strategic Choice for Stakeholders in the Chinese Traditional Commercial Street Renewal Using Evolutionary Game Theory. *J. Innov. Knowl.* 2022, 7, 100225
15. Wu, J.; Lu, Y.; Gao, H.; Wang, M. Cultivating Historical Heritage Area Vitality Using Urban Morphology Approach Based on Big Data and Machine Learning. *Comput. Environ. Urban Syst.* 2022, 91, 101716
16. Zhang, R.-X.; Zhang, L.-M. Panoramic Visual Perception and Identification of Architectural Cityscape Elements in a Virtual-Reality Environment. *Future Gener. Comput. Syst.* 2021, 118, 107–117
17. Simpson, J.; Freeth, M.; Simpson, K.J.; Thwaites, K. Visual Engagement with Urban Street Edges: Insights Using Mobile Eye-Tracking. *J. Urban. Int. Res. Placemaking Urban Sustain.* 2019, 12, 259–278
18. Wei, Q.; Dong, W.; Yu, D.; Wang, K.; Yang, T.; Xiao, Y.; Long, D.; Xiong, H.; Chen, J.; Xu, X.; et al. Early Identification of Autism Spectrum Disorder Based on Machine Learning with Eye-Tracking Data. *J. Affect. Disord.* 2024, 358, 326–334
19. Ilhan, A.E.; Togay, A. Pursuit of Methodology for Data Input Related to Taste in Design: Using Eye Tracking Technology. *Displays* 2023, 76, 102335
20. Shadiev, R.; Li, D. A Review Study on Eye-Tracking Technology Usage in Immersive Virtual Reality Learning Environments. *Comput. Educ.* 2023, 196
21. Stapel, J.; El Hassnaoui, M.; Happee, R. Measuring Driver Perception: Combining Eye-Tracking and Automated Road Scene Perception. *Hum. Factors J. Hum. Factors Ergon. Soc.* 2022, 64, 714–731
22. Vos, J.; De Winter, J.; Farah, H.; Hagenzieker, M. Which Visual Cues Do Drivers Use to Anticipate and Slow down in Freeway Curve Approach? An Eye-Tracking, Think-Aloud on-Road Study. *Transp. Res. Part F Traffic Psychol. Behav.* 2023, 94
23. Chen, W.; Sawaragi, T.; Hiraoka, T. Comparing Driver Reaction and Mental Workload of Visual and Auditory Take-over Request from Perspective of Driver Characteristics and Eye-Tracking Metrics. *Transp. Res. Part F Traffic Psychol. Behav.* 2023, 97, 396–410
24. Babić, D.; Dijanić, H.; Jakob, L.; Babić, D.; Garcia-Garzon, E. Driver Eye Movements in Relation to Unfamiliar Traffic Signs: An Eye Tracking Study. *Appl. Ergon.* 2020, 89, 103191
25. Li, Y.; Yabuki, N.; Fukuda, T. Exploring the Association between Street Built Environment and Street Vitality Using Deep Learning Methods. *Sustain. Cities Soc.* 2022, 79, 103656, doi:10.1016/j.scs.2021.103656.
26. Li, N.; Zhang, S.; Xia, L.; Wu, Y. Investigating the Visual Behavior Characteristics of Architectural Heritage Using Eye-Tracking. *Buildings* 2022, 12, 1058
27. Mehanna, W.A.E.-H.; Mehanna, W.A.E.-H. Urban Renewal for Traditional Commercial Streets at the Historical Centers of Cities. *Alex. Eng. J.* 2019, 58
28. Zhang, L.; Zhang, R.; Yin, B. The Impact of the Built-up Environment of Streets on Pedestrian Activities in the Historical Area. *Alex. Eng. J.* 2021, 60, 285–300
29. Rui, Q.; Cheng, H. Quantifying the Spatial Quality of Urban Streets with Open Street View Images: A Case Study of the Main Urban Area of Fuzhou. *Ecol. Indic.* 2023, 156, 111204
30. Oppong, R.A.; Marful, A.B.; Sarbeng, Y.K. Conservation and Character Defining Elements of Historical Towns: A Comparative Study of Cape Coast and Elmina Streets and Castles. *Front. Archit. Res.* 2018, 7, 37–55
31. Harun, N.Z.; Mansor, M.; Said, I. Place Rootedness Suggesting the Loss and Survival of Historical Public Spaces. *Procedia Environ. Sci.* 2015, 28, 528–537, doi:10.1016/j.proenv.2015.07.063.
32. Duchowski, A. T. Eye Tracking Techniques. In *Eye Tracking Methodology: Theory and Practice*; Springer; 2003; pp. 55-65.
33. Dosovitskiy, A.; Beyer, L.; Kolesnikov, A.; Weissenborn, D.; Zhai, X.; Unterthiner, T.; Dehghani, M.; Minderer, M.; Heigold, G.; Gelly, S.; Uszkoreit, J.; Houlsby, N. An Image is Worth 16x16 Words: Transformers for Image Recognition at Scale. *ArXiv* 2020, abs/2010.11929.

34. Zhou, B.; Zhao, H.; Puig, X.; Fidler, S.; Barriuso, A.; Torralba, A. Scene Parsing through ADE20K Dataset. Proceedings of the 2017 IEEE Conference on Computer Vision and Pattern Recognition (CVPR), 2017; pp. 5122-5130.
35. Amati, M.; Moat, H.S.; Batty, M. How eye-catching are natural features when walking through a park? Eye-tracking responses to videos of walks. Urban Forestry & Urban Greening 2018, 31, 67-78.

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.