

---

## Supplementary Materials

### Cytotoxic activity of koninginins isolated from the mangrove-derived endophytic fungus *Trichoderma* sp.

Gisele da Costa Ramos<sup>1</sup>, Ingrid Nayara de Farias Ramos<sup>2</sup>, Luciano Almeida Watanabe<sup>1</sup>, Luciana Almeida Watanabe Castro<sup>4</sup>, Alessandra Jackeline Guedes de Moraes<sup>5</sup>, Gleiciane Rodrigues dos Santos<sup>5</sup>, José Edson de Sousa Siqueira<sup>1</sup>, André Salim Khayat<sup>2</sup>, Andrey Moacir do Rosario Marinho<sup>1,3</sup>, and Patrícia Santana Barbosa Marinho<sup>1,3\*</sup>

<sup>1</sup> Chemistry Graduate Program, Federal University of Pará, Rua Augusto Corrêa, 01, 66075110, Brazil;

<sup>2</sup> Oncology Research Center, Federal University of Pará, Rua dos Mundurucus, 4487, 66073005, Brazil;

<sup>3</sup> Evolution Laboratory, Federal University of Pará, Alameda Leandro Ribeiro, 68600000, Brazil;

<sup>4</sup> Institute of Agricultural Sciences, Federal Rural University of the Amazon, Avenida Presidente Tancredo Neves, 2501, 66077830, Brazil.

\* Correspondence: pat@ufpa.br (P.S.B.M.); andrey@ufpa.br (A.M.R.M.)

---

## Table of Contents

**Figure S1:  $^1\text{H}$  NMR spectrum (400 MHz,  $\text{CDCl}_3$ ) of Koninginin A (KA)**

**Figure S2:  $^{13}\text{C}$  NMR spectrum (100 MHz,  $\text{CDCl}_3$ ) of Koninginin A (KA)**

**Figure S3:  $^1\text{H}$  NMR spectrum (400 MHz,  $\text{CDCl}_3$ ) of Koninginin B (KB)**

**Figure S4:  $^{13}\text{C}$  NMR spectrum (100 MHz,  $\text{CDCl}_3$ ) of Koninginin B (KB)**

**Figure S5:  $^1\text{H}$  NMR spectrum (400 MHz,  $\text{CDCl}_3$ ) of Koninginin C (KC)**

**Figure S6:  $^{13}\text{C}$  NMR spectrum (100 MHz,  $\text{CDCl}_3$ ) of Koninginin C (KC)**

**Figure S7:  $^1\text{H}$  NMR spectrum (400 MHz,  $\text{CDCl}_3$ ) of Koninginin E (KE)**

**Figure S8:  $^{13}\text{C}$  NMR spectrum (100 MHz,  $\text{CDCl}_3$ ) of Koninginin E (KE)**




Figure S1:  $^1\text{H}$  NMR spectrum (400 MHz,  $\text{CDCl}_3$ ) of Koningin A (KA)






Figure S2:  $^{13}\text{C}$  NMR spectrum (100 MHz,  $\text{CDCl}_3$ ) of Koningin A (KA)

Figure S3: <sup>1</sup>H NMR spectrum (400 MHz, CDCl<sub>3</sub>) of Koningin B (KB)Figure S4: <sup>13</sup>C NMR spectrum (100 MHz, CDCl<sub>3</sub>) of Koningin B (KB)




Figure S5:  $^1\text{H}$  NMR spectrum (400 MHz,  $\text{CDCl}_3$ ) of Koningin C (KC)








Figure S6:  $^{13}\text{C}$  NMR spectrum (100 MHz,  $\text{CDCl}_3$ ) of Koningin C (KC)

Figure S7:  $^1\text{H}$  NMR spectrum (400 MHz,  $\text{CDCl}_3$ ) of Koningin E (KE)Figure S8:  $^{13}\text{C}$  NMR spectrum (100 MHz,  $\text{CDCl}_3$ ) of Koningin E (KE)

Figure S9: <sup>1</sup>H NMR spectrum (400 MHz, CDCl<sub>3</sub>) of Koninginin J (KJ)Figure S10: <sup>13</sup>C NMR spectrum (100 MHz, CDCl<sub>3</sub>) of Koninginin J (KJ)