



RT: 0.00 - 4.24

NL:
8.22E4
TIC MS
Selwan-64



Selwan-64 #117-121 RT: 0.43-0.44 AV: 5 NL: 7.03E3

T: {0,0} + c EI Full ms [50.00-1000.00]



Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
50.05	0.1	0.00
51.26	0.0	0.00
52.89	83.6	1.19
54.49	116.4	1.66
55.15	99.3	1.41
55.98	286.4	4.07
56.37	0.0	0.00
57.13	158.7	2.26
57.99	0.0	0.00
58.53	0.0	0.00
59.49	133.5	1.90
60.34	0.0	0.00
61.27	0.0	0.00
62.53	58.6	0.83
63.51	0.0	0.00
64.84	0.0	0.00
65.93	0.0	0.00
67.28	270.5	3.85
67.65	0.1	0.00
68.49	135.7	1.93
69.25	0.0	0.00
69.87	0.0	0.00
71.04	0.0	0.00
72.55	123.8	1.76
73.55	0.0	0.00
74.10	0.0	0.00
74.61	0.0	0.00
75.16	0.0	0.00
76.22	276.2	3.93
77.04	0.0	0.00
77.98	0.0	0.00
79.24	137.7	1.96
80.18	67.4	0.96
80.99	112.0	1.59
81.51	0.0	0.00
82.33	0.0	0.00
83.64	3.0	0.04
84.27	158.9	2.26
85.26	0.0	0.00
85.90	0.0	0.00
87.36	3.7	0.05
87.97	0.0	0.00
89.31	3.1	0.04
90.90	161.9	2.30
91.87	0.0	0.00
92.72	0.0	0.00
93.55	0.0	0.00
94.40	94.8	1.35
95.14	381.7	5.43
95.94	2.5	0.04
97.25	0.0	0.00
98.28	0.0	0.00
99.64	116.8	1.66
100.89	0.0	0.00
101.93	0.0	0.00

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
103.27	0.0	0.00
103.96	91.7	1.30
104.55	0.5	0.01
105.16	0.0	0.00
106.56	3.6	0.05
107.73	60.4	0.86
108.77	91.7	1.30
109.82	72.3	1.03
110.52	112.8	1.60
111.42	113.7	1.62
112.22	101.6	1.44
113.42	0.0	0.00
114.40	0.0	0.00
115.23	0.0	0.00
117.54	114.3	1.63
118.71	0.0	0.00
119.87	58.5	0.83
120.56	0.0	0.00
121.63	137.9	1.96
122.46	251.8	3.58
123.12	10.8	0.15
124.32	0.0	0.00
125.16	134.9	1.92
126.06	5.4	0.08
126.91	133.5	1.90
127.73	0.0	0.00
128.89	0.0	0.00
129.44	97.2	1.38
129.96	0.0	0.00
130.75	0.0	0.00
131.44	2.5	0.04
132.37	1.6	0.02
132.90	0.0	0.00
133.55	4.2	0.06
134.26	207.8	2.96
135.70	7.8	0.11
136.35	0.0	0.00
136.95	94.2	1.34
137.74	0.0	0.00
138.47	0.0	0.00
139.58	7.4	0.11
140.16	9.0	0.13
141.47	0.0	0.00
142.07	53.4	0.76
143.01	0.0	0.00
144.69	0.0	0.00
145.50	0.1	0.00
146.15	0.0	0.00
146.96	2.6	0.04
147.70	5.4	0.08
148.28	7.5	0.11
149.13	5.7	0.08
150.18	564.3	8.02
151.36	256.2	3.64
152.28	0.0	0.00

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
153.58	137.7	1.96
154.29	0.0	0.00
154.84	93.3	1.33
156.12	0.0	0.00
156.69	0.0	0.00
157.82	0.0	0.00
158.57	2.6	0.04
159.49	81.7	1.16
160.77	0.0	0.00
161.35	6.6	0.09
162.11	2535.4	36.06
163.10	314.1	4.47
163.72	0.0	0.00
165.27	80.8	1.15
165.95	88.4	1.26
166.80	170.3	2.42
168.02	0.0	0.00
170.50	0.0	0.00
171.53	0.0	0.00
172.48	164.2	2.34
173.08	0.0	0.00
174.30	4.1	0.06
174.88	0.0	0.00
177.73	95.2	1.35
178.24	115.0	1.64
178.89	184.5	2.62
180.06	7032.0	100.00
180.71	0.0	0.00
181.28	275.1	3.91
181.93	0.0	0.00
183.34	0.0	0.00
184.53	0.0	0.00
185.42	0.0	0.00
185.93	0.0	0.00
186.53	0.0	0.00
187.17	219.9	3.13
187.69	0.3	0.00
188.68	160.8	2.29
189.50	186.5	2.65
189.93	0.0	0.00
191.28	159.1	2.26
191.95	0.0	0.00
192.47	0.0	0.00
193.74	0.0	0.00
194.41	0.0	0.00
195.24	269.9	3.84
195.78	0.0	0.00
197.21	114.3	1.63
197.82	0.0	0.00
198.51	0.0	0.00
199.85	0.0	0.00
200.44	0.0	0.00
201.90	0.0	0.00
203.19	0.0	0.00
204.17	10.7	0.15

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
205.32	0.0	0.00
206.19	0.0	0.00
207.00	5.1	0.07
208.07	0.0	0.00
208.61	0.0	0.00
210.57	135.1	1.92
211.49	0.0	0.00
212.06	0.0	0.00
213.62	12.6	0.18
214.27	0.0	0.00
215.57	0.0	0.00
216.40	0.0	0.00
217.35	0.0	0.00
218.09	0.0	0.00
218.74	0.0	0.00
219.87	96.7	1.38
221.10	143.2	2.04
222.17	112.2	1.60
223.68	0.0	0.00
224.41	0.0	0.00
224.92	54.3	0.77
226.08	0.0	0.00
226.99	0.0	0.00
228.14	0.0	0.00
228.72	0.0	0.00
229.52	0.0	0.00
230.87	0.0	0.00
231.10	74.4	1.06
231.77	63.9	0.91
232.43	0.0	0.00
233.16	0.0	0.00
234.84	0.0	0.00
235.84	0.0	0.00
236.73	0.0	0.00
237.98	0.0	0.00
238.72	55.4	0.79
239.92	0.0	0.00
241.04	0.0	0.00
242.25	0.0	0.00
242.95	437.2	6.22
244.15	0.0	0.00
245.20	0.0	0.00
246.05	134.4	1.91
247.18	0.0	0.00
248.32	0.0	0.00
249.77	0.0	0.00
250.38	0.0	0.00
250.90	0.0	0.00
252.29	0.0	0.00
253.23	0.0	0.00
253.94	2.5	0.04
255.60	291.5	4.15
256.79	0.0	0.00
257.30	9.3	0.13
258.80	0.0	0.00

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
259.37	0.0	0.00
259.82	0.0	0.00
260.66	0.0	0.00
261.44	0.0	0.00
262.50	7.5	0.11
263.61	0.0	0.00
264.32	0.0	0.00
265.76	5.3	0.08
266.75	9.0	0.13
267.53	1.6	0.02
268.13	0.0	0.00
271.30	0.0	0.00
271.97	0.0	0.00
272.58	0.0	0.00
273.96	0.0	0.00
275.54	114.0	1.62
276.13	0.0	0.00
276.76	0.0	0.00
277.37	0.0	0.00
279.28	85.9	1.22
281.13	0.0	0.00
281.75	0.0	0.00
282.66	0.0	0.00
283.34	0.0	0.00
285.34	0.0	0.00
286.27	3.6	0.05
287.19	0.0	0.00
290.01	0.0	0.00
291.29	0.0	0.00
291.80	0.0	0.00
292.50	0.0	0.00
293.73	0.3	0.00
294.27	0.0	0.00
294.91	0.0	0.00
295.66	114.3	1.63
296.42	145.9	2.08
298.79	0.0	0.00
299.37	0.0	0.00
300.29	0.0	0.00
300.82	0.0	0.00
302.01	10.6	0.15
303.03	0.0	0.00
303.98	0.0	0.00
305.51	0.0	0.00
306.82	135.0	1.92
307.04	0.0	0.00
307.66	0.0	0.00
309.12	0.0	0.00
309.63	0.0	0.00
311.60	170.3	2.42
312.84	0.0	0.00
313.59	8.9	0.13
314.82	0.0	0.00
316.41	118.7	1.69
317.57	95.4	1.36

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
319.33	0.0	0.00
319.89	0.0	0.00
320.62	0.0	0.00
321.32	0.0	0.00
322.60	0.0	0.00
323.26	0.0	0.00
324.38	0.0	0.00
325.38	0.0	0.00
325.94	0.0	0.00
327.73	159.5	2.27
328.43	0.0	0.00
329.88	0.0	0.00
330.65	0.0	0.00
331.75	198.4	2.82
332.42	122.0	1.73
333.03	0.0	0.00
333.62	0.0	0.00
334.52	12.7	0.18
335.82	0.0	0.00
336.74	0.0	0.00
337.43	11.1	0.16
338.07	0.0	0.00
339.08	0.0	0.00
339.69	144.3	2.05
341.39	169.3	2.41
342.33	10.8	0.15
343.49	168.4	2.40
344.85	0.0	0.00
345.56	32.4	0.46
346.51	44.1	0.63
347.58	69.1	0.98
348.65	10.7	0.15
349.37	0.0	0.00
350.11	0.0	0.00
351.40	0.0	0.00
353.12	0.0	0.00
354.05	299.4	4.26
354.58	43.3	0.62
355.21	0.0	0.00
356.17	82.0	1.17
356.96	0.3	0.00
357.60	0.0	0.00
358.88	0.0	0.00
360.55	0.0	0.00
361.10	0.0	0.00
362.05	0.0	0.00
363.32	0.0	0.00
364.00	326.2	4.64
365.00	0.0	0.00
366.17	142.3	2.02
366.71	0.0	0.00
368.44	7.3	0.10
369.15	0.0	0.00
369.71	0.0	0.00
370.78	0.0	0.00

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
371.81	0.0	0.00
372.57	3.1	0.04
373.52	173.5	2.47
374.38	0.0	0.00
375.37	240.2	3.42
375.97	0.4	0.01
377.03	0.0	0.00
378.04	37.7	0.54
379.01	0.0	0.00
379.82	97.9	1.39
380.62	0.3	0.00
381.88	69.9	0.99
382.84	8.7	0.12
383.35	0.0	0.00
384.37	218.9	3.11
385.62	138.2	1.96
386.44	138.1	1.96
387.41	0.0	0.00
389.03	2.1	0.03
389.24	0.0	0.00
390.24	0.0	0.00
391.14	0.0	0.00
392.06	0.2	0.00
392.70	0.0	0.00
394.32	4.2	0.06
395.43	158.6	2.25
396.47	0.0	0.00
397.53	0.0	0.00
398.39	218.4	3.11
398.93	0.0	0.00
399.75	8.7	0.12
400.32	0.0	0.00
401.03	0.0	0.00
401.63	11.0	0.16
403.00	182.6	2.60
403.59	179.8	2.56
404.48	135.2	1.92
405.15	0.0	0.00
406.07	0.0	0.00
406.72	136.8	1.95
407.70	0.0	0.00
409.13	55.4	0.79
410.22	53.1	0.76
412.57	199.2	2.83
414.66	0.0	0.00
416.05	0.3	0.00
417.13	0.0	0.00
417.87	0.0	0.00
418.70	368.9	5.25
419.93	119.5	1.70
420.94	0.0	0.00
422.38	120.8	1.72
423.91	141.5	2.01
425.71	474.8	6.75
427.83	0.0	0.00

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
429.72	123.9	1.76
431.75	0.0	0.00
432.68	111.0	1.58
433.64	0.0	0.00
434.17	87.9	1.25
435.07	0.0	0.00
436.45	262.4	3.73
437.05	0.0	0.00
437.56	0.0	0.00
438.34	0.0	0.00
438.91	0.0	0.00
440.16	0.0	0.00
441.25	13.2	0.19
441.83	3.2	0.05
442.44	0.0	0.00
444.30	115.1	1.64
445.01	0.0	0.00
445.88	16.5	0.23
447.42	16.2	0.23
448.31	0.0	0.00
449.29	0.0	0.00
449.98	0.0	0.00
450.96	0.0	0.00
451.54	9.1	0.13
452.50	0.0	0.00
453.31	0.0	0.00
454.62	0.0	0.00
455.30	3.2	0.05
456.84	0.0	0.00
457.62	0.0	0.00
458.20	4.2	0.06
459.56	0.0	0.00
461.21	0.0	0.00
461.82	0.1	0.00
462.70	0.0	0.00
463.38	112.3	1.60
464.16	7.9	0.11
464.76	0.0	0.00
465.27	137.9	1.96
465.88	120.1	1.71
466.96	2.5	0.04
468.66	2.5	0.04
469.45	5.5	0.08
470.04	3.2	0.05
471.11	192.6	2.74
472.39	218.5	3.11
473.38	0.0	0.00
474.23	0.0	0.00
474.95	7.3	0.10
475.93	0.0	0.00
476.54	0.0	0.00
477.75	0.0	0.00
479.03	0.0	0.00
480.92	0.0	0.00
481.68	158.3	2.25

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
482.21	2.5	0.04
482.87	0.0	0.00
484.15	2.6	0.04
485.09	0.0	0.00
485.71	0.0	0.00
486.50	0.0	0.00
487.62	0.0	0.00
488.24	0.0	0.00
489.01	3.7	0.05
490.36	0.0	0.00
490.89	0.0	0.00
492.57	9.3	0.13
493.19	0.3	0.00
493.98	0.0	0.00
494.90	185.0	2.63
496.29	3.0	0.04
497.21	3.6	0.05
498.22	0.0	0.00
498.93	0.0	0.00
500.95	2.1	0.03
501.56	10.7	0.15
502.73	0.0	0.00
503.28	0.0	0.00
503.94	0.0	0.00
505.07	0.3	0.00
505.99	0.0	0.00
506.53	0.0	0.00
507.38	0.0	0.00
508.00	0.0	0.00
508.67	12.6	0.18
509.70	0.0	0.00
511.15	0.0	0.00
513.80	0.0	0.00
514.85	0.0	0.00
515.98	116.6	1.66
516.79	0.5	0.01
517.57	0.0	0.00
518.14	0.0	0.00
519.01	2.6	0.04
519.60	54.6	0.78
520.40	116.4	1.66
521.27	9.2	0.13
522.35	71.0	1.01
524.02	93.3	1.33
525.09	116.5	1.66
525.74	0.0	0.00
526.49	0.0	0.00
527.28	0.0	0.00
527.83	91.6	1.30
528.64	0.3	0.00
530.17	0.0	0.00
531.32	0.0	0.00
531.89	0.0	0.00
533.64	0.3	0.00
535.19	0.0	0.00

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
536.10	0.0	0.00
536.99	95.1	1.35
537.63	0.0	0.00
538.23	0.0	0.00
538.78	0.0	0.00
540.37	0.0	0.00
542.62	0.0	0.00
543.67	0.0	0.00
544.37	0.0	0.00
545.34	0.0	0.00
546.55	0.0	0.00
547.35	0.0	0.00
548.42	0.0	0.00
549.38	0.0	0.00
550.77	0.0	0.00
551.31	2.6	0.04
552.25	0.0	0.00
552.84	0.0	0.00
553.93	0.0	0.00
556.97	3.1	0.04
557.84	9.2	0.13
558.85	8.9	0.13
559.64	0.0	0.00
560.50	159.6	2.27
561.11	0.0	0.00
561.68	0.0	0.00
562.26	0.0	0.00
563.30	0.0	0.00
563.93	0.0	0.00
564.51	0.0	0.00
565.63	0.0	0.00
566.93	0.0	0.00
568.92	53.6	0.76
569.56	0.0	0.00
570.44	0.0	0.00
571.65	0.0	0.00
572.50	0.0	0.00
573.32	0.0	0.00
574.22	0.0	0.00
575.79	0.0	0.00
576.30	0.0	0.00
576.98	0.0	0.00
577.80	74.4	1.06
578.79	0.0	0.00
579.97	0.0	0.00
580.74	0.0	0.00
581.67	170.8	2.43
582.73	0.0	0.00
583.27	0.0	0.00
584.53	161.5	2.30
585.78	10.5	0.15
586.52	12.9	0.18
587.24	89.4	1.27
587.80	0.0	0.00
588.45	0.0	0.00

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
589.70	0.0	0.00
590.33	0.0	0.00
590.94	0.0	0.00
591.47	0.0	0.00
592.54	0.0	0.00
593.54	0.0	0.00
595.13	0.0	0.00
596.09	3.2	0.05
597.03	0.0	0.00
597.81	0.0	0.00
598.45	0.0	0.00
599.43	52.2	0.74
601.16	0.0	0.00
602.01	0.0	0.00
602.66	7.2	0.10
603.56	0.5	0.01
604.41	0.0	0.00
605.03	0.0	0.00
605.84	0.0	0.00
606.48	0.0	0.00
607.20	0.0	0.00
608.68	0.0	0.00
609.42	0.0	0.00
611.77	0.0	0.00
612.27	3.1	0.04
613.66	156.4	2.22
614.63	0.0	0.00
615.40	137.2	1.95
616.31	117.8	1.68
618.02	258.1	3.67
618.99	139.2	1.98
620.62	90.1	1.28
621.21	0.0	0.00
621.74	10.6	0.15
622.52	0.0	0.00
623.40	112.8	1.60
624.31	0.3	0.00
626.21	0.0	0.00
627.59	0.3	0.00
628.41	2.7	0.04
629.78	0.0	0.00
630.42	0.0	0.00
631.16	0.0	0.00
631.79	170.1	2.42
633.56	0.0	0.00
634.79	113.4	1.61
635.42	0.0	0.00
636.28	0.0	0.00
636.94	0.0	0.00
637.74	0.0	0.00
638.46	0.0	0.00
639.55	8.7	0.12
640.38	140.4	2.00
641.92	76.1	1.08
642.54	86.0	1.22

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
643.65	0.0	0.00
644.23	14.8	0.21
645.33	0.0	0.00
646.18	154.2	2.19
648.19	231.3	3.29
648.93	1.0	0.01
649.89	0.0	0.00
650.49	0.0	0.00
651.00	0.0	0.00
652.37	0.0	0.00
653.60	0.0	0.00
654.79	0.0	0.00
656.24	0.0	0.00
657.01	0.0	0.00
657.70	0.0	0.00
658.66	0.0	0.00
659.80	0.0	0.00
660.89	0.0	0.00
661.42	0.0	0.00
662.19	101.5	1.44
663.52	0.0	0.00
664.20	0.0	0.00
665.35	160.5	2.28
666.43	52.4	0.75
667.15	0.0	0.00
668.56	67.9	0.97
669.89	163.9	2.33
671.15	0.0	0.00
672.09	4.3	0.06
672.90	0.0	0.00
673.83	0.0	0.00
674.94	0.0	0.00
675.56	11.1	0.16
676.50	0.0	0.00
677.23	0.0	0.00
677.74	0.0	0.00
679.39	106.8	1.52
679.97	0.1	0.00
680.63	0.0	0.00
681.89	0.0	0.00
684.31	90.0	1.28
685.05	95.3	1.36
686.92	0.0	0.00
688.07	0.0	0.00
688.94	0.0	0.00
690.08	0.0	0.00
690.69	0.0	0.00
691.50	137.4	1.95
692.01	0.0	0.00
693.59	0.0	0.00
695.55	0.0	0.00
696.75	274.4	3.90
697.39	0.0	0.00
698.32	159.5	2.27
698.82	0.0	0.00

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
699.36	0.0	0.00
700.70	0.0	0.00
701.25	0.0	0.00
702.62	0.3	0.00
703.53	0.0	0.00
705.25	125.4	1.78
706.10	0.0	0.00
707.19	120.0	1.71
708.02	137.0	1.95
709.20	275.7	3.92
710.49	0.0	0.00
711.85	2.6	0.04
713.29	0.0	0.00
714.62	1.1	0.02
715.56	0.0	0.00
717.38	0.0	0.00
718.43	0.0	0.00
719.15	0.0	0.00
719.67	0.0	0.00
721.50	0.0	0.00
722.44	113.7	1.62
723.18	11.1	0.16
723.73	0.0	0.00
724.68	19.8	0.28
725.55	0.0	0.00
726.06	0.0	0.00
726.57	12.3	0.17
727.79	0.0	0.00
730.23	0.1	0.00
730.96	92.8	1.32
732.45	80.1	1.14
733.38	0.0	0.00
734.74	0.0	0.00
735.70	123.9	1.76
736.70	94.0	1.34
737.21	0.0	0.00
738.65	0.0	0.00
740.18	0.0	0.00
741.22	69.5	0.99
744.41	0.0	0.00
745.10	0.0	0.00
745.94	80.8	1.15
746.78	135.1	1.92
747.36	9.2	0.13
748.23	74.9	1.07
749.38	234.4	3.33
749.96	0.0	0.00
750.46	0.0	0.00
751.01	0.0	0.00
753.28	14.3	0.20
754.79	67.9	0.97
755.88	0.0	0.00
756.77	2.1	0.03
757.69	153.7	2.19
759.04	93.4	1.33

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
761.30	258.6	3.68
761.89	0.0	0.00
762.58	0.0	0.00
763.13	2.0	0.03
763.99	7.5	0.11
765.11	0.0	0.00
766.71	0.0	0.00
767.87	0.0	0.00
769.59	0.0	0.00
770.77	0.3	0.00
772.15	0.0	0.00
772.69	0.0	0.00
773.19	0.0	0.00
774.55	0.0	0.00
775.42	0.0	0.00
776.41	12.6	0.18
777.38	113.4	1.61
778.11	0.0	0.00
778.66	0.0	0.00
780.30	0.0	0.00
781.93	0.0	0.00
782.74	0.0	0.00
784.06	0.0	0.00
785.13	0.0	0.00
786.19	0.0	0.00
787.09	0.0	0.00
788.83	0.0	0.00
790.46	0.0	0.00
791.12	14.6	0.21
792.44	0.0	0.00
794.17	17.0	0.24
795.60	0.0	0.00
796.81	12.7	0.18
797.41	0.0	0.00
798.54	0.0	0.00
799.29	0.0	0.00
800.07	0.0	0.00
801.30	0.0	0.00
802.15	0.0	0.00
802.93	246.7	3.51
803.99	0.0	0.00
805.14	164.9	2.34
806.13	9.2	0.13
806.85	0.0	0.00
808.13	114.4	1.63
808.94	0.0	0.00
809.52	0.0	0.00
810.91	0.0	0.00
811.74	67.9	0.97
812.37	67.1	0.95
813.78	79.2	1.13
814.61	0.0	0.00
815.50	9.2	0.13
816.08	2.8	0.04
816.64	0.0	0.00

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
817.95	0.0	0.00
819.27	0.0	0.00
820.58	26.7	0.38
822.77	0.0	0.00
823.70	2.7	0.04
825.30	0.0	0.00
826.93	117.7	1.67
828.05	106.8	1.52
828.70	0.0	0.00
829.97	0.0	0.00
830.98	0.0	0.00
831.90	0.0	0.00
832.42	0.0	0.00
834.46	59.7	0.85
835.14	0.0	0.00
836.22	2.2	0.03
838.37	0.0	0.00
839.01	0.0	0.00
839.55	0.0	0.00
840.15	0.0	0.00
840.82	0.0	0.00
841.57	115.2	1.64
842.35	138.0	1.96
843.37	10.8	0.15
844.29	0.0	0.00
846.87	0.0	0.00
847.55	0.0	0.00
848.06	4.9	0.07
849.53	0.0	0.00
850.31	0.0	0.00
852.42	157.5	2.24
853.52	0.0	0.00
854.21	91.6	1.30
855.22	55.7	0.79
855.94	0.0	0.00
856.67	0.0	0.00
857.18	133.8	1.90
858.87	0.0	0.00
859.87	0.0	0.00
860.41	0.0	0.00
861.32	225.2	3.20
862.31	0.0	0.00
863.63	0.0	0.00
864.38	0.0	0.00
865.26	0.0	0.00
867.05	0.0	0.00
868.13	31.4	0.45
868.88	0.0	0.00
869.46	0.0	0.00
870.85	134.8	1.92
871.46	139.8	1.99
872.07	0.0	0.00
872.78	68.5	0.97
874.19	0.0	0.00
876.05	0.0	0.00

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
877.04	0.5	0.01
878.24	136.1	1.94
880.43	122.4	1.74
881.77	206.5	2.94
882.75	116.9	1.66
884.35	0.0	0.00
884.93	11.0	0.16
886.10	0.0	0.00
886.96	191.2	2.72
888.34	21.3	0.30
889.42	0.0	0.00
890.01	0.0	0.00
890.88	0.0	0.00
891.77	0.0	0.00
893.71	325.6	4.63
894.30	0.1	0.00
895.76	73.6	1.05
896.32	0.0	0.00
896.92	71.4	1.02
898.05	41.4	0.59
898.73	0.0	0.00
901.37	0.0	0.00
902.13	192.6	2.74
903.32	0.0	0.00
904.22	0.0	0.00
904.86	52.1	0.74
905.59	137.2	1.95
906.54	113.2	1.61
907.53	86.0	1.22
908.22	0.0	0.00
908.92	75.2	1.07
910.04	42.0	0.60
911.81	0.0	0.00
912.44	0.0	0.00
913.12	0.0	0.00
913.84	0.0	0.00
914.40	0.0	0.00
915.27	0.0	0.00
916.22	0.0	0.00
917.34	0.0	0.00
917.99	0.0	0.00
919.52	0.0	0.00
920.15	0.0	0.00
921.01	0.0	0.00
921.55	0.0	0.00
922.14	0.0	0.00
923.71	0.5	0.01
926.40	132.9	1.89
927.10	0.0	0.00
928.84	21.6	0.31
929.50	115.8	1.65
930.08	3.4	0.05
931.12	0.0	0.00
932.73	0.0	0.00
933.84	7.5	0.11

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
934.80	101.5	1.44
935.49	11.1	0.16
936.54	2.2	0.03
937.26	0.0	0.00
938.70	2.0	0.03
939.68	0.0	0.00
940.27	0.0	0.00
940.80	0.0	0.00
941.85	62.2	0.88
942.35	0.0	0.00
944.30	0.4	0.01
944.84	0.0	0.00
945.34	115.0	1.64
947.16	0.0	0.00
948.72	0.0	0.00
949.58	0.0	0.00
950.35	0.0	0.00
951.19	0.0	0.00
951.84	9.5	0.14
952.50	0.0	0.00
953.58	11.0	0.16
954.09	0.0	0.00
955.79	0.0	0.00
957.02	0.3	0.00
958.50	0.0	0.00
959.17	9.0	0.13
959.80	0.0	0.00
960.45	53.6	0.76
961.43	0.0	0.00
962.84	18.5	0.26
963.63	173.7	2.47
964.62	0.0	0.00
965.76	11.2	0.16
966.55	0.0	0.00
967.36	0.0	0.00
967.96	10.9	0.16
968.53	0.0	0.00
969.10	0.0	0.00
970.57	0.0	0.00
971.60	0.0	0.00
972.43	0.0	0.00
973.00	0.0	0.00
973.70	0.0	0.00
975.00	0.0	0.00
976.35	0.0	0.00
977.41	0.0	0.00
979.01	0.0	0.00
979.85	0.0	0.00
980.75	0.3	0.00
981.33	0.0	0.00
982.37	0.0	0.00
982.93	0.0	0.00
984.02	93.4	1.33
985.11	0.0	0.00
985.87	0.0	0.00

Selwan-64#117-121 RT: 0.43-0.44 AV: 5

T: {0,0} + c EI Full ms [50.00-1000.00]

m/z= 50.00-1000.04

m/z	Intensity	Relative
986.44	0.0	0.00
987.20	102.1	1.45
987.74	0.1	0.00
989.16	0.0	0.00
989.72	0.0	0.00
990.25	250.5	3.56
991.48	252.3	3.59
991.99	0.0	0.00
992.86	0.0	0.00
993.69	113.9	1.62
995.19	102.2	1.45
995.89	16.9	0.24
997.12	41.8	0.59
997.32	0.0	0.00
997.95	52.2	0.74
998.75	112.4	1.60
999.38	0.0	0.00