

MIL-100(Al) gels as an excellent platform loaded with doxorubicin hydrochloride for pH-triggered drug release and anticancer effect

Yuge Feng¹, Chengliang Wang², Fei Ke³, Jianye Zang² and Junfa Zhu^{1,*}

^a National Synchrotron Radiation Laboratory and Department of Chemical Physics, University of Science and Technology of China, Hefei, 230029, China

^b Hefei National Laboratory for Physical Sciences at Microscale, CAS Center for Excellence in Biomacromolecules, Collaborative Innovation Center of Chemistry for Life Sciences, and School of Life Sciences, University of Science and Technology of China, Hefei, 230026, China.

^c Department of Applied Chemistry and State Key Laboratory of Tea Plant Biology and Utilization, Anhui Agricultural University, Hefei 230036, P.R. China




Fig. S1. UV-vis absorption spectra of DOX at different concentrations in PBS buffer solution: A (100 µg/mL), B (80 µg/mL), C (60 µg/mL), D (40 µg/mL), E (20 µg/mL), F (0 µg/mL).




Fig. S2. Calibration plot of standard DOX concentration derived from UV-vis absorption spectra in Figure S1.




Fig. S3. Powder XRD patterns of the as-synthesized MIL-100(Al) gels and the XRD pattern simulated from crystal structure data of MIL-100(Al). The result of the as-synthesized MIL-100(Al) gels agrees well with the simulated result of single-crystal MIL-100(Al).




Fig. S4. Nitrogen adsorption-desorption isotherm of MIL-100(Al) gel measured at 77 K. The inset shows the corresponding pore size distribution analysis obtained using Discrete Fourier Transform (DFT) method. The BET surface area and pore volume of the MOGs were calculated to be 920 m²/g and 0.535 cm³/g, respectively. The large surface area and high porosity make this material to be possibly used for highly efficient drug loading.